
ciscoisesdk Documentation

Release 1.3.0

Dec 13, 2021

CONTENTS

1	The User Guide	3
1.1	Installation	3
1.2	Introduction	4
1.3	Quickstart	7
1.4	User API Doc	20
2	The Development Community	1655
2.1	Contributor Covenant Code of Conduct	1655
2.2	Contributing	1656
3	General Information about the Identity Services Engine Service	1659
3.1	What is Identity Services Engine?	1659
3.2	Identity Services Engine for Developers	1659
	Python Module Index	1661
	Index	1663

Simple, lightweight, scalable Python API wrapper for the Identity Services Engine APIs

Welcome to the docs! `ciscoisesdk` is a *community developed* Pythonic wrapping of the Identity Services Engine APIs (for API versions: 3.0.0, 3.1.0 and 3.1.1). The package represents all of the Cisco Identity Services Engine API interactions via native Python tools. Making working with the Cisco Identity Services Engine APIs in Python a *native* and *natural* experience.

`ciscoisesdk` helps you get things done faster. We take care of the API semantics, and you can focus on writing your code.

With `ciscoisesdk`, you can easily:

- Interact with the Identity Services Engine APIs in an interactive Python session
- Quickly create code that enables you get something done in Identity Services Engine
- Leverage the API wrapper to cleanly add Identity Services Engine functionality to your project without having to write the boilerplate code for working with the Identity Services Engine APIs

To *dive in* and see how `ciscoisesdk` makes your life better, check out the [Quickstart](#)!

Warning: The minimum supported version is ISE 3.1. Future releases may drop the ISE version 3.0.0.

THE USER GUIDE

1.1 Installation

1.1.1 PIP Install

ciscoisesdk is available via PIP and the [Python Package Index \(PyPI\)](#). To install ciscoisesdk, simply run this command from your terminal of choice:

```
$ pip install ciscoisesdk
```

The ciscoisesdk package is distributed as a *source distribution* (no binaries).

1.1.2 PIP Upgrade

To ensure that you have the latest version, check-for and install upgrades via PIP:

```
$ pip install ciscoisesdk --upgrade
```

1.1.3 Get the Source Code

ciscoisesdk is developed on GitHub. If you like and use this package, please take a few seconds to Star the package on the [CiscoISE/ciscoisesdk](#) GitHub page. Your feedback and contributions are always welcome.

Use the following command to download the source code (GIT repository):

```
$ git clone https://github.com/CiscoISE/ciscoisesdk.git
```

You can then install the package to your environment, with the following command:

```
$ python setup.py install
```

Copyright (c) 2021 Cisco and/or its affiliates.

1.2 Introduction

1.2.1 Work with the Identity Services Engine APIs in Native Python!

Sure, working with the Identity Services Engine APIs is easy (see [api_docs](#)). They are RESTful, naturally structured, require only a simple Access Token for authentication, and the data is elegantly represented in intuitive JSON. What could be easier?

```
import requests

URL = 'https://dcloud-dna-ise-rtp.cisco.com/ers/config/networkdevice'
ACCESS_TOKEN = '<your_access_token>'

filter_query = '<filter_query>'
headers = {'authorization': ACCESS_TOKEN,
          'Content-type': 'application/json;charset=utf-8'}
params_data = { 'filter': filter_query }
response = requests.get(URL, params=params_data, headers=headers)
if response.status_code == 200:
    device_response = response.json
    if device_response.get('SearchResult') and device_response['SearchResult'].get(
↳ 'resources'):
        for device in device_response['SearchResult']['resources']:
            print('{:20s}{}'.format(device['id'], device['name']))
else:
    # Oops something went wrong... Better do something about it.
    print(response.status_code, response.text)
```

Like I said, EASY. However, in use, the code can become rather repetitive...

- You have to setup the environment every time
- You have to remember URLs, request parameters and JSON formats (or reference the docs)
- You have to parse the returned JSON and work with multiple layers of list and dictionary indexes

Enter **ciscoisesdk**, a simple API wrapper that wraps all of the Identity Services Engine API calls and returned JSON objects within native Python objects and methods.

With **ciscoisesdk**, the above Python code can be consolidated to the following:

```
from ciscoisesdk import api

api_ = api.IdentityServicesEngineAPI(username='admin',
                                     password='C1sco12345',
                                     uses_api_gateway=True,
                                     base_url='https://dcloud-dna-ise-rtp.cisco.com',
                                     version='3.1.1',
                                     verify=True)
# Or even just api_ = api.IdentityServicesEngineAPI(username='admin', password='C1sco12345
↳ ') as others have those values by default.
try:
    device_response = api_.network_device.get_network_device(filter='name.EQ.Test').
↳ response
    if device_response.SearchResult and device_response.SearchResult.resources:
```

(continues on next page)

(continued from previous page)

```

        for device in device_response.SearchResult.resources:
            print('{:20s}{}'.format(device.hostname, device.upTime))
except ApiError as e:
    print(e)

```

ciscoisesdk handles all of this for you:

- Reads your Identity Services Engine credentials from environment variables (IDENTITY_SERVICES_ENGINE_ENCODED_AUTH, IDENTITY_SERVICES_ENGINE_USERNAME, IDENTITY_SERVICES_ENGINE_PASSWORD)
- Reads your Identity Services Engine API version from environment variable IDENTITY_SERVICES_ENGINE_VERSION. Supported versions: 3.0.0, 3.1.0 and 3.1.1. Now with version and base_url, you have more control.
- Controls whether to verify the server's TLS certificate or not according to the verify parameter.
- Reads your Identity Services Engine debug from environment variable IDENTITY_SERVICES_ENGINE_DEBUG. Boolean, it controls whether to log information about Identity Services Engine APIs' request and response process.
- Wraps and represents all Identity Services Engine API calls as a simple hierarchical tree of native-Python methods (with default arguments provided everywhere possible!)
- If your Python IDE supports **auto-completion** (like [PyCharm](#)), you can navigate the available methods and object attributes right within your IDE
- Represents all returned JSON objects as native Python objects - you can access all of the object's attributes using native *dot.syntax*
- **Automatic Rate-Limit Handling** Sending a lot of requests to Identity Services Engine? Don't worry; we have you covered. Identity Services Engine will respond with a rate-limit response, which will automatically be caught and "handled" for you. Your requests and script will automatically be "paused" for the amount of time specified by Identity Services Engine, while we wait for the Identity Services Engine rate-limit timer to cool down. After the cool-down, your request will automatically be retried, and your script will continue to run as normal. Handling all of this requires zero (0) changes to your code - you're welcome.

Just know that if you are sending a lot of requests, your script might take longer to run if your requests are getting rate limited.

All of this, combined, lets you do powerful things simply:

```

from ciscoisesdk import IdentityServicesEngineAPI
from ciscoisesdk.exceptions import ApiError

# Get allowed protocols
search_result = api_.allowed_protocols.get_all().response.SearchResult
if search_result and search_result.resources:
    for resource in search_result.resources:
        resource_detail = api_.allowed_protocols.get_by_id(resource.id).response.
↪ AllowedProtocols
        print("Id {} \nName {} \nallowChap {} \n".format(resource_detail.id, resource_detail.
↪ name, resource_detail.allowChap))

# Filter network device
device_list_response = api_.network_device.get_all(filter='name.EQ.ISE_EST_Local_Host_19
↪ ')

```

(continues on next page)

(continued from previous page)

```

device_responses = device_list_response.response.SearchResult.resources
device_response = device_responses[0]

# Get network device detail
device_response_detail = api_.network_device.get_by_id(device_response.id).response.
↳NetworkDevice

# Delete network device
delete_device = api_.network_device.delete_by_id(device_response.id)

# Create network device
try:
    network_device_response = api_.network_device.create(name='ISE_EST_Local_Host_19',
↳network_device_iplist=[{"ipaddress": "127.35.0.1", "mask": 32}])
    print("Created, new Location {}".format(network_device_response.headers.Location))
except api_Error as e:
    print(e)

```

Head over to the [Quickstart](#) page to begin working with the **Identity Services Engine APIs in native Python!**

1.2.2 MIT License

ciscoisesdk is currently licensed under the [MIT Open Source License](#), and distributed as a source distribution (no binaries) via [PyPI](#), and the complete [source code](#) is available on GitHub.

1.2.3 ciscoisesdk License

MIT License

Copyright (c) 2021 Cisco and/or its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2021 Cisco and/or its affiliates.

1.3 Quickstart

Dive in! ...to get started using the ciscoisesdk package:

Make sure that you have:

- ciscoisesdk *installed*
- ciscoisesdk *upgraded to the latest version*

1.3.1 Pass your Identity Services Engine Access Token

To interact with the Identity Services Engine APIs, you must have a **Identity Services Engine Access Token**. A Identity Services Engine Access Token is how the Identity Services Engine APIs validate access and identify the requesting user.

As a *best practice*, you can store your Identity Services Engine ‘credentials’ as an environment variables in your development or production environment.

By default, ciscoisesdk will look for the following environment variables to create new connection objects:

- `IDENTITY_SERVICES_ENGINE_DEBUG` - Tells the SDK whether to log request and response information. Useful for debugging and seeing what is going on under the hood. Defaults to False.
- `IDENTITY_SERVICES_ENGINE_VERSION` - Identity Services Engine API version to use. Defaults to ‘3.1.1’.
- `IDENTITY_SERVICES_ENGINE_ENCODED_AUTH` - It takes priority. It is the *username:password* encoded in base 64. For example ‘ZGV2bmV0dXNlcjpaXNjbzEyMyEK’ which decoded is ‘devnetuser:Cisco123!’
- `IDENTITY_SERVICES_ENGINE_USERNAME` - HTTP Basic Auth username.
- `IDENTITY_SERVICES_ENGINE_PASSWORD` - HTTP Basic Auth password.
- `IDENTITY_SERVICES_ENGINE_USES_API_GATEWAY` - Enables or disables the usage of the API Gateway. Defaults to True.
- `IDENTITY_SERVICES_ENGINE_BASE_URL` - The base URL to be prefixed to the individual API endpoint suffixes. It is used if the `IDENTITY_SERVICES_ENGINE_USES_API_GATEWAY` is True. Defaults to ‘<https://dcloud-dna-ise-rtp.cisco.com>’.
- `IDENTITY_SERVICES_ENGINE_UI_BASE_URL` - The UI base URL to be prefixed to the individual ISE UI API endpoint suffixes. It is used if the `IDENTITY_SERVICES_ENGINE_USES_API_GATEWAY` is False.
- `IDENTITY_SERVICES_ENGINE_ERS_BASE_URL` - The ERS base URL to be prefixed to the individual ISE ERS API endpoint suffixes. It is used if the `IDENTITY_SERVICES_ENGINE_USES_API_GATEWAY` is False.
- `IDENTITY_SERVICES_ENGINE_MNT_BASE_URL` - The MNT base URL to be prefixed to the individual ISE MNT API endpoint suffixes. It is used if the `IDENTITY_SERVICES_ENGINE_USES_API_GATEWAY` is False.
- `IDENTITY_SERVICES_ENGINE_PX_GRID_BASE_URL` - The `PX_GRID` base URL to be prefixed to the individual ISE `PX_GRID` API endpoint suffixes. It is used if the `IDENTITY_SERVICES_ENGINE_USES_API_GATEWAY` is False.
- `IDENTITY_SERVICES_ENGINE_SINGLE_REQUEST_TIMEOUT` - Timeout (in seconds) for RESTful HTTP requests. Defaults to 60.
- `IDENTITY_SERVICES_ENGINE_WAIT_ON_RATE_LIMIT` - Enables or disables automatic rate-limit handling. Defaults to True.
- `IDENTITY_SERVICES_ENGINE_VERIFY` - Controls whether to verify the server’s TLS certificate or not. Defaults to True.

However, you choose to set it, if you have `IDENTITY_SERVICES_ENGINE_VERSION`, `IDENTITY_SERVICES_ENGINE_USERNAME` and `IDENTITY_SERVICES_ENGINE_PASSWORD`, or `IDENTITY_SERVICES_ENGINE_VERSION` and `IDENTITY_SERVICES_ENGINE_ENCODED_AUTH` environment variables, you are good to go. `ciscoisesdk` will use them to create your access token when creating new *IdentityServicesEngineAPI* objects.

If you don't want to set your credentials as environment variables, you can manually provide them as parameters when creating a *IdentityServicesEngineAPI* object.

Note: The `ciscoisesdk` assumes that the ERS APIs and OpenAPIs are enabled. If `uses_api_gateway` is `True`, the `ciscoisesdk` assumes that your ISE API Gateway is enabled as well.

1.3.2 Set credentials as environment variables

There are many places and diverse ways that you can set an environment variable, which can include:

- A setting within your development IDE
- A setting in your container / PaaS service
- A statement in a shell script that configures and launches your app

It can be as simple as setting it in your CLI before running your script...

```
$ IDENTITY_SERVICES_ENGINE_USERNAME=your_username_here
$ IDENTITY_SERVICES_ENGINE_PASSWORD=your_password_here
$ python myscript.py
```

...or putting your credentials in a shell script that you source when your shell starts up or before you run a script:

```
$ cat mycredentials.sh
export IDENTITY_SERVICES_ENGINE_ENCODED_AUTH=your_encoded_auth_here
$ source mycredentials.sh
$ python myscript.py
```

1.3.3 Create a *IdentityServicesEngineAPI* “Connection Object”

To make interacting with the Identity Services Engine APIs as simple and intuitive as possible, all of the APIs have ‘wrapped’ underneath a single interface. To get started, import the *IdentityServicesEngineAPI* class and create an API “connection object”.

```
>>> from ciscoisesdk import IdentityServicesEngineAPI
>>> api = IdentityServicesEngineAPI()
```

As discussed above (*Pass your Identity Services Engine Access Token*), `ciscoisesdk` defaults to pulling from environment variables to generate your access token. If you do not have those environment variables set and you try to create a new *IdentityServicesEngineAPI* object without providing them, a *AccessTokenError* will be raised (a *ciscoisesdkException* subclass).

```
>>> from ciscoisesdk import IdentityServicesEngineAPI
>>> api = IdentityServicesEngineAPI()
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
```

(continues on next page)

(continued from previous page)

```
File "ciscoisesdk/api/__init__.py", line 356, in __init__
    raise AccessTokenError(error_message)
AccessTokenError: You need an access token to interact with the Identity Services Engine
APIs. Identity Services Engine uses HTTP Basic Auth to create an access
token. You must provide the username and password or just
the encoded_auth, either by setting each parameter or its
environment variable counterpart (IDENTITY_SERVICES_ENGINE_USERNAME,
IDENTITY_SERVICES_ENGINE_PASSWORD, IDENTITY_SERVICES_ENGINE_ENCODED_AUTH).
```

If you don't provide a known version and try to create a new *IdentityServicesEngineAPI*, a *VersionError* will be raised.

```
>>> from ciscoisesdk import IdentityServicesEngineAPI
>>> api = IdentityServicesEngineAPI(username='devnetuser',
                                   password='Cisco123!',
                                   base_url='https://dcloud-dna-ise-rtp.cisco.com',
                                   version='0.1.12')

Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
  File "ciscoisesdk/api/__init__.py", line 344, in __init__
    raise VersionError(error_message)
VersionError: Unknown API version, known versions are 3.0.0, 3.1.0 and 3.1.1.
```

Use the arguments to manually provide enough information for the HTTP Basic Auth process, when creating a new *IdentityServicesEngineAPI* connection object.

```
>>> from ciscoisesdk import IdentityServicesEngineAPI
>>> # Create a IdentityServicesEngineAPI connection object;
>>> # Using encoded_auth, with Identity Services Engine API version 3.1.1
>>> api = IdentityServicesEngineAPI(encoded_auth='YWRtaW46QzFzY28xMjM0NQo=',
                                   base_url="https://dcloud-dna-ise-rtp.cisco.com",
                                   version='3.1.1',
                                   uses_api_gateway=True)
>>> # Create a IdentityServicesEngineAPI connection object;
>>> # Using username, and password, with ISE API version 3.1.1
>>> api = IdentityServicesEngineAPI(username='admin', password='Cisco12345',
                                   uses_api_gateway=True,
                                   base_url="https://dcloud-dna-ise-rtp.cisco.com",
                                   version='3.1.1')
```

Use the arguments to provide the URLs required depending on the `uses_api_gateway` value.

Note: If `uses_api_gateway` is `True`, the `ciscoisesdk` assumes that your ISE API Gateway is enabled.

```
>>> from ciscoisesdk import IdentityServicesEngineAPI
>>> # Create a IdentityServicesEngineAPI connection object;
>>> # Using API Gateway (since it was enabled on ISE)
>>> api = IdentityServicesEngineAPI(username='admin',
                                   password='Cisco12345',
                                   uses_api_gateway=True,
                                   base_url='https://dcloud-dna-ise-rtp.cisco.com',
```

(continues on next page)

(continued from previous page)

```

...         version='3.1.1',
...         verify=True)
>>> # Not using API Gateway
>>> api = IdentityServicesEngineAPI(username='devnetuser', password='Cisco123!',
...                                 uses_api_gateway=False,
...                                 ers_base_url="https://dcloud-dna-ise-rtp.cisco.
↳com:9060",
...                                 ui_base_url="https://dcloud-dna-ise-rtp.cisco.com:443
↳",
...                                 mnt_base_url="https://dcloud-dna-ise-rtp.cisco.
↳com:443",
...                                 px_grid_base_url="https://dcloud-dna-ise-rtp.cisco.
↳com:8910",
...                                 version='3.1.1')

```

Note that this can be very useful if you are reading authentication credentials from a file or database and/or when you want to create more than one connection object.

```

>>> from ciscoisesdk import IdentityServicesEngineAPI
>>> kingston_auth = 'ZG5hY2VudGVydXNlcjpDaXNjbzEyMyEK'
>>> london_auth = ('london', 'rcx0cf43!')
>>> kingston_api = IdentityServicesEngineAPI(encoded_auth=kingston_auth, base_url=
↳"https://dcloud-dna-ise-rtp.cisco.com", version='3.1.1')
>>> london_api = IdentityServicesEngineAPI(*london_auth, base_url="https://128.107.71.
↳199:443",
...                                       version='3.1.1', uses_api_gateway=True) # *
↳Unpacks tuple

```

1.3.4 API Gateway

If `uses_api_gateway` is `True`, the `ciscoisesdk` assumes that the API Gateway is enabled.

If `uses_api_gateway` is `True` you only need to set your `base_url`.

If `uses_api_gateway` is `False` you need to set the `ers_base_url`, `ui_base_url`, `mnt_base_url` and `px_grid_base_url`.

Warning:

1. Ensure that you have enabled the ERS APIs and OpenAPIs.
2. Make sure to check the ISE settings for the API Gateway, and set the `uses_api_gateway` accordingly.

If you don't provide the URLs necessary and try to create a new `IdentityServicesEngineAPI`, a `TypeError` will be raised.

```

>>> from ciscoisesdk import IdentityServicesEngineAPI
>>> # Create a IdentityServicesEngineAPI connection object;
>>> # it uses Identity Services Engine username and password, with ISE API version 3.1.1
>>> # The base_url used by default is `from ciscoisesdk.config import DEFAULT_BASE_URL`
>>> api = IdentityServicesEngineAPI(username='admin',
...                                 password='Cisco12345',
...                                 uses_api_gateway=True,

```

(continues on next page)

(continued from previous page)

```

...         base_url=None,
...         version='3.1.1',
...         verify=True)
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
    api = IdentityServicesEngineAPI(username='admin',
  File "ciscoisesdk/api/__init__.py", line 336, in __init__
  File "ciscoisesdk/utils.py", line 165, in check_type
TypeError: We were expecting to receive an instance of one of the following types:
'basestring'; but instead we received None which is a 'NoneType'.

```

```

>>> # Other way to create IdentityServicesEngineAPI connection object; if it does not
↳ use the API Gateway
>>> api = IdentityServicesEngineAPI(username='devnetuser', password='Cisco123!',
...                                 uses_api_gateway=False,
...                                 ers_base_url="https://dcloud-dna-ise-rtp.cisco.
↳ com:9060",
...                                 ui_base_url="https://dcloud-dna-ise-rtp.cisco.com:443
↳ ",
...                                 mnt_base_url="https://dcloud-dna-ise-rtp.cisco.
↳ com:443",
...                                 # px_grid_base_url="https://dcloud-dna-ise-rtp.cisco.
↳ com:8910",
...                                 version='3.1.1')
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
    api = IdentityServicesEngineAPI(username='admin',
  File "ciscoisesdk/api/__init__.py", line 341, in __init__
  File "ciscoisesdk/utils.py", line 165, in check_type
TypeError: We were expecting to receive an instance of one of the following types:
'basestring'; but instead we received None which is a 'NoneType'.

```

1.3.5 Certificates

Besides username, password, encoded_auth, base_url, and version, there are other parameters when creating the *IdentityServicesEngineAPI*, many of them have a default value (check *Package Constants* for more).

When dealing with certificates, the most important one is the `verify` parameter.

To avoid getting errors like the following:

```

>>> from ciscoisesdk import IdentityServicesEngineAPI
>>> own_api = IdentityServicesEngineAPI(encoded_auth='dXNlcm5hbWU6cGFzc3dvcmQK',
... base_url="https://128.107.71.199:443", version='3.1.1', uses_api_gateway=True)
requests.exceptions.SLError: HTTPSConnectionPool(host='128.107.71.199', port=443):
Max retries exceeded with url: /dna/system/api/v1/auth/token (Caused by
SSLError (SSLCertVerificationError(1, '[SSL: CERTIFICATE_VERIFY_FAILED] certificate
verify failed: self signed certificate in certificate chain (_ssl.c:1076)'))))
>>>

```

Include the `verify` parameter and set it to `False`:

```
>>> from ciscoisesdk import IdentityServicesEngineAPI
>>> own_api = IdentityServicesEngineAPI(encoded_auth='dXN1cm5hbWU6cGFzc3dvcmQK',
... base_url="https://128.107.71.199:443", version='1.3.0',
... verify=False)
InsecureRequestWarning: Unverified HTTPS request is being made. Adding certificate
  verification is strongly advised. See: https://urllib3.readthedocs.io/en/latest/
  advanced-usage.html#ssl-warnings
  InsecureRequestWarning)
>>>
```

You will see urllib3 warnings instead. If you want to disable them, the easiest way is with:

```
>>> import urllib3
>>> urllib3.disable_warnings()
```

1.3.6 Package Constants

The following are the default values pulled from `ciscoisesdk.config` and used when creating the connection object.

DEFAULT_DEBUG = 'False'
debug default value.

DEFAULT_VERSION = '3.1.1'
version default value.

DEFAULT_BASE_URL = 'https://dcloud-dna-ise-rtp.cisco.com'
base_url default value.

DEFAULT_SINGLE_REQUEST_TIMEOUT = 60
single_request_timeout default value. Timeout (in seconds) for the RESTful HTTP requests.

DEFAULT_WAIT_ON_RATE_LIMIT = True
wait_on_rate_limit default value. Enables or disables automatic rate-limit handling.

DEFAULT_VERIFY = True
verify default value. Controls whether to verify the server's TLS certificate or not.

DEFAULT_USES_API_GATEWAY = True
uses_api_gateway default value. Controls whether ISE use the gateway or not.

USES_API_GATEWAY_ENVIRONMENT_VARIABLE = 'IDENTITY_SERVICES_ENGINE_USES_API_GATEWAY'
name of the environment uses_api_gateway variable

UI_BASE_URL_ENVIRONMENT_VARIABLE = 'IDENTITY_SERVICES_ENGINE_UI_BASE_URL'
name of the environment ui_base_url variable

ERS_BASE_URL_ENVIRONMENT_VARIABLE = 'IDENTITY_SERVICES_ENGINE_ERS_BASE_URL'
name of the environment ers_base_url variable

MNT_BASE_URL_ENVIRONMENT_VARIABLE = 'IDENTITY_SERVICES_ENGINE_MNT_BASE_URL'
name of the environment mnt_base_url variable

PX_GRID_BASE_URL_ENVIRONMENT_VARIABLE = 'IDENTITY_SERVICES_ENGINE_PX_GRID_BASE_URL'
name of the environment px_grid_base_url variable

1.3.7 Making API Calls

Now that you have created a `IdentityServicesEngineAPI` “connection object,” you are ready to start making API calls.

```
>>> api.network_device.get_all(page=1,size=3).response.SearchResult.resources
[{'id': '4969bc30-ad2a-11eb-95af-f263cf05f605',
  'name': 'ISE_EST_Local_Host_19',
  'description': '',
  'link': {'rel': 'self',
  'href': 'https://198.18.133.27/ers/config/networkdevice/4969bc30-ad2a-11eb-95af-
↪f263cf05f605',
  'type': 'application/json'}},
{'id': 'a56f6360-a9fe-11eb-95af-f263cf05f605',
  'name': 'ISE_EST_Local_Host_92348',
  'description': '',
  'link': {'rel': 'self',
  'href': 'https://198.18.133.27/ers/config/networkdevice/a56f6360-a9fe-11eb-95af-
↪f263cf05f605',
  'type': 'application/json'}},
{'id': '2ea03580-aa02-11eb-95af-f263cf05f605',
  'name': 'Test_Device_4',
  'description': '',
  'link': {'rel': 'self',
  'href': 'https://198.18.133.27/ers/config/networkdevice/2ea03580-aa02-11eb-95af-
↪f263cf05f605',
  'type': 'application/json'}]}
```

It really is that easy.

All of the calls have been wrapped and represented as native Python method calls, like `IdentityServicesEngineAPI.network_device.get_all()` which gets the network devices summaries for the Cisco ISE ERS - see the [Network Device - Get All](#) API endpoint documentation.

As you can see, we have represented the API endpoints using simple terms that are aligned with the API docs; for example, representing the `/ers/config/networkdevice` API endpoint as a `network_device.get_network_device()` method available underneath the `IdentityServicesEngineAPI` connection object.

A full list of the available API methods, with their descriptions and parameters, is available in the [User API Doc](#).

A summary of the structure is available for each version supported

- [v3.0.0](#)
- [v3.1.0](#)
- [v3.1.1](#)

You can easily access and call any of these methods directly from your `IdentityServicesEngineAPI` connection object:

```
>>> api.network_access_policy_set.get_all().response.response
[{'default': False,
  'id': 'f22b6a01-759b-47e2-99ea-2e062abdb6ed',
  'name': 'Test Policy Set 1',
  'description': 'Test Policy Set',
  'hitCounts': 0,
```

(continues on next page)

(continued from previous page)

```
'rank': 0,
'state': 'enabled',
'condition': {'link': None,
'conditionType': 'ConditionReference',
'isNegate': False,
'name': 'My New Condition',
'id': '92bba708-1df6-4f03-9d40-d28b4cb2d982',
'description': 'New optional Description'},
'serviceName': 'Default Network Access',
'isProxy': False,
'link': {'rel': 'self',
'href': 'https://198.18.133.27/api/v1/policy/network-access/policy-set/f22b6a01-759b-
↪47e2-99ea-2e062abdb6ed',
'type': 'application/json'}}}]
```

1.3.8 Catching Exceptions

If something should go wrong with the API call, an exception will be raised. `ApiError` exceptions are raised when an error condition is returned from the Identity Services Engine cloud. Details will be provided in the error message.

```
>>> from ciscoisesdk import IdentityServicesEngineAPI, ApiError
>>> api = IdentityServicesEngineAPI(username='devnetuser', password='Cisco123!')
>>> # The uses_api_gateway is True by default and the base_url used by default is `from_
↪ciscoisesdk.config import DEFAULT_BASE_URL`
>>> network_device_response = api.network_device.create_network_device(name='ISE_EST_
↪Local_Host_19', network_device_iplist=[{"ipaddress": "127.35.0.1", "mask": 32}])
-----
ApiError                                Traceback (most recent call last)
<ipython-input-71-afadb5c98c43> in <module>
----> 1 network_device_response = api.network_device.create_network_device(name='ISE_EST_
↪Local_Host_19', network_device_iplist=[{"ipaddress": "127.35.0.1", "mask": 32}])
      2
ciscoisesdk/misc.py in check_response_code(response, expected_response_code)
     63         raise RateLimitError(response)
     64     else:
--> 65         raise ApiError(response)
     66
ApiError: [400] - The request was invalid or cannot be otherwise served.
{
  "ERSResponse" : {
    "operation" : "POST-create-networkdevice",
    "messages" : [ {
      "title" : "Network Device Create failed: Device Name Already Exist",
      "type" : "ERROR",
      "code" : "Application resource validation exception"
    } ],
    "link" : {
      "rel" : "related",
      "href" : "https://198.18.133.27/ers/config/networkdevice",
      "type" : "application/xml"
    }
  }
}
```

(continues on next page)

(continued from previous page)

```

    }
}
>>>

```

You can catch any errors returned by the Identity Services Engine cloud by catching `ApiError` exceptions in a try-except block.

```

>>> from ciscoisesdk.exceptions import ApiError
>>> try:
...     network_device_response = api.network_device.create_network_device(name='ISE_EST_
↪Local_Host_19', network_device_iplist=[{"ipaddress": "127.35.0.1", "mask": 32}])
... except ApiError as e:
...     print(e)
ApiError: [400] - The request was invalid or cannot be otherwise served.
{
  "ERSResponse" : {
    "operation" : "POST-create-networkdevice",
    "messages" : [ {
      "title" : "Network Device Create failed: Device Name Already Exist",
      "type" : "ERROR",
      "code" : "Application resource validation exception"
    } ],
    "link" : {
      "rel" : "related",
      "href" : "https://198.18.133.27/ers/config/networkdevice",
      "type" : "application/xml"
    }
  }
}
>>>

```

ciscoisesdk will also raise a number of other standard errors (`TypeError`, `ValueError`, etc.); however, these errors are usually caused by incorrect use of the package or methods and should be sorted while debugging your app.

1.3.9 Working with Returned Objects

The Identity Services Engine cloud returns data objects in JSON format, like so:

```

[
  {
    "default": false,
    "id": "f22b6a01-759b-47e2-99ea-2e062abdb6ed",
    "name": "Test Policy Set 1",
    "description": "Test Policy Set",
    "hitCounts": 0,
    "rank": 0,
    "state": "enabled",
    "condition": {
      "link": null,
      "conditionType": "ConditionReference",
      "isNegate": false,

```

(continues on next page)

(continued from previous page)

```

    "name": "My New Condition",
    "id": "92bba708-1df6-4f03-9d40-d28b4cb2d982",
    "description": "New optional Description"
  },
  "serviceName": "Default Network Access",
  "isProxy": false,
  "link": {
    "rel": "self",
    "href": "https://198.18.133.27/api/v1/policy/network-access/policy-set/f22b6a01-
↪759b-47e2-99ea-2e062abdb6ed",
    "type": "application/json"
  }
}
]

```

Sure, JSON data objects can easily be parsed and represented in Python using dictionaries, but when working with an ‘object’ wouldn’t it be nice to be able to work with it like an object - using native object syntax (like accessing attributes using ‘.’ notation)? ciscoisesdk enables you to do just that:

```

>>> policy_set = api.network_access_policy_set.get_all().response.response
>>> policy_set[0].id
'f22b6a01-759b-47e2-99ea-2e062abdb6ed'
>>> policy_set[0].condition.conditionType
'ConditionReference'
>>> policy_set[0].condition.name
'My New Condition'

```

Representing and treating Identity Services Engine data objects as Python data objects, can really help clean up your code and make coding easier:

1. You don’t need to create variables to hold all the data attributes, just use the attributes available underneath the data object.

```

>>> # Do this
>>> device_list_response = api.network_device.get_all(filter='name.EQ.ISE_EST_Local_
↪Host_19')
>>> device_response = device_list_response.response.SearchResult.resources[0]
>>> device_response_detail = api.network_device.get_by_id(device_response.id).
↪response.NetworkDevice

>>> # or even this
>>> filter_query = 'name.EQ.ISE_EST_Local_Host_19'
>>> device_response_id = api.network_device.get_all(filter=filter_query).response.
↪SearchResult.resources[0].id
>>> device_response_detail = api.network_device.get_by_id(device_response_id).
↪response.NetworkDevice

```

2. When accessing ‘optional’ attributes, like `device_list_response.response.SearchResult.resources[0].id` attribute of Identity Services Engine NetworkDevice object, the response object will return None when the attribute is not present and will return the attribute’s value when it is present. This avoids some boiler plate code and/or needless exception handling, when working with optional attributes.

```

>>> devices_response = api.network_device.get_all().response
>>> # Instead of doing this
>>> if hasattr(devices_response, 'SearchResult') and hasattr(devices_response.
↳ SearchResult, 'resources'):
...     devices = devices_response.SearchResult.resources
...     for d in devices:
...         if hasattr(d, 'id') and hasattr(d, 'description'):
...             # Do something with the configList attribute
...             print(d.id, d.description)
>>> # Or this
... try:
...     devices = devices_response.SearchResult.resources
... except AttributeError as e:
...     pass
... for d in devices:
...     # Do something with the configList attribute
...     print(d.id, d.description)
... except AttributeError as e:
...     pass
>>> # You can do this, which is cleaner
>>> if devices_response.SearchResult and devices_response.SearchResult.resources:
...     for d in devices_response.SearchResult.resources:
...         if d.id and d.description:
...             # Do something with the configList attribute
...             print(d.id, d.description)

```

3. It just feels more *natural*. :-) When iterating through sequences, and working with objects in those sequences (see the next section), working with objects as objects is definitely more Pythonic.

The Zen of Python (PEP 20): “Beautiful is better than ugly.” “Simple is better than complex.”

The currently modeled *Identity Services Engine Data Object* with its functions, is available [here](#) in the *User API Doc*.

What if Identity Services Engine adds new data attributes?

Attribute access WILL WORK for the newly added attributes (yes, without a package update!). ciscoisesdk is written to automatically take advantage of new attributes and data as they are returned.

1.3.10 Configuring Logging for ciscoisesdk

The main ciscoisesdk logger is ciscoisesdk.

Other loggers are ciscoisesdk.exceptions, ciscoisesdk.restsession and ciscoisesdk.api.custom_caller.

The ciscoisesdk adds only the logging.NullHandler following the [logging recommendations for libraries](#)

So you can add your logging handlers according to your needs.

```

import logging
import warnings
from ciscoisesdk import IdentityServicesEngineAPI

# Another way to disable warnings caused by (verify=False)
warnings.filterwarnings('ignore', message='Unverified HTTPS request')

```

(continues on next page)

(continued from previous page)

```

logger = logging.getLogger('simple_example')
logger.setLevel(logging.DEBUG)
# create console handler and set level to debug
ch = logging.StreamHandler()
# create formatter
formatter = logging.Formatter('%(asctime)s - %(name)s - %(levelname)s - %(message)s')
# add formatter to ch
ch.setFormatter(formatter)
# add ch to logger
logger.addHandler(ch)

ch_ = logging.StreamHandler()
api = IdentityServicesEngineAPI(verify=False, debug=True)
logging.getLogger('ciscoisesdk').addHandler(ch_)

logger.debug('simple message')
api.network_device.get_all().response

```

1.3.11 Adding API call definitions

Custom caller functions help you:

1. Add support for custom API calls.
2. Add support for API calls that are/were not documented when the SDK was released.

```

from ciscoisesdk import api

# Create a IdentityServicesEngineAPI connection object;
# it uses Identity Services Engine sandbox URL, username and password, with Identity_
↳ Services Engine API version 3.1.1.,
# and requests to verify the server's TLS certificate with verify=True.
api_ = api.IdentityServicesEngineAPI(username="devnetuser",
    password="Cisco123!",
    base_url="https://dcloud-dna-ise-rtp.cisco.com",
    version='3.1.1',
    verify=True
)

# Add your custom API call to the connection object.
# Define the get_hotspotportal function.
# Call it with:
#     get_hotspotportal(params={'filter': 'name.EQ.Hotspot Guest Portal'})
def get_hotspotportal(params):
    return api_.custom_caller.call_api('GET', '/ers/config/hotspotportal', params)

# Add your custom API call to the connection object.
# Define the delete_hotspotportal_by_id function
# under the custom_caller wrapper.
# Call it with:
#     api_.custom_caller.delete_hotspotportal_by_id('be456g16-14fd-4cac-94b7-ac3b8f9f')
api_.custom_caller.add_api('delete_hotspotportal_by_id',

```

(continues on next page)

(continued from previous page)

```

        lambda _id:
            api_.custom_caller.call_api(
                'DELETE',
                '/ers/config/hotspotportal/{id}',
                path_params={
                    'id': _id,
                })
    )

# Advance usage example using Custom Caller functions.
def setup_custom():
    """
    Defines the get_hotspotportal_by_id and delete_hotspotportal_by_id functions
    under the custom_caller wrapper, and with help documentation
    in two different ways.

    Check that they have been added with
    'get_hotspotportal_by_id' in dir(api_.custom_caller)
    'delete_hotspotportal_by_id' in dir(api_.custom_caller)

    Quickly check that you indeed have them as functions with
    type(getattr(api_.custom_caller, 'get_hotspotportal_by_id'))
    type(getattr(api_.custom_caller, 'delete_hotspotportal_by_id'))

    Check the documentation with
    help(api_.custom_caller.get_hotspotportal_by_id)
    help(api_.custom_caller.delete_hotspotportal_by_id)

    """

    # Alternative 1: Definition with helper function.
    def _get_hotspotportal_by_id(_id):
        """Custom hostport portal API call, returns response attribute

        Args:
            _id(str): Hostport portal id.

        Returns:
            RestResponse: REST response with following properties:
            - headers(MyDict): response headers.
            - response(MyDict): response body as a MyDict object. Access the object
            ↪ 's properties by using the dot notation
              or the bracket notation.
            - content(bytes): representation of the request's response
            - text(str): representation of the request's response

        """
        return api_.custom_caller.call_api(
            'GET',
            '/ers/config/hotspotportal/{id}',
            path_params={
                'id': _id,
            })

```

(continues on next page)

(continued from previous page)

```

# Finally add the function as an attribute.
api_.custom_caller.add_api('get_hotspotportal_by_id', _get_hotspotportal_by_id)

# Alternative 2: Definition with lambda function.
api_.custom_caller.add_api('delete_hotspotportal_by_id',
    lambda _id:
        api_.custom_caller.call_api(
            'DELETE',
            '/ers/config/hotspotportal/{id}',
            path_params={
                'id': _id,
            })
        )

# Finally add the documentation
api_.custom_caller.delete_hotspotportal_by_id.__doc__ = """
    Custom global credential API call to delete hostport portal

    Args:
        _id(str): Hostport portal id.

    Returns:
        RestResponse: REST response with following properties:
            - headers(MyDict): response headers.
            - response(MyDict): response body as a MyDict object. Access the object's
↳ properties by using the dot notation
              or the bracket notation.
            - content(bytes): representation of the request's response
            - text(str): representation of the request's response
    """

```

Check out the [Custom Caller](#) documentation to begin using it.

Copyright (c) 2021 Cisco and/or its affiliates.

1.4 User API Doc

1.4.1 IdentityServicesEngineAPI

The *IdentityServicesEngineAPI* class creates “connection objects” for working with the Identity Services Engine APIs and hierarchically organizes the Identity Services Engine APIs and their endpoints underneath these connection objects.

Warning: The minimum supported version is ISE 3.1. Future releases may drop the ISE version 3.0.0.

IdentityServicesEngineAPI summary structure

v3.0.0 summary

<i>IdentityServicesEngineAPI</i>	<i>aci_bindings</i>	<i>get_aci_bindings()</i> <i>get_aci</i>
	<i>aci_settings</i>	<i>get_aci_settings()</i> <i>get_ver</i>
	<i>active_directory</i>	<i>create_active_directory()</i>
	<i>admin_user</i>	<i>get_admin_user_by_id()</i> <i>get</i>
	<i>allowed_protocols</i>	<i>create_allowed_protocol()</i>
	<i>anc_endpoint</i>	<i>apply_anc_endpoint()</i> <i>bulk</i>
	<i>anc_policy</i>	<i>bulk_request_for_anc_poli</i>
	<i>authentication</i>	<i>authentication_api()</i>
	<i>authorization_profile</i>	<i>create_authorization_prof</i>
	<i>backup_and_restore</i>	<i>cancel_backup()</i> <i>config_bac</i>
	<i>byod_portal</i>	<i>create_byod_portal()</i> <i>delet</i>
	<i>certificate_profile</i>	<i>create_certificate_profil</i>
	<i>certificate_template</i>	<i>get_certificate_template()</i>
	<i>certificates</i>	<i>bind_csr()</i> <i>delete_csr_by_i</i>
	<i>clear_threats_and_vulnerabilities</i>	<i>clear_threats_and_vulnera</i>
	<i>consumer</i>	<i>access_secret()</i> <i>activate_a</i>
	<i>custom_caller</i>	<i>add_api()</i> <i>call_api()</i>
	<i>device_administration_authentication_rules</i>	<i>create_device_admin_authen</i>
	<i>device_administration_authorization_exception_rules</i>	<i>create_device_admin_local</i>
	<i>device_administration_authorization_global_exception_rules</i>	<i>create_device_admin_polic</i>
	<i>device_administration_authorization_rules</i>	<i>create_device_admin_autho</i>
	<i>device_administration_command_set</i>	<i>get_device_admin_command.</i>
	<i>device_administration_conditions</i>	<i>create_device_admin_condi</i>
	<i>device_administration_dictionary_attributes_list</i>	<i>get_device_admin_dictiona</i>
	<i>device_administration_identity_stores</i>	<i>get_device_admin_identity</i>
	<i>device_administration_network_conditions</i>	<i>create_device_admin_netwo</i>
	<i>device_administration_policy_set</i>	<i>create_device_admin_polic</i>
	<i>device_administration_profiles</i>	<i>get_device_admin_profiles</i>
	<i>device_administration_service_names</i>	<i>get_device_admin_service.</i>
	<i>device_administration_time_date_conditions</i>	<i>create_device_admin_time</i>
	<i>downloadable_acl</i>	<i>create_downloadable_acl()</i>
	<i>egress_matrix_cell</i>	<i>bulk_request_for_egress_m</i>
	<i>endpoint</i>	<i>bulk_request_for_endpoint</i>
	<i>endpoint_certificate</i>	<i>create_endpoint_certifica</i>
	<i>endpoint_identity_group</i>	<i>create_endpoint_group()</i> <i>de</i>
	<i>external_radius_server</i>	<i>create_external_radius.se</i>
	<i>filter_policy</i>	<i>create_filter_policy()</i> <i>del</i>
	<i>guest_location</i>	<i>get_guest_location()</i> <i>get_g</i>
	<i>guest_smtp_notification_configuration</i>	<i>create_guest_smtp_notifica</i>
	<i>guest_ssid</i>	<i>create_guest_ssid()</i> <i>delete</i>
	<i>guest_type</i>	<i>create_guest_type()</i> <i>delete</i>
	<i>guest_user</i>	<i>approve_guest_user_by_id()</i>

	<i>hotspot_portal</i>	<i>create_hotspot_portal()</i> de
	<i>identity_groups</i>	<i>create_identity_group()</i> ge
	<i>identity_sequence</i>	<i>create_identity_sequence()</i>
	<i>internal_user</i>	<i>create_internal_user()</i> del
	<i>ip_to_sgt_mapping</i>	<i>bulk_request_for_ip_to_sg</i>
	<i>ip_to_sgt_mapping_group</i>	<i>bulk_request_for_ip_to_sg</i>
	<i>mdm</i>	<i>get_endpoint_by_mac_addre</i>
	<i>misc</i>	<i>delete_all_sessions()</i> get
	<i>my_device_portal</i>	<i>create_my_device_portal()</i>
	<i>native_suppliant_profile</i>	<i>delete_native_suppliant_p</i>
	<i>network_access_authentication_rules</i>	<i>create_network_access_auti</i>
	<i>network_access_authorization_exception_rules</i>	<i>create_network_access_loc</i>
	<i>network_access_authorization_global_exception_rules</i>	<i>create_network_access_pol</i>
	<i>network_access_authorization_rules</i>	<i>create_network_access_auti</i>
	<i>network_access_conditions</i>	<i>create_network_access_con</i>
	<i>network_access_dictionary</i>	<i>create_network_access_dic</i>
	<i>network_access_dictionary_attribute</i>	<i>create_network_access_dic</i>
	<i>network_access_dictionary_attributes_list</i>	<i>get_network_access_diction</i>
	<i>network_access_identity_stores</i>	<i>get_network_access_identi</i>
	<i>network_access_network_conditions</i>	<i>create_network_access_net</i>
	<i>network_access_policy_set</i>	<i>create_network_access_pol</i>
	<i>network_access_profiles</i>	<i>get_network_access_profil</i>
	<i>network_access_security_groups</i>	<i>get_network_access_securi</i>
	<i>network_access_service_names</i>	<i>get_network_access_servic</i>
	<i>network_access_time_date_conditions</i>	<i>create_network_access_tim</i>
	<i>network_device</i>	<i>bulk_request_for_network_</i>
	<i>network_device_group</i>	<i>create_network_device_grou</i>
	<i>node_deployment</i>	<i>delete_node()</i> <i>get_node_det</i>
	<i>node_details</i>	<i>get_node_detail_by_id()</i> ge
	<i>node_group</i>	<i>create_node_group()</i> <i>delete</i>
	<i>pan_ha</i>	<i>disable_pan_ha()</i> <i>enable_pa</i>
	<i>portal</i>	<i>get_portal_by_id()</i> <i>get_por</i>
	<i>portal_global_setting</i>	<i>get_portal_global_setting</i>
	<i>portal_theme</i>	<i>create_portal_theme()</i> <i>dele</i>
	<i>profiler</i>	<i>get_profiles()</i>
	<i>profiler_profile</i>	<i>get_profiler_profile_by_i</i>
	<i>provider</i>	<i>authorization()</i> <i>register_s</i>
	<i>psn_node_details_with_radius_service</i>	<i>get_session_service_node()</i>
	<i>pull_deployment_info</i>	<i>get_deployment_info()</i> <i>get</i>
	<i>px_grid_node</i>	<i>approve_px_grid_node()</i> <i>del</i>
	<i>px_grid_settings</i>	<i>autoapprove_px_grid_setti</i>
	<i>radius_failure</i>	<i>get_failures()</i>
	<i>radius_server_sequence</i>	<i>create_radius_server_sequ</i>
	<i>replication_status</i>	<i>get_node_replication_statu</i>
	<i>repository</i>	<i>create_repository()</i> <i>delete</i>
	<i>restid_store</i>	<i>create_rest_id_store()</i> <i>del</i>
	<i>security_group_to_virtual_network</i>	<i>bulk_request_for_security</i>
	<i>security_groups</i>	<i>bulk_request_for_security</i>
	<i>security_groups_acls</i>	<i>bulk_request_for_security</i>
	<i>self_registered_portal</i>	<i>create_self_registered_po</i>

	<i>session_directory</i>	<i>get_session_by_ip_address</i>
	<i>sms_provider</i>	<i>get_sms_provider() get_sms</i>
	<i>sponsor_group</i>	<i>create_sponsor_group() del</i>
	<i>sponsor_group_member</i>	<i>get_sponsor_group_member()</i>
	<i>sponsor_portal</i>	<i>create_sponsor_portal() de</i>
	<i>sponsored_guest_portal</i>	<i>create_sponsored_guest_po</i>
	<i>support_bundle_download</i>	<i>download_support_bundle()</i>
	<i>support_bundle_status</i>	<i>get_support_bundle_status</i>
	<i>support_bundle_trigger_configuration</i>	<i>create_support_bundle() ge</i>
	<i>sxp_connections</i>	<i>bulk_request_for_sxp_conn</i>
	<i>sxp_local_bindings</i>	<i>bulk_request_for_sxp_loca</i>
	<i>sxp_vpns</i>	<i>bulk_request_for_sxp_vpns</i>
	<i>sync_ise_node</i>	<i>sync_node()</i>
	<i>system_certificate</i>	<i>create_system_certificate</i>
	<i>system_health</i>	<i>get_healths() get_performa</i>
	<i>tacacs_command_sets</i>	<i>create_tacacs_command_set</i>
	<i>tacacs_external_servers</i>	<i>create_tacacs_external_se</i>
	<i>tacacs_profile</i>	<i>create_tacacs_profile() de</i>
	<i>tacacs_server_sequence</i>	<i>create_tacacs_server_sequ</i>
	<i>tasks</i>	<i>get_task_status() get_task</i>
	<i>telemetry_information</i>	<i>get_telemetry_info_by_id()</i>
	<i>trust_sec_configuration</i>	<i>get_egress_matrices() get</i>
	<i>trust_sec_sxp</i>	<i>get_bindings()</i>
	<i>version_and_patch</i>	<i>get_ise_version_and_patch</i>
	<i>version_info</i>	<i>get_version_info()</i>

v3.1.0 summary

<i>IdentityServicesEngineAPI</i>	<i>aci_bindings</i>	<i>get_aci_bindings() get_aci</i>
	<i>aci_settings</i>	<i>get_aci_settings() get_ver</i>
	<i>active_directory</i>	<i>create_active_directory()</i>
	<i>admin_user</i>	<i>get_admin_user_by_id() get</i>
	<i>allowed_protocols</i>	<i>create_allowed_protocol()</i>
	<i>anc_endpoint</i>	<i>apply_anc_endpoint() bulk</i>
	<i>anc_policy</i>	<i>bulk_request_for_anc_poli</i>
	<i>authentication</i>	<i>authentication_api()</i>
	<i>authorization_profile</i>	<i>create_authorization_prof</i>
	<i>backup_and_restore</i>	<i>cancel_backup() config_bac</i>
	<i>byod_portal</i>	<i>create_byod_portal() delet</i>
	<i>certificate_profile</i>	<i>create_certificate_profil</i>
	<i>certificate_template</i>	<i>get_certificate_template()</i>
	<i>certificates</i>	<i>bind_csr() delete_csr_by_i</i>
	<i>clear_threats_and_vulnerabilities</i>	<i>clear_threats_and_vulnera</i>
	<i>consumer</i>	<i>access_secret() activate_a</i>
	<i>custom_caller</i>	<i>add_api() call_api()</i>
	<i>device_administration_authentication_rules</i>	<i>create_device_admin_authen</i>
	<i>device_administration_authorization_exception_rules</i>	<i>create_device_admin_local</i>
	<i>device_administration_authorization_global_exception_rules</i>	<i>create_device_admin_polic</i>

	<i>device_administration_authorization_rules</i>	<i>create_device_admin_autho</i>
	<i>device_administration_command_set</i>	<i>get_device_admin_command_</i>
	<i>device_administration_conditions</i>	<i>create_device_admin_condi</i>
	<i>device_administration_dictionary_attributes_list</i>	<i>get_device_admin_dictiona</i>
	<i>device_administration_identity_stores</i>	<i>get_device_admin_identity</i>
	<i>device_administration_network_conditions</i>	<i>create_device_admin_netwo</i>
	<i>device_administration_policy_set</i>	<i>create_device_admin_polic</i>
	<i>device_administration_profiles</i>	<i>get_device_admin_profiles</i>
	<i>device_administration_service_names</i>	<i>get_device_admin_service_</i>
	<i>device_administration_time_date_conditions</i>	<i>create_device_admin_time_</i>
	<i>downloadable_acl</i>	<i>create_downloadable_acl()</i>
	<i>egress_matrix_cell</i>	<i>bulk_request_for_egress_ma</i>
	<i>endpoint</i>	<i>bulk_request_for_endpoint</i>
	<i>endpoint_certificate</i>	<i>create_endpoint_certifica</i>
	<i>endpoint_identity_group</i>	<i>create_endpoint_group() de</i>
	<i>external_radius_server</i>	<i>create_external_radius_se</i>
	<i>filter_policy</i>	<i>create_filter_policy() del</i>
	<i>guest_location</i>	<i>get_guest_location() get_g</i>
	<i>guest_smtp_notification_configuration</i>	<i>create_guest_smtp_notifica</i>
	<i>guest_ssid</i>	<i>create_guest_ssid() delete</i>
	<i>guest_type</i>	<i>create_guest_type() delete</i>
	<i>guest_user</i>	<i>approve_guest_user_by_id()</i>
	<i>hotspot_portal</i>	<i>create_hotspot_portal() de</i>
	<i>identity_groups</i>	<i>create_identity_group() ge</i>
	<i>identity_sequence</i>	<i>create_identity_sequence()</i>
	<i>internal_user</i>	<i>create_internal_user() del</i>
	<i>ip_to_sgt_mapping</i>	<i>bulk_request_for_ip_to_sg</i>
	<i>ip_to_sgt_mapping_group</i>	<i>bulk_request_for_ip_to_sg</i>
	<i>mdm</i>	<i>get_endpoint_by_mac_addre</i>
	<i>misc</i>	<i>delete_all_sessions() get_</i>
	<i>my_device_portal</i>	<i>create_my_device_portal()</i>
	<i>native_suppliant_profile</i>	<i>delete_native_suppliant_p</i>
	<i>nbar_app</i>	<i>create_nbar_app() delete_n</i>
	<i>network_access_authentication_rules</i>	<i>create_network_access_auti</i>
	<i>network_access_authorization_exception_rules</i>	<i>create_network_access_loc</i>
	<i>network_access_authorization_global_exception_rules</i>	<i>create_network_access_pol</i>
	<i>network_access_authorization_rules</i>	<i>create_network_access_auti</i>
	<i>network_access_conditions</i>	<i>create_network_access_con</i>
	<i>network_access_dictionary</i>	<i>create_network_access_dic</i>
	<i>network_access_dictionary_attribute</i>	<i>create_network_access_dic</i>
	<i>network_access_dictionary_attributes_list</i>	<i>get_network_access_diction</i>
	<i>network_access_identity_stores</i>	<i>get_network_access_identi</i>
	<i>network_access_network_conditions</i>	<i>create_network_access_net</i>
	<i>network_access_policy_set</i>	<i>create_network_access_pol</i>
	<i>network_access_profiles</i>	<i>get_network_access_profil</i>
	<i>network_access_security_groups</i>	<i>get_network_access_securi</i>
	<i>network_access_service_names</i>	<i>get_network_access_servic</i>
	<i>network_access_time_date_conditions</i>	<i>create_network_access_tim</i>
	<i>network_device</i>	<i>bulk_request_for_network_</i>
	<i>network_device_group</i>	<i>create_network_device_gro</i>

	<i>node_deployment</i>	<i>delete_node()</i> <i>get_node_det</i>
	<i>node_details</i>	<i>get_node_detail_by_id()</i> <i>ge</i>
	<i>node_group</i>	<i>create_node_group()</i> <i>delete</i>
	<i>pan_ha</i>	<i>disable_pan_ha()</i> <i>enable_pa</i>
	<i>portal</i>	<i>get_portal_by_id()</i> <i>get_por</i>
	<i>portal_global_setting</i>	<i>get_portal_global_setting.</i>
	<i>portal_theme</i>	<i>create_portal_theme()</i> <i>dele</i>
	<i>profiler</i>	<i>get_profiles()</i>
	<i>profiler_profile</i>	<i>get_profiler_profile_by_i</i>
	<i>provider</i>	<i>authorization()</i> <i>register_s</i>
	<i>psn_node_details_with_radius_service</i>	<i>get_session_service_node()</i>
	<i>pull_deployment_info</i>	<i>get_deployment_info()</i> <i>get_</i>
	<i>px_grid_node</i>	<i>approve_px_grid_node()</i> <i>del</i>
	<i>px_grid_settings</i>	<i>autoapprove_px_grid_settin</i>
	<i>radius_failure</i>	<i>get_failures()</i>
	<i>radius_server_sequence</i>	<i>create_radius_server_sequ</i>
	<i>replication_status</i>	<i>get_node_replication_statu</i>
	<i>repository</i>	<i>create_repository()</i> <i>delete</i>
	<i>restid_store</i>	<i>create_rest_id_store()</i> <i>del</i>
	<i>security_group_to_virtual_network</i>	<i>bulk_request_for_security.</i>
	<i>security_groups</i>	<i>bulk_request_for_security.</i>
	<i>security_groups_acls</i>	<i>bulk_request_for_security.</i>
	<i>self_registered_portal</i>	<i>create_self_registered_por</i>
	<i>session_directory</i>	<i>get_session_by_ip_address</i>
	<i>sg_vn_mapping</i>	<i>bulk_create_sg_vn_mapping.</i>
	<i>sms_provider</i>	<i>get_sms_provider()</i> <i>get_sms</i>
	<i>sponsor_group</i>	<i>create_sponsor_group()</i> <i>del</i>
	<i>sponsor_group_member</i>	<i>get_sponsor_group_member()</i>
	<i>sponsor_portal</i>	<i>create_sponsor_portal()</i> <i>de</i>
	<i>sponsored_guest_portal</i>	<i>create_sponsored_guest_por</i>
	<i>support_bundle_download</i>	<i>download_support_bundle()</i>
	<i>support_bundle_status</i>	<i>get_support_bundle_status</i>
	<i>support_bundle_trigger_configuration</i>	<i>create_support_bundle()</i> <i>ge</i>
	<i>sxp_connections</i>	<i>bulk_request_for_sxp_conne</i>
	<i>sxp_local_bindings</i>	<i>bulk_request_for_sxp_loca.</i>
	<i>sxp_vpns</i>	<i>bulk_request_for_sxp_vpns</i>
	<i>sync_ise_node</i>	<i>sync_node()</i>
	<i>system_certificate</i>	<i>create_system_certificate</i>
	<i>system_health</i>	<i>get_healths()</i> <i>get_performa</i>
	<i>tacacs_command_sets</i>	<i>create_tacacs_command_set.</i>
	<i>tacacs_external_servers</i>	<i>create_tacacs_external.se</i>
	<i>tacacs_profile</i>	<i>create_tacacs_profile()</i> <i>de</i>
	<i>tacacs_server_sequence</i>	<i>create_tacacs_server_sequ</i>
	<i>tasks</i>	<i>get_task_status()</i> <i>get_task</i>
	<i>telemetry_information</i>	<i>get_telemetry_info_by_id()</i>
	<i>trust_sec_configuration</i>	<i>get_egress_matrices()</i> <i>get_</i>
	<i>trust_sec_sxp</i>	<i>get_bindings()</i>
	<i>version_and_patch</i>	<i>get_ise_version_and_patch</i>
	<i>version_info</i>	<i>get_version_info()</i>
	<i>virtual_network</i>	<i>bulk_create_virtual_netwo.</i>

	<i>vn_vlan_mapping</i>	<i>bulk_create_vn_vlan_mappi</i>
--	------------------------	----------------------------------

v3.1.1 summary

<i>IdentityServicesEngineAPI</i>	<i>aci_bindings</i>	<i>get_aci_bindings() get_aci</i>
	<i>aci_settings</i>	<i>get_aci_settings() get_ver</i>
	<i>active_directory</i>	<i>create_active_directory()</i>
	<i>admin_user</i>	<i>get_admin_user_by_id() get</i>
	<i>allowed_protocols</i>	<i>create_allowed_protocol()</i>
	<i>anc_endpoint</i>	<i>apply_anc_endpoint() bulk</i>
	<i>anc_policy</i>	<i>bulk_request_for_anc_poli</i>
	<i>authentication</i>	<i>authentication_api()</i>
	<i>authorization_profile</i>	<i>create_authorization_prof</i>
	<i>backup_and_restore</i>	<i>cancel_backup() config_bac</i>
	<i>byod_portal</i>	<i>create_byod_portal() delet</i>
	<i>certificate_profile</i>	<i>create_certificate_profile</i>
	<i>certificate_template</i>	<i>get_certificate_template()</i>
	<i>certificates</i>	<i>bind_csr() delete_csr_by_i</i>
	<i>clear_threats_and_vulnerabilities</i>	<i>clear_threats_and_vulnera</i>
	<i>consumer</i>	<i>access_secret() activate_a</i>
	<i>custom_caller</i>	<i>add_api() call_api()</i>
	<i>device_administration_authentication_rules</i>	<i>create_device_admin_authen</i>
	<i>device_administration_authorization_exception_rules</i>	<i>create_device_admin_local</i>
	<i>device_administration_authorization_global_exception_rules</i>	<i>create_device_admin_polic</i>
	<i>device_administration_authorization_rules</i>	<i>create_device_admin_autho</i>
	<i>device_administration_command_set</i>	<i>get_device_admin_command</i>
	<i>device_administration_conditions</i>	<i>create_device_admin_condi</i>
	<i>device_administration_dictionary_attributes_list</i>	<i>get_device_admin_dictiona</i>
	<i>device_administration_identity_stores</i>	<i>get_device_admin_identity</i>
	<i>device_administration_network_conditions</i>	<i>create_device_admin_netwo</i>
	<i>device_administration_policy_set</i>	<i>create_device_admin_polic</i>
	<i>device_administration_profiles</i>	<i>get_device_admin_profiles</i>
	<i>device_administration_service_names</i>	<i>get_device_admin_service_</i>
	<i>device_administration_time_date_conditions</i>	<i>create_device_admin_time_</i>
	<i>downloadable_acl</i>	<i>create_downloadable_acl()</i>
	<i>egress_matrix_cell</i>	<i>bulk_request_for_egress_m</i>
	<i>endpoint</i>	<i>bulk_request_for_endpoint</i>
	<i>endpoint_certificate</i>	<i>create_endpoint_certifica</i>
	<i>endpoint_identity_group</i>	<i>create_endpoint_group() de</i>
	<i>external_radius_server</i>	<i>create_external_radius_se</i>
	<i>filter_policy</i>	<i>create_filter_policy() del</i>
	<i>guest_location</i>	<i>get_guest_location() get_g</i>
	<i>guest_smtp_notification_configuration</i>	<i>create_guest_smtp_notific</i>
	<i>guest_ssid</i>	<i>create_guest_ssid() delete</i>
	<i>guest_type</i>	<i>create_guest_type() delete</i>
	<i>guest_user</i>	<i>approve_guest_user_by_id()</i>
	<i>hotspot_portal</i>	<i>create_hotspot_portal() de</i>
	<i>identity_groups</i>	<i>create_identity_group() ge</i>

	<i>identity_sequence</i>	<code>create_identity_sequence()</code>
	<i>internal_user</i>	<code>create_internal_user()</code> <code>delete_internal_user()</code>
	<i>ip_to_sgt_mapping</i>	<code>bulk_request_for_ip_to_sgt_mapping()</code>
	<i>ip_to_sgt_mapping_group</i>	<code>bulk_request_for_ip_to_sgt_mapping_group()</code>
	<i>licensing</i>	<code>configure_smart_state()</code> <code>get_smart_state()</code>
	<i>mdm</i>	<code>get_endpoint_by_mac_address()</code>
	<i>misc</i>	<code>delete_all_sessions()</code> <code>get_all_sessions()</code>
	<i>my_device_portal</i>	<code>create_my_device_portal()</code>
	<i>native_suppliant_profile</i>	<code>delete_native_suppliant_profile()</code>
	<i>nbar_app</i>	<code>create_nbar_app()</code> <code>delete_nbar_app()</code>
	<i>network_access_authentication_rules</i>	<code>create_network_access_authentication_rules()</code>
	<i>network_access_authorization_exception_rules</i>	<code>create_network_access_authorization_exception_rules()</code>
	<i>network_access_authorization_global_exception_rules</i>	<code>create_network_access_authorization_global_exception_rules()</code>
	<i>network_access_authorization_rules</i>	<code>create_network_access_authorization_rules()</code>
	<i>network_access_conditions</i>	<code>create_network_access_conditions()</code>
	<i>network_access_dictionary</i>	<code>create_network_access_dictionary()</code>
	<i>network_access_dictionary_attribute</i>	<code>create_network_access_dictionary_attribute()</code>
	<i>network_access_dictionary_attributes_list</i>	<code>get_network_access_dictionary_attributes_list()</code>
	<i>network_access_identity_stores</i>	<code>get_network_access_identity_stores()</code>
	<i>network_access_network_conditions</i>	<code>create_network_access_network_conditions()</code>
	<i>network_access_policy_set</i>	<code>create_network_access_policy_set()</code>
	<i>network_access_profiles</i>	<code>get_network_access_profiles()</code>
	<i>network_access_security_groups</i>	<code>get_network_access_security_groups()</code>
	<i>network_access_service_names</i>	<code>get_network_access_service_names()</code>
	<i>network_access_time_date_conditions</i>	<code>create_network_access_time_date_conditions()</code>
	<i>network_device</i>	<code>bulk_request_for_network_device()</code>
	<i>network_device_group</i>	<code>create_network_device_group()</code>
	<i>node_deployment</i>	<code>delete_node()</code> <code>get_node_details()</code>
	<i>node_details</i>	<code>get_node_detail_by_id()</code> <code>get_node_details()</code>
	<i>node_group</i>	<code>add_node()</code> <code>create_node_group()</code>
	<i>node_services</i>	<code>get_interfaces()</code> <code>get_profiles()</code>
	<i>pan_ha</i>	<code>get_pan_ha_status()</code> <code>update_pan_ha_status()</code>
	<i>patching</i>	<code>install_hotpatch()</code> <code>install_patch()</code>
	<i>portal</i>	<code>get_portal_by_id()</code> <code>get_portal_details()</code>
	<i>portal_global_setting</i>	<code>get_portal_global_setting()</code>
	<i>portal_theme</i>	<code>create_portal_theme()</code> <code>delete_portal_theme()</code>
	<i>profiler</i>	<code>get_profiles()</code>
	<i>profiler_profile</i>	<code>get_profiler_profile_by_id()</code>
	<i>provider</i>	<code>authorization()</code> <code>register_session()</code>
	<i>proxy</i>	<code>get_proxy_connection()</code> <code>update_proxy_connection()</code>
	<i>psn_node_details_with_radius_service</i>	<code>get_session_service_node_details()</code>
	<i>pull_deployment_info</i>	<code>get_deployment_info()</code> <code>get_deployment_status()</code>
	<i>px_grid_node</i>	<code>approve_px_grid_node()</code> <code>delete_px_grid_node()</code>
	<i>px_grid_settings</i>	<code>autoapprove_px_grid_settings()</code>
	<i>radius_failure</i>	<code>get_failures()</code>
	<i>radius_server_sequence</i>	<code>create_radius_server_sequence()</code>
	<i>repository</i>	<code>create_repository()</code> <code>delete_repository()</code>
	<i>restid_store</i>	<code>create_rest_id_store()</code> <code>delete_rest_id_store()</code>
	<i>security_group_to_virtual_network</i>	<code>bulk_request_for_security_group_to_virtual_network()</code>
	<i>security_groups</i>	<code>bulk_request_for_security_group()</code>

	<i>security_groups_acls</i>	<i>bulk_request_for_security</i>
	<i>self_registered_portal</i>	<i>create_self_registered_po</i>
	<i>session_directory</i>	<i>get_session_by_ip_address</i>
	<i>sg_vn_mapping</i>	<i>bulk_create_sg_vn_mapping</i>
	<i>sms_provider</i>	<i>get_sms_provider() get_sms</i>
	<i>sponsor_group</i>	<i>create_sponsor_group() del</i>
	<i>sponsor_group_member</i>	<i>get_sponsor_group_member()</i>
	<i>sponsor_portal</i>	<i>create_sponsor_portal() de</i>
	<i>sponsored_guest_portal</i>	<i>create_sponsored_guest_po</i>
	<i>support_bundle_download</i>	<i>download_support_bundle()</i>
	<i>support_bundle_status</i>	<i>get_support_bundle_status</i>
	<i>support_bundle_trigger_configuration</i>	<i>create_support_bundle() ge</i>
	<i>sxp_connections</i>	<i>bulk_request_for_sxp_conne</i>
	<i>sxp_local_bindings</i>	<i>bulk_request_for_sxp_loca</i>
	<i>sxp_vpns</i>	<i>bulk_request_for_sxp_vpns</i>
	<i>system_certificate</i>	<i>create_system_certificate</i>
	<i>system_health</i>	<i>get_healths() get_performa</i>
	<i>tacacs_command_sets</i>	<i>create_tacacs_command_set</i>
	<i>tacacs_external_servers</i>	<i>create_tacacs_external_se</i>
	<i>tacacs_profile</i>	<i>create_tacacs_profile() de</i>
	<i>tacacs_server_sequence</i>	<i>create_tacacs_server_sequ</i>
	<i>tasks</i>	<i>get_task_status() get_task</i>
	<i>telemetry</i>	<i>get_transport_gateway() up</i>
	<i>telemetry_information</i>	<i>get_telemetry_info_by_id()</i>
	<i>trust_sec_configuration</i>	<i>get_egress_matrices() get_</i>
	<i>trust_sec_sxp</i>	<i>get_bindings()</i>
	<i>version_and_patch</i>	<i>get_ise_version_and_patch</i>
	<i>version_info</i>	<i>get_version_info()</i>
	<i>virtual_network</i>	<i>bulk_create_virtual_networ</i>
	<i>vn_vlan_mapping</i>	<i>bulk_create_vn_vlan_mappin</i>

IdentityServicesEngineAPI Class

class IdentityServicesEngineAPI

Identity Services Engine API wrapper.

Creates a 'session' for all API calls through a created IdentityServicesEngineAPI object. The 'session' handles authentication, provides the needed headers, and checks all responses for error conditions.

IdentityServicesEngineAPI wraps all of the individual Identity Services Engine APIs and represents them in a simple hierarchical structure.

```
__init__(username=None, password=None, encoded_auth=None, uses_api_gateway=True,
          base_url='https://dcloud-dna-ise-rtp.cisco.com', ui_base_url=None, ers_base_url=None,
          mnt_base_url=None, px_grid_base_url=None, single_request_timeout=60,
          wait_on_rate_limit=True, verify=True, version='3.1.1', debug=False, object_factory=<function
          mydict_data_factory>, validator=<class
          'ciscoisesdk.models.schema_validator.SchemaValidator'>)
```

Create a new IdentityServicesEngineAPI object. An access token is required to interact with the Identity Services Engine APIs. This package supports two methods for you to pass the authorization token:

1. Provide a `encoded_auth` value (username:password encoded in base 64). *This has priority over the following method*

2. Provide username and password values.

This package supports two methods for you to set those values:

1. Provide the parameter. That is the `encoded_auth` or `username` and `password` parameters.
2. If an argument is not supplied, the package checks for its environment variable counterpart. That is the `IDENTITY_SERVICES_ENGINE_ENCODED_AUTH`, `IDENTITY_SERVICES_ENGINE_USERNAME`, `IDENTITY_SERVICES_ENGINE_PASSWORD`.

When not given enough parameters an `AccessTokenError` is raised.

Parameters

- **uses_api_gateway** (*bool*, *basestring*) – Controls whether we use the ISE's API Gateway to make the request. Defaults to the `IDENTITY_SERVICES_ENGINE_USES_API_GATEWAY` (or `IDENTITY_SERVICES_ENGINE_USES_API_GATEWAY_STRING`) environment variable or `ciscoisesdk.config.DEFAULT_USES_API_GATEWAY` if the environment variables are not set.
- **base_url** (*basestring*) – The base URL to be prefixed to the individual API endpoint suffixes, used when `uses_api_gateway` is `True`. Defaults to the `IDENTITY_SERVICES_ENGINE_BASE_URL` environment variable or `ciscoisesdk.config.DEFAULT_BASE_URL` if the environment variable is not set.
- **ui_base_url** (*basestring*) – The UI base URL to be prefixed to the individual ISE UI API endpoint suffixes, used when `uses_api_gateway` is `False`. Defaults to the `IDENTITY_SERVICES_ENGINE_BASE_URL` environment variable if set.
- **ers_base_url** (*basestring*) – The ERS base URL to be prefixed to the individual ISE ERS API endpoint suffixes, used when `uses_api_gateway` is `False`. Defaults to the `IDENTITY_SERVICES_ENGINE_BASE_URL` environment variable if set.
- **mnt_base_url** (*basestring*) – The MNT base URL to be prefixed to the individual ISE MNT API endpoint suffixes, used when `uses_api_gateway` is `False`. Defaults to the `IDENTITY_SERVICES_ENGINE_BASE_URL` environment variable if set.
- **px_grid_base_url** (*basestring*) – The PxGrid base URL to be prefixed to the individual ISE PxGrid API endpoint suffixes, used when `uses_api_gateway` is `False`. Defaults to the `IDENTITY_SERVICES_ENGINE_BASE_URL` environment variable if set.
- **username** (*basestring*) – HTTP Basic Auth username.
- **password** (*basestring*) – HTTP Basic Auth password.
- **encoded_auth** (*basestring*) – HTTP Basic Auth base64 encoded string.
- **single_request_timeout** (*int*) – Timeout (in seconds) for RESTful HTTP requests. Defaults to the `IDENTITY_SERVICES_ENGINE_SINGLE_REQUEST_TIMEOUT` environment variable or `ciscoisesdk.config.DEFAULT_SINGLE_REQUEST_TIMEOUT` if the environment variable is not set.
- **wait_on_rate_limit** (*bool*) – Enables or disables automatic rate-limit handling. Defaults to the `IDENTITY_SERVICES_ENGINE_WAIT_ON_RATE_LIMIT` environment variable or `ciscoisesdk.config.DEFAULT_WAIT_ON_RATE_LIMIT` if the environment variable is not set.
- **verify** (*bool*, *basestring*) – Controls whether we verify the server's TLS certificate, or a string, in which case it must be a path to a CA bundle to

use. Defaults to the `IDENTITY_SERVICES_ENGINE_VERIFY` (or `IDENTITY_SERVICES_ENGINE_VERIFY_STRING`) environment variable or `ciscoisesdk.config.DEFAULT_VERIFY` if the environment variables are not set.

- **version** (*basestring*) – Controls which version of `IDENTITY_SERVICES_ENGINE` to use. Defaults to the `IDENTITY_SERVICES_ENGINE_VERSION` environment variable or `ciscoisesdk.config.DEFAULT_VERSION` if the environment variable is not set.
- **debug** (*bool, basestring*) – Controls whether to log information about Identity Services Engine APIs' request and response process. Defaults to the `IDENTITY_SERVICES_ENGINE_DEBUG` environment variable or `False` if the environment variable is not set.
- **object_factory** (*callable*) – The factory function to use to create Python objects from the returned Identity Services Engine JSON data objects.
- **validator** (*callable*) – The factory class with function `json_schema_validate(model:string)` that returns an object with function `validate(obj:dict)` is used to validate Python objects sent in the request body.

Returns A new `IdentityServicesEngineAPI` object.

Return type *IdentityServicesEngineAPI*

Raises

- **TypeError** – If the parameter types are incorrect.
- **AccessTokenError** – If an access token is not provided via the `access_token` argument or an environment variable.
- **VersionError** – If the version is not provided via the `version` argument or an environment variable, or it is not a Identity Services Engine API supported version [`'3.0.0'`, `'3.1.0'`, `'3.1.1'`].

property uses_api_gateway

If the Identity Services Engine API uses an API Gateway.

property session

The Identity Services Engine API session.

property session_ui

The Identity Services Engine UI API session.

property session_ers

The Identity Services Engine ERS API session.

property session_mnt

The Identity Services Engine MNT API session.

property session_px_grid

The Identity Services Engine PxGrid API session.

property access_token

The access token used for API calls to the Identity Services Engine service.

property version

The API version of Identity Services Engine.

property verify

The verify (TLS Certificate) for the API endpoints.

property base_url

The base URL prefixed to the individual API endpoint suffixes for ERS and Custom Caller operations.

property single_request_timeout

Timeout (in seconds) for an single HTTP request.

property wait_on_rate_limit

Automatic rate-limit handling enabled / disabled.

property ui_base_url

The ui base URL prefixed to the individual API endpoint suffixes for UI operations.

property ers_base_url

The ers base URL prefixed to the individual API endpoint suffixes for ERS operations.

property mnt_base_url

The mnt base URL prefixed to the individual API endpoint suffixes for MNT operations.

property px_grid_base_url

The px_grid base URL prefixed to the individual API endpoint suffixes for PxGrid operations

authentication**class Authentication**

Identity Services Engine Authentication API.

Wraps the Identity Services Engine Authentication API and exposes the API as native Python methods that return native Python objects.

property verify

The verify (TLS Certificate) for the API endpoints.

property base_url

The base URL for the API endpoints.

property single_request_timeout

Timeout in seconds for the API requests.

authentication_api(*username, password, encoded_auth=None*)

Exchange basic auth data for a Authorization Basic encoded value that can be used to invoke the APIs.

Parameters

- **username** (*basestring*) – HTTP Basic Auth username.
- **password** (*basestring*) – HTTP Basic Auth password.
- **encoded_auth** (*basestring*) – HTTP Basic Auth base64 encoded string.

Returns An AccessToken object with the access token provided by the Identity Services Engine cloud.

Return type AccessToken

Raises **TypeError** – If the parameter types are incorrect.

custom_caller

class CustomCaller

Identity Services Engine CustomCaller.

Identity Services Engine CustomCaller allows API creation.

add_api(*name*, *obj*)

Adds an api call to the CustomCaller.

Parameters

- **name** (*str*) – name you want to set to the api client, has to follow python variable naming rule.
- **obj** (*object*) – api call which is actually a calling call_api method.

call_api(*method*, *resource_path*, *raise_exception=True*, *original_response=False*, ***kwargs*)

Handles the requests and response.

Parameters

- **method** (*basestring*) – type of request.
- **resource_path** (*basestring*) – URL in the request object.
- **raise_exception** (*bool*) – If True, http exceptions will be raised.
- **original_response** (*bool*) – If True, MyDict (JSON response) is returned, else response object.
- **path_params** (*dict*) (*optional*) – Find each path_params' key in the resource_path and replace it with path_params' value.
- **params** (*optional*) – Dictionary or bytes to be sent in the query string for the Request.
- **data** (*optional*) – Dictionary, bytes, or file-like object to send in the body of the Request.
- **json** (*optional*) – json data to send in the body of the Request.
- **headers** (*optional*) – Dictionary of HTTP Headers to send with the Request.
- **cookies** (*optional*) – Dict or CookieJar object to send with the Request.
- **files** (*optional*) – Dictionary of 'name': file-like-objects (or {'name': ('filename', fileobj)}) for multipart encoding upload.
- **auth** (*optional*) – Auth tuple to enable Basic/Digest/Custom HTTP Auth.
- **timeout** (*float*, *tuple*) (*optional*) – How long to wait for the server to send data before giving up, as a float, or a (connect timeout, read timeout) tuple.
- **allow_redirects** (*bool*) (*optional*) – bool. Set to True if POST/PUT/DELETE redirect following is allowed.
- **proxies** (*optional*) – Dictionary mapping protocol to the URL of the proxy.
- **verify** (*bool*, *string*) (*optional*) – if True, the SSL cert will be verified. A CA_BUNDLE path can also be provided as a string.
- **stream** (*optional*) – if False, the response content will be immediately downloaded.
- **cert** (*basestring*, *tuple*) (*optional*) – if String, path to ssl client cert file (.pem). If Tuple, ('cert', 'key') pair

Returns If `original_response` is `True` returns the original object response, else returns a JSON response with access to the object's properties by using the dot notation or the bracket notation. Defaults to `False`.

Return type *RestResponse* or *object*

Raises

- **TypeError** – If the parameter types are incorrect.
- **HTTPError** – If the Identity Services Engine cloud returns an error.

IdentityServicesEngineAPI v3.0.0

aci_bindings

class AciBindings

Identity Services Engine ACIBindings API (version: 3.0.0).

Wraps the Identity Services Engine ACIBindings API and exposes the API as native Python methods that return native Python objects.

get_aci_bindings(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API allows clients to retrieve all the bindings that were sent to Cisco ISE by ACI or received on ACI from Cisco ISE. The binding information will be identical to the information on ACI bindings page in the Cisco ISE UI. Filtering will be based on one attribute only, such as `ip/sgt/vn/psn/learnedFrom/learnedBy` with CONTAINS mode of search.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter_by** (*basestring, list, set, tuple*) – filterBy query parameter.
- **filter_value** (*basestring, list, set, tuple*) – filterValue query parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_aci_bindings*

get_aci_bindings_generator(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API allows clients to retrieve all the bindings that were sent to Cisco ISE by ACI or received on ACI from Cisco ISE. The binding information will be identical to the information on ACI bindings page in the Cisco ISE UI. Filtering will be based on one attribute only, such as ip/sgt/vn/psn/learnedFrom/learnedBy with CONTAINS mode of search.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter_by** (*basestring, list, set, tuple*) – filterBy query parameter.
- **filter_value** (*basestring, list, set, tuple*) – filterValue query parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator**Raises**

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_aci_bindings_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the Cisco ACI bindings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

aci_settings

class AciSettings

Identity Services Engine ACISettings API (version: 3.0.0).

Wraps the Identity Services Engine ACISettings API and exposes the API as native Python methods that return native Python objects.

get_aci_settings(*headers=None, **query_parameters*)

This API allows the client to get ACI Settings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_aci_settings*

test_aci_connectivity(*headers=None, **query_parameters*)

This API allows the client to test ACI Domain Manager connection.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_aci_settings_by_id(*id, aci50=None, aci51=None, aciipaddress=None, acipassword=None, aciuser_name=None, admin_name=None, admin_password=None, all_sxp_domain=None, default_sgt_name=None, enable_aci=None, enable_data_plane=None, enable_elements_limit=None, ip_address_host_name=None, l3_route_network=None, max_num_iepg_from_aci=None, max_num_sgt_to_aci=None, specific_sxp_domain=None, specifix_sxp_domain_list=None, suffix_to_epg=None, suffix_to_sgt=None, tenant_name=None, untagged_packet_iepg_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to update ACI settings.

Parameters

- **aci50** (*boolean*) – Enable 5.0 ACI Version, property of the request body.
- **aci51** (*boolean*) – Enable 5.1 ACI Version, property of the request body.
- **aciipaddress** (*string*) – ACI Domain manager Ip Address., property of the request body.
- **acipassword** (*string*) – ACI Domain manager Password., property of the request body.

- **aciuser_name** (*string*) – ACI Domain manager Username., property of the request body.
- **admin_name** (*string*) – ACI Cluster Admin name, property of the request body.
- **admin_password** (*string*) – ACI Cluster Admin password, property of the request body.
- **all_sxp_domain** (*boolean*) – allSxpDomain, property of the request body.
- **default_sgt_name** (*string*) – defaultSgtName, property of the request body.
- **enable_aci** (*boolean*) – Enable ACI Integration, property of the request body.
- **enable_data_plane** (*boolean*) – enableDataPlane, property of the request body.
- **enable_elements_limit** (*boolean*) – enableElementsLimit, property of the request body.
- **id** (*basestring*) – Resource UUID value, property of the request body.
- **ip_address_host_name** (*string*) – ACI Cluster IP Address / Host name, property of the request body.
- **l3_route_network** (*string*) – l3RouteNetwork, property of the request body.
- **max_num_iepg_from_aci** (*integer*) – maxNumIepgFromAci, property of the request body.
- **max_num_sgt_to_aci** (*integer*) – maxNumSgtToAci, property of the request body.
- **specific_sxp_domain** (*boolean*) – specificSxpDomain, property of the request body.
- **specifix_sxp_domain_list** (*list*) – specifixSxpDomainList, property of the request body (list of strings).
- **suffix_to_epg** (*string*) – suffixToEpg, property of the request body.
- **suffix_to_sgt** (*string*) – suffixToSgt, property of the request body.
- **tenant_name** (*string*) – tenantName, property of the request body.
- **untagged_packet_iepg_name** (*string*) – untaggedPacketIepgName, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *aci50=None*, *aci51=None*, *aciipaddress=None*, *acipassword=None*, *aciuser_name=None*, *admin_name=None*, *admin_password=None*, *all_sxp_domain=None*, *default_sgt_name=None*, *enable_aci=None*, *enable_data_plane=None*, *enable_elements_limit=None*, *ip_address_host_name=None*, *l3_route_network=None*, *max_num_iepg_from_aci=None*, *max_num_sgt_to_aci=None*, *specific_sxp_domain=None*, *specifix_sxp_domain_list=None*, *suffix_to_epg=None*, *suffix_to_sgt=None*, *tenant_name=None*, *untagged_packet_iepg_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [update_aci_settings_by_id](#)

get_version(*headers=None*, ***query_parameters*)

This API helps to retrieve the version information related to the Cisco ACI settings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

anc_endpoint**class AncEndpoint**

Identity Services Engine ANCEndpoint API (version: 3.0.0).

Wraps the Identity Services Engine ANCEndpoint API and exposes the API as native Python methods that return native Python objects.

get_anc_endpoint_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an ANC endpoint by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_anc_endpoint_by_id*

clear_anc_endpoint(*additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to clear the required configuration.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

clear(*additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *clear_anc_endpoint*

get_anc_endpoint(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the ANC endpoints. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
 Alias for *get_anc_endpoint*

get_anc_endpoint_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the ANC endpoints. Filter: [name]
 To search resources by using toDate column, follow the format: DD-MON-YY
 (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_endpoint_generator*

apply_anc_endpoint(*additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to apply the required configuration.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

apply(*additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *apply_anc_endpoint*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the ANC Endpoint.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request_for_anc_endpoint(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type`** (*string*) – `operationType`, property of the request body.
- **`resource_media_type`** (*string*) – `resourceMediaType`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_anc_endpoint*

monitor_bulk_status_anc_endpoint(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **`bulkid`** (*basestring*) – `bulkid` path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`monitor_bulk_status(bulkid, headers=None, **query_parameters)`

Alias for *`monitor_bulk_status_anc_endpoint`*

active_directory**class ActiveDirectory**

Identity Services Engine ActiveDirectory API (version: 3.0.0).

Wraps the Identity Services Engine ActiveDirectory API and exposes the API as native Python methods that return native Python objects.

`get_active_directory_by_name(name, headers=None, **query_parameters)`

This API allows the client to get Active Directory by name.

Parameters

- **`name (basestring)`** – name path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_active_directory_by_name*

get_user_groups(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to get groups of which a given user is a member.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

load_groups_from_domain(*id*, *ad_attributes=None*, *ad_scopes_names=None*, *adgroups=None*, *advanced_settings=None*, *description=None*, *domain=None*, *enable_domain_white_list=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API loads domain groups configuration from Active Directory into Cisco ISE.

Parameters

- **ad_attributes** (*object*) – Holds list of AD Attributes, property of the request body.
- **ad_scopes_names** (*string*) – String that contains the names of the scopes that the active directory belongs to. Names are separated by comma. Alphanumeric, underscore (_) characters are allowed, property of the request body.
- **adgroups** (*object*) – Holds list of AD Groups, property of the request body.
- **advanced_settings** (*object*) – advancedSettings, property of the request body.
- **description** (*string*) – No character restriction, property of the request body.

- **domain** (*string*) – The AD domain. Alphanumeric, hyphen (-) and dot (.) characters are allowed, property of the request body.
- **enable_domain_white_list** (*boolean*) – enableDomainWhiteList, property of the request body.
- **id** (*basestring*) – Resource UUID value, property of the request body.
- **name** (*string*) – Resource Name. Maximum 32 characters allowed. Allowed characters are alphanumeric and .-/characters, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

leave_domain(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API makes a Cisco ISE node to leave an Active Directory domain.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`is_user_member_of_groups`(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API verifies if the user is a member of the given groups.

Parameters

- **`additional_data`** (*list*) – `additionalData`, property of the request body (list of objects).
- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_trusted_domains`(*id*, *headers=None*, ***query_parameters*)

This API gets the list of domains that are accessible through the given join point via trust relationships.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

join_domain_with_all_nodes(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API joins all Cisco ISE Nodes to an Active Directory domain.

Parameters

- **additional_data (list)** – additionalData, property of the request body (list of objects).
- **id (basestring)** – id path parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

leave_domain_with_all_nodes(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API joins makes all Cisco ISE nodes leave an Active Directory domain.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_groups_by_domain(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API lists the groups of the given domain.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_active_directory_by_id(id, headers=None, **query_parameters)`

This API fetches the join point details by ID. The ID can be retrieved with the Get All operation.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_active_directory_by_id`*

`delete_active_directory_by_id(id, headers=None, **query_parameters)`

This API deletes an AD join point from Cisco ISE.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for `delete_active_directory_by_id`

`join_domain(id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API joins a Cisco ISE node to an Active Directory domain.

Parameters

- **`additional_data(list)`** – `additionalData`, property of the request body (list of objects).
- **`id(basestring)`** – `id` path parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload(dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation(bool)`** – Enable/Disable payload validation. Defaults to `True`.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_active_directory(page=None, size=None, headers=None, **query_parameters)`

This API lists all the join points for Active Directory domains in Cisco ISE.

Parameters

- **`page(int)`** – page query parameter. Page number.

- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_active_directory*

get_active_directory_generator(*page=None, size=None, headers=None, **query_parameters*)

This API lists all the join points for Active Directory domains in Cisco ISE.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- RestResponse: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request's response
 - text(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_active_directory_generator*

create_active_directory(*ad_attributes=None, ad_scopes_names=None, adgroups=None, advanced_settings=None, description=None, domain=None, enable_domain_white_list=None, id=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an AD join point in Cisco ISE.

Parameters

- **ad_attributes** (*object*) – Holds list of AD Attributes, property of the request body.
- **ad_scopes_names** (*string*) – String that contains the names of the scopes that the active directory belongs to. Names are separated by comma. Alphanumeric, underscore (_) characters are allowed, property of the request body.
- **adgroups** (*object*) – Holds list of AD Groups, property of the request body.
- **advanced_settings** (*object*) – advancedSettings, property of the request body.
- **description** (*string*) – No character restriction, property of the request body.
- **domain** (*string*) – The AD domain. Alphanumeric, hyphen (-) and dot (.) characters are allowed, property of the request body.
- **enable_domain_white_list** (*boolean*) – enableDomainWhiteList, property of the request body.
- **id** (*string*) – Resource UUID value, property of the request body.
- **name** (*string*) – Resource Name. Maximum 32 characters allowed. Allowed characters are alphanumeric and .-/characters, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*ad_attributes=None, ad_scopes_names=None, adgroups=None, advanced_settings=None, description=None, domain=None, enable_domain_white_list=None, id=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_active_directory*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the active directory.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

admin_user

class AdminUser

Identity Services Engine AdminUser API (version: 3.0.0).

Wraps the Identity Services Engine AdminUser API and exposes the API as native Python methods that return native Python objects.

get_admin_user_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get an admin user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_admin_user_by_id`

`get_admin_users(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the admin users. Filter: [firstName, lastName, adminGroups, name, description, inactiveAccountNeverDisabled, includeSystemAlarmsInEmail, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_admin_users*

`get_admin_users_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the admin users. Filter: [firstName, lastName, adminGroups, name, description, inactiveAccountNeverDisabled, includeSystemAlarmsInEmail, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_admin_users_generator`

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the admin user.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

allowed_protocols

class AllowedProtocols

Identity Services Engine AllowedProtocols API (version: 3.0.0).

Wraps the Identity Services Engine AllowedProtocols API and exposes the API as native Python methods that return native Python objects.

`get_allowed_protocol_by_name`(*name, headers=None, **query_parameters*)

This API allows the client to get an allowed protocol by name.

Parameters

- **`name`** (*basestring*) – name path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_allowed_protocol_by_name*

get_allowed_protocol_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an allowed protocol by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_allowed_protocol_by_id*

```
update_allowed_protocol_by_id(id, allow_chap=None, allow_eap_fast=None, allow_eap_md5=None,
                             allow_eap_tls=None, allow_eap_ttls=None, allow_leap=None,
                             allow_ms_chap_v1=None, allow_ms_chap_v2=None,
                             allow_pap_ascii=None, allow_peap=None,
                             allow_preferred_eap_protocol=None, allow_teap=None,
                             allow_weak_ciphers_for_eap=None, description=None,
                             eap_fast=None, eap_tls=None, eap_tls_l_bit=None, eap_ttls=None,
                             name=None, peap=None, preferred_eap_protocol=None,
                             process_host_lookup=None, require_message_auth=None, teap=None,
                             headers=None, payload=None, active_validation=True,
                             **query_parameters)
```

This API allows the client to update an allowed protocol.

Parameters

- **allow_chap** (*boolean*) – allowChap, property of the request body.
- **allow_eap_fast** (*boolean*) – allowEapFast, property of the request body.
- **allow_eap_md5** (*boolean*) – allowEapMd5, property of the request body.
- **allow_eap_tls** (*boolean*) – allowEapTls, property of the request body.
- **allow_eap_ttls** (*boolean*) – allowEapTtls, property of the request body.
- **allow_leap** (*boolean*) – allowLeap, property of the request body.
- **allow_ms_chap_v1** (*boolean*) – allowMsChapV1, property of the request body.
- **allow_ms_chap_v2** (*boolean*) – allowMsChapV2, property of the request body.
- **allow_pap_ascii** (*boolean*) – allowPapAscii, property of the request body.
- **allow_peap** (*boolean*) – allowPeap, property of the request body.
- **allow_preferred_eap_protocol** (*boolean*) – allowPreferredEapProtocol, property of the request body.
- **allow_teap** (*boolean*) – allowTeap, property of the request body.
- **allow_weak_ciphers_for_eap** (*boolean*) – allowWeakCiphersForEap, property of the request body.
- **description** (*string*) – description, property of the request body.
- **eap_fast** (*object*) – The eapFast is required only if allowEapFast is true, otherwise it must be ignored. The object eapFast contains the settings for EAP FAST protocol, property of the request body.
- **eap_tls** (*object*) – The eapTls is required only if allowEapTls is true, otherwise it must be ignored. The object eapTls contains the settings for EAP TLS protocol, property of the request body.
- **eap_tls_l_bit** (*boolean*) – eapTlsLBit, property of the request body.
- **eap_ttls** (*object*) – The eapTtls is required only if allowEapTtls is true, otherwise it must be ignored. The object eapTtls contains the settings for EAP TTLS protocol, property of the request body.
- **id** (*basestring*) – Resource UUID, Mandatory for update, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **peap** (*object*) – peap, property of the request body.

- **preferred_eap_protocol** (*string*) – The preferredEapProtocol is required only if allowPreferredEapProtocol is true, otherwise it must be ignored. Allowed Values: EAP_FAST, PEAP, LEAP, EAP_MD5, EAP_TLS, EAP_TTLS, TEAP, property of the request body.
- **process_host_lookup** (*boolean*) – processHostLookup, property of the request body.
- **require_message_auth** (*boolean*) – requireMessageAuth, property of the request body.
- **teap** (*object*) – The teap is required only if allowTeap is true, otherwise it must be ignored. The object teap contains the settings for TEAP protocol, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *allow_chap=None*, *allow_eap_fast=None*, *allow_eap_md5=None*, *allow_eap_tls=None*, *allow_eap_ttls=None*, *allow_leap=None*, *allow_ms_chap_v1=None*, *allow_ms_chap_v2=None*, *allow_pap_ascii=None*, *allow_peap=None*, *allow_preferred_eap_protocol=None*, *allow_teap=None*, *allow_weak_ciphers_for_eap=None*, *description=None*, *eap_fast=None*, *eap_tls=None*, *eap_ttls_l_bit=None*, *eap_ttls=None*, *name=None*, *peap=None*, *preferred_eap_protocol=None*, *process_host_lookup=None*, *require_message_auth=None*, *teap=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_allowed_protocol_by_id*

delete_allowed_protocol_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an allowed protocol.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_allowed_protocol_by_id*

get_allowed_protocols(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the allowed protocols.

Parameters

- **page (int)** – page query parameter. Page number.
- **size (int)** – size query parameter. Number of objects returned per page.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_allowed_protocols*

get_allowed_protocols_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the allowed protocols.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for [*get_allowed_protocols_generator*](#)

create_allowed_protocol(*allow_chap=None, allow_eap_fast=None, allow_eap_md5=None, allow_eap_tls=None, allow_eap_ttls=None, allow_leap=None, allow_ms_chap_v1=None, allow_ms_chap_v2=None, allow_pap_ascii=None, allow_peap=None, allow_preferred_eap_protocol=None, allow_teap=None, allow_weak_ciphers_for_eap=None, description=None, eap_fast=None, eap_tls=None, eap_tls_l_bit=None, eap_ttls=None, name=None, peap=None, preferred_eap_protocol=None, process_host_lookup=None, require_message_auth=None, teap=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an allowed protocol.

Parameters

- **allow_chap** (*boolean*) – allowChap, property of the request body.
- **allow_eap_fast** (*boolean*) – allowEapFast, property of the request body.
- **allow_eap_md5** (*boolean*) – allowEapMd5, property of the request body.
- **allow_eap_tls** (*boolean*) – allowEapTls, property of the request body.
- **allow_eap_ttls** (*boolean*) – allowEapTtls, property of the request body.
- **allow_leap** (*boolean*) – allowLeap, property of the request body.

- **allow_ms_chap_v1** (*boolean*) – allowMsChapV1, property of the request body.
- **allow_ms_chap_v2** (*boolean*) – allowMsChapV2, property of the request body.
- **allow_pap_ascii** (*boolean*) – allowPapAscii, property of the request body.
- **allow_peap** (*boolean*) – allowPeap, property of the request body.
- **allow_preferred_eap_protocol** (*boolean*) – allowPreferredEapProtocol, property of the request body.
- **allow_teap** (*boolean*) – allowTeap, property of the request body.
- **allow_weak_ciphers_for_eap** (*boolean*) – allowWeakCiphersForEap, property of the request body.
- **description** (*string*) – description, property of the request body.
- **eap_fast** (*object*) – The eapFast is required only if allowEapFast is true, otherwise it must be ignored. The object eapFast contains the settings for EAP FAST protocol, property of the request body.
- **eap_tls** (*object*) – The eapTls is required only if allowEapTls is true, otherwise it must be ignored. The object eapTls contains the settings for EAP TLS protocol, property of the request body.
- **eap_tls_l_bit** (*boolean*) – eapTlsLBit, property of the request body.
- **eap_ttls** (*object*) – The eapTtls is required only if allowEapTtls is true, otherwise it must be ignored. The object eapTtls contains the settings for EAP TTLS protocol, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **peap** (*object*) – peap, property of the request body.
- **preferred_eap_protocol** (*string*) – The preferredEapProtocol is required only if allowPreferredEapProtocol is true, otherwise it must be ignored. Allowed Values: EAP_FAST, PEAP, LEAP, EAP_MD5, EAP_TLS, EAP_TTLS, TEAP, property of the request body.
- **process_host_lookup** (*boolean*) – processHostLookup, property of the request body.
- **require_message_auth** (*boolean*) – requireMessageAuth, property of the request body.
- **teap** (*object*) – The teap is required only if allowTeap is true, otherwise it must be ignored. The object teap contains the settings for TEAP protocol, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*allow_chap=None, allow_eap_fast=None, allow_eap_md5=None, allow_eap_tls=None, allow_eap_tls=None, allow_leap=None, allow_ms_chap_v1=None, allow_ms_chap_v2=None, allow_pap_ascii=None, allow_peap=None, allow_preferred_eap_protocol=None, allow_teap=None, allow_weak_ciphers_for_eap=None, description=None, eap_fast=None, eap_tls=None, eap_tls_l_bit=None, eap_tls=None, name=None, peap=None, preferred_eap_protocol=None, process_host_lookup=None, require_message_auth=None, teap=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_allowed_protocol*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the allowed protocols.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

anc_policy

class AncPolicy

Identity Services Engine AncPolicy API (version: 3.0.0).

Wraps the Identity Services Engine AncPolicy API and exposes the API as native Python methods that return native Python objects.

get_anc_policy_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an ANC policy by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_anc_policy_by_name*

get_anc_policy_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an ANC policy by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_anc_policy_by_id*

update_anc_policy_by_id(*id*, *actions=None*, *name=None*, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API allows the client to update an ANC policy.

Parameters

- **actions** (*list*) – QUARANTINE: Allows you to use Exception policies (authorization policies) to limit or deny an endpoint access to the network. PORTBOUNCE: Resets the port on the network device to which the endpoint is connected. SHUTDOWN : Shuts down the port on the network device to which the endpoint is connected. RE_AUTHENTICATE: Re-authenticates the session from the endpoint., property of the request body (list of strings. Available values are 'QUARANTINE', 'PORTBOUNCE', 'SHUTDOWN' and 'RE_AUTHENTICATE').
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *actions=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*,
 ***query_parameters*)

Alias for *update_anc_policy_by_id*

delete_anc_policy_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to delete an ANC policy.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_anc_policy_by_id*

get_anc_policy(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*,
 headers=None, ***query_parameters*)

This API allows the client to get all the ANC policies. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_policy*

get_anc_policy_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the ANC policies. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW:

Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_policy_generator*

create_anc_policy(*actions=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create an ANC policy.

Parameters

- **actions** (*list*) – QUARANTINE: Allows you to use Exception policies (authorization policies) to limit or deny an endpoint access to the network. PORTBOUNCE: Resets the port on the network device to which the endpoint is connected. SHUTDOWN : Shuts down the port on the network device to which the endpoint is connected. RE_AUTHENTICATE: Re-authenticates the session from the endpoint., property of the request body (list of strings. Available values are 'QUARANTINE', 'PORTBOUNCE', 'SHUTDOWN' and 'RE_AUTHENTICATE').
- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*actions=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_anc_policy*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the ANC policy.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request_for_anc_policy(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type(string)`** – `operationType`, property of the request body.
- **`resource_media_type(string)`** – `resourceMediaType`, property of the request body.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_anc_policy*

monitor_bulk_status_anc_policy(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_anc_policy*

authorization_profile

class AuthorizationProfile

Identity Services Engine AuthorizationProfile API (version: 3.0.0).

Wraps the Identity Services Engine AuthorizationProfile API and exposes the API as native Python methods that return native Python objects.

get_authorization_profile_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an authorization profile by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_authorization_profile_by_name*

get_authorization_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an authorization profile by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_authorization_profile_by_id`

`update_authorization_profile_by_id(id, access_type=None, acl=None, advanced_attributes=None, agentless_posture=None, airespace_acl=None, airespace_ipv6_acl=None, asa_vpn=None, authz_profile_type=None, auto_smart_port=None, avc_profile=None, dacl_name=None, description=None, easywired_session_candidate=None, interface_template=None, ipv6_acl_filter=None, ipv6_dacl_name=None, mac_sec_policy=None, name=None, neat=None, profile_name=None, reauth=None, service_template=None, track_movement=None, vlan=None, voice_domain_permission=None, web_auth=None, web_redirection=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update an authorization profile.

Parameters

- **`access_type (string)`** – Allowed Values: `ACCESS_ACCEPT`, `ACCESS_REJECT`, property of the request body.
- **`acl (string)`** – `acl`, property of the request body.
- **`advanced_attributes (list)`** – `advancedAttributes`, property of the request body (list of objects).
- **`agentless_posture (boolean)`** – `agentlessPosture`, property of the request body.
- **`airespace_acl (string)`** – `airespaceACL`, property of the request body.
- **`airespace_ipv6_acl (string)`** – `airespaceIPv6ACL`, property of the request body.
- **`asa_vpn (string)`** – `asaVpn`, property of the request body.
- **`authz_profile_type (string)`** – Allowed Values: `SWITCH`, `TRUSTSEC`, `TACACS` `SWITCH` is used for Standard Authorization Profiles, property of the request body.
- **`auto_smart_port (string)`** – `autoSmartPort`, property of the request body.
- **`avc_profile (string)`** – `avcProfile`, property of the request body.
- **`dacl_name (string)`** – `daclName`, property of the request body.
- **`description (string)`** – `description`, property of the request body.

- **easywired_session_candidate** (*boolean*) – easywiredSessionCandidate, property of the request body.
- **id** (*basestring*) – Resource UUID value, property of the request body.
- **interface_template** (*string*) – interfaceTemplate, property of the request body.
- **ipv6_acl_filter** (*string*) – ipv6ACLFILTER, property of the request body.
- **ipv6_dacl_name** (*string*) – ipv6DaclName, property of the request body.
- **mac_sec_policy** (*string*) – Allowed Values: MUST_SECURE, MUST_NOT_SECURE, SHOULD_SECURE, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **neat** (*boolean*) – neat, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **reauth** (*object*) – reauth, property of the request body.
- **service_template** (*boolean*) – serviceTemplate, property of the request body.
- **track_movement** (*boolean*) – trackMovement, property of the request body.
- **vlan** (*object*) – vlan, property of the request body.
- **voice_domain_permission** (*boolean*) – voiceDomainPermission, property of the request body.
- **web_auth** (*boolean*) – webAuth, property of the request body.
- **web_redirection** (*object*) – webRedirection, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *access_type*=None, *acl*=None, *advanced_attributes*=None, *agentless_posture*=None, *airespace_acl*=None, *airespace_ipv6_acl*=None, *asa_vpn*=None, *authz_profile_type*=None, *auto_smart_port*=None, *avc_profile*=None, *dacl_name*=None, *description*=None, *easywired_session_candidate*=None, *interface_template*=None, *ipv6_acl_filter*=None, *ipv6_dacl_name*=None, *mac_sec_policy*=None, *name*=None, *neat*=None, *profile_name*=None, *reauth*=None, *service_template*=None, *track_movement*=None, *vlan*=None, *voice_domain_permission*=None, *web_auth*=None, *web_redirection*=None, *headers*=None, *payload*=None, *active_validation*=True, ***query_parameters*)

Alias for [update_authorization_profile_by_id](#)

delete_authorization_profile_by_id(*id*, *headers*=None, ***query_parameters*)

This API deletes an authorization profile.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers*=None, ***query_parameters*)

Alias for [delete_authorization_profile_by_id](#)

get_authorization_profiles(*page*=None, *size*=None, *headers*=None, ***query_parameters*)

This API allows the client to get all authorization profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_authorization_profiles*

`get_authorization_profiles_generator`(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all authorization profiles.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_authorization_profiles_generator*


```
create_authorization_profile(access_type=None, acl=None, advanced_attributes=None,
                             agentless_posture=None, airespace_acl=None,
                             airespace_ipv6_acl=None, asa_vpn=None, authz_profile_type=None,
                             auto_smart_port=None, avc_profile=None, dacl_name=None,
                             description=None, easywired_session_candidate=None, id=None,
                             interface_template=None, ipv6_acl_filter=None,
                             ipv6_dacl_name=None, mac_sec_policy=None, name=None,
                             neat=None, profile_name=None, reauth=None, service_template=None,
                             track_movement=None, vlan=None, voice_domain_permission=None,
                             web_auth=None, web_redirection=None, headers=None,
                             payload=None, active_validation=True, **query_parameters)
```

This API creates an authorization profile.

Parameters

- **access_type** (*string*) – Allowed Values: ACCESS_ACCEPT, ACCESS_REJECT, property of the request body.
- **acl** (*string*) – acl, property of the request body.
- **advanced_attributes** (*list*) – advancedAttributes, property of the request body (list of objects).
- **agentless_posture** (*boolean*) – agentlessPosture, property of the request body.
- **airespace_acl** (*string*) – airespaceACL, property of the request body.
- **airespace_ipv6_acl** (*string*) – airespaceIPv6ACL, property of the request body.
- **asa_vpn** (*string*) – asaVpn, property of the request body.
- **authz_profile_type** (*string*) – Allowed Values: SWITCH, TRUSTSEC, TACACS SWITCH is used for Standard Authorization Profiles, property of the request body.
- **auto_smart_port** (*string*) – autoSmartPort, property of the request body.
- **avc_profile** (*string*) – avcProfile, property of the request body.
- **dacl_name** (*string*) – daclName, property of the request body.
- **description** (*string*) – description, property of the request body.
- **easywired_session_candidate** (*boolean*) – easywiredSessionCandidate, property of the request body.
- **id** (*string*) – Resource UUID value, property of the request body.
- **interface_template** (*string*) – interfaceTemplate, property of the request body.
- **ipv6_acl_filter** (*string*) – ipv6ACLFILTER, property of the request body.
- **ipv6_dacl_name** (*string*) – ipv6DaclName, property of the request body.
- **mac_sec_policy** (*string*) – Allowed Values: MUST_SECURE, MUST_NOT_SECURE, SHOULD_SECURE, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **neat** (*boolean*) – neat, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **reauth** (*object*) – reauth, property of the request body.
- **service_template** (*boolean*) – serviceTemplate, property of the request body.

- **track_movement** (*boolean*) – trackMovement, property of the request body.
- **vlan** (*object*) – vlan, property of the request body.
- **voice_domain_permission** (*boolean*) – voiceDomainPermission, property of the request body.
- **web_auth** (*boolean*) – webAuth, property of the request body.
- **web_redirection** (*object*) – webRedirection, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*access_type=None, acl=None, advanced_attributes=None, agentless_posture=None, airespace_acl=None, airespace_ipv6_acl=None, asa_vpn=None, authz_profile_type=None, auto_smart_port=None, avc_profile=None, dacl_name=None, description=None, easywired_session_candidate=None, id=None, interface_template=None, ipv6_acl_filter=None, ipv6_dacl_name=None, mac_sec_policy=None, name=None, neat=None, profile_name=None, reauth=None, service_template=None, track_movement=None, vlan=None, voice_domain_permission=None, web_auth=None, web_redirection=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_authorization_profile*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the authorization profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

byod_portal

class ByodPortal

Identity Services Engine BYODPortal API (version: 3.0.0).

Wraps the Identity Services Engine BYODPortal API and exposes the API as native Python methods that return native Python objects.

`get_byod_portal_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a BYOD portal by ID.

Parameters

- **`id`** (*basestring*) – id path parameter. Portal id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_byod_portal_by_id`

```
update_byod_portal_by_id(id, customizations=None, description=None, name=None,
                        portal_test_url=None, portal_type=None, settings=None, headers=None,
                        payload=None, active_validation=True, **query_parameters)
```

This API allows the client to update a BYOD portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available for a BYOD, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – Resource UUID, mandatory for update, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a BYOD, property of the request body.
- **id** – id path parameter. Portal id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, customizations=None, description=None, name=None, portal_test_url=None,
            portal_type=None, settings=None, headers=None, payload=None, active_validation=True,
            **query_parameters)
```

Alias for `update_byod_portal_by_id`

```
delete_byod_portal_by_id(id, headers=None, **query_parameters)
```

This API deletes a BYOD portal by ID.

Parameters

- **id** (*basestring*) – id path parameter. Portal id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_byod_portal_by_id*

get_byod_portal(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the BYOD portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_byod_portal*

get_byod_portal_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the BYOD portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_byod_portal_generator*

create_byod_portal(*customizations=None, description=None, id=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a BYOD portal.

Parameters

- **customizations (object)** – Defines all of the Portal Customizations available for a BYOD, property of the request body.
- **description (string)** – description, property of the request body.
- **id (string)** – Resource UUID, mandatory for update, property of the request body.
- **name (string)** – Resource Name, property of the request body.
- **portal_test_url (string)** – URL to bring up a test page for this portal, property of the request body.
- **portal_type (string)** – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings (object)** – Defines all of the settings groups available for a BYOD, property of the request body.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, id=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_byod_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the BYOD portal.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

backup_and_restore

class BackupAndRestore

Identity Services Engine Backup And Restore API (version: 3.0.0).

Wraps the Identity Services Engine Backup And Restore API and exposes the API as native Python methods that return native Python objects.

config_backup(*backup_encryption_key=None, backup_name=None, repository_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Triggers on demand configuration backup on the ISE node. The API returns the task ID. Use the Task Service status API to get the status of the backup job.

Parameters

- **backup_encryption_key** (*string*) – The encryption key for the backed up file. Encryption key must satisfy the following criteria Contains at least one uppercase letter [A-Z], Contains at least one lowercase letter [a-z], Contains at least one digit [0-9], Contain only [A-Z][a-z][0-9]_#, Has at least 8 characters, Has not more than 15 characters, Must not contain 'CcliSsCco', Must not begin with, property of the request body.
- **backup_name** (*string*) – The backup file will get saved with this name., property of the request body.
- **repository_name** (*string*) – Name of the configured repository where the generated backup file will get copied., property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

config(*backup_encryption_key=None, backup_name=None, repository_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *config_backup*

cancel_backup(*headers=None, **query_parameters*)

Cancels the backup job running on the node.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

cancel(*headers=None, **query_parameters*)

Alias for *cancel_backup*

get_last_config_backup_status(*headers=None, **query_parameters*)

Gives the last backup status.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_last_status(*headers=None, **query_parameters*)

Alias for *get_last_config_backup_status*

restore_config_backup(*backup_encryption_key=None, repository_name=None, restore_file=None, restore_include_adeos=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Triggers a configuration DB restore job on the ISE node. The API returns the task ID. Use the Task Service status API to get the status of the backup job.

Parameters

- **backup_encryption_key** (*string*) – The encryption key which was provided at the time of taking backup., property of the request body.
- **repository_name** (*string*) – Name of the configed repository where the backup file exists., property of the request body.
- **restore_file** (*string*) – Name of the backup file to be restored on ISE node., property of the request body.
- **restore_include_adeos** (*string*) – Determines whether the ADE-OS configure is restored. Possible values true, false, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

restore(*backup_encryption_key=None, repository_name=None, restore_file=None, restore_include_adeos=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *restore_config_backup*

update_scheduled_config_backup(*backup_description=None, backup_encryption_key=None, backup_name=None, end_date=None, frequency=None, month_day=None, repository_name=None, start_date=None, status=None, time=None, week_day=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Update the Schedule of the configuration backup on the ISE node as per the input parameters. This API only helps in editing the schedule.

Parameters

- **backup_description** (*string*) – Description of the backup., property of the request body.
- **backup_encryption_key** (*string*) – The encryption key for the backed up file. Encryption key must satisfy the following criteria Contains at least one uppercase letter [A-Z], Contains at least one lowercase letter [a-z], Contains at least one digit [0-9], Contain only [A-Z][a-z][0-9]_#, Has at least 8 characters, Has not more than 15 characters, Must not contain 'CcliSsCco', Must not begin with, property of the request body.
- **backup_name** (*string*) – The backup file will get saved with this name., property of the request body.
- **end_date** (*string*) – End date of the scheduled backup job. Allowed format MM/DD/YYYY. End date is not required in case of ONE_TIME frequency., property of the request body.
- **frequency** (*string*) – Frequency with which the backup will get scheduled in the ISE node. Allowed values ONCE, DAILY, WEEKLY, MONTHLY, property of the request body. Available values are 'ONCE', 'DAILY', 'WEEKLY' and 'MONTHLY'.
- **month_day** (*string*) – Day of month you want backup to be performed on when scheduled frequency is MONTHLY. Allowed values from 1 to 28., property of the request body.
- **repository_name** (*string*) – Name of the configured repository where the generated backup file will get copied., property of the request body.
- **start_date** (*string*) – Start date for scheduling the backup job. Allowed format MM/DD/YYYY., property of the request body.
- **status** (*string*) – Enable or disable scheduled backup., property of the request body. Available values are 'ENABLE' and 'DISABLE'.
- **time** (*string*) – Time at which backup job get scheduled. example 12:00 AM, property of the request body.
- **week_day** (*string*) – Day of week you want backup to be performed on when scheduled frequency is WEEKLY. Allowed values MON, TUE, WED, THU, FRI, SAT, SUN., property of the request body. Available values are 'MON', 'TUE', 'WED', 'THU', 'FRI', 'SAT' and 'SUN'.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update(backup_description=None, backup_encryption_key=None, backup_name=None, end_date=None,
        frequency=None, month_day=None, repository_name=None, start_date=None, status=None,
        time=None, week_day=None, headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Alias for `update_scheduled_config_backup`

```
create_scheduled_config_backup(backup_description=None, backup_encryption_key=None,
                                backup_name=None, end_date=None, frequency=None,
                                month_day=None, repository_name=None, start_date=None,
                                status=None, time=None, week_day=None, headers=None,
                                payload=None, active_validation=True, **query_parameters)
```

Schedules the configuration backup on the ISE node as per the input parameters. This API helps in creating the schedule for the first time.

Parameters

- **backup_description** (*string*) – Description of the backup., property of the request body.
- **backup_encryption_key** (*string*) – The encryption key for the backed up file. Encryption key must satisfy the following criteria Contains at least one uppercase letter [A-Z], Contains at least one lowercase letter [a-z], Contains at least one digit [0-9], Contain only [A-Z][a-z][0-9]_#, Has at least 8 characters, Has not more than 15 characters, Must not contain 'CcliSsCco', Must not begin with, property of the request body.
- **backup_name** (*string*) – The backup file will get saved with this name., property of the request body.
- **end_date** (*string*) – End date of the scheduled backup job. Allowed format MM/DD/YYYY. End date is not required in case of ONE_TIME frequency., property of the request body.
- **frequency** (*string*) – Frequency with which the backup will get scheduled in the ISE node. Allowed values ONCE, DAILY, WEEKLY, MONTHLY, property of the request body. Available values are 'ONCE', 'DAILY', 'WEEKLY' and 'MONTHLY'.
- **month_day** (*string*) – Day of month you want backup to be performed on when scheduled frequency is MONTHLY. Allowed values from 1 to 28., property of the request body.
- **repository_name** (*string*) – Name of the configured repository where the generated backup file will get copied., property of the request body.
- **start_date** (*string*) – Start date for scheduling the backup job. Allowed format MM/DD/YYYY., property of the request body.
- **status** (*string*) – Enable or disable scheduled backup., property of the request body. Available values are 'ENABLE' and 'DISABLE'.
- **time** (*string*) – Time at which backup job get scheduled. example 12:00 AM, property of the request body.
- **week_day** (*string*) – Day of week you want backup to be performed on when scheduled frequency is WEEKLY. Allowed values MON, TUE, WED, THU, FRI, SAT, SUN., prop-

erty of the request body. Available values are 'MON', 'TUE', 'WED', 'THU', 'FRI', 'SAT' and 'SUN'.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*backup_description=None, backup_encryption_key=None, backup_name=None, end_date=None, frequency=None, month_day=None, repository_name=None, start_date=None, status=None, time=None, week_day=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_scheduled_config_backup*

certificate_profile

class CertificateProfile

Identity Services Engine CertificateProfile API (version: 3.0.0).

Wraps the Identity Services Engine CertificateProfile API and exposes the API as native Python methods that return native Python objects.

get_certificate_profile_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get a certificate profile by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *get_certificate_profile_by_name*

`get_certificate_profile_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a certificate profile by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *get_certificate_profile_by_id*

`update_certificate_profile_by_id`(*id*, *allowed_as_user_name=None*,
certificate_attribute_name=None, *description=None*,
external_identity_store_name=None, *match_mode=None*,
name=None, *username_from=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to update a certificate profile.

Parameters

- **allowed_as_user_name** (*boolean*) – allowedAsUserName, property of the request body.
- **certificate_attribute_name** (*string*) – Attribute name of the Certificate Profile used only when CERTIFICATE is chosen in usernameFrom. Allowed values: SUBJECT_COMMON_NAME SUBJECT_ALTERNATIVE_NAME SUBJECT_SERIAL_NUMBER SUBJECT_ALTERNATIVE_NAME_OTHER_NAME SUBJECT_ALTERNATIVE_NAME_EMAIL SUBJECT_ALTERNATIVE_NAME_DNS. Additional internal value ALL_SUBJECT_AND_ALTERNATIVE_NAMES is used automatically when usernameFrom=UPN, property of the request body.
- **description** (*string*) – description, property of the request body.
- **external_identity_store_name** (*string*) – Referred IDStore name for the Certificate Profile or [not applicable] in case no identity store is chosen, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **match_mode** (*string*) – Match mode of the Certificate Profile. Allowed values: NEVER RESOLVE_IDENTITY_AMBIGUITY BINARY_COMPARISON, property of the request body.
- **name** (*string*) – name, property of the request body.
- **username_from** (*string*) – The attribute in the certificate where the user name should be taken from. Allowed values: CERTIFICATE (for a specific attribute as defined in certificateAttributeName) UPN (for using any Subject or Alternative Name Attributes in the Certificate an option only in AD), property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *allowed_as_user_name=None*, *certificate_attribute_name=None*, *description=None*, *external_identity_store_name=None*, *match_mode=None*, *name=None*, *username_from=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_certificate_profile_by_id*

get_certificate_profile(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the certificate profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_certificate_profile*

get_certificate_profile_generator(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the certificate profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for `get_certificate_profile_generator`

`create_certificate_profile`(*allowed_as_user_name=None, certificate_attribute_name=None, description=None, external_identity_store_name=None, id=None, match_mode=None, name=None, username_from=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create a certificate profile.

Parameters

- **`allowed_as_user_name`** (*boolean*) – `allowedAsUserName`, property of the request body.
- **`certificate_attribute_name`** (*string*) – Attribute name of the Certificate Profile used only when `CERTIFICATE` is chosen in `usernameFrom`. Allowed values: `SUBJECT_COMMON_NAME` `SUBJECT_ALTERNATIVE_NAME` `SUBJECT_SERIAL_NUMBER` `SUBJECT` `SUBJECT_ALTERNATIVE_NAME_OTHER_NAME` `SUBJECT_ALTERNATIVE_NAME_EMAIL` `SUBJECT_ALTERNATIVE_NAME_DNS`. Additional internal value `ALL_SUBJECT_AND_ALTERNATIVE_NAMES` is used automatically when `usernameFrom=UPN`, property of the request body.
- **`description`** (*string*) – description, property of the request body.
- **`external_identity_store_name`** (*string*) – Referred IDStore name for the Certificate Profile or [not applicable] in case no identity store is chosen, property of the request body.
- **`id`** (*string*) – id, property of the request body.
- **`match_mode`** (*string*) – Match mode of the Certificate Profile. Allowed values: `NEVER` `RESOLVE_IDENTITY_AMBIGUITY` `BINARY_COMPARISON`, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`username_from`** (*string*) – The attribute in the certificate where the user name should be taken from. Allowed values: `CERTIFICATE` (for a specific attribute as defined in `certificateAttributeName`) `UPN` (for using any Subject or Alternative Name Attributes in the Certificate an option only in AD), property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*allowed_as_user_name=None, certificate_attribute_name=None, description=None, external_identity_store_name=None, id=None, match_mode=None, name=None, username_from=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_certificate_profile*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the certificate profile.

Parameters

- **headers(dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

certificate_template

class CertificateTemplate

Identity Services Engine CertificateTemplate API (version: 3.0.0).

Wraps the Identity Services Engine CertificateTemplate API and exposes the API as native Python methods that return native Python objects.

get_certificate_template_by_name(name, headers=None, **query_parameters)

This API allows the client to get a certificate template by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(name, headers=None, **query_parameters)

Alias for *get_certificate_template_by_name*

get_certificate_template_by_id(id, headers=None, **query_parameters)

This API allows the client to get a certificate template by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *`get_certificate_template_by_id`*

`get_certificate_template`(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get aall the certificate templates.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *`get_certificate_template`*

`get_certificate_template_generator`(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get aall the certificate templates.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_certificate_template_generator`*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the certificate template.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *`RestResponse`*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

certificates

class Certificates

Identity Services Engine Certificates API (version: 3.0.0).

Wraps the Identity Services Engine Certificates API and exposes the API as native Python methods that return native Python objects.

get_csrs(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName subject timeStamp Supported Date Format: yyyy-MM-dd HH:mm:ss.SSS Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_csrs_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName subject timeStamp Supported Date Format: yyyy-MM-dd HH:mm:ss.SSS Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.


```
generate_csr(allow_wild_card_cert=None, certificate_policies=None, digest_type=None,
             hostnames=None, key_length=None, key_type=None, portal_group_tag=None,
             san_dir=None, san_dns=None, san_ip=None, san_uri=None, subject_city=None,
             subject_common_name=None, subject_country=None, subject_org=None,
             subject_org_unit=None, subject_state=None, used_for=None, headers=None,
             payload=None, active_validation=True, **query_parameters)
```

Generate a certificate signing request for Multi-Use, Admin, EAP Authentication, RADIUS DTLS, Px-Grid, SAML, Portal and IMS Services. Following Parameters are present in POST request body
PARAMETER DESCRIPTION EXAMPLE
hostnames List of ise node hostnames for which CSRs should be generated [ise-host1, ise-host2]
allowWildCardCert Allow use of WildCards in certificates false
keyLength Length of the Key used for CSR generation (required) 512
keyType Type of key used for CSR generation either RSA or ECDSA(required) RSA
digestType Hash algorithm used for signing CSR(required) SHA-256
usedFor Certificate Usage(required) MULTI-USE
subjectCommonName Certificate common name(CN)(required) \$FQDN\$
subjectOrgUnit Certificate organizational unit(OU) Engineering
subjectOrg Certificate organization (O) Cisco
subjectCity Certificate city or locality (L) San Jose
subjectState Certificate state (ST) California
subjectCountry Certificate country (C) US
sanDNS Array of SAN(Subject Alternative Name) DNS entries(optional) [ise.example.com]
sanIP Array of SAN IP entries(optional) [1.1.1.1]
sanURI Array of SAN URI entries(optional) [https://1.1.1.1]
sanDir Array of SAN DIR entries(optional) [CN=AAA,DC=COM,C=IL]
portalGroupTag Portal Group Tag when using certificate for PORTAL service Default Portal Certificate Group
NOTE: For allowWildCardCert to be false, the below mentioned parameter is mandatory: hostnames
 When Certificate is selected to be used for Portal Service, the below mentioned parameter is mandatory: portalGroupTag .

Parameters

- **allow_wild_card_cert** (*boolean*) – allowWildCardCert, property of the request body.
- **certificate_policies** (*string*) – certificatePolicies, property of the request body.
- **digest_type** (*string*) – digestType, property of the request body. Available values are 'SHA-256', 'SHA-384' and 'SHA-512'.
- **hostnames** (*list*) – hostnames, property of the request body (list of strings).
- **key_length** (*string*) – keyLength, property of the request body. Available values are '512', '1024', '2048' and '4096'.
- **key_type** (*string*) – keyType, property of the request body. Available values are 'RSA' and 'ECDSA'.
- **portal_group_tag** (*string*) – portalGroupTag, property of the request body.
- **san_dns** (*list*) – sanDNS, property of the request body (list of strings).
- **san_dir** (*list*) – sanDir, property of the request body (list of strings).
- **san_ip** (*list*) – sanIP, property of the request body (list of strings).
- **san_uri** (*list*) – sanURI, property of the request body (list of strings).
- **subject_city** (*string*) – subjectCity, property of the request body.
- **subject_common_name** (*string*) – subjectCommonName, property of the request body.
- **subject_country** (*string*) – subjectCountry, property of the request body.
- **subject_org** (*string*) – subjectOrg, property of the request body.
- **subject_org_unit** (*string*) – subjectOrgUnit, property of the request body.
- **subject_state** (*string*) – subjectState, property of the request body.

- **used_for** (*string*) – usedFor, property of the request body. Available values are ‘MULTI-USE’, ‘ADMIN’, ‘EAP-AUTH’, ‘DTLS-AUTH’, ‘PORTAL’, ‘PXGRID’, ‘SAML’ and ‘IMS’.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

export_csr(*hostname, id, dirpath=None, save_file=None, headers=None, **query_parameters*)

The response of this API carries a CSR corresponding to the requested ID.

Parameters

- **hostname** (*basestring*) – hostname path parameter. The hostname to which the CSR belongs.
- **id** (*basestring*) – id path parameter. The ID of the CSR to be exported.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to os.getcwd().
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns HTTP Response container. For more information check the [urllib3 documentation](#)

Return type urllib3.response.HTTPResponse

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw

- **response to a file.** –

generate_intermediate_ca_csr(*headers=None, **query_parameters*)

CSR Generation for Intermediate Certificates.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_csr_by_id(*host_name, id, headers=None, **query_parameters*)

This API displays details of a Certificate Signing Request of a particular node based on a given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which CSR's should be returned.
- **id** (*basestring*) – id path parameter. The ID of the Certificate Signing Request returned.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_csr_by_id(*host_name*, *id*, *headers=None*, ***query_parameters*)

This API deletes a Certificate Signing Request of a particular node based on a given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which CSR's should be deleted.
- **id** (*basestring*) – id path parameter. The ID of the Certificate Signing Request to be deleted.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

regenerate_ise_root_ca(*remove_existing_ise_intermediate_csr=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API will initiate regeneration of ISE root CA certificate chain. Response contains id which can be used to track the status. Setting "removeExistingISEIntermediateCSR" to true will remove existing ISE Intermediate CSR.

Parameters

- **remove_existing_ise_intermediate_csr** (*boolean*) – Setting this attribute to true will remove existing ISE Intermediate CSR, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`renew_certificates(cert_type=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API will initiate regeneration of certificates. Response contains id which can be used to track the status.

Parameters

- **`cert_type (string)`** – `certType`, property of the request body. Available values are 'OCSP' and 'IMS'.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bind_csr(admin=None, allow_extended_validity=None, allow_out_of_date_cert=None, allow_replacement_of_certificates=None, allow_replacement_of_portal_group_tag=None, data=None, eap=None, host_name=None, id=None, ims=None, name=None, portal=None, portal_group_tag=None, pxgrid=None, radius=None, saml=None, validate_certificate_extensions=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Bind CA Signed Certificate. NOTE: This API requires an existing Certificate Signing Request, and the root certificate must already be trusted. NOTE: The certificate may have a validity period longer than 398

days. It may be untrusted by many browsers. NOTE: Request Parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following Parameters are used in POST body
PARAMETER DESCRIPTION
EXAMPLE name Friendly name of the certificate.
Signed Certificate data Plain-text contents of the certificate file (required)
Signed Certificate in escaped format
allowExtendedValidity Allow the certificates greater than validity of 398 days (required)
false
allowOutOfDateCert Allow out of date certificates (required)
false
allowReplacementOfCertificates Allow Replacement of certificates (required)
false
allowReplacementOfPortalGroupTag Allow Replacement of Portal Group Tag (required)
false
admin Use certificate to authenticate the ISE Admin Portal
false
eap Use certificate for EAP protocols that use SSL/TLS tunneling
false
radius Use certificate for RADSec server
false
pxgrid Use certificate for the pxGrid Controller
false
ims Use certificate for the ISE Messaging Service
false
saml Use certificate for SAML Signing
false
portal Use certificate for portal
false
portalGroupTag Portal Group Tag for using certificate with portal role
Default Portal Certificate Group
validateCertificateExtensions Validate Certificate Extensions
false
Following Roles can be used in any combinations
ROLE DEFAULT WARNING
Admin
False
Enabling Admin role for this certificate will cause an application server restart on the selected node.
Note: Make sure required Certificate Chain is imported under Trusted Certificates
EAP Authentication
False
Only one system certificate can be used for EAP. Assigning EAP to this certificate will remove the assignment from another certificate.
Note: Make sure required Certificate Chain is imported under Trusted Certificates
RADIUS DTLS
False
Only one system certificate can be used for DTLS. Assigning DTLS to this certificate will remove the assignment from another certificate.
Note: Make sure required Certificate Chain is imported under Trusted Certificates
SAML
False
SAML cannot be used with other Usage. Enabling SAML will uncheck all other Usage.
Note: Make sure required Certificate Chain is imported under Trusted Certificates .

Parameters

- **admin** (*boolean*) – Use certificate to authenticate the ISE Admin Portal, property of the request body.
- **allow_extended_validity** (*boolean*) – Allow import of certificates with validity greater than 398 days, property of the request body.
- **allow_out_of_date_cert** (*boolean*) – Allow out of date certificates (required), property of the request body.
- **allow_replacement_of_certificates** (*boolean*) – Allow Replacement of certificates (required), property of the request body.
- **allow_replacement_of_portal_group_tag** (*boolean*) – Allow Replacement of Portal Group Tag (required), property of the request body.
- **data** (*string*) – Signed Certificate in escaped format, property of the request body.
- **eap** (*boolean*) – Use certificate for EAP protocols that use SSL/TLS tunneling, property of the request body.
- **host_name** (*string*) – Name of Host whose CSR ID has been provided, property of the request body.
- **id** (*string*) – ID of the generated CSR, property of the request body.
- **ims** (*boolean*) – Use certificate for the ISE Messaging Service, property of the request body.
- **name** (*string*) – Friendly Name of the certificate, property of the request body.
- **portal** (*boolean*) – Use for portal, property of the request body.
- **portal_group_tag** (*string*) – Set Group tag, property of the request body.
- **pxgrid** (*boolean*) – Use certificate for the pxGrid Controller, property of the request body.

- **radius** (*boolean*) – Use certificate for the RADSec server, property of the request body.
- **saml** (*boolean*) – Use certificate for SAML Signing, property of the request body.
- **validate_certificate_extensions** (*boolean*) – Validate Certificate Extensions, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

export_system_certificate(*export=None, id=None, password=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Export System Certificate. Following Parameters are used in POST body
 PARAMETER DESCRIPTION
 EXAMPLE id ID of a System Certificate(required) < SYSTEM_CERT_ID >
 export One of the below option is required “CERTIFICATE” : Export only Certificate without Private Key
 “CERTIFICATE_WITH_PRIVATE_KEY” : Export both Certificate and Private Key(“certificatePassword” is required)
 CERTIFICATE_WITH_PRIVATE_KEY password Certificate Password (required if “export” : CERTIFICATE_WITH_PRIVATE_KEY)
 Password Constraints: Alphanumeric Minimum of 8 Characters Maximum of 100 Characters Passw***
 NOTE: The response of this API carries a ZIP file containing the certificate and private key if “export” : “CERTIFICATE_WITH_PRIVATE_KEY” in the request. If “export” : “CERTIFICATE” in request body, the response carries a ZIP file containing only the certificate.
 WARNING: Exporting a private key is not a secure operation. It could lead to possible exposure of the private key. .

Parameters

- **export** (*string*) – export, property of the request body. Available values are ‘CERTIFICATE’ and ‘CERTIFICATE_WITH_PRIVATE_KEY’.
- **id** (*string*) – id, property of the request body.
- **password** (*string*) – password, property of the request body.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to os.getcwd().
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type urllib3.response.HTTPResponse

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

```
import_system_certificate(admin=None, allow_extended_validity=None,
                          allow_out_of_date_cert=None, allow_replacement_of_certificates=None,
                          allow_replacement_of_portal_group_tag=None,
                          allow_sha1_certificates=None, allow_wild_card_certificates=None,
                          data=None, eap=None, ims=None, name=None, password=None,
                          portal=None, portal_group_tag=None, private_key_data=None,
                          pxgrid=None, radius=None, saml=None,
                          validate_certificate_extensions=None, headers=None, payload=None,
                          active_validation=True, **query_parameters)
```

Import an X509 certificate as a system certificate. NOTE: The certificate may have a validity period longer than 398 days. It may be untrusted by many browsers. NOTE: Request Parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following Parameters are used in POST body

PARAMETER	DESCRIPTION	EXAMPLE	name
Friendly name of the certificate.	System Certificate		
password	Password of the certificate to be imported (required).	Passw***	data
Plain-text contents of the certificate file (required)	System Certificate	in escaped format	privateKeyData
Plain-text contents of the private key file (required)	System Certificate	Private Key in escaped format	allowOutOfDateCert
Allow out of date certificates (required)	false	allowSHA1Certificates	Allow SHA1 based certificates (required)
false	allowExtendedValidity	Allow the certificates greater than validity of 398 days (required)	false
admin	Use certificate to authenticate the ISE Admin Portal	false	eap
Use certificate for EAP protocols that use SSL/TLS tunneling	false	radius	Use certificate for RADSec server
false	pxgrid	Use certificate for the pxGrid Controller	false
ims	Use certificate for the ISE Messaging Service	false	saml
Use certificate for SAML Signing	false	portal	Use certificate for portal
false	portalGroupTag	Portal Group Tag for using certificate with portal role	Default Portal Certificate Group
allowReplacementOfPortalGroupTag	Allow Replacement of Portal Group Tag (required)	false	allowWildcardCertificates
Allow use of WildCards in certificates	false	validateCertificateExtensions	Validate Certificate Extensions
false	Following Roles can be used in any combinations	ROLE	DEFAULT
WARNING	Admin	False	Enabling Admin role for this certificate will cause an application server restart on the selected node.
Note: Make sure required Certificate Chain is imported under Trusted Certificates	EAP Authentication	False	Only one system certificate can be used for EAP.
Assigning EAP to this certificate will remove the assignment from another certificate.	Note: Make sure required Certificate Chain is imported under Trusted Certificates	RADIUS	DTLS
False	Only one system certificate can be used for DTLS.	Assigning DTLS to this certificate will remove the assignment from another certificate.	Note: Make sure required Certificate Chain is imported under Trusted Certificates

SAML False SAML cannot be used with other Usage. Enabling SAML will uncheck all other Usage. Note: Make sure required Certificate Chain is imported under Trusted Certificates .

Parameters

- **admin** (*boolean*) – Use certificate to authenticate the ISE Admin Portal, property of the request body.
- **allow_extended_validity** (*boolean*) – Allow import of certificates with validity greater than 398 days, property of the request body.
- **allow_out_of_date_cert** (*boolean*) – Allow out of date certificates (required), property of the request body.
- **allow_replacement_of_certificates** (*boolean*) – Allow Replacement of certificates (required), property of the request body.
- **allow_replacement_of_portal_group_tag** (*boolean*) – Allow Replacement of Portal Group Tag (required), property of the request body.
- **allow_sha1_certificates** (*boolean*) – Allow SHA1 based certificates (required), property of the request body.
- **allow_wild_card_certificates** (*boolean*) – Allow Wildcard Certificates, property of the request body.
- **data** (*string*) – Certificate Content (required), property of the request body.
- **eap** (*boolean*) – Use certificate for EAP protocols that use SSL/TLS tunneling, property of the request body.
- **ims** (*boolean*) – Use certificate for the ISE Messaging Service, property of the request body.
- **name** (*string*) – Name of the certificate, property of the request body.
- **password** (*string*) – Certificate Password (required)., property of the request body.
- **portal** (*boolean*) – Use for portal, property of the request body.
- **portal_group_tag** (*string*) – Set Group tag, property of the request body.
- **private_key_data** (*string*) – Private Key data (required), property of the request body.
- **pxgrid** (*boolean*) – Use certificate for the pxGrid Controller, property of the request body.
- **radius** (*boolean*) – Use certificate for the RADSec server, property of the request body.
- **saml** (*boolean*) – Use certificate for SAML Signing, property of the request body.
- **validate_certificate_extensions** (*boolean*) – Validate Certificate Extensions, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_system_certificates`(*host_name, filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName issuedTo issuedBy validFrom Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **`host_name`** (*basestring*) – hostName path parameter. Name of the host of which system certificates should be returned.
- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sort`** (*basestring*) – sort query parameter. sort type asc or desc.
- **`sort_by`** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_system_certificates_generator`(*host_name, filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: `friendlyName` `issuedTo` `issuedBy` `validFrom` `Supported Date Format: yyyy-MM-dd HH:mm:ss` `Supported Operators: EQ, NEQ, GT and LT` `expirationDate` `Supported Date Format: yyyy-MM-dd HH:mm:ss` `Supported Operators: EQ, NEQ, GT and LT` .

Parameters

- **`host_name`** (*basestring*) – `hostName` path parameter. Name of the host of which system certificates should be returned.
- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sort`** (*basestring*) – sort query parameter. sort type asc or desc.
- **`sort_by`** (*basestring*) – `sortBy` query parameter. sort column by which objects needs to be sorted.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “`filterType=or`” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **`filter_type`** (*basestring*) – `filterType` query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_system_certificate_by_id`(*host_name, id, headers=None, **query_parameters*)

This API displays details of a System Certificate of a particular node based on a given HostName and ID.

Parameters

- **`host_name`** (*basestring*) – `hostName` path parameter. Name of the host of which system certificates should be returned.
- **`id`** (*basestring*) – `id` path parameter. The id of the system certificate.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_system_certificate`(*host_name, id, admin=None, allow_replacement_of_portal_group_tag=None, description=None, eap=None, expiration_ttl_period=None, expiration_ttl_units=None, ims=None, name=None, portal=None, portal_group_tag=None, pxgrid=None, radius=None, renew_self_signed_certificate=None, saml=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Update a System Certificate. NOTE: Renewing a certificate will cause an application server restart on the selected node. NOTE: Request Parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following Parameters are used in POST body
PARAMETER DESCRIPTION EXAMPLE

name Friendly name of the certificate. System Certificate description Description of the Certificate Default Description admin Use certificate to authenticate the ISE Admin Portal false eap Use certificate for EAP protocols that use SSL/TLS tunneling false radius Use certificate for RADSec server false pxgrid Use certificate for the pxGrid Controller false ims Use certificate for the ISE Messaging Service false saml Use certificate for SAML Signing false portal Use certificate for portal false portalGroupTag Portal Group Tag for using certificate with portal role Default Portal Certificate Group allowReplacementOfPortalGroupTag Allow Replacement of Portal Group Tag (required) false renewSelfSignedCertificate Renew Self Signed Certificate false expirationTTLPeriod Expiration Period 365 expirationTTLUnits Expiration Units in one of the below formats days / weeks / months / years days Following Roles can be used in any combinations ROLE DEFAULT WARNING Admin False Enabling Admin role for this certificate will cause an application server restart on the selected node. Note: Make sure required Certificate Chain is imported under Trusted Certificates EAP Authentication False Only one system certificate can be used for EAP. Assigning EAP to this certificate will remove the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates RADIUS DTLS False Only one system certificate can be used for DTLS. Assigning DTLS to this certificate will remove the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates SAML False SAML cannot be used with other Usage. Enabling SAML will uncheck all other Usage. Note: Make sure required Certificate Chain is imported under Trusted Certificates .

Parameters

- **admin** (*boolean*) – Use certificate to authenticate the ISE Admin Portal, property of the request body.
- **allow_replacement_of_portal_group_tag** (*boolean*) – Allow Replacement of Portal Group Tag (required), property of the request body.
- **description** (*string*) – Description of System Certificate, property of the request body.
- **eap** (*boolean*) – Use certificate for EAP protocols that use SSL/TLS tunneling, property of the request body.
- **expiration_ttl_period** (*integer*) – expirationTTLPeriod, property of the request body.
- **expiration_ttl_units** (*string*) – expirationTTLUnits, property of the request body. Available values are 'days', 'weeks', 'months' and 'years'.
- **ims** (*boolean*) – Use certificate for the ISE Messaging Service, property of the request body.
- **name** (*string*) – Name of the certificate, property of the request body.
- **portal** (*boolean*) – Use for portal, property of the request body.
- **portal_group_tag** (*string*) – Set Group tag, property of the request body.
- **pxgrid** (*boolean*) – Use certificate for the pxGrid Controller, property of the request body.
- **radius** (*boolean*) – Use certificate for the RADSec server, property of the request body.
- **renew_self_signed_certificate** (*boolean*) – Renew Self Signed Certificate, property of the request body.
- **saml** (*boolean*) – Use certificate for SAML Signing, property of the request body.
- **id** (*basestring*) – id path parameter. The ID of the System Certificate to be updated.
- **host_name** (*basestring*) – hostName path parameter. Name of Host whose certificate needs to be updated.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_system_certificate_by_id(*host_name, id, headers=None, **query_parameters*)

This API deletes a System Certificate of a particular node based on a given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host from which the System Certificate needs to be deleted.
- **id** (*basestring*) – id path parameter. The ID of the System Certificate to be deleted.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_trusted_certificates(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName subject issuedTo issuedBy validFrom Supported Date Format: yyyy-MM- dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT status Allowed values: enabled, disabled Supported Operators: EQ, NEQ .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_trusted_certificates_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned

attributes: friendlyName subject issuedTo issuedBy validFrom Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT status Allowed values: enabled, disabled Supported Operators: EQ, NEQ .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

export_trusted_certificate(*id*, *dirpath=None*, *save_file=None*, *headers=None*, ***query_parameters*)

The response of this API carries a trusted certificate file mapped to the requested id.

Parameters

- **id** (*basestring*) – id path parameter. The ID of the Trusted Certificate to be exported.

- **dirpath** (*basestring*) – Directory absolute path. Defaults to `os.getcwd()`.
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type `urllib3.response.HTTPResponse`

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

```
import_trust_certificate(allow_basic_constraint_cafalse=None, allow_out_of_date_cert=None,
                        allow_sha1_certificates=None, data=None, description=None, name=None,
                        trust_for_certificate_based_admin_auth=None,
                        trust_for_cisco_services_auth=None, trust_for_client_auth=None,
                        trust_for_ise_auth=None, validate_certificate_extensions=None,
                        headers=None, payload=None, active_validation=True,
                        **query_parameters)
```

Import an X509 certificate as a trust certificate. NOTE: Request Parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following Parameters are used in POST body
 PARAMETER DESCRIPTION
 EXAMPLE name Friendly name of the certificate
 Trust Certificate description Description of the certificate
 Passw*** data Plain-text contents of the certificate file (required)
 Trust Certificate in escaped format
 allowOutOfDateCert Allow out of date certificates (required) false
 allowSHA1Certificates Allow SHA1 based certificates (required) false
 trustForIseAuth Trust for authentication within ISE false
 trustForClientAuth Trust for client authentication and Syslog false
 trustForCertificateBasedAdminAuth Trust for Certificate based Admin authentication false
 trustForCiscoServicesAuth Trust for authentication of Cisco Services false
 validateCertificateExtensions Validate extensions for trust certificate false
 NOTE: If name is not set, a default name of the following format will be generated: common-name#issuer#nnnnn where “nnnnn” is a unique number. You can always change the friendly name later by editing the certificate. You must choose how this certificate will be trusted in ISE. The objective here is to distinguish between certificates that are used for trust within an ISE deployment and public certificates that are used to trust Cisco services. Typically, you will not want to use a given certificate for both purposes. Trusted For Usage Authentication within ISE Use “trustForIseAuth”:true if the certificate is used for trust within ISE, such as for secure communication between ISE nodes Client authentication and Syslog Use “trustForClientAuth”:true if the certificate is to be used for authentication of endpoints that contact ISE over the EAP protocol. Also check this box if certificate is used to trust a Syslog server. Make sure to have keyCertSign bit asserted under KeyUsage extension for this certificate. Note: “” can be set true only if the “trustForIseAuth” has been set true. Certificate based admin authentication Use “trustForCertificateBasedAdminAuth”:true if the certificate is used for trust within ISE, such as for secure communication between ISE nodes Note: “trustForCertificateBasedAdminAuth” can be set true only if “trustForIseAuth” and “trustForClientAuth” are true. Authentication of Cisco Services Use “trustForCiscoServicesAuth”:true if the certificate is to be used for trusting external Cisco services, such as Feed Service. .

Parameters

- **allow_basic_constraint_cafalse** (*boolean*) – Allow Certificates with Basic Constraints CA Field as False (required), property of the request body.
- **allow_out_of_date_cert** (*boolean*) – Allow out of date certificates (required), property of the request body.
- **allow_sha1_certificates** (*boolean*) – Allow SHA1 based certificates (required), property of the request body.
- **data** (*string*) – Certificate content (required), property of the request body.
- **description** (*string*) – Description of the certificate, property of the request body.
- **name** (*string*) – Name of the certificate, property of the request body.
- **trust_for_certificate_based_admin_auth** (*boolean*) – Trust for Certificate based Admin authentication, property of the request body.
- **trust_for_cisco_services_auth** (*boolean*) – Trust for authentication of Cisco Services, property of the request body.
- **trust_for_client_auth** (*boolean*) – Trust for client authentication and Syslog, property of the request body.
- **trust_for_ise_auth** (*boolean*) – Trust for authentication within ISE, property of the request body.
- **validate_certificate_extensions** (*boolean*) – Validate trust certificate extension, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_trusted_certificate_by_id(*id*, *headers=None*, ***query_parameters*)

This API can displays details of a Trust Certificate based on a given ID.

Parameters

- **id** (*basestring*) – id path parameter. The id of the trust certificate.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_trusted_certificate(*id, authenticate_before_crl_received=None, automatic_crl_update=None, automatic_crl_update_period=None, automatic_crl_update_units=None, crl_distribution_url=None, crl_download_failure_retries=None, crl_download_failure_retries_units=None, description=None, download_crl=None, enable_ocsp_validation=None, enable_server_identity_check=None, ignore_crl_expiration=None, name=None, non_automatic_crl_update_period=None, non_automatic_crl_update_units=None, reject_if_no_status_from_ocs_p=None, reject_if_unreachable_from_ocs_p=None, selected_ocsp_service=None, status=None, trust_for_certificate_based_admin_auth=None, trust_for_cisco_services_auth=None, trust_for_client_auth=None, trust_for_ise_auth=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Update a trusted certificate present in ISE trust store. Following Parameters are used in PUT request body

PARAMETER	DESCRIPTION	EXAMPLE	name
Friendly name of the certificate	(required)	Trust Certificate	status
Status of the certificate	Enabled	description	Description of the certificate
Certificate for secure connection to cisco.com	trustForIseAuth	Trust for authentication within ISE	false
trustForClientAuth	Trust for client authentication and Syslog	false	trustForCertificateBasedAdminAuth
Trust for Certificate based Admin authentication	false	trustForCiscoServicesAuth	Trust for authentication of Cisco Services
false	enableOCSPValidation	Switch to enable/disable OCSP Validation	false
selectedOCSPService	Name of selected OCSP Service	INTERNAL_OCSP_SERVICE	rejectIfNoStatusFromOCSP
Switch to reject certificate if there is no status from OCSP	false	rejectIfUnreachableFromOCSP	Switch to reject certificate if unreachable from OCSP
false	downloadCRL	Switch to enable/disable download of CRL	false
crlDistributionUrl	Certificate Revocation List Distribution URL	automaticCRLUpdate	Switch to enable/disable automatic CRL update
false	automaticCRLUpdatePeriod	Automatic CRL update period	5
automaticCRLUpdateUnits	Unit of time for automatic CRL update	Minutes	nonAutomaticCRLUpdatePeriod
Non automatic CRL update period	1	nonAutomaticCRLUpdateUnits	Unit of time of non automatic CRL update
Hours	crlDownloadFailureRetries	If CRL download fails, wait time before retry	10
crlDownloadFailureRetriesUnits	Unit of time before retry if CRL download fails	Minutes	enableServerIdentityCheck
Switch to enable/disable verification if HTTPS or LDAP server certificate name fits the configured server URL	false	authenticateBeforeCRLReceived	Switch to enable/disable CRL Verification if CRL is not Received

false ignoreCRLEExpiration Switch to enable/disable ignore CRL Expiration false Trusted For Usage Authentication within ISE Use “trustForIseAuth”:true if the certificate is used for trust within ISE, such as for secure communication between ISE nodes Client authentication and Syslog Use “trustForClientAuth”:true if the certificate is to be used for authentication of endpoints that contact ISE over the EAP protocol. Also check this box if certificate is used to trust a Syslog server. Make sure to have keyCertSign bit asserted under KeyUsage extension for this certificate. Note: “trustForClientAuth” can be set true only if the “trustForIseAuth” has been set true. Certificate based admin authentication Use “trustForCertificateBasedAdminAuth”:true if the certificate is used for trust within ISE, such as for secure communication between ISE nodes Note: “trustForCertificateBasedAdminAuth” can be set true only if “trustForIseAuth” and “trustForClientAuth” are true. Authentication of Cisco Services Use “trustForCiscoServicesAuth”:true if the certificate is to be used for trusting external Cisco services, such as Feed Service. OSCP Configuration Usage Validation against OSCP service Use “enableOCSPValidation”:true to validate the certificate against OSCP service mentioned in the field selectedOCSPService OSCP Service name Use “selectedOCSPService”:“Name of OSCP Service” Name of the OSCP service against which the certificate should be validated Note: “selectedOCSPService” value will on be used if “enableOCSPValidation” has been set true. Reject the request if OSCP returns UNKNOWN status Use “rejectIfNoStatusFromOCSP”:true to reject the certificate if the OSCP service returns UNKNOWN status Note: “rejectIfNoStatusFromOCSP:true” can be used only if “enableOCSPValidation” has been set true. Reject the request if OSCP Responder is unreachable Use “rejectIfUnreachableFromOCSP”:true to reject the certificate if the OSCP service is unreachable. Note: “rejectIfUnreachableFromOCSP:true” can be used only if “enableOCSPValidation” has been set true. Certificate Revocation List Configuration Usage Validation against CRL Use “downloadCRL”:true to validate the certificate against CRL downloaded from URL mentioned in the field crlDistributionUrl CRL distribution url Use “crlDistributionUrl” to specify the URL from where the CRL should be downloaded Note: “crlDistributionUrl” value will only be used if “downloadCRL” has been set true. Retrieve CRL time Use “automaticCRLUpdate”:true and automaticCRLUpdatePeriod, automaticCRLUpdatePeriod to set the time before which CRL is automatically retrieved prior to expiration Use “nonAutomaticCRLUpdatePeriod, nonAutomaticCRLUpdateUnits to set the time period for CRL retrieval in loop. Note: All the above fields can be used only if “downloadCRL” has been set true. If download fails Use “crlDownloadFailureRetries” and “crlDownloadFailureRetriesUnits” to set retry time period if CRL download fails Note: “crlDownloadFailureRetries” and “crlDownloadFailureRetriesUnits” can be used only if “downloadCRL” has been set true. Enable Server Identity Check Use “enableServerIdentityCheck”:true to verify that HTTPS or LDAPS server certificate name fits the configured server URL Note: “enableServerIdentityCheck:true” can be used only if “downloadCRL” has been set true. Bypass CRL Verification if CRL is not Received Use “authenticateBeforeCRLReceived”:true to bypass CRL Verification if CRL is not Received Note: “authenticateBeforeCRLReceived:true” can be used only if “downloadCRL” has been set true. Ignore that CRL is not yet valid or has expired Use “ignoreCRLEExpiration”:true to ignore if CRL is not yet valid or expired Note: “ignoreCRLEExpiration:true” can be used only if “downloadCRL” has been set true. Note: boolean properties accept integers values as well, with 0 considered as false and other values being considered as true .

Parameters

- **authenticate_before_crl_received** (*boolean*) – Switch to enable/disable CRL Verification if CRL is not Received, property of the request body.
- **automatic_crl_update** (*boolean*) – Switch to enable/disable automatic CRL update, property of the request body.
- **automatic_crl_update_period** (*integer*) – Automatic CRL update period, property of the request body.
- **automatic_crl_update_units** (*string*) – Unit of time for automatic CRL update, property of the request body. Available values are ‘Minutes’, ‘Hours’, ‘Days’ and ‘Weeks’.
- **crl_distribution_url** (*string*) – CRL Distribution URL, property of the request body.

- **crl_download_failure_retries** (*integer*) – If CRL download fails, wait time before retry, property of the request body.
- **crl_download_failure_retries_units** (*string*) – Unit of time before retry if CRL download fails, property of the request body. Available values are ‘Minutes’, ‘Hours’, ‘Days’ and ‘Weeks’.
- **description** (*string*) – Description for trust certificate, property of the request body.
- **download_crl** (*boolean*) – Switch to enable/disable download of CRL, property of the request body.
- **enable_ocsp_validation** (*boolean*) – Switch to enable/disable OCSP Validation, property of the request body.
- **enable_server_identity_check** (*boolean*) – Switch to enable/disable verification if HTTPS or LDAP server certificate name fits the configured server URL, property of the request body.
- **ignore_crl_expiration** (*boolean*) – Switch to enable/disable ignore CRL Expiration, property of the request body.
- **name** (*string*) – Friendly name of the certificate, property of the request body.
- **non_automatic_crl_update_period** (*integer*) – Non automatic CRL update period, property of the request body.
- **non_automatic_crl_update_units** (*string*) – Unit of time of non automatic CRL update, property of the request body. Available values are ‘Minutes’, ‘Hours’, ‘Days’ and ‘Weeks’.
- **reject_if_no_status_from_ocs_p** (*boolean*) – Switch to reject certificate if there is no status from OCSP, property of the request body.
- **reject_if_unreachable_from_ocs_p** (*boolean*) – Switch to reject certificate if unreachable from OCSP, property of the request body.
- **selected_ocsp_service** (*string*) – Name of selected OCSP Service, property of the request body.
- **status** (*string*) – status, property of the request body. Available values are ‘Enabled’ and ‘Disabled’.
- **trust_for_certificate_based_admin_auth** (*boolean*) – Trust for Certificate based Admin authentication, property of the request body.
- **trust_for_cisco_services_auth** (*boolean*) – Trust for authentication of Cisco Services, property of the request body.
- **trust_for_client_auth** (*boolean*) – Trust for client authentication and Syslog, property of the request body.
- **trust_for_ise_auth** (*boolean*) – Trust for authentication within ISE, property of the request body.
- **id** (*basestring*) – id path parameter. The id of the trust certificate.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_trusted_certificate_by_id(id, headers=None, **query_parameters)`

This API deletes a Trust Certificate from Trusted Certificate Store based on a given ID.

Parameters

- **`id (basestring)`** – id path parameter. The ID of the Trusted Certificate to be deleted.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

clear_threats_and_vulnerabilities

class ClearThreatsAndVulnerabilities

Identity Services Engine ClearThreatsAndVulnerabilities API (version: 3.0.0).

Wraps the Identity Services Engine ClearThreatsAndVulnerabilities API and exposes the API as native Python methods that return native Python objects.

clear_threats_and_vulnerabilities(*mac_addresses=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to delete the ThreatContext and Threat events that are associated with the given MAC Address.

Parameters

- **mac_addresses** (*string*) – macAddresses, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

clear(*mac_addresses=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *clear_threats_and_vulnerabilities*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the clear threats and vulnerabilities.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

consumer

class Consumer

Identity Services Engine Consumer API (version: 3.0.0).

Wraps the Identity Services Engine Consumer API and exposes the API as native Python methods that return native Python objects.

`create_account`(*node_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

AccountCreate.

Parameters

- **`node_name`** (*string*) – nodeName, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*node_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for [create_account](#)

activate_account(*description=None, headers=None, payload=None, active_validation=True, **query_parameters*)

AccountActivate.

Parameters

- **description** (*string*) – description, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

lookup_service(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

ServiceLookup.

Parameters

- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`access_secret`(*peer_node_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

AccessSecret.

Parameters

- **`peer_node_name`** (*string*) – peerNodeName, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

device_administration_authentication_rules

class DeviceAdministrationAuthenticationRules

Identity Services Engine Device Administration - Authentication Rules API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Authentication Rules API and exposes the API as native Python methods that return native Python objects.

`get_device_admin_authentication_rules`(*policy_id, headers=None, **query_parameters*)
Device Admin Get authentication rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_authentication_rules*

create_device_admin_authentication_rule(*policy_id*, *identity_source_id=None*,
identity_source_name=None, *if_auth_fail=None*,
if_process_fail=None, *if_user_not_found=None*,
link=None, *rule=None*, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Device Admin Create authentication rule.

Parameters

- **identity_source_id** (*string*) – Identity source id from the identity stores, property of the request body.
- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id, identity_source_id=None, identity_source_name=None, if_auth_fail=None, if_process_fail=None, if_user_not_found=None, link=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_device_admin_authentication_rule*

reset_hit_counts_device_admin_authentication_rules(*policy_id, headers=None, **query_parameters*)

Device Admin Reset HitCount for Authentication Rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for [*reset_hit_counts_device_admin_authentication_rules*](#)

get_device_admin_authentication_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Device Admin Get rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for [*get_device_admin_authentication_rule_by_id*](#)

update_device_admin_authentication_rule_by_id(*id*, *policy_id*, *identity_source_id=None*, *identity_source_name=None*, *if_auth_fail=None*, *if_process_fail=None*, *if_user_not_found=None*, *link=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Update rule.

Parameters

- **identity_source_id** (*string*) – Identity source id from the identity stores, property of the request body.
- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.

- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *policy_id*, *identity_source_id*=None, *identity_source_name*=None, *if_auth_fail*=None, *if_process_fail*=None, *if_user_not_found*=None, *link*=None, *rule*=None, *headers*=None, *payload*=None, *active_validation*=True, ****query_parameters**)

Alias for *update_device_admin_authentication_rule_by_id*

delete_device_admin_authentication_rule_by_id(*id*, *policy_id*, *headers*=None, ****query_parameters**)

Device Admin Delete rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, policy_id, headers=None, **query_parameters)`

Alias for `delete_device_admin_authentication_rule_by_id`

device_administration_authorization_exception_rules

class DeviceAdministrationAuthorizationExceptionRules

Identity Services Engine Device Administration - Authorization Exception Rules API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Authorization Exception Rules API and exposes the API as native Python methods that return native Python objects.

`get_device_admin_local_exception_rules(policy_id, headers=None, **query_parameters)`

Device Admin Get local exception rules.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)

Alias for [*get_device_admin_local_exception_rules*](#)

create_device_admin_local_exception_rule(*policy_id*, *commands=None*, *link=None*, *profile=None*,
rule=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Device Admin Create local authorization exception rule.

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Alias for [*create_device_admin_local_exception_rule*](#)

reset_hit_counts_device_admin_local_exceptions(*policy_id*, *headers=None*, ***query_parameters*)

Device Admin Reset HitCount for local exceptions.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *reset_hit_counts_device_admin_local_exceptions*

get_device_admin_local_exception_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Device Admin Get local exception rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_local_exception_rule_by_id*

update_device_admin_local_exception_rule_by_id(*id, policy_id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Update local exception rule.

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id, policy_id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_device_admin_local_exception_rule_by_id*

delete_device_admin_local_exception_rule_by_id(*id, policy_id, headers=None, **query_parameters*)

Device Admin Delete local exception rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_local_exception_rule_by_id*

device_administration_authorization_global_exception_rules

class DeviceAdministrationAuthorizationGlobalExceptionRules

Identity Services Engine Device Administration - Authorization Global Exception Rules API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Authorization Global Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_device_admin_policy_set_global_exception_rules(*headers=None*, ***query_parameters*)

Device Admin Get global exception rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_device_admin_policy_set_global_exception_rules*

create_device_admin_policy_set_global_exception(*commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Create global exception authorization rule.

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_device_admin_policy_set_global_exception*

reset_hit_counts_device_admin_global_exceptions(*headers=None, **query_parameters*)

Device Admin Reset HitCount for Global Exceptions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts(*headers=None, **query_parameters*)

Alias for *reset_hit_counts_device_admin_global_exceptions*

get_device_admin_policy_set_global_exception_by_rule_id(*id, headers=None, **query_parameters*)

Device Admin Get global exception rule attribute.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_device_admin_policy_set_global_exception_by_rule_id`

`update_device_admin_policy_set_global_exception_by_rule_id(id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Device Admin Update global exception authorization rule.

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

`update_by_id(id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Alias for `update_device_admin_policy_set_global_exception_by_rule_id`

`delete_device_admin_policy_set_global_exception_by_rule_id(id, headers=None, **query_parameters)`

Device Admin Delete global exception authorization rule.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_policy_set_global_exception_by_rule_id*

device_administration_authorization_rules

class DeviceAdministrationAuthorizationRules

Identity Services Engine Device Administration - Authorization Rules API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Authorization Rules API and exposes the API as native Python methods that return native Python objects.

get_device_admin_authorization_rules(*policy_id*, *headers=None*, ***query_parameters*)

Device Admin Get authorization rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_authorization_rules*

create_device_admin_authorization_rule(*policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Create authorization rule.

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *create_device_admin_authorization_rule*

reset_hit_counts_device_admin_authorization_rules(*policy_id*, *headers=None*,
***query_parameters*)

Device Admin Reset HitCount for Authorization Rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *reset_hit_counts_device_admin_authorization_rules*

get_device_admin_authorization_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Device Admin Get authorization rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_authorization_rule_by_id*

update_device_admin_authorization_rule_by_id(*id*, *policy_id*, *commands=None*, *link=None*,
profile=None, *rule=None*, *headers=None*,
payload=None, *active_validation=True*,
***query_parameters*)

Device Admin Update authorization rule.

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_authorization_rule_by_id*

delete_device_admin_authorization_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)
Device Admin Delete authorization rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)
Alias for *delete_device_admin_authorization_rule_by_id*

device_administration_command_set

class DeviceAdministrationCommandSet

Identity Services Engine Device Administration - Command Set API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Command Set API and exposes the API as native Python methods that return native Python objects.

get_device_admin_command_sets(*headers=None*, ***query_parameters*)
Device Admin Return list of command sets. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)

Alias for *get_device_admin_command_sets*

device_administration_conditions

class DeviceAdministrationConditions

Identity Services Engine Device Administration - Conditions API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Conditions API and exposes the API as native Python methods that return native Python objects.

`get_device_admin_conditions`(*headers=None, **query_parameters*)

Device Admin Returns list of library conditions.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)

Alias for *get_device_admin_conditions*

```
create_device_admin_condition(attribute_id=None, attribute_name=None, attribute_value=None,
                             children=None, condition_type=None, dates_range=None,
                             dates_range_exception=None, description=None,
                             dictionary_name=None, dictionary_value=None, hours_range=None,
                             hours_range_exception=None, id=None, is_negate=None, link=None,
                             name=None, operator=None, week_days=None,
                             week_days_exception=None, headers=None, payload=None,
                             active_validation=True, **query_parameters)
```

Device Admin Creates a library condition.

Parameters

- **attribute_id** (*string*) – Dictionary attribute id (Optional), used for additional verification, property of the request body.
- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionReference’, ‘Condition-Attributes’, ‘LibraryConditionAttributes’, ‘ConditionAndBlock’, ‘LibraryConditionAnd-Block’, ‘ConditionOrBlock’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.

- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'equals', 'notEquals', 'contains', 'notContains', 'matches', 'in', 'notIn', 'startsWith', 'notStartsWith', 'endsWith', 'notEndsWith', 'greaterThan', 'lessThan', 'greaterOrEquals', 'lessOrEquals', 'ipGreaterThan', 'ipLessThan', 'ipEquals' and 'ipNotEquals'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(attribute_id=None, attribute_name=None, attribute_value=None, children=None,
        condition_type=None, dates_range=None, dates_range_exception=None, description=None,
        dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None,
        id=None, is_negate=None, link=None, name=None, operator=None, week_days=None,
        week_days_exception=None, headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Alias for *create_device_admin_condition*

```
get_device_admin_conditions_for_authentication_rules(headers=None, **query_parameters)
```

Device Admin Returns list of library conditions for authentication rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authentication_rules(*headers=None, **query_parameters*)

Alias for *get_device_admin_conditions_for_authentication_rules*

get_device_admin_conditions_for_authorization_rules(*headers=None, **query_parameters*)

Device Admin Returns list of library conditions for authorization rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authorization_rules(*headers=None, **query_parameters*)

Alias for *get_device_admin_conditions_for_authorization_rules*

get_device_admin_condition_by_name(*name*, *headers=None*, ***query_parameters*)

Device Admin Returns a library condition.

Parameters

- **name** (*basestring*) – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_condition_by_name*

update_device_admin_condition_by_name(*name*, *attribute_id=None*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *id=None*, *is_negate=None*, *link=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Update library condition using condition name.

Parameters

- **attribute_id** (*string*) – Dictionary attribute id (Optional), used for additional verification, property of the request body.
- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).

- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionReference’, ‘Condition-Attributes’, ‘LibraryConditionAttributes’, ‘ConditionAndBlock’, ‘LibraryConditionAnd-Block’, ‘ConditionOrBlock’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*basestring*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘equals’, ‘notEquals’, ‘contains’, ‘notContains’, ‘matches’, ‘in’, ‘notIn’, ‘startsWith’, ‘notStartsWith’, ‘endsWith’, ‘notEndsWith’, ‘greaterThan’, ‘lessThan’, ‘greaterOrEquals’, ‘lessOrEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipEquals’ and ‘ipNotEquals’.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Sunday’, ‘Monday’, ‘Tuesday’, ‘Wednesday’, ‘Thursday’, ‘Friday’ and ‘Saturday’).
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are ‘Sunday’, ‘Monday’, ‘Tuesday’, ‘Wednesday’, ‘Thursday’, ‘Friday’ and ‘Saturday’).
- **name** – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *attribute_id=None*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *id=None*, *is_negate=None*, *link=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_condition_by_name*

delete_device_admin_condition_by_name(*name*, *headers=None*, ***query_parameters*)

NDevice Admin Delete a library condition using condition Name.

Parameters

- **name** (*basestring*) – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_condition_by_name*

get_device_admin_conditions_for_policy_sets(*headers=None*, ***query_parameters*)

Device Admin Returns list of library conditions for policy sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_for_policy_sets(*headers=None*, ***query_parameters*)

Alias for *get_device_admin_conditions_for_policy_sets*

get_device_admin_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Returns a library condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_condition_by_id*

update_device_admin_condition_by_id(*id*, *attribute_id=None*, *attribute_name=None*,
attribute_value=None, *children=None*, *condition_type=None*,
dates_range=None, *dates_range_exception=None*,
description=None, *dictionary_name=None*,
dictionary_value=None, *hours_range=None*,
hours_range_exception=None, *is_negate=None*, *link=None*,
name=None, *operator=None*, *week_days=None*,
week_days_exception=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Device Admin Update library condition.

Parameters

- **attribute_id** (*string*) – Dictionary attribute id (Optional), used for additional verification, property of the request body.
- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionReference’, ‘Condition-Attributes’, ‘LibraryConditionAttributes’, ‘ConditionAndBlock’, ‘LibraryConditionAnd-Block’, ‘ConditionOrBlock’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.

- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'equals', 'notEquals', 'contains', 'notContains', 'matches', 'in', 'notIn', 'startsWith', 'notStartsWith', 'endsWith', 'notEndsWith', 'greaterThan', 'lessThan', 'greaterOrEquals', 'lessOrEquals', 'ipGreaterThan', 'ipLessThan', 'ipEquals' and 'ipNotEquals'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, attribute_id=None, attribute_name=None, attribute_value=None, children=None,
              condition_type=None, dates_range=None, dates_range_exception=None, description=None,
              dictionary_name=None, dictionary_value=None, hours_range=None,
              hours_range_exception=None, is_negate=None, link=None, name=None, operator=None,
              week_days=None, week_days_exception=None, headers=None, payload=None,
              active_validation=True, **query_parameters)
```

Alias for [update_device_admin_condition_by_id](#)

```
delete_device_admin_condition_by_id(id, headers=None, **query_parameters)
```

Device Admin Delete a library condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
delete_by_id(id, headers=None, **query_parameters)
```

Alias for [delete_device_admin_condition_by_id](#)

device_administration_dictionary_attributes_list

class DeviceAdministrationDictionaryAttributesList

Identity Services Engine Device Administration - Dictionary Attributes List API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Dictionary Attributes List API and exposes the API as native Python methods that return native Python objects.

```
get_device_admin_dictionaries_authentication(headers=None, **query_parameters)
```

Network Access Returns list of dictionary attributes for authentication.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_authentication(headers=None, **query_parameters)`

Alias for *`get_device_admin_dictionaries_authentication`*

`get_device_admin_dictionaries_authorization(headers=None, **query_parameters)`

Network Access Returns list of dictionary attributes for authorization.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_authorization(headers=None, **query_parameters)`

Alias for *`get_device_admin_dictionaries_authorization`*

`get_device_admin_dictionaries_policy_set(headers=None, **query_parameters)`

Network Access Returns list of dictionary attributes for policyset.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_policy_set(*headers=None, **query_parameters*)

Alias for *get_device_admin_dictionaries_policy_set*

device_administration_identity_stores

class DeviceAdministrationIdentityStores

Identity Services Engine Device Administration - Identity Stores API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Identity Stores API and exposes the API as native Python methods that return native Python objects.

get_device_admin_identity_stores(*headers=None, **query_parameters*)

Device Admin Return list of identity stores for authentication. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_device_admin_identity_stores*

device_administration_network_conditions

class DeviceAdministrationNetworkConditions

Identity Services Engine Device Administration - Network Conditions API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Network Conditions API and exposes the API as native Python methods that return native Python objects.

get_device_admin_network_conditions(*headers=None, **query_parameters*)
Device Admin Returns a list of network conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_device_admin_network_conditions*

create_device_admin_network_condition(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device AdminCreates network condition.

Parameters

- **condition_type** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are 'EndstationCondition', 'DeviceCondition' and 'DevicePortCondition'.
- **conditions** (*list*) – conditions, property of the request body (list of objects).

- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Network Condition name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_device_admin_network_condition*

get_device_admin_network_condition_by_id(*id, headers=None, **query_parameters*)
Device Admin Returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_network_condition_by_id*

update_device_admin_network_condition_by_id(*id*, *condition_type=None*, *conditions=None*, *description=None*, *link=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Update network condition.

Parameters

- **condition_type** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are ‘EndstationCondition’, ‘DeviceCondition’ and ‘DevicePortCondition’.
- **conditions** (*list*) – conditions, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Network Condition name, property of the request body.
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *condition_type*=None, *conditions*=None, *description*=None, *link*=None, *name*=None, *headers*=None, *payload*=None, *active_validation*=True, ***query_parameters*)

Alias for [update_device_admin_network_condition_by_id](#)

delete_device_admin_network_condition_by_id(*id*, *headers*=None, ***query_parameters*)

Device Admin Delete network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers*=None, ***query_parameters*)

Alias for [delete_device_admin_network_condition_by_id](#)

device_administration_policy_set

class DeviceAdministrationPolicySet

Identity Services Engine Device Administration - Policy Set API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Policy Set API and exposes the API as native Python methods that return native Python objects.

get_device_admin_policy_sets(*headers*=None, ***query_parameters*)

Device Admin List of policy sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)

Alias for *get_device_admin_policy_sets*

`create_device_admin_policy_set`(*condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Create a new policy set.

Parameters

- **`condition`** (*object*) – condition, property of the request body.
- **`default`** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **`description`** (*string*) – The description for the policy set, property of the request body.
- **`hit_counts`** (*integer*) – The amount of times the policy was matched, property of the request body.
- **`id`** (*string*) – Identifier for the policy set, property of the request body.
- **`is_proxy`** (*boolean*) – Flag which indicates if the policy set service is of type 'Proxy Sequence' or 'Allowed Protocols', property of the request body.
- **`link`** (*object*) – link, property of the request body.
- **`name`** (*string*) – Given name for the policy set, [Valid characters are alphanumerics, underscore, hyphen, space, period, parentheses], property of the request body.
- **`rank`** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **`service_name`** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.
- **`state`** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are 'enabled', 'disabled' and 'monitor'.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_device_admin_policy_set*

`reset_hit_counts_device_admin_policy_sets`(*headers=None, **query_parameters*)

Device Admin Reset HitCount for PolicySets.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`reset_hit_counts`(*headers=None, **query_parameters*)

Alias for *reset_hit_counts_device_admin_policy_sets*

`get_device_admin_policy_set_by_id`(*id, headers=None, **query_parameters*)

Device Admin Get policy set attributes.

Parameters

- **id** (*basestring*) – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_policy_set_by_id*

update_device_admin_policy_set_by_id(*id*, *condition=None*, *default=None*, *description=None*, *hit_counts=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Update a policy set.

Parameters

- **condition** (*object*) – condition, property of the request body.
- **default** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **description** (*string*) – The description for the policy set, property of the request body.
- **hit_counts** (*integer*) – The amount of times the policy was matched, property of the request body.
- **id** (*basestring*) – Identifier for the policy set, property of the request body.
- **is_proxy** (*boolean*) – Flag which indicates if the policy set service is of type 'Proxy Sequence' or 'Allowed Protocols', property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Given name for the policy set, [Valid characters are alphanumerics, underscore, hyphen, space, period, parentheses], property of the request body.
- **rank** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **service_name** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.

- **state** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are ‘enabled’, ‘disabled’ and ‘monitor’.
- **id** – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *condition=None*, *default=None*, *description=None*, *hit_counts=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_policy_set_by_id*

delete_device_admin_policy_set_by_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete a policy set.

Parameters

- **id** (*basestring*) – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_policy_set_by_id*

device_administration_profiles

class DeviceAdministrationProfiles

Identity Services Engine Device Administration - Profiles API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Profiles API and exposes the API as native Python methods that return native Python objects.

get_device_admin_profiles(*headers=None*, ***query_parameters*)

Device Admin Returns list of profiles. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None*, ***query_parameters*)

Alias for *get_device_admin_profiles*

device_administration_service_names

class DeviceAdministrationServiceNames

Identity Services Engine Device Administration - Service Names API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Service Names API and exposes the API as native Python methods that return native Python objects.

get_device_admin_service_names(*headers=None, **query_parameters*)

Returns list of Allowed Protocols and Server Sequences for Device Admin Policy Set results. 'isLocalAuthorization' property is available only for Network Access Policy Set results of type Server Sequence. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_device_admin_service_names*

device_administration_time_date_conditions

class DeviceAdministrationTimeDateConditions

Identity Services Engine Device Administration - Time/Date Conditions API (version: 3.0.0).

Wraps the Identity Services Engine Device Administration - Time/Date Conditions API and exposes the API as native Python methods that return native Python objects.

get_device_admin_time_conditions(*headers=None, **query_parameters*)

Device Admin Returns a list of time and date conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_device_admin_time_conditions*

create_device_admin_time_condition(*attribute_id=None, attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Creates time/date condition.

Parameters

- **attribute_id** (*string*) – Dictionary attribute id (Optional), used for additional verification, property of the request body.
- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionReference’, ‘Condition-Attributes’, ‘LibraryConditionAttributes’, ‘ConditionAndBlock’, ‘LibraryConditionAnd-Block’, ‘ConditionOrBlock’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates

In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.

- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'equals', 'notEquals', 'contains', 'notContains', 'matches', 'in', 'notIn', 'startsWith', 'notStartsWith', 'endsWith', 'notEndsWith', 'greaterThan', 'lessThan', 'greaterOrEquals', 'lessOrEquals', 'ipGreaterThan', 'ipLessThan', 'ipEquals' and 'ipNotEquals'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*attribute_id=None, attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_device_admin_time_condition*

get_device_admin_time_condition_by_id(*id, headers=None, **query_parameters*)

Device Admin Returns a network condition.

Parameters

- **`id`** (*basestring*) – id path parameter. Condition id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_device_admin_time_condition_by_id*

```
update_device_admin_time_condition_by_id(id, attribute_id=None, attribute_name=None,
                                         attribute_value=None, children=None,
                                         condition_type=None, dates_range=None,
                                         dates_range_exception=None, description=None,
                                         dictionary_name=None, dictionary_value=None,
                                         hours_range=None, hours_range_exception=None,
                                         is_negate=None, link=None, name=None,
                                         operator=None, week_days=None,
                                         week_days_exception=None, headers=None,
                                         payload=None, active_validation=True,
                                         **query_parameters)
```

Device Admin Update network condition.

Parameters

- **attribute_id** (*string*) – Dictionary attribute id (Optional), used for additional verification, property of the request body.
- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionReference’, ‘Condition-Attributes’, ‘LibraryConditionAttributes’, ‘ConditionAndBlock’, ‘LibraryConditionAnd-Block’, ‘ConditionOrBlock’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.

- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'equals', 'notEquals', 'contains', 'notContains', 'matches', 'in', 'notIn', 'startsWith', 'notStartsWith', 'endsWith', 'notEndsWith', 'greaterThan', 'lessThan', 'greaterOrEquals', 'lessOrEquals', 'ipGreaterThan', 'ipLessThan', 'ipEquals' and 'ipNotEquals'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *attribute_id=None*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_time_condition_by_id*

delete_device_admin_time_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete Time/Date condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_time_condition_by_id*

downloadable_acl

class DownloadableAcl

Identity Services Engine DownloadableACL API (version: 3.0.0).

Wraps the Identity Services Engine DownloadableACL API and exposes the API as native Python methods that return native Python objects.

get_downloadable_acl_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a downloadable ACL by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_downloadable_acl_by_id*

update_downloadable_acl_by_id(*id*, *dacl=None*, *dacl_type=None*, *description=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a downloadable ACL.

Parameters

- **dacl** (*string*) – The DACL Content. Use the string `\n` for a newline, property of the request body.
- **dacl_type** (*string*) – Allowed values: IPV4, IPV6, IP_AGNOSTIC, property of the request body.
- **description** (*string*) – Use the string `\n` for a newline, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters `[_.-]`, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *dacI=None*, *dacI_type=None*, *description=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_downloadable_acl_by_id*

delete_downloadable_acl_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a downloadable ACL.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_downloadable_acl_by_id*

get_downloadable_acl(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all downloadable ACLs.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_downloadable_acl*

get_downloadable_acl_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all downloadable ACLs.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_downloadable_acl_generator*

create_downloadable_acl(*dacl=None, dacl_type=None, description=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a downloadable ACL.

Parameters

- **dacl** (*string*) – The DACL Content. Use the string `\n` for a newline, property of the request body.
- **dacl_type** (*string*) – Allowed values: IPV4, IPV6, IP_AGNOSTIC, property of the request body.

- **description** (*string*) – Use the string `n` for a newline, property of the request body.
- **name** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters `[-.]`, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*acl=None, acl_type=None, description=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_downloadable_acl*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the downloadable ACL.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

egress_matrix_cell

class EgressMatrixCell

Identity Services Engine EgressMatrixCell API (version: 3.0.0).

Wraps the Identity Services Engine EgressMatrixCell API and exposes the API as native Python methods that return native Python objects.

clear_all_matrix_cells(*headers=None, **query_parameters*)

This API allows the client to clear all the egress matrix cells.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

clear(*headers=None, **query_parameters*)

Alias for *clear_all_matrix_cells*

set_all_cells_status(*status, headers=None, **query_parameters*)

This API allows the client to set status of all the egress matrix cells.

Parameters

- **status** (*basestring*) – status path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`set_status(status, headers=None, **query_parameters)`

Alias for *`set_all_cells_status`*

`clone_matrix_cell(dst_sgt_id, id, src_sgt_id, headers=None, **query_parameters)`

This API allows the client to clone an egress matrix cell.

Parameters

- **`id (basestring)`** – id path parameter.
- **`src_sgt_id (basestring)`** – srcSgtId path parameter.
- **`dst_sgt_id (basestring)`** – dstSgtId path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`clone(dst_sgt_id, id, src_sgt_id, headers=None, **query_parameters)`

Alias for *`clone_matrix_cell`*

`get_egress_matrix_cell_by_id(id, headers=None, **query_parameters)`

This API allows the client to get an egress matrix cell by ID.

Parameters

- **`id (basestring)`** – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_egress_matrix_cell_by_id*

update_egress_matrix_cell_by_id(*id*, *default_rule=None*, *description=None*, *destination_sgt_id=None*, *matrix_cell_status=None*, *name=None*, *sgacls=None*, *source_sgt_id=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an egress matrix cell.

Parameters

- **default_rule** (*string*) – Allowed values: NONE, DENY_IP, PERMIT_IP, property of the request body.
- **description** (*string*) – description, property of the request body.
- **destination_sgt_id** (*string*) – destinationSgtId, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **matrix_cell_status** (*string*) – Allowed values: DISABLED, ENABLED, MONITOR, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgacls** (*list*) – sgacls, property of the request body (list of strings).
- **source_sgt_id** (*string*) – sourceSgtId, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id*, *default_rule=None*, *description=None*, *destination_sgt_id=None*,
matrix_cell_status=None, *name=None*, *sgacls=None*, *source_sgt_id=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

Alias for *update_egress_matrix_cell_by_id*

`delete_egress_matrix_cell_by_id`(*id*, *headers=None*, ***query_parameters*)

This API deletes an egress matrix cell.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_egress_matrix_cell_by_id*

get_egress_matrix_cell(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the egress matrix cell. Filter: [sgtSrc-Value, matrixStatus, description, sgtSrcName, sgtDstName, sgtDstValue] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [description, sgtSrcName, sgtDstName, sgtDstValue].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_egress_matrix_cell*

```
get_egress_matrix_cell_generator(filter=None, filter_type=None, page=None, size=None,  
                                  sortasc=None, sortdsc=None, headers=None,  
                                  **query_parameters)
```

This API allows the client to get all the egress matrix cell. Filter: [sgtSrc-Value, matrixStatus, description, sgtSrcName, sgtDstName, sgtDstValue] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [description, sgtSrcName, sgtDst-Name, sgtDstValue].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_egress_matrix_cell_generator*

create_egress_matrix_cell(*default_rule=None, description=None, destination_sgt_id=None, matrix_cell_status=None, name=None, sgacIs=None, source_sgt_id=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an egress matrix cell.

Parameters

- **default_rule** (*string*) – Allowed values: NONE, DENY_IP, PERMIT_IP, property of the request body.
- **description** (*string*) – description, property of the request body.
- **destination_sgt_id** (*string*) – destinationSgtId, property of the request body.
- **matrix_cell_status** (*string*) – Allowed values: DISABLED, ENABLED, MONITOR, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgacIs** (*list*) – sgacIs, property of the request body (list of strings).
- **source_sgt_id** (*string*) – sourceSgtId, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*default_rule=None, description=None, destination_sgt_id=None, matrix_cell_status=None, name=None, sgacIs=None, source_sgt_id=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_egress_matrix_cell*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the egress matrix cell.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_egress_matrix_cell(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_egress_matrix_cell*

monitor_bulk_status_egress_matrix_cell(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_egress_matrix_cell*

endpoint_certificate

class EndpointCertificate

Identity Services Engine EndpointCertificate API (version: 3.0.0).

Wraps the Identity Services Engine EndpointCertificate API and exposes the API as native Python methods that return native Python objects.

create_endpoint_certificate(*cert_template_name=None, certificate_request=None, format=None, password=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create an endpoint certificate.

Parameters

- **cert_template_name** (*string*) – Name of an Internal CA template, property of the request body.

- **certificate_request** (*object*) – Key value map. Must have CN and SAN entries, property of the request body.
- **format** (*string*) – Allowed values: PKCS12, PKCS12_CHAIN, PKCS8, PKCS8_CHAIN, property of the request body.
- **password** (*string*) – Protects the private key. Must have more than 8 characters, less than 15 characters, at least one upper case letter, at least one lower case letter, at least one digit, and can only contain [A-Z][a-z][0-9]_#, property of the request body.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to os.getcwd().
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type urllib3.response.HTTPResponse

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

```
create(cert_template_name=None, certificate_request=None, format=None, password=None,  
        dirpath=None, save_file=None, headers=None, payload=None, active_validation=True,  
        **query_parameters)
```

Alias for [create_endpoint_certificate](#)

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the endpoint certificate.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

endpoint_identity_group

class EndpointIdentityGroup

Identity Services Engine EndpointIdentityGroup API (version: 3.0.0).

Wraps the Identity Services Engine EndpointIdentityGroup API and exposes the API as native Python methods that return native Python objects.

get_endpoint_group_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an endpoint identity group by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_group_by_name*

get_endpoint_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an endpoint identity group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_group_by_id*

update_endpoint_group_by_id(*id*, *description=None*, *name=None*, *system_defined=None*,
headers=None, *payload=None*, *active_validation=True*,
***query_parameters*)

This API allows the client to update an endpoint identity group.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **system_defined** (*boolean*) – systemDefined, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *system_defined=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_endpoint_group_by_id*

delete_endpoint_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an endpoint identity group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_endpoint_group_by_id*

get_endpoint_groups(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the endpoint identity groups. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_groups*

get_endpoint_groups_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the endpoint identity groups. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter

is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_endpoint_groups_generator*

create_endpoint_group(*description=None, name=None, system_defined=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an endpoint identity group.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **system_defined** (*boolean*) – systemDefined, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, system_defined=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_endpoint_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the endpoint identity group.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

external_radius_server

class ExternalRadiusServer

Identity Services Engine ExternalRADIUSServer API (version: 3.0.0).

Wraps the Identity Services Engine ExternalRADIUSServer API and exposes the API as native Python methods that return native Python objects.

get_external_radius_server_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an external RADIUS server by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_external_radius_server_by_name*

get_external_radius_server_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an external RADIUS server by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_external_radius_server_by_id*

update_external_radius_server_by_id(*id*, *accounting_port=None*, *authentication_port=None*, *authenticator_key=None*, *description=None*, *enable_key_wrap=None*, *encryption_key=None*, *host_ip=None*, *key_input_format=None*, *name=None*, *proxy_timeout=None*, *retries=None*, *shared_secret=None*, *timeout=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an external RADIUS server.

Parameters

- **accounting_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authentication_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authenticator_key** (*string*) – The authenticatorKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 20 ASCII characters or 40 HEXADECIMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **description** (*string*) – description, property of the request body.
- **enable_key_wrap** (*boolean*) – KeyWrap may only be enabled if it is supported on the device. When running in FIPS mode this option should be enabled for such devices, property of the request body.
- **encryption_key** (*string*) – The encryptionKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 16 ASCII characters or 32 HEXADECIMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **host_ip** (*string*) – The IP of the host must be a valid IPV4 address, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **key_input_format** (*string*) – Specifies the format of the input for fields 'encryption-Key' and 'authenticatorKey'. Allowed Values: ASCII HEXADECIMAL, property of the request body.
- **name** (*string*) – Resource Name. Allowed characters are alphanumeric and _ (underscore), property of the request body.
- **proxy_timeout** (*integer*) – Valid Range 1 to 600, property of the request body.
- **retries** (*integer*) – Valid Range 1 to 9, property of the request body.

- **shared_secret** (*string*) – Shared secret maximum length is 128 characters, property of the request body.
- **timeout** (*integer*) – Valid Range 1 to 120, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *accounting_port=None*, *authentication_port=None*, *authenticator_key=None*, *description=None*, *enable_key_wrap=None*, *encryption_key=None*, *host_ip=None*, *key_input_format=None*, *name=None*, *proxy_timeout=None*, *retries=None*, *shared_secret=None*, *timeout=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_external_radius_server_by_id*

delete_external_radius_server_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an external RADIUS server.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_external_radius_server_by_id*

get_external_radius_server(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the external RADIUS servers.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_external_radius_server*

get_external_radius_server_generator(*page=None*, *size=None*, *headers=None*,
***query_parameters*)

This API allows the client to get all the external RADIUS servers.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_external_radius_server_generator*

create_external_radius_server(*accounting_port=None, authentication_port=None, authenticator_key=None, description=None, enable_key_wrap=None, encryption_key=None, host_ip=None, key_input_format=None, name=None, proxy_timeout=None, retries=None, shared_secret=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an external RADIUS server.

Parameters

- **accounting_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authentication_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authenticator_key** (*string*) – The authenticatorKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 20 ASCII characters or 40 HEXADECIMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **description** (*string*) – description, property of the request body.
- **enable_key_wrap** (*boolean*) – KeyWrap may only be enabled if it is supported on the device. When running in FIPS mode this option should be enabled for such devices, property of the request body.
- **encryption_key** (*string*) – The encryptionKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 16 ASCII characters or 32 HEXADECIMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **host_ip** (*string*) – The IP of the host must be a valid IPV4 address, property of the request body.
- **key_input_format** (*string*) – Specifies the format of the input for fields 'encryption-Key' and 'authenticatorKey'. Allowed Values: ASCII HEXADECIMAL, property of the request body.

- **name** (*string*) – Resource Name. Allowed characters are alphanumeric and _ (underscore), property of the request body.
- **proxy_timeout** (*integer*) – Valid Range 1 to 600, property of the request body.
- **retries** (*integer*) – Valid Range 1 to 9, property of the request body.
- **shared_secret** (*string*) – Shared secret maximum length is 128 characters, property of the request body.
- **timeout** (*integer*) – Valid Range 1 to 120, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*accounting_port=None, authentication_port=None, authenticator_key=None, description=None, enable_key_wrap=None, encryption_key=None, host_ip=None, key_input_format=None, name=None, proxy_timeout=None, retries=None, shared_secret=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_external_radius_server*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the external RADIUS server.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

filter_policy

class FilterPolicy

Identity Services Engine FilterPolicy API (version: 3.0.0).

Wraps the Identity Services Engine FilterPolicy API and exposes the API as native Python methods that return native Python objects.

get_filter_policy_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a filter policy by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_filter_policy_by_id*

update_filter_policy_by_id(*id*, *domains=None*, *sgt=None*, *subnet=None*, *vn=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a filter policy.

Parameters

- **domains** (*string*) – List of SXP Domains, separated with comma, property of the request body.
- **sgt** (*string*) – SGT name or ID. At least one of subnet or sgt or vn should be defined, property of the request body.
- **subnet** (*string*) – Subnet for filter policy (hostname is not supported). At least one of subnet or sgt or vn should be defined, property of the request body.
- **vn** (*string*) – Virtual Network. At least one of subnet or sgt or vn should be defined, property of the request body.
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *domains=None*, *sgt=None*, *subnet=None*, *vn=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_filter_policy_by_id*

delete_filter_policy_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a filter policy.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_filter_policy_by_id`*

`get_filter_policy(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the filter policies.

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(page=None, size=None, headers=None, **query_parameters)`

Alias for *`get_filter_policy`*

`get_filter_policy_generator(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the filter policies.

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_filter_policy_generator*

create_filter_policy(*domains=None, sgt=None, subnet=None, vn=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a filter policy.

Parameters

- **domains** (*string*) – List of SXP Domains, separated with comma, property of the request body.
- **sgt** (*string*) – SGT name or ID. At least one of subnet or sgt or vn should be defined, property of the request body.
- **subnet** (*string*) – Subnet for filter policy (hostname is not supported). At least one of subnet or sgt or vn should be defined, property of the request body.
- **vn** (*string*) – Virtual Network. At least one of subnet or sgt or vn should be defined, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*domains=None, sgt=None, subnet=None, vn=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_filter_policy*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the filter policy.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

guest_location

class GuestLocation

Identity Services Engine GuestLocation API (version: 3.0.0).

Wraps the Identity Services Engine GuestLocation API and exposes the API as native Python methods that return native Python objects.

get_guest_location_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a guest location by ID.

Parameters

- **`id (basestring)`** – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_location_by_id*

get_guest_location(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the guest locations. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_location*

get_guest_location_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest locations. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page (int)** – page query parameter. Page number.
- **size (int)** – size query parameter. Number of objects returned per page.
- **sortasc (basestring)** – sortasc query parameter. sort asc.
- **sortdsc (basestring)** – sortdsc query parameter. sort desc.
- **filter (basestring, list, set, tuple)** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type (basestring)** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_guest_location_generator`

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the guest location.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

guest_smtp_notification_configuration

class GuestSmtpNotificationConfiguration

Identity Services Engine GuestSMTPNotificationConfiguration API (version: 3.0.0).

Wraps the Identity Services Engine GuestSMTPNotificationConfiguration API and exposes the API as native Python methods that return native Python objects.

get_guest_smtp_notification_settings_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a guest SMTP notification configuration by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_smtp_notification_settings_by_id*

update_guest_smtp_notification_settings_by_id(*id*, *connection_timeout=None*,
default_from_address=None,
notification_enabled=None, *password=None*,
smtp_port=None, *smtp_server=None*,
use_default_from_address=None,
use_password_authentication=None,
use_tlssr_ssl_encryption=None,
user_name=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API allows the client to update a SMTP configuration setting.

Parameters

- **connection_timeout** (*string*) – Interval in seconds for all the SMTP client connections, property of the request body.
- **default_from_address** (*string*) – The default from email address to be used to send emails from, property of the request body.

- **id** (*basestring*) – id, property of the request body.
- **notification_enabled** (*boolean*) – Indicates if the email notification service is to be enabled, property of the request body.
- **password** (*string*) – Password of Secure SMTP server, property of the request body.
- **smtp_port** (*string*) – Port at which SMTP Secure Server is listening, property of the request body.
- **smtp_server** (*string*) – The SMTP server ip address or fqdn such as out-bound.mycompany.com, property of the request body.
- **use_default_from_address** (*boolean*) – If the default from address should be used rather than using a sponsor user email address, property of the request body.
- **use_password_authentication** (*boolean*) – If configured to true, SMTP server authentication will happen using username/password, property of the request body.
- **use_tlssr_ssl_encryption** (*boolean*) – If configured to true, SMTP server authentication will happen using TLS/SSL, property of the request body.
- **user_name** (*string*) – Username of Secure SMTP server, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *connection_timeout=None*, *default_from_address=None*, *notification_enabled=None*, *password=None*, *smtp_port=None*, *smtp_server=None*, *use_default_from_address=None*, *use_password_authentication=None*, *use_tlssr_ssl_encryption=None*, *user_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_smtp_notification_settings_by_id*

```
get_guest_smtp_notification_settings(filter=None, filter_type=None, page=None, size=None,
                                     sortasc=None, sortdsc=None, headers=None,
                                     **query_parameters)
```

This API allows the client to get all the guest SMTP notification configurations. Filter: [name] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
         headers=None, **query_parameters)
```

Alias for `get_guest_smtp_notification_settings`

```
get_guest_smtp_notification_settings_generator(filter=None, filter_type=None, page=None,
                                                size=None, sortasc=None, sortdsc=None,
                                                headers=None, **query_parameters)
```

This API allows the client to get all the guest SMTP notification configurations. Filter: [name] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all_generator(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
                  headers=None, **query_parameters)
```

Alias for `get_guest_smtp_notification_settings_generator`

```
create_guest_smtp_notification_settings(connection_timeout=None, default_from_address=None,
                                         notification_enabled=None, password=None,
                                         smtp_port=None, smtp_server=None,
                                         use_default_from_address=None,
                                         use_password_authentication=None,
                                         use_tlssr_ssl_encryption=None, user_name=None,
                                         headers=None, payload=None, active_validation=True,
                                         **query_parameters)
```

This API creates a guest SMTP notification configuration.

Parameters

- **connection_timeout** (*string*) – Interval in seconds for all the SMTP client connections, property of the request body.
- **default_from_address** (*string*) – The default from email address to be used to send emails from, property of the request body.
- **notification_enabled** (*boolean*) – Indicates if the email notification service is to be enabled, property of the request body.
- **password** (*string*) – Password of Secure SMTP server, property of the request body.
- **smtp_port** (*string*) – Port at which SMTP Secure Server is listening, property of the request body.
- **smtp_server** (*string*) – The SMTP server ip address or fqdn such as out-bound.mycompany.com, property of the request body.
- **use_default_from_address** (*boolean*) – If the default from address should be used rather than using a sponsor user email address, property of the request body.
- **use_password_authentication** (*boolean*) – If configured to true, SMTP server authentication will happen using username/password, property of the request body.
- **use_tlssr_ssl_encryption** (*boolean*) – If configured to true, SMTP server authentication will happen using TLS/SSL, property of the request body.
- **user_name** (*string*) – Username of Secure SMTP server, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*connection_timeout=None, default_from_address=None, notification_enabled=None, password=None, smtp_port=None, smtp_server=None, use_default_from_address=None, use_password_authentication=None, use_tlsor_ssl_encryption=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_guest_smtp_notification_settings*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the guest smtp notification configuration.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

guest_ssid

class GuestSsid

Identity Services Engine GuestSSID API (version: 3.0.0).

Wraps the Identity Services Engine GuestSSID API and exposes the API as native Python methods that return native Python objects.

get_guest_ssid_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a guest SSID by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_ssid_by_id*

update_guest_ssid_by_id(*id*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest SSID by ID.

Parameters

- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters [`_.-`], property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*,
 ***query_parameters*)

Alias for *update_guest_ssid_by_id*

delete_guest_ssid_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a guest SSID by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_guest_ssid_by_id*

get_guest_ssid(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*,
 headers=None, ***query_parameters*)

This API allows the client to get all the guest SSIDs. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and

can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_ssid*

get_guest_ssid_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest SSIDs. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_ssid_generator*

create_guest_ssid(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a guest SSID.

Parameters

- **name** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters [_.-], property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_guest_ssid*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the guest SSID.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

guest_type

class GuestType

Identity Services Engine GuestType API (version: 3.0.0).

Wraps the Identity Services Engine GuestType API and exposes the API as native Python methods that return native Python objects.

`update_guest_type_email`(*id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to update a guest type email by ID.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_email(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*,
 ***query_parameters*)

Alias for *update_guest_type_email*

update_guest_type_sms(*id*, *additional_data=None*, *headers=None*, *payload=None*,
 active_validation=True, ***query_parameters*)

This API allows the client to update a guest type sms by ID.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_sms(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*,
***query_parameters*)

Alias for *update_guest_type_sms*

get_guest_type_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a guest type by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_type_by_id*

update_guest_type_by_id(*id*, *access_time=None*, *description=None*, *expiration_notification=None*,
is_default_type=None, *login_options=None*, *name=None*,
sponsor_groups=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API allows the client to update a guest type.

Parameters

- **access_time** (*object*) – accessTime, property of the request body.
- **description** (*string*) – description, property of the request body.
- **expiration_notification** (*object*) – Expiration Notification Settings, property of the request body.

- **id** (*basestring*) – id, property of the request body.
- **is_default_type** (*boolean*) – isDefaultType, property of the request body.
- **login_options** (*object*) – loginOptions, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sponsor_groups** (*list*) – sponsorGroups, property of the request body (list of strings).
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *access_time=None*, *description=None*, *expiration_notification=None*, *is_default_type=None*, *login_options=None*, *name=None*, *sponsor_groups=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_type_by_id*

delete_guest_type_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a guest type.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for `delete_guest_type_by_id`

`get_guest_type(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the guest types. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_type*

get_guest_type_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest types. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_type_generator*

create_guest_type(*access_time=None, description=None, expiration_notification=None, is_default_type=None, login_options=None, name=None, sponsor_groups=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a guest type.

Parameters

- **access_time** (*object*) – accessTime, property of the request body.
- **description** (*string*) – description, property of the request body.
- **expiration_notification** (*object*) – Expiration Notification Settings, property of the request body.
- **is_default_type** (*boolean*) – isDefaultType, property of the request body.
- **login_options** (*object*) – loginOptions, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sponsor_groups** (*list*) – sponsorGroups, property of the request body (list of strings).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*access_time=None, description=None, expiration_notification=None, is_default_type=None, login_options=None, name=None, sponsor_groups=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_guest_type*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the guest type.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

guest_user

class GuestUser

Identity Services Engine GuestUser API (version: 3.0.0).

Wraps the Identity Services Engine GuestUser API and exposes the API as native Python methods that return native Python objects.

approve_guest_user_by_id(*id, headers=None, **query_parameters*)

This API allows the client to approve a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`approve_by_id(id, headers=None, **query_parameters)`

Alias for `approve_guest_user_by_id`

`change_sponsor_password(portal_id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to change the sponsor password.

Parameters

- **`additional_data(list)`** – `additionalData`, property of the request body (list of objects).
- **`portal_id(basestring)`** – `portalId` path parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload(dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation(bool)`** – Enable/Disable payload validation. Defaults to `True`.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`suspend_guest_user_by_name(name, headers=None, **query_parameters)`

This API allows the client to suspend a guest user by name.

Parameters

- **`name(basestring)`** – `name` path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

suspend_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *suspend_guest_user_by_name*

reinstate_guest_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to reinstate a guest user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reinstate_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *reinstate_guest_user_by_name*

get_guest_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a guest user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_guest_user_by_name*

update_guest_user_by_name(*name*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *id=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest user by name.

Parameters

- **custom_fields** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_access_info** (*object*) – guestAccessInfo, property of the request body.
- **guest_info** (*object*) – guestInfo, property of the request body.
- **guest_type** (*string*) – guestType, property of the request body.
- **id** (*string*) – id, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **portal_id** (*string*) – portalId, property of the request body.
- **reason_for_visit** (*string*) – reasonForVisit, property of the request body.
- **sponsor_user_id** (*string*) – sponsorUserId, property of the request body.
- **sponsor_user_name** (*string*) – sponsorUserName, property of the request body.

- **status** (*string*) – status, property of the request body.
- **status_reason** (*string*) – statusReason, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *id=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_user_by_name*

delete_guest_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes a guest user.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_guest_user_by_name*

reset_guest_user_password_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to reset the guest user password.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_password_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *reset_guest_user_password_by_id*

reinstate_guest_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to reinstate a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`reinstate_by_id(id, headers=None, **query_parameters)`

Alias for *`reinstate_guest_user_by_id`*

`update_guest_user_email(id, portal_id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a guest user email by ID.

Parameters

- **`additional_data(list)`** – `additionalData`, property of the request body (list of objects).
- **`id(basestring)`** – `id` path parameter.
- **`portal_id(basestring)`** – `portalId` path parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload(dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation(bool)`** – Enable/Disable payload validation. Defaults to `True`.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_email(id, portal_id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Alias for *`update_guest_user_email`*

update_guest_user_sms(*id*, *portal_id*, *headers=None*, ***query_parameters*)

This API allows the client to update a guest user sms by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **portal_id** (*basestring*) – portalId path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_sms(*id*, *portal_id*, *headers=None*, ***query_parameters*)

Alias for *update_guest_user_sms*

deny_guest_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to deny a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

deny_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *deny_guest_user_by_id*

get_guest_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_user_by_id*

update_guest_user_by_id(*id*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *name=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest user by ID.

Parameters

- **custom_fields** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_access_info** (*object*) – guestAccessInfo, property of the request body.
- **guest_info** (*object*) – guestInfo, property of the request body.
- **guest_type** (*string*) – guestType, property of the request body.
- **id** (*basestring*) – id, property of the request body.

- **name** (*string*) – name, property of the request body.
- **portal_id** (*string*) – portalId, property of the request body.
- **reason_for_visit** (*string*) – reasonForVisit, property of the request body.
- **sponsor_user_id** (*string*) – sponsorUserId, property of the request body.
- **sponsor_user_name** (*string*) – sponsorUserName, property of the request body.
- **status** (*string*) – status, property of the request body.
- **status_reason** (*string*) – statusReason, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *name=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_user_by_id*

delete_guest_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for `delete_guest_user_by_id`

`get_guest_users(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the guest users. Filter: [lastName, sponsor, creationTime, personBeingVisited, toDate, userName, firstName, emailAddress, phoneNumber, groupTag, name, company, guestType, status] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [firstName, lastName, emailAddress, name, description].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_guest_users`

`get_guest_users_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest users. Filter: [lastName, sponsor, creationTime, personBeingVisited, toDate, userName, firstName, emailAddress, phoneNumber, groupTag, name, company, guestType, status] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [firstName, lastName, emailAddress, name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_users_generator*

create_guest_user(*custom_fields=None, description=None, guest_access_info=None, guest_info=None, guest_type=None, name=None, portal_id=None, reason_for_visit=None, sponsor_user_id=None, sponsor_user_name=None, status=None, status_reason=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a guest user.

Parameters

- **custom_fields** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_access_info** (*object*) – guestAccessInfo, property of the request body.
- **guest_info** (*object*) – guestInfo, property of the request body.
- **guest_type** (*string*) – guestType, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_id** (*string*) – portalId, property of the request body.
- **reason_for_visit** (*string*) – reasonForVisit, property of the request body.
- **sponsor_user_id** (*string*) – sponsorUserId, property of the request body.
- **sponsor_user_name** (*string*) – sponsorUserName, property of the request body.
- **status** (*string*) – status, property of the request body.
- **status_reason** (*string*) – statusReason, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*custom_fields=None, description=None, guest_access_info=None, guest_info=None, guest_type=None, name=None, portal_id=None, reason_for_visit=None, sponsor_user_id=None, sponsor_user_name=None, status=None, status_reason=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_guest_user*

suspend_guest_user_by_id(*id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to suspend a guest user by ID.

Parameters

- **`additional_data (list)`** – `additionalData`, property of the request body (list of objects).
- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

suspend_by_id(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*,
 ***query_parameters*)

Alias for *suspend_guest_user_by_id*

get_version(*headers=None*, ***query_parameters*)

This API helps to retrieve the version information related to the guest user.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_guest_user(*operation_type=None*, *resource_media_type=None*, *headers=None*,
 payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_guest_user*

monitor_bulk_status_guest_user(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_guest_user*

hotspot_portal

class HotspotPortal

Identity Services Engine HotspotPortal API (version: 3.0.0).

Wraps the Identity Services Engine HotspotPortal API and exposes the API as native Python methods that return native Python objects.

get_hotspot_portal_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a hotspot portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_hotspot_portal_by_id*

update_hotspot_portal_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a hotspot portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a BYOD, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_hotspot_portal_by_id*

delete_hotspot_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a hotspot portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_hotspot_portal_by_id*

get_hotspot_portal(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the hotspot portals. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_hotspot_portal*

get_hotspot_portal_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the hotspot portals. Filter: [name]
 To search resources by using toDate column, follow the format: DD-MON-YY
 (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_hotspot_portal_generator*

```
create_hotspot_portal(customizations=None, description=None, name=None, portal_test_url=None,  
                      portal_type=None, settings=None, headers=None, payload=None,  
                      active_validation=True, **query_parameters)
```

This API creates a hotspot portal.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a BYOD, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(customizations=None, description=None, name=None, portal_test_url=None, portal_type=None,  
       settings=None, headers=None, payload=None, active_validation=True, **query_parameters)
```

Alias for *create_hotspot_portal*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the hotspot portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

ip_to_sgt_mapping

class IpToSgtMapping

Identity Services Engine IPToSGTMapping API (version: 3.0.0).

Wraps the Identity Services Engine IPToSGTMapping API and exposes the API as native Python methods that return native Python objects.

deploy_ip_to_sgt_mapping_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to deploy an IP to SGT mapping by ID. Only one Deploy process can run at any given time.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

deploy_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *deploy_ip_to_sgt_mapping_by_id*

deploy_all_ip_to_sgt_mapping(*headers=None*, ***query_parameters*)

This API allows the client to deploy all the IP to SGT mappings. Only one Deploy process can run at any given time.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

deploy_all(*headers=None*, ***query_parameters*)

Alias for *deploy_all_ip_to_sgt_mapping*

get_deploy_status_ip_to_sgt_mapping(*headers=None*, ***query_parameters*)

This API allows the client to get the IP to SGT mapping deployment status. Deploy Status will show last Deploy command output. The information will be saved until the next Deploy command.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_deploy_status(*headers=None, **query_parameters*)

Alias for *get_deploy_status_ip_to_sgt_mapping*

get_ip_to_sgt_mapping_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get an IP to SGT mapping by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_ip_to_sgt_mapping_by_id*

update_ip_to_sgt_mapping_by_id(*id, deploy_to=None, deploy_type=None, host_ip=None, host_name=None, mapping_group=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to update an IP to SGT mapping by ID.

Parameters

- **deploy_to** (*string*) – Mandatory unless mappingGroup is set or unless deployType=ALL, property of the request body.
- **deploy_type** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **host_ip** (*string*) – Mandatory if hostName is empty -valid IP, property of the request body.
- **host_name** (*string*) – Mandatory if hostIp is empty, property of the request body.

- **id** (*basestring*) – id, property of the request body.
- **mapping_group** (*string*) – Mapping Group Id. Mandatory unless sgt and deployTo and deployType are set, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt** (*string*) – Mandatory unless mappingGroup is set, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *deploy_to=None*, *deploy_type=None*, *host_ip=None*, *host_name=None*, *mapping_group=None*, *name=None*, *sgt=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_ip_to_sgt_mapping_by_id*

delete_ip_to_sgt_mapping_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an IP to SGT mapping.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_ip_to_sgt_mapping_by_id`*

`get_ip_to_sgt_mapping(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the IP to SGT mappings. Filter: [hostName, groupName, ip, sgtName] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [hostName, groupName, ip, sgtName].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_ip_to_sgt_mapping*

`get_ip_to_sgt_mapping_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the IP to SGT mappings. Filter: [hostName, groupName, ip, sgtName] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [hostName, groupName, ip, sgtName].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response

- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *`get_ip_to_sgt_mapping_generator`*

`create_ip_to_sgt_mapping`(*deploy_to=None, deploy_type=None, host_ip=None, host_name=None, mapping_group=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an IP to SGT mapping.

Parameters

- **`deploy_to`** (*string*) – Mandatory unless `mappingGroup` is set or unless `deployType=ALL`, property of the request body.
- **`deploy_type`** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **`host_ip`** (*string*) – Mandatory if `hostName` is empty -valid IP, property of the request body.
- **`host_name`** (*string*) – Mandatory if `hostIp` is empty, property of the request body.
- **`mapping_group`** (*string*) – Mapping Group Id. Mandatory unless `sgt` and `deployTo` and `deployType` are set, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`sgt`** (*string*) – Mandatory unless `mappingGroup` is set, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *`RestResponse`*

Raises

- **`TypeError`** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*deploy_to=None, deploy_type=None, host_ip=None, host_name=None, mapping_group=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_ip_to_sgt_mapping*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to IP to SGT mapping.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_ip_to_sgt_mapping(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_request_for_ip_to_sgt_mapping`*

`monitor_bulk_status_ip_to_sgt_mapping`(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **`bulkid`** (*basestring*) – bulkid path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`monitor_bulk_status`(*bulkid, headers=None, **query_parameters*)

Alias for *`monitor_bulk_status_ip_to_sgt_mapping`*

ip_to_sgt_mapping_group

class IpToSgtMappingGroup

Identity Services Engine IPToSGTMappingGroup API (version: 3.0.0).

Wraps the Identity Services Engine IPToSGTMappingGroup API and exposes the API as native Python methods that return native Python objects.

deploy_ip_to_sgt_mapping_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to deploy an IP to SGT mapping group by ID. Only one Deploy process can run at any given time.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

deploy_all_ip_to_sgt_mapping_group(*headers=None*, ***query_parameters*)

This API allows the client to deploy all the IP to SGT mapping groups. Only one Deploy process can run at any given time.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_deploy_status_ip_to_sgt_mapping_group(*headers=None, **query_parameters*)

This API allows the client to get the IP to SGT mapping group deployment status. Deploy Status will show last Deploy command output. The information will be saved until the next Deploy command.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_ip_to_sgt_mapping_group_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get an IP to SGT mapping group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_ip_to_sgt_mapping_group_by_id*

update_ip_to_sgt_mapping_group_by_id(*id*, *deploy_to=None*, *deploy_type=None*, *name=None*,
sgt=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API allows the client to update an IP to SGT mapping group by ID.

Parameters

- **deploy_to** (*string*) – Mandatory unless mappingGroup is set or unless deploy-Type=ALL, property of the request body.
- **deploy_type** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt** (*string*) – Mandatory unless mappingGroup is set, property of the request body.
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *deploy_to=None*, *deploy_type=None*, *name=None*, *sgt=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

Alias for *update_ip_to_sgt_mapping_group_by_id*

delete_ip_to_sgt_mapping_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an IP to SGT mapping group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_ip_to_sgt_mapping_group_by_id*

get_ip_to_sgt_mapping_group(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the IP to SGT mapping groups. Filter: [name, sgt-Name] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, sgtName].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_ip_to_sgt_mapping_group*

get_ip_to_sgt_mapping_group_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the IP to SGT mapping groups. Filter: [name, sgt-Name] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, sgtName].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_ip_to_sgt_mapping_group_generator*

create_ip_to_sgt_mapping_group(*deploy_to=None, deploy_type=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an IP to SGT mapping group.

Parameters

- **deploy_to** (*string*) – Mandatory unless mappingGroup is set or unless deploy-Type=ALL, property of the request body.
- **deploy_type** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt** (*string*) – Mandatory unless mappingGroup is set, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*deploy_to=None, deploy_type=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_ip_to_sgt_mapping_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the IP to SGT mapping group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request_for_ip_to_sgt_mapping_group(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_ip_to_sgt_mapping_group*

monitor_bulk_status_ip_to_sgt_mapping_group(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_ip_to_sgt_mapping_group*

identity_groups

class IdentityGroups

Identity Services Engine IdentityGroups API (version: 3.0.0).

Wraps the Identity Services Engine IdentityGroups API and exposes the API as native Python methods that return native Python objects.

get_identity_group_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an identity group by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_identity_group_by_name*

get_identity_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an identity group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_identity_group_by_id*

update_identity_group_by_id(*id*, *description=None*, *name=None*, *parent=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an identity group.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *parent=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_identity_group_by_id*

```
get_identity_groups(filter=None, filter_type=None, page=None, size=None, sortasc=None,
                    sortdsc=None, headers=None, **query_parameters)
```

This API allows the client to get all the identity groups. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
        headers=None, **query_parameters)
```

Alias for *get_identity_groups*

get_identity_groups_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the identity groups. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_identity_groups_generator*

```
create_identity_group(description=None, name=None, parent=None, headers=None, payload=None,  
                      active_validation=True, **query_parameters)
```

This API creates an identity group.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(description=None, name=None, parent=None, headers=None, payload=None,  
       active_validation=True, **query_parameters)
```

Alias for *create_identity_group*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to identity group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

identity_sequence

class IdentitySequence

Identity Services Engine IdentitySequence API (version: 3.0.0).

Wraps the Identity Services Engine IdentitySequence API and exposes the API as native Python methods that return native Python objects.

get_identity_sequence_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an identity sequence by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_identity_sequence_by_name*

get_identity_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an identity sequence by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_identity_sequence_by_id*

update_identity_sequence_by_id(*id*, *break_on_store_fail=None*,
certificate_authentication_profile=None, *description=None*,
id_seq_item=None, *name=None*, *parent=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to update an identity sequence. Partial update is not supported.

Parameters

- **break_on_store_fail** (*boolean*) – breakOnStoreFail, property of the request body.
- **certificate_authentication_profile** (*string*) – certificateAuthenticationProfile, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **id_seq_item** (*list*) – idSeqItem, property of the request body (list of objects).
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id*, *break_on_store_fail=None*, *certificate_authentication_profile=None*, *description=None*, *id_seq_item=None*, *name=None*, *parent=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_identity_sequence_by_id*

`delete_identity_sequence_by_id`(*id*, *headers=None*, ***query_parameters*)

This API deletes an identity sequence.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_identity_sequence_by_id*

`get_identity_sequence`(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the identity sequences.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_identity_sequence*

get_identity_sequence_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the identity sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- RestResponse: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request's response
 - text(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_identity_sequence_generator*

create_identity_sequence(*break_on_store_fail=None, certificate_authentication_profile=None, description=None, id_seq_item=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an identity sequence.

Parameters

- **break_on_store_fail** (*boolean*) – breakOnStoreFail, property of the request body.
- **certificate_authentication_profile** (*string*) – certificateAuthenticationProfile, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id_seq_item** (*list*) – idSeqItem, property of the request body (list of objects).
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*break_on_store_fail=None, certificate_authentication_profile=None, description=None, id_seq_item=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_identity_sequence*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the identity sequence.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

internal_user

class InternalUser

Identity Services Engine InternalUser API (version: 3.0.0).

Wraps the Identity Services Engine InternalUser API and exposes the API as native Python methods that return native Python objects.

get_internal_user_by_name(*name*, *headers=None*, ****query_parameters**)

This API allows the client to get an internal user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for `get_internal_user_by_name`

update_internal_user_by_name(*name*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *id=None*, *identity_groups=None*, *last_name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an internal user by name.

Parameters

- **change_password** (*boolean*) – changePassword, property of the request body.
- **custom_attributes** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **email** (*string*) – email, property of the request body.
- **enable_password** (*string*) – enablePassword, property of the request body.
- **enabled** (*boolean*) – Whether the user is enabled/disabled. To use it as filter, the values should be 'Enabled' or 'Disabled'. The values are case sensitive. For example, '[ERSObjectURL]?filter=enabled.EQ.Enabled', property of the request body.
- **expiry_date** (*string*) – To store the internal user's expiry date information. It's format is = 'YYYY-MM-DD', property of the request body.
- **expiry_date_enabled** (*boolean*) – expiryDateEnabled, property of the request body.
- **first_name** (*string*) – firstName, property of the request body.
- **id** (*string*) – id, property of the request body.
- **identity_groups** (*string*) – CSV of identity group IDs, property of the request body.
- **last_name** (*string*) – lastName, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **password** (*string*) – password, property of the request body.
- **password_idstore** (*string*) – The id store where the internal user's password is kept, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_name`(*name*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *id=None*, *identity_groups=None*, *last_name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *`update_internal_user_by_name`*

`delete_internal_user_by_name`(*name*, *headers=None*, ***query_parameters*)

This API deletes an internal user by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *`delete_internal_user_by_name`*

`get_internal_user_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an internal user by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_internal_user_by_id*

update_internal_user_by_id(*id*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *identity_groups=None*, *last_name=None*, *name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an internal user by ID.

Parameters

- **change_password** (*boolean*) – changePassword, property of the request body.
- **custom_attributes** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **email** (*string*) – email, property of the request body.
- **enable_password** (*string*) – enablePassword, property of the request body.
- **enabled** (*boolean*) – Whether the user is enabled/disabled. To use it as filter, the values should be 'Enabled' or 'Disabled'. The values are case sensitive. For example, '[ERSObjectURL]?filter=enabled.EQ.Enabled', property of the request body.
- **expiry_date** (*string*) – To store the internal user's expiry date information. It's format is = 'YYYY-MM-DD', property of the request body.
- **expiry_date_enabled** (*boolean*) – expiryDateEnabled, property of the request body.
- **first_name** (*string*) – firstName, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **identity_groups** (*string*) – CSV of identity group IDs, property of the request body.
- **last_name** (*string*) – lastName, property of the request body.

- **name** (*string*) – name, property of the request body.
- **password** (*string*) – password, property of the request body.
- **password_idstore** (*string*) – The id store where the internal user's password is kept, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *identity_groups=None*, *last_name=None*, *name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_internal_user_by_id*

delete_internal_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an internal user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_internal_user_by_id*

get_internal_user(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the internal users. Filter: [firstName, lastName, identityGroup, name, description, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_internal_user*

get_internal_user_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the internal users. Filter: [firstName, lastName, identityGroup, name, description, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_internal_user_generator*

create_internal_user(*change_password=None, custom_attributes=None, description=None, email=None, enable_password=None, enabled=None, expiry_date=None, expiry_date_enabled=None, first_name=None, identity_groups=None, last_name=None, name=None, password=None, password_idstore=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an internal user.

Parameters

- **change_password** (*boolean*) – changePassword, property of the request body.
- **custom_attributes** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **email** (*string*) – email, property of the request body.
- **enable_password** (*string*) – enablePassword, property of the request body.
- **enabled** (*boolean*) – Whether the user is enabled/disabled. To use it as filter, the values should be 'Enabled' or 'Disabled'. The values are case sensitive. For example, '[ERSObjectURL]?filter=enabled.EQ.Enabled', property of the request body.
- **expiry_date** (*string*) – To store the internal user's expiry date information. It's format is = 'YYYY-MM-DD', property of the request body.
- **expiry_date_enabled** (*boolean*) – expiryDateEnabled, property of the request body.
- **first_name** (*string*) – firstName, property of the request body.
- **identity_groups** (*string*) – CSV of identity group IDs, property of the request body.
- **last_name** (*string*) – lastName, property of the request body.
- **name** (*string*) – name, property of the request body.
- **password** (*string*) – password, property of the request body.
- **password_idstore** (*string*) – The id store where the internal user's password is kept, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*change_password=None, custom_attributes=None, description=None, email=None, enable_password=None, enabled=None, expiry_date=None, expiry_date_enabled=None, first_name=None, identity_groups=None, last_name=None, name=None, password=None, password_idstore=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_internal_user*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the internal user.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

mdm**class Mdm**

Identity Services Engine MDM API (version: 3.0.0).

Wraps the Identity Services Engine MDM API and exposes the API as native Python methods that return native Python objects.

get_endpoints(*headers=None, **query_parameters*)
getEndpoints.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_endpoints*

get_endpoint_by_mac_address(*headers=None, **query_parameters*)
getEndpointByMacAddress.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_endpoints_by_type(*headers=None, **query_parameters*)
getEndpointsByType.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_endpoints_by_os_type(*headers=None, **query_parameters*)
getEndpointsByOsType.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

misc

class Misc

Identity Services Engine Misc API (version: 3.0.0).

Wraps the Identity Services Engine Misc API and exposes the API as native Python methods that return native Python objects.

get_active_count(*headers=None, **query_parameters*)
ActiveCount.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_active_list(*headers=None, **query_parameters*)
ActiveList.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_session_auth_list(*headers=None, **query_parameters*)

Session/AuthList.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_posture_count(*headers=None, **query_parameters*)

PostureCount.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_profiler_count(*headers=None, **query_parameters*)
ProfilerCount.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_mac(*mac, headers=None, **query_parameters*)
Sessions by MAC.

Parameters

- **mac** (*basestring*) – mac path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_username(*username*, *headers=None*, ***query_parameters*)

Sessions by Username.

Parameters

- **username** (*basestring*) – username path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_nas_ip(*nas_ipv4*, *headers=None*, ***query_parameters*)

Sessions by NAS IP.

Parameters

- **nas_ipv4** (*basestring*) – nas_ipv4 path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_endpoint_ip(*endpoint_ipv4*, *headers=None*, ***query_parameters*)

Sessions by Endpoint IP.

Parameters

- **endpoint_ipv4** (*basestring*) – endpoint_ipv4 path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_session_id(*session_id*, *headers=None*, ***query_parameters*)

Sessions by SessionID.

Parameters

- **session_id** (*basestring*) – session_id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_all_sessions(*headers=None, **query_parameters*)

Delete All Sessions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_mnt_version(*headers=None, **query_parameters*)

MNT Version.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_failure_reasons(*headers=None, **query_parameters*)
FailureReasons.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_authentication_status_by_mac(*mac, rec_ord_s, sec_ond_s, headers=None, **query_parameters*)
AuthenticationStatus by MAC.

Parameters

- **mac** (*basestring*) – MAC path parameter.
- **sec_ond_s** (*basestring*) – SECONDS path parameter.
- **rec_ord_s** (*basestring*) – RECORDS path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

session_reauthentication_by_mac(*end_poi_ntm_ac*, *psn_nam_e*, *rea_uth_typ_e*, *headers=None*,
***query_parameters*)

Session Reauthentication by MAC.

Parameters

- **psn_nam_e** (*basestring*) – PSN_NAME path parameter.
- **end_poi_ntm_ac** (*basestring*) – ENDPOINT_MAC path parameter.
- **rea_uth_typ_e** (*basestring*) – REAUTH_TYPE path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

session_disconnect(*dis_con_nec_tty_pe*, *end_poi_nti_p*, *mac*, *nas_ipv4*, *psn_nam_e*, *headers=None*,
***query_parameters*)

Session Disconnect.

Parameters

- **end_poi_nti_p** (*basestring*) – ENDPOINT_IP path parameter.
- **psn_nam_e** (*basestring*) – PSN_NAME path parameter.
- **mac** (*basestring*) – MAC path parameter.
- **dis_con_nec_tty_pe** (*basestring*) – DISCONNECT_TYPE path parameter.
- **nas_ipv4** (*basestring*) – NAS_IPV4 path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_account_status_by_mac`(*duration, mac, headers=None, **query_parameters*)
AccountStatus by MAC.

Parameters

- **`mac`** (*basestring*) – mac path parameter.
- **`duration`** (*basestring*) – duration path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

my_device_portal

class MyDevicePortal

Identity Services Engine MyDevicePortal API (version: 3.0.0).

Wraps the Identity Services Engine MyDevicePortal API and exposes the API as native Python methods that return native Python objects.

get_my_device_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a my device portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_my_device_portal_by_id*

update_my_device_portal_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a my device portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.

- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDGUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a Mydevice portal, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_my_device_portal_by_id*

delete_my_device_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a my device portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_my_device_portal_by_id*

get_my_device_portal(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the my device portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_my_device_portal*

get_my_device_portal_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the my device portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_my_device_portal_generator*

create_my_device_portal(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a my device portal.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a Mydevice portal, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)
 Alias for [create_my_device_portal](#)

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the my device portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

native_suppllicant_profile

class NativeSuppllicantProfile

Identity Services Engine NativeSuppllicantProfile API (version: 3.0.0).

Wraps the Identity Services Engine NativeSuppllicantProfile API and exposes the API as native Python methods that return native Python objects.

get_native_suppllicant_profile_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a native suppllicant profile by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_native_suppllicant_profile_by_id`*

`update_native_suppllicant_profile_by_id(id, description=None, name=None, wireless_profiles=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a native suppllicant profile.

Parameters

- **`description`** (*string*) – description, property of the request body.
- **`id`** (*basestring*) – id, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`wireless_profiles`** (*list*) – wirelessProfiles, property of the request body (list of objects).
- **`id`** – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *wireless_profiles=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [update_native_suppllicant_profile_by_id](#)

delete_native_suppllicant_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a native supplicant profile.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [delete_native_suppllicant_profile_by_id](#)

get_native_suppllicant_profile(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the native supplicant profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_native_suppllicant_profile*

get_native_suppllicant_profile_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the native suppllicant profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_native_suppllicant_profile_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the native suppllicant profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

network_access_authentication_rules

class NetworkAccessAuthenticationRules

Identity Services Engine Network Access - Authentication Rules API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Authentication Rules API and exposes the API as native Python methods that return native Python objects.

get_network_access_authentication_rules(*policy_id*, *headers=None*, ***query_parameters*)

Network Access Get authentication rules.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_authentication_rules*

```
create_network_access_authentication_rule(policy_id, identity_source_id=None,  
                                           identity_source_name=None, if_auth_fail=None,  
                                           if_process_fail=None, if_user_not_found=None,  
                                           link=None, rule=None, headers=None, payload=None,  
                                           active_validation=True, **query_parameters)
```

Network Access Create authentication rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authentication policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **identity_source_id** (*string*) – Identity source id from the identity stores, property of the request body.
- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *identity_source_id*=None, *identity_source_name*=None, *if_auth_fail*=None, *if_process_fail*=None, *if_user_not_found*=None, *link*=None, *rule*=None, *headers*=None, *payload*=None, *active_validation*=True, ***query_parameters*)
 Alias for [*create_network_access_authentication_rule*](#)

reset_hit_counts_network_access_authentication_rules(*policy_id*, *headers*=None, ***query_parameters*)

Network Access Reset HitCount for Authentication Rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers*=None, ***query_parameters*)
 Alias for [*reset_hit_counts_network_access_authentication_rules*](#)

get_network_access_authentication_rule_by_id(*id*, *policy_id*, *headers*=None, ***query_parameters*)
 Network Access Get rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_authentication_rule_by_id*

update_network_access_authentication_rule_by_id(*id*, *policy_id*, *identity_source_id=None*,
identity_source_name=None,
if_auth_fail=None, *if_process_fail=None*,
if_user_not_found=None, *link=None*,
rule=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Network Access Update rule.

Parameters

- **identity_source_id** (*string*) – Identity source id from the identity stores, property of the request body.
- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id, policy_id, identity_source_id=None, identity_source_name=None, if_auth_fail=None, if_process_fail=None, if_user_not_found=None, link=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_network_access_authentication_rule_by_id*

delete_network_access_authentication_rule_by_id(*id, policy_id, headers=None, **query_parameters*)

Network Access Delete rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id, policy_id, headers=None, **query_parameters*)

Alias for *delete_network_access_authentication_rule_by_id*

network_access_authorization_exception_rules

class NetworkAccessAuthorizationExceptionRules

Identity Services Engine Network Access - Authorization Exception Rules API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Authorization Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_network_access_local_exception_rules(*policy_id*, *headers=None*, ***query_parameters*)
Network Access Get local exception rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)
Alias for *get_network_access_local_exception_rules*

create_network_access_local_exception_rule(*policy_id*, *link=None*, *profile=None*, *rule=None*,
security_group=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Network Access Create local authorization exception rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *create_network_access_local_exception_rule*

reset_hit_counts_network_access_local_exceptions(*policy_id*, *headers=None*, ***query_parameters*)

Network Access Reset HitCount for local exceptions.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *reset_hit_counts_network_access_local_exceptions*

get_network_access_local_exception_rule_by_id(*id*, *policy_id*, *headers=None*,
***query_parameters*)

Network Access Get local exception rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_local_exception_rule_by_id*

update_network_access_local_exception_rule_by_id(*id*, *policy_id*, *link=None*, *profile=None*,
rule=None, *security_group=None*,
headers=None, *payload=None*,
active_validation=True, ***query_parameters*)

Network Access Update local exception rule.

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_local_exception_rule_by_id*

delete_network_access_local_exception_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Network Access Delete local exception rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_local_exception_rule_by_id*

network_access_authorization_global_exception_rules

class NetworkAccessAuthorizationGlobalExceptionRules

Identity Services Engine Network Access - Authorization Global Exception Rules API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Authorization Global Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_network_access_policy_set_global_exception_rules(*headers=None*, ***query_parameters*)

Network Access Get global exception rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None*, ***query_parameters*)

Alias for *get_network_access_policy_set_global_exception_rules*

create_network_access_policy_set_global_exception_rule(*link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Create global exception authorization rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*link=None, profile=None, rule=None, security_group=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_policy_set_global_exception_rule*

reset_hit_counts_network_access_global_exceptions(*headers=None, **query_parameters*)

Network Access Reset HitCount for Global Exceptions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts(*headers=None, **query_parameters*)

Alias for *reset_hit_counts_network_access_global_exceptions*

get_network_access_policy_set_global_exception_rule_by_id(*id, headers=None, **query_parameters*)

Network Access Get global exception rule attributes.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_network_access_policy_set_global_exception_rule_by_id*

update_network_access_policy_set_global_exception_rule_by_id(*id, link=None, profile=None, rule=None, security_group=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Update global exception authorization rule.

Parameters

- **link** (*object*) – link, property of the request body.

- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_policy_set_global_exception_rule_by_id*

delete_network_access_policy_set_global_exception_rule_by_id(*id*, *headers=None*, ***query_parameters*)

Network Access Delete global exception authorization rule.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_network_access_policy_set_global_exception_rule_by_id`*

network_access_authorization_rules

class `NetworkAccessAuthorizationRules`

Identity Services Engine Network Access - Authorization Rules API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Authorization Rules API and exposes the API as native Python methods that return native Python objects.

`get_network_access_authorization_rules(policy_id, headers=None, **query_parameters)`

Network Access Get authorization rules.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(policy_id, headers=None, **query_parameters)`

Alias for *`get_network_access_authorization_rules`*

create_network_access_authorization_rule(*policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Create authorization rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *create_network_access_authorization_rule*

reset_hit_counts_network_access_authorization_rules(*policy_id*, *headers=None*, ***query_parameters*)

Network Access Reset HitCount for Authorization Rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *reset_hit_counts_network_access_authorization_rules*

get_network_access_authorization_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Network Access Get authorization rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_authorization_rule_by_id*

update_network_access_authorization_rule_by_id(*id*, *policy_id*, *link=None*, *profile=None*,
rule=None, *security_group=None*,
headers=None, *payload=None*,
active_validation=True, ***query_parameters*)

Network Access Update authorization rule.

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_authorization_rule_by_id*

delete_network_access_authorization_rule_by_id(*id*, *policy_id*, *headers=None*,
***query_parameters*)

Network Access Delete authorization rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_authorization_rule_by_id*

network_access_conditions

class NetworkAccessConditions

Identity Services Engine Network Access - Conditions API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Conditions API and exposes the API as native Python methods that return native Python objects.

get_network_access_conditions(*headers=None*, ***query_parameters*)

Network Access Returns all library conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_conditions*

create_network_access_condition(*attribute_id=None, attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Creates a library condition: Library Condition has hierarchical structure which define a set of condition for which authentication and authorization policy rules could be match. Condition can be compose from single dictionary attribute name and value using model LibraryConditionAttributes , or from combination of dictionary attributes with logical operation of AND/OR between them, using models: LibraryConditionAndBlock or LibraryConditionOrBlock . When using AND/OR blocks, the condition will include inner layers inside these blocks, these layers are built using the inner condition models: ConditionAttributes , ConditionAndBlock , ConditionOrBlock , that represent dynamically built Conditions which are not stored in the conditions Library, or using ConditionReference , which includes an ID to existing stored condition in the library. The LibraryCondition models can only be used in the outer-most layer (root of the condition) and must always include the condition name. When using one of the 3 inner condition models (ConditionAttributes, ConditionAndBlock, ConditionOrBlock), condition name cannot be included in the request, since these will not be stored in the conditions library, and used only as inner members of the root condition. When using ConditionReference model in inner layers, the condition name is not required. ConditionReference objects can also include a reference ID to a condition of type TimeAndDate

..

Parameters

- **attribute_id** (*string*) – Dictionary attribute id (Optional), used for additional verification, property of the request body.
- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionReference’, ‘ConditionAttributes’, ‘LibraryConditionAttributes’, ‘ConditionAndBlock’, ‘LibraryConditionAndBlock’, ‘ConditionOrBlock’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.

- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'equals', 'notEquals', 'contains', 'notContains', 'matches', 'in', 'notIn', 'startsWith', 'notStartsWith', 'endsWith', 'notEndsWith', 'greaterThan', 'lessThan', 'greaterOrEquals', 'lessOrEquals', 'ipGreaterThan', 'ipLessThan', 'ipEquals' and 'ipNotEquals'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*attribute_id=None, attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_condition*

`get_network_access_conditions_for_authentication_rules`(*headers=None, **query_parameters*)

Network Access Returns list of library conditions for Authentication rules scope.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_network_access_conditions_for_authorization_rules`(*headers=None, **query_parameters*)

Network Access Returns list of library conditions for Authorization rules scope.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_network_access_condition_by_name`(*name*, *headers=None*, ***query_parameters*)

Network Access Returns a library condition.

Parameters

- **`name`** (*basestring*) – name path parameter. Condition name.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_condition_by_name*

```
update_network_access_condition_by_name(name, attribute_id=None, attribute_name=None,
                                         attribute_value=None, children=None,
                                         condition_type=None, dates_range=None,
                                         dates_range_exception=None, description=None,
                                         dictionary_name=None, dictionary_value=None,
                                         hours_range=None, hours_range_exception=None,
                                         id=None, is_negate=None, link=None, operator=None,
                                         week_days=None, week_days_exception=None,
                                         headers=None, payload=None, active_validation=True,
                                         **query_parameters)
```

Network Access Update library condition using condition name.

Parameters

- **attribute_id** (*string*) – Dictionary attribute id (Optional), used for additional verification, property of the request body.
- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionReference’, ‘Condition-Attributes’, ‘LibraryConditionAttributes’, ‘ConditionAndBlock’, ‘LibraryConditionAnd-Block’, ‘ConditionOrBlock’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.

- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*basestring*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'equals', 'notEquals', 'contains', 'notContains', 'matches', 'in', 'notIn', 'startsWith', 'notStartsWith', 'endsWith', 'notEndsWith', 'greaterThan', 'lessThan', 'greaterOrEquals', 'lessOrEquals', 'ipGreaterThan', 'ipLessThan', 'ipEquals' and 'ipNotEquals'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **name** – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *attribute_id=None*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *id=None*, *is_negate=None*, *link=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_condition_by_name*

delete_network_access_condition_by_name(*name*, *headers=None*, ***query_parameters*)

Network Access Delete a library condition using condition Name.

Parameters

- **name** (*basestring*) – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_condition_by_name*

get_network_access_conditions_for_policy_sets(*headers=None*, ***query_parameters*)

Network Access Returns list of library conditions for PolicySet scope.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_for_policy_sets(*headers=None, **query_parameters*)

Alias for *get_network_access_conditions_for_policy_sets*

get_network_access_condition_by_id(*id, headers=None, **query_parameters*)

Network Access Returns a library condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_network_access_condition_by_id*

update_network_access_condition_by_id(*id, attribute_id=None, attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Update library condition.

Parameters

- **attribute_id** (*string*) – Dictionary attribute id (Optional), used for additional verification, property of the request body.
- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.

- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates that “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionReference’, ‘Condition-Attributes’, ‘LibraryConditionAttributes’, ‘ConditionAndBlock’, ‘LibraryConditionAnd-Block’, ‘ConditionOrBlock’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘equals’, ‘notEquals’, ‘contains’, ‘notContains’, ‘matches’, ‘in’, ‘notIn’, ‘startsWith’, ‘notStartsWith’, ‘endsWith’, ‘notEndsWith’, ‘greaterThan’, ‘lessThan’, ‘greaterOrEquals’, ‘lessOrEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipEquals’ and ‘ipNotEquals’.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Sunday’, ‘Monday’, ‘Tuesday’, ‘Wednesday’, ‘Thursday’, ‘Friday’ and ‘Saturday’).
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are ‘Sunday’, ‘Monday’, ‘Tuesday’, ‘Wednesday’, ‘Thursday’, ‘Friday’ and ‘Saturday’).
- **id** – id path parameter. Condition id.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *attribute_id=None*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_condition_by_id*

delete_network_access_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Network Access Delete a library condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_condition_by_id*

network_access_dictionary

class NetworkAccessDictionary

Identity Services Engine Network Access - Dictionary API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Dictionary API and exposes the API as native Python methods that return native Python objects.

get_network_access_dictionaries(*headers=None*, ***query_parameters*)

Get all Dictionaries.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None*, ***query_parameters*)

Alias for *get_network_access_dictionaries*

create_network_access_dictionaries(*description=None*, *dictionary_attr_type=None*, *id=None*, *link=None*, *name=None*, *version=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Create a new Dictionary.

Parameters

- **description** (*string*) – The description of the Dictionary, property of the request body.
- **dictionary_attr_type** (*string*) – The dictionary attribute type, property of the request body. Available values are 'ENTITY_ATTR', 'MSG_ATTR' and 'PIP_ATTR'.

- **id** (*string*) – Identifier for the dictionary, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – The dictionary name, property of the request body.
- **version** (*string*) – The dictionary version, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, dictionary_attr_type=None, id=None, link=None, name=None, version=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_dictionaries*

get_network_access_dictionary_by_name(*name, headers=None, **query_parameters*)

GET a dictionary by name.

Parameters

- **name** (*basestring*) – name path parameter. the dictionary name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_dictionary_by_name*

update_network_access_dictionary_by_name(*name*, *description=None*, *dictionary_attr_type=None*, *id=None*, *link=None*, *version=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update a Dictionary.

Parameters

- **description** (*string*) – The description of the Dictionary, property of the request body.
- **dictionary_attr_type** (*string*) – The dictionary attribute type, property of the request body. Available values are 'ENTITY_ATTR', 'MSG_ATTR' and 'PIP_ATTR'.
- **id** (*string*) – Identifier for the dictionary, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*basestring*) – The dictionary name, property of the request body.
- **version** (*string*) – The dictionary version, property of the request body.
- **name** – name path parameter. the dictionary name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name, description=None, dictionary_attr_type=None, id=None, link=None, version=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_network_access_dictionary_by_name*

delete_network_access_dictionary_by_name(*name, headers=None, **query_parameters*)

Network Access Delete a Dictionary.

Parameters

- **name** (*basestring*) – name path parameter. the dictionary name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name, headers=None, **query_parameters*)

Alias for *delete_network_access_dictionary_by_name*

network_access_dictionary_attribute

class NetworkAccessDictionaryAttribute

Identity Services Engine Network Access - Dictionary Attribute API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Dictionary Attribute API and exposes the API as native Python methods that return native Python objects.

get_network_access_dictionary_attributes_by_dictionary_name(*dictionary_name, headers=None, **query_parameters*)

Returns a list of Dictionary Attributes for an existing Dictionary.

Parameters

- **dictionary_name** (*basestring*) – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*dictionary_name*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_dictionary_attributes_by_dictionary_name*

`create_network_access_dictionary_attribute`(*dictionary_name*, *allowed_values=None*,
data_type=None, *description=None*,
direction_type=None, *id=None*, *internal_name=None*,
name=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Create a new Dictionary Attribute for an existing Dictionary.

Parameters

- **`allowed_values`** (*list*) – all of the allowed values for the dictionary attribute, property of the request body (list of objects).
- **`data_type`** (*string*) – the data type for the dictionary attribute, property of the request body. Available values are 'BOOLEAN', 'DATE', 'FLOAT', 'INT', 'IP', 'IPV4', 'IPV6', 'IPV6INTERFACE', 'IPV6PREFIX', 'LONG', 'OCTET_STRING', 'STRING', 'UNIT32' and 'UINT64'.
- **`description`** (*string*) – The description of the Dictionary attribute, property of the request body.
- **`dictionary_name`** (*basestring*) – the name of the dictionary which the dictionary attribute belongs to, property of the request body.
- **`direction_type`** (*string*) – the direction for the usage of the dictionary attribute, property of the request body. Available values are 'IN', 'OUT', 'NONE' and 'BOTH'.
- **`id`** (*string*) – Identifier for the dictionary attribute, property of the request body.
- **`internal_name`** (*string*) – the internal name of the dictionary attribute, property of the request body.
- **`name`** (*string*) – The dictionary attribute's name, property of the request body.
- **`dictionary_name`** – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*dictionary_name, allowed_values=None, data_type=None, description=None, direction_type=None, id=None, internal_name=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_dictionary_attribute*

get_network_access_dictionary_attribute_by_name(*dictionary_name, name, headers=None, **query_parameters*)

Get a Dictionary Attribute.

Parameters

- **name** (*basestring*) – name path parameter. the dictionary attribute name.
- **dictionary_name** (*basestring*) – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*dictionary_name*, *name*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_dictionary_attribute_by_name*

update_network_access_dictionary_attribute_by_name(*dictionary_name*, *name*,
allowed_values=None, *data_type=None*,
description=None, *direction_type=None*,
id=None, *internal_name=None*,
headers=None, *payload=None*,
active_validation=True,
***query_parameters*)

Update a Dictionary Attribute.

Parameters

- **allowed_values** (*list*) – all of the allowed values for the dictionary attribute, property of the request body (list of objects).
- **data_type** (*string*) – the data type for the dictionary attribute, property of the request body. Available values are 'BOOLEAN', 'DATE', 'FLOAT', 'INT', 'IP', 'IPV4', 'IPV6', 'IPV6INTERFACE', 'IPV6PREFIX', 'LONG', 'OCTET_STRING', 'STRING', 'UNIT32' and 'UINT64'.
- **description** (*string*) – The description of the Dictionary attribute, property of the request body.
- **dictionary_name** (*basestring*) – the name of the dictionary which the dictionary attribute belongs to, property of the request body.
- **direction_type** (*string*) – the direction for the usage of the dictionary attribute, property of the request body. Available values are 'IN', 'OUT', 'NONE' and 'BOTH'.
- **id** (*string*) – Identifier for the dictionary attribute, property of the request body.
- **internal_name** (*string*) – the internal name of the dictionary attribute, property of the request body.
- **name** (*basestring*) – The dictionary attribute's name, property of the request body.
- **name** – name path parameter. the dictionary attribute name.
- **dictionary_name** – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_name(*dictionary_name, name, allowed_values=None, data_type=None, description=None, direction_type=None, id=None, internal_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_network_access_dictionary_attribute_by_name*

delete_network_access_dictionary_attribute_by_name(*dictionary_name, name, headers=None, **query_parameters*)

Delete a Dictionary Attribute.

Parameters

- **`name`** (*basestring*) – name path parameter. the dictionary attribute name.
- **`dictionary_name`** (*basestring*) – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_name(*dictionary_name, name, headers=None, **query_parameters*)

Alias for *delete_network_access_dictionary_attribute_by_name*

network_access_dictionary_attributes_list

class NetworkAccessDictionaryAttributesList

Identity Services Engine Network Access - Dictionary Attributes List API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Dictionary Attributes List API and exposes the API as native Python methods that return native Python objects.

get_network_access_dictionaries_authentication(headers=None, **query_parameters)

Network Access Returns list of dictionary attributes for authentication.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authentication(headers=None, **query_parameters)

Alias for *get_network_access_dictionaries_authentication*

get_network_access_dictionaries_authorization(headers=None, **query_parameters)

Network Access Returns list of dictionary attributes for authorization.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authorization(*headers=None, **query_parameters*)

Alias for *get_network_access_dictionaries_authorization*

get_network_access_dictionaries_policy_set(*headers=None, **query_parameters*)

Network Access Returns list of dictionary attributes for policyset.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_policy_set(*headers=None, **query_parameters*)

Alias for *get_network_access_dictionaries_policy_set*

network_access_identity_stores

class NetworkAccessIdentityStores

Identity Services Engine Network Access - Identity Stores API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Identity Stores API and exposes the API as native Python methods that return native Python objects.

get_network_access_identity_stores(*headers=None, **query_parameters*)

Network Access Return list of identity stores for authentication policy definition. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_network_access_identity_stores*

network_access_network_conditions**class NetworkAccessNetworkConditions**

Identity Services Engine Network Access - Network Conditions API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Network Conditions API and exposes the API as native Python methods that return native Python objects.

get_network_access_network_conditions(*headers=None, **query_parameters*)
Network Access Returns a list of network conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_network_access_network_conditions*

create_network_access_network_condition(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Creates network condition.

Parameters

- **condition_type** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are ‘EndstationCondition’, ‘DeviceCondition’ and ‘DevicePortCondition’.
- **conditions** (*list*) – conditions, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Network Condition name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_network_access_network_condition*

get_network_access_network_condition_by_id(*id, headers=None, **query_parameters*)
Network Access Returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_network_condition_by_id*

update_network_access_network_condition_by_id(*id*, *condition_type=None*, *conditions=None*, *description=None*, *link=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update network condition.

Parameters

- **condition_type** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are 'EndstationCondition', 'DeviceCondition' and 'DevicePortCondition'.
- **conditions** (*list*) – conditions, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Network Condition name, property of the request body.
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id*, *condition_type=None*, *conditions=None*, *description=None*, *link=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *`update_network_access_network_condition_by_id`*

`delete_network_access_network_condition_by_id`(*id*, *headers=None*, ***query_parameters*)

Network Access Delete network condition.

Parameters

- **`id`** (*basestring*) – id path parameter. Condition id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *`delete_network_access_network_condition_by_id`*

network_access_policy_set

class NetworkAccessPolicySet

Identity Services Engine Network Access - Policy Set API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Policy Set API and exposes the API as native Python methods that return native Python objects.

get_network_access_policy_sets(*headers=None, **query_parameters*)

Get all network access policy sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_policy_sets*

create_network_access_policy_set(*condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Create a new policy set: Policy must include name , service identifier (either server sequence or allowed protocol) and a condition. Condition has hierarchical structure which define a set of condition for which policy could be match. Condition can be either reference to a stored Library condition, using model ConditionReference , or, dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **condition** (*object*) – condition, property of the request body.
- **default** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **description** (*string*) – The description for the policy set, property of the request body.

- **hit_counts** (*integer*) – The amount of times the policy was matched, property of the request body.
- **id** (*string*) – Identifier for the policy set, property of the request body.
- **is_proxy** (*boolean*) – Flag which indicates if the policy set service is of type ‘Proxy Sequence’ or ‘Allowed Protocols’, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Given name for the policy set, [Valid characters are alphanumeric, underscore, hyphen, space, period, parentheses], property of the request body.
- **rank** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **service_name** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.
- **state** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are ‘enabled’, ‘disabled’ and ‘monitor’.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_policy_set*

reset_hit_counts_network_access_policy_sets(*headers=None, **query_parameters*)

Network Access Reset HitCount for PolicySets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts(headers=None, **query_parameters)

Alias for *reset_hit_counts_network_access_policy_sets*

get_network_access_policy_set_by_id(id, headers=None, **query_parameters)

Network Access Get policy set attributes.

Parameters

- **id (basestring)** – id path parameter. Policy id.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(id, headers=None, **query_parameters)

Alias for *get_network_access_policy_set_by_id*

```
update_network_access_policy_set_by_id(id, condition=None, default=None, description=None,
                                       hit_counts=None, is_proxy=None, link=None, name=None,
                                       rank=None, service_name=None, state=None,
                                       headers=None, payload=None, active_validation=True,
                                       **query_parameters)
```

Network Access Update a policy set.

Parameters

- **condition** (*object*) – condition, property of the request body.
- **default** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **description** (*string*) – The description for the policy set, property of the request body.
- **hit_counts** (*integer*) – The amount of times the policy was matched, property of the request body.
- **id** (*basestring*) – Identifier for the policy set, property of the request body.
- **is_proxy** (*boolean*) – Flag which indicates if the policy set service is of type ‘Proxy Sequence’ or ‘Allowed Protocols’, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Given name for the policy set, [Valid characters are alphanumeric, underscore, hyphen, space, period, parentheses], property of the request body.
- **rank** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **service_name** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence., property of the request body.
- **state** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are ‘enabled’, ‘disabled’ and ‘monitor’.
- **id** – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *condition=None*, *default=None*, *description=None*, *hit_counts=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_policy_set_by_id*

delete_network_access_policy_set_by_id(*id*, *headers=None*, ***query_parameters*)

Network Access Delete a policy set.

Parameters

- **id** (*basestring*) – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_policy_set_by_id*

network_access_profiles

class NetworkAccessProfiles

Identity Services Engine Network Access - Profiles API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Profiles API and exposes the API as native Python methods that return native Python objects.

get_network_access_profiles(*headers=None*, ***query_parameters*)

Network Access Returns list of profiles. (Other CRUD APIs available throught ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of `MyDict` objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_profiles*

network_access_security_groups

class NetworkAccessSecurityGroups

Identity Services Engine Network Access - Security Groups API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Security Groups API and exposes the API as native Python methods that return native Python objects.

get_network_access_security_groups(*headers=None, **query_parameters*)

Network Access Return list of available security groups for authorization policy definition. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of `MyDict` objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_network_access_security_groups*

network_access_service_names

class NetworkAccessServiceNames

Identity Services Engine Network Access - Service Names API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Service Names API and exposes the API as native Python methods that return native Python objects.

get_network_access_service_names(*headers=None, **query_parameters*)
Returns list of Allowed Protocols and Server Sequences for Network Access Policy Set results. 'isLocalAuthorization' property is available only for Network Access Policy Set results of type Server Sequence. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_network_access_service_names*

network_access_time_date_conditions

class NetworkAccessTimeDateConditions

Identity Services Engine Network Access - Time/Date Conditions API (version: 3.0.0).

Wraps the Identity Services Engine Network Access - Time/Date Conditions API and exposes the API as native Python methods that return native Python objects.

get_network_access_time_conditions(*headers=None, **query_parameters*)

Network Access Returns a list of time and date conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_time_conditions*

create_network_access_time_condition(*attribute_id=None, attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Creates time/date condition.

Parameters

- **attribute_id** (*string*) – Dictionary attribute id (Optional), used for additional verification, property of the request body.
- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.

- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionReference’, ‘Condition-Attributes’, ‘LibraryConditionAttributes’, ‘ConditionAndBlock’, ‘LibraryConditionAnd-Block’, ‘ConditionOrBlock’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time foramt hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘equals’, ‘notEquals’, ‘contains’, ‘notContains’, ‘matches’, ‘in’, ‘notIn’, ‘startsWith’, ‘notStartsWith’, ‘endsWith’, ‘notEndsWith’, ‘greaterThan’, ‘lessThan’, ‘greaterOrEquals’, ‘lessOrEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipEquals’ and ‘ipNotEquals’.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Sunday’, ‘Monday’, ‘Tuesday’, ‘Wednesday’, ‘Thursday’, ‘Friday’ and ‘Saturday’).
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are ‘Sunday’, ‘Monday’, ‘Tuesday’, ‘Wednesday’, ‘Thursday’, ‘Friday’ and ‘Saturday’).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(attribute_id=None, attribute_name=None, attribute_value=None, children=None,  
condition_type=None, dates_range=None, dates_range_exception=None, description=None,  
dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None,  
id=None, is_negate=None, link=None, name=None, operator=None, week_days=None,  
week_days_exception=None, headers=None, payload=None, active_validation=True,  
**query_parameters)
```

Alias for *create_network_access_time_condition*

```
get_network_access_time_condition_by_id(id, headers=None, **query_parameters)
```

Network Access returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_time_condition_by_id*

update_network_access_time_condition_by_id(*id*, *attribute_id=None*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update network condition.

Parameters

- **attribute_id** (*string*) – Dictionary attribute id (Optional), used for additional verification, property of the request body.
- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionReference’, ‘Condition-Attributes’, ‘LibraryConditionAttributes’, ‘ConditionAndBlock’, ‘LibraryConditionAnd-Block’, ‘ConditionOrBlock’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched or NOT matched if used in exceptionDates prooperty Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy-mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.

- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched or not matched if used in exceptionHours property Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'equals', 'notEquals', 'contains', 'notContains', 'matches', 'in', 'notIn', 'startsWith', 'notStartsWith', 'endsWith', 'notEndsWith', 'greaterThan', 'lessThan', 'greaterOrEquals', 'lessOrEquals', 'ipGreaterThan', 'ipLessThan', 'ipEquals' and 'ipNotEquals'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday' and 'Saturday').
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *attribute_id=None*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [update_network_access_time_condition_by_id](#)

delete_network_access_time_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Network Access Delete Time/Date condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [delete_network_access_time_condition_by_id](#)

network_device

class NetworkDevice

Identity Services Engine NetworkDevice API (version: 3.0.0).

Wraps the Identity Services Engine NetworkDevice API and exposes the API as native Python methods that return native Python objects.

get_network_device_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a network device by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_network_device_by_name*

update_network_device_by_name(*name*, *authentication_settings=None*, *coa_port=None*, *description=None*, *dtls_dns_name=None*, *id=None*, *model_name=None*, *network_device_group_list=None*, *network_device_ip_list=None*, *profile_name=None*, *snmpsettings=None*, *software_version=None*, *tacacs_settings=None*, *trustsecsettings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a network device by name.

Parameters

- **network_device_group_list** (*list*) – List of Network Device Group names for this node, property of the request body (list of strings).
- **network_device_ip_list** (*list*) – List of IP Subnets for this node, property of the request body (list of objects).
- **authentication_settings** (*object*) – authenticationSettings, property of the request body.
- **coa_port** (*integer*) – coaPort, property of the request body.
- **description** (*string*) – description, property of the request body.
- **dtls_dns_name** (*string*) – This value is used to verify the client identity contained in the X.509 RADIUS/DTLS client certificate, property of the request body.
- **id** (*string*) – id, property of the request body.
- **model_name** (*string*) – modelName, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **snmpsettings** (*object*) – snmpsettings, property of the request body.
- **software_version** (*string*) – softwareVersion, property of the request body.

- **tacacs_settings** (*object*) – tacacsSettings, property of the request body.
- **trustsecsettings** (*object*) – trustsecsettings, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *authentication_settings=None*, *coa_port=None*, *description=None*, *dtls_dns_name=None*, *id=None*, *model_name=None*, *network_device_group_list=None*, *network_device_ip_list=None*, *profile_name=None*, *snmpsettings=None*, *software_version=None*, *tacacs_settings=None*, *trustsecsettings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_device_by_name*

delete_network_device_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes a network device by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_network_device_by_name*

get_network_device_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a network device by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_device_by_id*

update_network_device_by_id(*id*, *authentication_settings=None*, *coa_port=None*, *description=None*, *dtls_dns_name=None*, *model_name=None*, *name=None*, *network_device_group_list=None*, *network_device_iplist=None*, *profile_name=None*, *snmpsettings=None*, *software_version=None*, *tacacs_settings=None*, *trustsecsettings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a network device by ID.

Parameters

- **network_device_group_list** (*list*) – List of Network Device Group names for this node, property of the request body (list of strings).

- **network_device_iplist** (*list*) – List of IP Subnets for this node, property of the request body (list of objects).
- **authentication_settings** (*object*) – authenticationSettings, property of the request body.
- **coa_port** (*integer*) – coaPort, property of the request body.
- **description** (*string*) – description, property of the request body.
- **dtls_dns_name** (*string*) – This value is used to verify the client identity contained in the X.509 RADIUS/DTLS client certificate, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **model_name** (*string*) – modelName, property of the request body.
- **name** (*string*) – name, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **snmpsettings** (*object*) – snmpsettings, property of the request body.
- **software_version** (*string*) – softwareVersion, property of the request body.
- **tacacs_settings** (*object*) – tacacsSettings, property of the request body.
- **trustsecsettings** (*object*) – trustsecsettings, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, authentication_settings=None, coa_port=None, description=None, dtls_dns_name=None,
              model_name=None, name=None, network_device_group_list=None,
              network_device_ip_list=None, profile_name=None, snmpsettings=None,
              software_version=None, tacacs_settings=None, trustsecsettings=None, headers=None,
              payload=None, active_validation=True, **query_parameters)
```

Alias for [update_network_device_by_id](#)

```
delete_network_device_by_id(id, headers=None, **query_parameters)
```

This API deletes a network device by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
delete_by_id(id, headers=None, **query_parameters)
```

Alias for [delete_network_device_by_id](#)

```
get_network_device(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
                    headers=None, **query_parameters)
```

This API allows the client to get all the network devices. Filter: [ipaddress, name, description, location, type] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be

sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_network_device*

get_network_device_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the network devices. Filter: [ipaddress, name, description, location, type] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_network_device_generator*

create_network_device(*authentication_settings=None, coa_port=None, description=None, dtls_dns_name=None, model_name=None, name=None, network_device_group_list=None, network_device_ip_list=None, profile_name=None, snmpsettings=None, software_version=None, tacacs_settings=None, trustsecsettings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a network device.

Parameters

- **network_device_group_list** (*list*) – List of Network Device Group names for this node, property of the request body (list of strings).
- **network_device_ip_list** (*list*) – List of IP Subnets for this node, property of the request body (list of objects).
- **authentication_settings** (*object*) – authenticationSettings, property of the request body.
- **coa_port** (*integer*) – coaPort, property of the request body.
- **description** (*string*) – description, property of the request body.

- **dtls_dns_name** (*string*) – This value is used to verify the client identity contained in the X.509 RADIUS/DTLS client certificate, property of the request body.
- **model_name** (*string*) – modelName, property of the request body.
- **name** (*string*) – name, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **snmpsettings** (*object*) – snmpsettings, property of the request body.
- **software_version** (*string*) – softwareVersion, property of the request body.
- **tacacs_settings** (*object*) – tacacsSettings, property of the request body.
- **trustsecsettings** (*object*) – trustsecsettings, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(authentication_settings=None, coa_port=None, description=None, dtls_dns_name=None,
        model_name=None, name=None, network_device_group_list=None, network_device_ip_list=None,
        profile_name=None, snmpsettings=None, software_version=None, tacacs_settings=None,
        trustsecsettings=None, headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Alias for *create_network_device*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the network device.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_network_device(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_network_device*

monitor_bulk_status_network_device(*bulkid*, *headers=None*, ***query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_network_device*

network_device_group

class NetworkDeviceGroup

Identity Services Engine NetworkDeviceGroup API (version: 3.0.0).

Wraps the Identity Services Engine NetworkDeviceGroup API and exposes the API as native Python methods that return native Python objects.

get_network_device_group_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a network device group by name.

Parameters

- **name** (*basestring*) – name path parameter. colon is used as a separator instead of (#) in the NDG name. For example, if the name is a#b#c it should appear in the request URL as a:b:c.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *get_network_device_group_by_name*

`get_network_device_group_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a network device group by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_device_group_by_id*

`update_network_device_group_by_id`(*id*, *description=None*, *name=None*, *othername=None*,
headers=None, *payload=None*, *active_validation=True*,
***query_parameters*)

This API allows the client to update a network device group.

Parameters

- **`description`** (*string*) – description, property of the request body.
- **`id`** (*basestring*) – id, property of the request body.

- **name** (*string*) – name, property of the request body.
- **othername** (*string*) – othername, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *othername=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_device_group_by_id*

delete_network_device_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a network device group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_device_group_by_id*

get_network_device_group(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the network device groups. Filter: [name, description, type] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_network_device_group*

get_network_device_group_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the network device groups. Filter: [name, description, type] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_network_device_group_generator*

create_network_device_group(*description=None, name=None, othername=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a network device group.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **othername** (*string*) – othername, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, othername=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_device_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the network device group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

node_deployment**class NodeDeployment**

Identity Services Engine Node Deployment API (version: 3.0.0).

Wraps the Identity Services Engine Node Deployment API and exposes the API as native Python methods that return native Python objects.

`get_nodes`(*headers=None, **query_parameters*)

Discovers all deployment nodes in the cluster. It provides basic information about each of deployed nodes in the cluster like Hostname, personas, status, roles and services. .

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

```
register_node(administration=None, fdqn=None, general_settings=None, password=None,  
              profile_configuration=None, user_name=None, headers=None, payload=None,  
              active_validation=True, **query_parameters)
```

Register ISE node to form a multi-node deployment .

Parameters

- **administration** (*object*) – administration, property of the request body.
- **fdqn** (*string*) – fdqn, property of the request body. Constraints: maxLength set to 256 and minLength set to 1.
- **general_settings** (*object*) – generalSettings, property of the request body.
- **password** (*string*) – password, property of the request body.
- **profile_configuration** (*object*) – profileConfiguration, property of the request body.
- **user_name** (*string*) – userName, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
promote_node(promotion_type=None, headers=None, payload=None, active_validation=True,  
              **query_parameters)
```

Changes the cluster setting by promoting a node to primary when executed on standalone or secondary node. It could also be used to convert a deployment node to standalone node. .

Parameters

- **promotion_type** (*string*) – promotionType, property of the request body. Available values are 'SECONDARY_TO_PRIMARY', 'STANDALONE_TO_PRIMARY' and 'TO_STANDALONE'.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_node_details(*hostname*, *headers=None*, ***query_parameters*)

It provides detailed information of the deployed node in the cluster. .

Parameters

- **hostname** (*basestring*) – hostname path parameter. ID of the existing deployed node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*hostname*, *headers=None*, ***query_parameters*)

Alias for *get_node_details*

update_node(*hostname*, *general_settings=None*, *profile_configuration=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Updates the deployed ISE node with the information provided .

Parameters

- **general_settings** (*object*) – generalSettings, property of the request body.
- **profile_configuration** (*object*) – profileConfiguration, property of the request body.
- **hostname** (*basestring*) – hostname path parameter. ID of the existing deployed node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_node(hostname, headers=None, **query_parameters)

The de-register ednode becomes a standalone Cisco ISE node. It retains the last configuration that it received from the PrimaryPAN and assumes the default personas of a standalone node that are Administration, PolicyService, and Monitoring. .

Parameters

- **hostname** (*basestring*) – hostname path parameter. node name of the existing deployed node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

node_group

class NodeGroup

Identity Services Engine Node Group API (version: 3.0.0).

Wraps the Identity Services Engine Node Group API and exposes the API as native Python methods that return native Python objects.

get_node_groups(*headers=None, **query_parameters*)

Get details of all the node groups in the cluster. To detect node failure and to reset all URL-redirectioned sessions on the failed node, two or more Policy Service nodes can be placed in the same node group. When a node that belongs to a node group fails, another node in the same node group issues a Change of Authorization (CoA) for all URL-redirectioned sessions on the failed node.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_node_group(*node_group_name, headers=None, **query_parameters*)

Get details of a node group in the cluster.

Parameters

- **node_group_name** (*basestring*) – node-group-name path parameter. ID of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create_node_group(*node_group_name, description=None, mar_cache=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Developers need to create node group in the system. Node Group is a group of PSNs, mainly used for terminating posture pending sessions when a PSN in local node group fails. Node group members can communicate over TCP/7800.

Parameters

- **description** (*string*) – description, property of the request body. Constraints: maxLength set to 256 and minLength set to 1.
- **mar_cache** (*object*) – mar-cache, property of the request body.
- **node_group_name** (*basestring*) – node-group-name path parameter. ID of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_node_group(*node_group_name*, *description=None*, *mar_cache=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

API updates an existing node group in the system.

Parameters

- **description** (*string*) – description, property of the request body. Constraints: maxLength set to 256 and minLength set to 1.
- **mar_cache** (*object*) – mar-cache, property of the request body.
- **node_group_name** (*basestring*) – node-group-name path parameter. ID of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_node_group(*node_group_name*, *headers=None*, ***query_parameters*)

Developers need to delete node group in the system.

Parameters

- **node_group_name** (*basestring*) – node-group-name path parameter. ID of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

node_details

class NodeDetails

Identity Services Engine NodeDetails API (version: 3.0.0).

Wraps the Identity Services Engine NodeDetails API and exposes the API as native Python methods that return native Python objects.

`get_node_detail_by_name`(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get node details by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *`get_node_detail_by_name`*

`get_node_detail_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get node details by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_node_detail_by_id*

get_node_details(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the node details. Filter: [nodeservice-types] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for *get_node_details*

get_node_details_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the node details. Filter: [nodeservice-types] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page(int)** – page query parameter. Page number.
- **size(int)** – size query parameter. Number of objects returned per page.
- **filter(basestring, list, set, tuple)** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type(basestring)** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers(dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- `TypeError` – If the parameter types are incorrect.
- `MalformedRequest` – If the request body created is invalid.
- `ApiError` – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for `get_node_details_generator`

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the node details.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- `TypeError` – If the parameter types are incorrect.
- `MalformedRequest` – If the request body created is invalid.
- `ApiError` – If the Identity Services Engine cloud returns an error.

pan_ha

class PanHa

Identity Services Engine PAN HA API (version: 3.0.0).

Wraps the Identity Services Engine PAN HA API and exposes the API as native Python methods that return native Python objects.

get_pan_ha_status(*headers=None, **query_parameters*)

In a high availability configuration, the Primary Administration Node (PAN) is in the active state. The Secondary PAN (backup PAN) is in the standby state, which means it receives all configuration updates from the Primary PAN, but is not active in the ISE network. You can configure ISE to automatically promote the secondary PAN when the primary PAN becomes unavailable.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

enable_pan_ha(*failed_attempts=None, is_enabled=None, polling_interval=None, primary_health_check_node=None, secondary_health_check_node=None, headers=None, payload=None, active_validation=True, **query_parameters*)

To deploy the auto-failover feature, you must have at least three nodes, where two of the nodes assume the Administration persona, and one node acts as the health check node. A health check node is a non-administration node and can be a Policy Service, Monitoring, or pxGrid node, or a combination of these. If the PANs are in different data centers, you must have a health check node for each PAN.

Parameters

- **failed_attempts** (*integer*) – failedAttempts, property of the request body.
- **is_enabled** (*boolean*) – isEnabled, property of the request body.
- **polling_interval** (*integer*) – pollingInterval, property of the request body.
- **primary_health_check_node** (*string*) – primaryHealthCheckNode, property of the request body. Constraints: maxLength set to 64 and minLength set to 1.
- **secondary_health_check_node** (*string*) – secondaryHealthCheckNode, property of the request body. Constraints: maxLength set to 64 and minLength set to 1.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

disable_pan_ha(*headers=None, **query_parameters*)

Disable the automatic PAN failover.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

portal_global_setting

class PortalGlobalSetting

Identity Services Engine PortalGlobalSetting API (version: 3.0.0).

Wraps the Identity Services Engine PortalGlobalSetting API and exposes the API as native Python methods that return native Python objects.

get_portal_global_setting_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get the portal global settings by id.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_portal_global_setting_by_id*

update_portal_global_setting_by_id(*id*, *customization=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update the portal global settings by id.

Parameters

- **customization** (*string*) – Allowed values: HTML, HTMLANDJAVASCRIPT, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customization=None*, *headers=None*, *payload=None*, *active_validation=True*,
***query_parameters*)

Alias for *update_portal_global_setting_by_id*

get_portal_global_settings(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*,
sortdsc=None, *headers=None*, ***query_parameters*)

This API allows the client to get all the portal global settings. Filter: [name]
 To search resources by using toDate column, follow the format: DD-MON-YY
 (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portal_global_settings*

`get_portal_global_settings_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the portal global settings. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portal_global_settings_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the portal global setting .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

portal_theme

class PortalTheme

Identity Services Engine PortalTheme API (version: 3.0.0).

Wraps the Identity Services Engine PortalTheme API and exposes the API as native Python methods that return native Python objects.

get_portal_theme_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a portal theme by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_portal_theme_by_id*

update_portal_theme_by_id(*id*, *description=None*, *name=None*, *theme_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a portal theme by ID.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **theme_data** (*string*) – Portal Theme for all portals, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *theme_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_portal_theme_by_id*

delete_portal_theme_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a portal theme by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_portal_theme_by_id*

get_portal_themes(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the portal themes. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portal_themes*

get_portal_themes_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the portal themes. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portal_themes_generator*

create_portal_theme(*description=None, name=None, theme_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a portal theme.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **theme_data** (*string*) – Portal Theme for all portals, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, theme_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_portal_theme*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the portal theme.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

profiler

class Profiler

Identity Services Engine Profiler API (version: 3.0.0).

Wraps the Identity Services Engine Profiler API and exposes the API as native Python methods that return native Python objects.

`get_profiles(headers=None, **query_parameters)`
getProfiles.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

profiler_profile

class ProfilerProfile

Identity Services Engine ProfilerProfile API (version: 3.0.0).

Wraps the Identity Services Engine ProfilerProfile API and exposes the API as native Python methods that return native Python objects.

get_profiler_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a profiler profile by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_profiler_profile_by_id*

get_profiler_profiles(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the profiler profiles. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_profiler_profiles*

get_profiler_profiles_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the profiler profiles. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter

is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request’s response
 - text(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_profiler_profiles_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the profiler profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

provider

class Provider

Identity Services Engine Provider API (version: 3.0.0).

Wraps the Identity Services Engine Provider API and exposes the API as native Python methods that return native Python objects.

register_service(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

ServiceRegister.

Parameters

- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

unregister_service(*headers=None, **query_parameters*)

ServiceUnregister.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

reregister_service(*headers=None, **query_parameters*)
ServiceReregister.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

authorization(*headers=None, **query_parameters*)
Authorization.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

psn_node_details_with_radius_service**class PsnNodeDetailsWithRadiusService**

Identity Services Engine PsnNodeDetailsWithRadiusService API (version: 3.0.0).

Wraps the Identity Services Engine PsnNodeDetailsWithRadiusService API and exposes the API as native Python methods that return native Python objects.

get_session_service_node_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a PSN node details by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_session_service_node_by_name*

get_session_service_node_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a PSN node details by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_session_service_node_by_id*

get_session_service_node(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the PSN node details.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_session_service_node*

get_session_service_node_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the PSN node details.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_session_service_node_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the PSN node.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

pull_deployment_info

class PullDeploymentInfo

Identity Services Engine PullDeploymentInfo API (version: 3.0.0).

Wraps the Identity Services Engine PullDeploymentInfo API and exposes the API as native Python methods that return native Python objects.

get_deployment_info(*timeout=None, headers=None, **query_parameters*)

This API allows the client to pull the deployment information.

Parameters

- **`timeout`** (*float, tuple*) – How long to wait for the server to send data before giving up.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_all(*timeout=None, headers=None, **query_parameters*)

Alias for *get_deployment_info*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the pull deployment info.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

px_grid_settings**class PxGridSettings**

Identity Services Engine PxGridSettings API (version: 3.0.0).

Wraps the Identity Services Engine PxGridSettings API and exposes the API as native Python methods that return native Python objects.

autoapprove_px_grid_settings(*allow_password_based_accounts=None*,
auto_approve_cert_based_accounts=None, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to auto approve the pxGrid settings.

Parameters

- **allow_password_based_accounts** (*boolean*) – Allow password based accounts when true, property of the request body.
- **auto_approve_cert_based_accounts** (*boolean*) – Auto approve certificate based accounts when true, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

autoapprove(*allow_password_based_accounts=None, auto_approve_cert_based_accounts=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *autoapprove_px_grid_settings*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the pxGrid settings.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

radius_failure

class RadiusFailure

Identity Services Engine RADIUS Failure API (version: 3.0.0).

Wraps the Identity Services Engine RADIUS Failure API and exposes the API as native Python methods that return native Python objects.

get_failures(*headers=None, **query_parameters*)
getFailures.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

radius_server_sequence

class RadiusServerSequence

Identity Services Engine RADIUSServerSequence API (version: 3.0.0).

Wraps the Identity Services Engine RADIUSServerSequence API and exposes the API as native Python methods that return native Python objects.

get_radius_server_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a RADIUS server sequence by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_radius_server_sequence_by_id*

update_radius_server_sequence_by_id(*id*, *before_accept_attr_manipulators_list=None*,
continue_authorz_policy=None, *description=None*,
local_accounting=None, *name=None*,
on_request_attr_manipulator_list=None,
prefix_separator=None, *radius_server_list=None*,
remote_accounting=None, *strip_prefix=None*,
strip_suffix=None, *suffix_separator=None*,
use_attr_set_before_acc=None,
use_attr_set_on_request=None, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to update a RADIUS server sequence.

Parameters

- **before_accept_attr_manipulators_list** (*list*) – The beforeAcceptAttrManipulators is required only if useAttrSetBeforeAcc is true, property of the request body (list of objects).
- **on_request_attr_manipulator_list** (*list*) – The onRequestAttrManipulators is required only if useAttrSetOnRequest is true, property of the request body (list of objects).
- **radius_server_list** (*list*) – RadiusServerList, property of the request body (list of strings).
- **continue_authorz_policy** (*boolean*) – continueAuthorzPolicy, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_separator** (*string*) – The prefixSeparator is required only if stripPrefix is true. The maximum length is 1 character, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **strip_prefix** (*boolean*) – stripPrefix, property of the request body.
- **strip_suffix** (*boolean*) – stripSuffix, property of the request body.
- **suffix_separator** (*string*) – The suffixSeparator is required only if stripSuffix is true. The maximum length is 1 character, property of the request body.
- **use_attr_set_before_acc** (*boolean*) – useAttrSetBeforeAcc, property of the request body.
- **use_attr_set_on_request** (*boolean*) – useAttrSetOnRequest, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *before_accept_attr_manipulators_list=None*, *continue_authorz_policy=None*, *description=None*, *local_accounting=None*, *name=None*, *on_request_attr_manipulator_list=None*, *prefix_separator=None*, *radius_server_list=None*, *remote_accounting=None*, *strip_prefix=None*, *strip_suffix=None*, *suffix_separator=None*, *use_attr_set_before_acc=None*, *use_attr_set_on_request=None*, *headers=None*, *payload=None*, *active_validation=True*, ****query_parameters**)

Alias for *update_radius_server_sequence_by_id*

delete_radius_server_sequence_by_id(*id*, *headers=None*, ****query_parameters**)

This API deletes a RADIUS server sequence.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_radius_server_sequence_by_id*

get_radius_server_sequence(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the RADIUS server sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_radius_server_sequence*

get_radius_server_sequence_generator(*page=None*, *size=None*, *headers=None*,
***query_parameters*)

This API allows the client to get all the RADIUS server sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_radius_server_sequence_generator*

create_radius_server_sequence(*before_accept_attr_manipulators_list=None, continue_authorz_policy=None, description=None, local_accounting=None, name=None, on_request_attr_manipulator_list=None, prefix_separator=None, radius_server_list=None, remote_accounting=None, strip_prefix=None, strip_suffix=None, suffix_separator=None, use_attr_set_before_acc=None, use_attr_set_on_request=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a RADIUS server sequence.

Parameters

- **before_accept_attr_manipulators_list** (*list*) – The beforeAcceptAttrManipulators is required only if useAttrSetBeforeAcc is true, property of the request body (list of objects).
- **on_request_attr_manipulator_list** (*list*) – The onRequestAttrManipulators is required only if useAttrSetOnRequest is true, property of the request body (list of objects).
- **radius_server_list** (*list*) – RadiusServerList, property of the request body (list of strings).
- **continue_authorz_policy** (*boolean*) – continueAuthorzPolicy, property of the request body.
- **description** (*string*) – description, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_separator** (*string*) – The prefixSeparator is required only if stripPrefix is true. The maximum length is 1 character, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **strip_prefix** (*boolean*) – stripPrefix, property of the request body.
- **strip_suffix** (*boolean*) – stripSuffix, property of the request body.
- **suffix_separator** (*string*) – The suffixSeparator is required only if stripSuffix is true. The maximum length is 1 character, property of the request body.

- **use_attr_set_before_acc** (*boolean*) – useAttrSetBeforeAcc, property of the request body.
- **use_attr_set_on_request** (*boolean*) – useAttrSetOnRequest, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*before_accept_attr_manipulators_list=None, continue_authorz_policy=None, description=None, local_accounting=None, name=None, on_request_attr_manipulator_list=None, prefix_separator=None, radius_server_list=None, remote_accounting=None, strip_prefix=None, strip_suffix=None, suffix_separator=None, use_attr_set_before_acc=None, use_attr_set_on_request=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_radius_server_sequence*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the RADIUS server sequence.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

restid_store

class RestidStore

Identity Services Engine RESTIDStore API (version: 3.0.0).

Wraps the Identity Services Engine RESTIDStore API and exposes the API as native Python methods that return native Python objects.

get_rest_id_store_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a REST ID store by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_rest_id_store_by_name*

update_rest_id_store_by_name(*name*, *description=None*, *ers_rest_idstore_attributes=None*, *id=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a REST ID store by name.

Parameters

- **`description`** (*string*) – description, property of the request body.

- **ers_rest_idstore_attributes** (*object*) – ersRestIDStoreAttributes, property of the request body.
- **id** (*string*) – id, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *description=None*, *ers_rest_idstore_attributes=None*, *id=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_rest_id_store_by_name*

delete_rest_id_store_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes a REST ID store by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_rest_id_store_by_name*

get_rest_id_store_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a REST ID store by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_rest_id_store_by_id*

update_rest_id_store_by_id(*id*, *description=None*, *ers_rest_idstore_attributes=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a REST ID store.

Parameters

- **description** (*string*) – description, property of the request body.
- **ers_rest_idstore_attributes** (*object*) – ersRestIDStoreAttributes, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **id** – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *ers_rest_idstore_attributes=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_rest_id_store_by_id*

delete_rest_id_store_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a REST ID store.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_rest_id_store_by_id*

get_rest_id_store(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the REST ID stores. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
        headers=None, **query_parameters)
Alias for get_rest_id_store
```

```
get_rest_id_store_generator(filter=None, filter_type=None, page=None, size=None, sortasc=None,
                             sortdsc=None, headers=None, **query_parameters)
```

This API allows the client to get all the REST ID stores. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type

 Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_rest_id_store_generator*

create_rest_id_store(*description=None, ers_rest_idstore_attributes=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a REST ID store.

Parameters

- **description** (*string*) – description, property of the request body.
- **ers_rest_idstore_attributes** (*object*) – ersRestIDStoreAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, ers_rest_idstore_attributes=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_rest_id_store*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the REST ID store.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

replication_status

class ReplicationStatus

Identity Services Engine Replication Status API (version: 3.0.0).

Wraps the Identity Services Engine Replication Status API and exposes the API as native Python methods that return native Python objects.

`get_node_replication_status`(*node*, *headers=None*, ***query_parameters*)

Retrives replication status of a node.

Parameters

- **`node`** (*basestring*) – node path parameter. ID of the existing node.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

repository

class Repository

Identity Services Engine Repository API (version: 3.0.0).

Wraps the Identity Services Engine Repository API and exposes the API as native Python methods that return native Python objects.

get_repositories(*headers=None, **query_parameters*)

This will get the full list of repository definitions on the system. .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_repositories*

create_repository(*enable_pki=None, name=None, password=None, path=None, protocol=None, server_name=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Create a new repository in the system. The name provided for the repository must be unique. .

Parameters

- **enable_pki** (*boolean*) – enablePki, property of the request body.
- **name** (*string*) – Repository name should be less than 80 characters and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body. Constraints: maxLength set to 80 and minLength set to 1.
- **password** (*string*) – Password can contain alphanumeric and/or special characters., property of the request body.
- **path** (*string*) – Path should always start with “/” and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body.
- **protocol** (*string*) – protocol, property of the request body. Available values are ‘DISK’, ‘FTP’, ‘SFTP’, ‘TFTP’, ‘NFS’, ‘CDROM’, ‘HTTP’ and ‘HTTPS’.

- **server_name** (*string*) – serverName, property of the request body.
- **user_name** (*string*) – Username can contain alphanumeric characters., property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*enable_pki=None, name=None, password=None, path=None, protocol=None, server_name=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_repository*

get_repository(*name, headers=None, **query_parameters*)
Get a specific repository identified by the name passed in the URL. .

Parameters

- **name** (*basestring*) – name path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_repository*

update_repository(*name*, *enable_pki=None*, *password=None*, *path=None*, *protocol=None*, *server_name=None*, *user_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Update the definition of a specific repository, providing ALL parameters for the repository. .

Parameters

- **enable_pki** (*boolean*) – enablePki, property of the request body.
- **name** (*basestring*) – Repository name should be less than 80 characters and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body. Constraints: maxLength set to 80 and minLength set to 1.
- **password** (*string*) – Password can contain alphanumeric and/or special characters., property of the request body.
- **path** (*string*) – Path should always start with “/” and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body.
- **protocol** (*string*) – protocol, property of the request body. Available values are ‘DISK’, ‘FTP’, ‘SFTP’, ‘TFTP’, ‘NFS’, ‘CDROM’, ‘HTTP’ and ‘HTTPS’.
- **server_name** (*string*) – serverName, property of the request body.
- **user_name** (*string*) – Username can contain alphanumeric characters., property of the request body.
- **name** – name path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *enable_pki=None*, *password=None*, *path=None*, *protocol=None*,
server_name=None, *user_name=None*, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Alias for *update_repository*

delete_repository(*name*, *headers=None*, ***query_parameters*)

Long description TBD .

Parameters

- **name** (*basestring*) – name path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_repository*

get_repository_files(*name*, *headers=None*, ***query_parameters*)

This will get the full list of files present in the named repository. .

Parameters

- **name** (*basestring*) – name path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_files`(*name*, *headers=None*, ***query_parameters*)

Alias for *get_repository_files*

sms_provider

class SmsProvider

Identity Services Engine SMSProvider API (version: 3.0.0).

Wraps the Identity Services Engine SMSProvider API and exposes the API as native Python methods that return native Python objects.

`get_sms_provider`(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the SMS providers. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sms_provider*

`get_sms_provider_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SMS providers. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sms_provider_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the SMS provider.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sxp_connections

class SxpConnections

Identity Services Engine SXPConnections API (version: 3.0.0).

Wraps the Identity Services Engine SXPConnections API and exposes the API as native Python methods that return native Python objects.

get_sxp_connections_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a SXP connection by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sxp_connections_by_id*

update_sxp_connections_by_id(*id*, *description=None*, *enabled=None*, *ip_address=None*,
sxp_mode=None, *sxp_node=None*, *sxp_peer=None*, *sxp_version=None*,
sxp_vpn=None, *headers=None*, *payload=None*, *active_validation=True*,
***query_parameters*)

This API allows the client to update a SXP connection.

Parameters

- **description** (*string*) – description, property of the request body.
- **enabled** (*boolean*) – enabled, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **ip_address** (*string*) – ipAddress, property of the request body.
- **sxp_mode** (*string*) – sxpMode, property of the request body.
- **sxp_node** (*string*) – sxpNode, property of the request body.
- **sxp_peer** (*string*) – sxpPeer, property of the request body.

- **sxp_version** (*string*) – sxpVersion, property of the request body.
- **sxp_vpn** (*string*) – sxpVpn, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *enabled=None*, *ip_address=None*, *sxp_mode=None*, *sxp_node=None*, *sxp_peer=None*, *sxp_version=None*, *sxp_vpn=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sxp_connections_by_id*

delete_sxp_connections_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a SXP connection.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for `delete_sxp_connections_by_id`

get_sxp_connections(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the SXP connections. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_sxp_connections*

get_sxp_connections_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SXP connections. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_connections_generator*

create_sxp_connections(*description=None, enabled=None, ip_address=None, sxp_mode=None, sxp_node=None, sxp_peer=None, sxp_version=None, sxp_vpn=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a SXP connection.

Parameters

- **description** (*string*) – description, property of the request body.
- **enabled** (*boolean*) – enabled, property of the request body.
- **ip_address** (*string*) – ipAddress, property of the request body.
- **sxp_mode** (*string*) – sxpMode, property of the request body.
- **sxp_node** (*string*) – sxpNode, property of the request body.
- **sxp_peer** (*string*) – sxpPeer, property of the request body.
- **sxp_version** (*string*) – sxpVersion, property of the request body.
- **sxp_vpn** (*string*) – sxpVpn, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, enabled=None, ip_address=None, sxp_mode=None, sxp_node=None, sxp_peer=None, sxp_version=None, sxp_vpn=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sxp_connections*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the SXP connections.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_sxp_connections(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_sxp_connections*

monitor_bulk_status_sxp_connections(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_sxp_connections*

sxp_local_bindings

class SxpLocalBindings

Identity Services Engine SXPLocalBindings API (version: 3.0.0).

Wraps the Identity Services Engine SXPLocalBindings API and exposes the API as native Python methods that return native Python objects.

get_sxp_local_bindings_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a SXP local binding by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sxp_local_bindings_by_id*

update_sxp_local_bindings_by_id(*id*, *binding_name=None*, *description=None*,
ip_address_or_host=None, *sgt=None*, *sxp_vpn=None*, *vns=None*,
headers=None, *payload=None*, *active_validation=True*,
***query_parameters*)

This API allows the client to update a SXP local binding.

Parameters

- **binding_name** (*string*) – This field is deprecated from Cisco ISE 3.0, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **ip_address_or_host** (*string*) – IP address for static mapping (hostname is not supported), property of the request body.
- **sgt** (*string*) – SGT name or ID, property of the request body.
- **sxp_vpn** (*string*) – List of SXP Domains, separated with comma. At least one of: sxpVpn or vns should be defined, property of the request body.
- **vns** (*string*) – List of Virtual Networks, separated with comma. At least one of: sxpVpn or vns should be defined, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *binding_name=None*, *description=None*, *ip_address_or_host=None*, *sgt=None*, *sxp_vpn=None*, *vns=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sxp_local_bindings_by_id*

delete_sxp_local_bindings_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a SXP local binding.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sxp_local_bindings_by_id*

get_sxp_local_bindings(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SXP local bindings. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_local_bindings*

```
get_sxp_local_bindings_generator(filter=None, filter_type=None, page=None, size=None,
                                   sortasc=None, sortdsc=None, headers=None,
                                   **query_parameters)
```

This API allows the client to get all the SXP local bindings. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all_generator(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
                   headers=None, **query_parameters)
```

Alias for *get_sxp_local_bindings_generator*


```
create_sxp_local_bindings(binding_name=None, description=None, id=None,
                           ip_address_or_host=None, sgt=None, sxp_vpn=None, vns=None,
                           headers=None, payload=None, active_validation=True,
                           **query_parameters)
```

This API creates a SXP local binding.

Parameters

- **binding_name** (*string*) – This field is deprecated from Cisco ISE 3.0, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **ip_address_or_host** (*string*) – IP address for static mapping (hostname is not supported), property of the request body.
- **sgt** (*string*) – SGT name or ID, property of the request body.
- **sxp_vpn** (*string*) – List of SXP Domains, separated with comma. At least one of: sxpVpn or vns should be defined, property of the request body.
- **vns** (*string*) – List of Virtual Networks, separated with comma. At least one of: sxpVpn or vns should be defined, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(binding_name=None, description=None, id=None, ip_address_or_host=None, sgt=None,
        sxp_vpn=None, vns=None, headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Alias for *create_sxp_local_bindings*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the SXP local bindings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_sxp_local_bindings(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_sxp_local_bindings*

monitor_bulk_status_sxp_local_bindings(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_sxp_local_bindings*

sxp_vpns

class SxpVpns

Identity Services Engine SXPVPNs API (version: 3.0.0).

Wraps the Identity Services Engine SXPVPNs API and exposes the API as native Python methods that return native Python objects.

get_sxp_vpn_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a SXP VPN by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_sxp_vpn_by_id`*

`delete_sxp_vpn_by_id(id, headers=None, **query_parameters)`

This API deletes a SXP VPN.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_sxp_vpn_by_id`*

`get_sxp_vpns(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the SXP VPNs. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY

(Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_vpns*

get_sxp_vpns_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SXP VPNs. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13

Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*,
headers=None, ***query_parameters*)

Alias for *get_sxp_vpns_generator*

create_sxp_vpn(*sxp_vpn_name=None*, *headers=None*, *payload=None*, *active_validation=True*,
***query_parameters*)

This API creates a SXP VPN.

Parameters

- **sxp_vpn_name** (*string*) – `sxpVpnName`, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*sxp_vpn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_sxp_vpn*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the SXP VPNs.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_sxp_vpns(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_sxp_vpns*

monitor_bulk_status_sxp_vpns(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`monitor_bulk_status`(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_sxp_vpns*

security_group_to_virtual_network

class SecurityGroupToVirtualNetwork

Identity Services Engine SecurityGroupToVirtualNetwork API (version: 3.0.0).

Wraps the Identity Services Engine SecurityGroupToVirtualNetwork API and exposes the API as native Python methods that return native Python objects.

`get_security_groups_to_vn_to_vlan_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a security group to virtual network by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *get_security_groups_to_vn_to_vlan_by_id*

```
update_security_groups_to_vn_to_vlan_by_id(id, description=None, name=None, sgt_id=None,
                                           virtualnetworklist=None, headers=None,
                                           payload=None, active_validation=True,
                                           **query_parameters)
```

This API allows the client to update a security group to virtual network.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt_id** (*string*) – sgtId, property of the request body.
- **virtualnetworklist** (*list*) – virtualnetworklist, property of the request body (list of objects).
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, description=None, name=None, sgt_id=None, virtualnetworklist=None, headers=None,
             payload=None, active_validation=True, **query_parameters)
```

Alias for *update_security_groups_to_vn_to_vlan_by_id*

```
delete_security_groups_to_vn_to_vlan_by_id(id, headers=None, **query_parameters)
```

This API deletes a security group ACL to virtual network.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for `delete_security_groups_to_vn_to_vlan_by_id`

`get_security_groups_to_vn_to_vlan(filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the security group ACL to virtual networks. Filter: [sgtId] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for *get_security_groups_to_vn_to_vlan*

`get_security_groups_to_vn_to_vlan_generator`(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the security group ACL to virtual networks. Filter: [sgtId] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response

- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_security_groups_to_vn_to_vlan_generator`*

`create_security_groups_to_vn_to_vlan`(*description=None, id=None, name=None, sgt_id=None, virtualnetworklist=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a security group to virtual network.

Parameters

- **`description`** (*string*) – description, property of the request body.
- **`id`** (*string*) – id, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`sgt_id`** (*string*) – sgtId, property of the request body.
- **`virtualnetworklist`** (*list*) – virtualnetworklist, property of the request body (list of objects).
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *`RestResponse`*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*description=None, id=None, name=None, sgt_id=None, virtualnetworklist=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_security_groups_to_vn_to_vlan*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the security group to virtual network.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_security_groups_to_vn_to_vlan(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_security_groups_to_vn_to_vlan*

monitor_bulk_status_security_groups_to_vn_to_vlan(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_security_groups_to_vn_to_vlan*

security_groups

class SecurityGroups

Identity Services Engine SecurityGroups API (version: 3.0.0).

Wraps the Identity Services Engine SecurityGroups API and exposes the API as native Python methods that return native Python objects.

get_security_group_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a security group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_security_group_by_id*

update_security_group_by_id(*id*, *default_sgacIs=None*, *description=None*, *generation_id=None*, *is_read_only=None*, *name=None*, *propagate_to_apic=None*, *value=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a security group.

Parameters

- **default_sgacIs** (*list*) – defaultSGACLs, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.
- **name** (*string*) – name, property of the request body.
- **propagate_to_apic** (*boolean*) – propagateToApic, property of the request body.
- **value** (*integer*) – Value range: 2 to 65519 or -1 to auto- generate, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *default_sgacIs=None*, *description=None*, *generation_id=None*, *is_read_only=None*, *name=None*, *propagate_to_apic=None*, *value=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_security_group_by_id*

delete_security_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a security group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_security_group_by_id*

```
get_security_groups(filter=None, filter_type=None, page=None, size=None, sortasc=None,
                    sortdsc=None, headers=None, **query_parameters)
```

This API allows the client to get all the security groups. Filter: [propagateToApic, name, description, value] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description, value].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
        headers=None, **query_parameters)
```

Alias for *get_security_groups*

get_security_groups_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the security groups. Filter: [propagateToApic, name, description, value] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description, value].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_security_groups_generator*

```
create_security_group(default_sgacIs=None, description=None, generation_id=None,  
                       is_read_only=None, name=None, propogate_to_apic=None, value=None,  
                       headers=None, payload=None, active_validation=True, **query_parameters)
```

This API creates a security group.

Parameters

- **default_sgacIs** (*list*) – defaultSGACIs, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.
- **name** (*string*) – name, property of the request body.
- **propogate_to_apic** (*boolean*) – propogateToApic, property of the request body.
- **value** (*integer*) – Value range: 2 ot 65519 or -1 to auto- generate, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(default_sgacIs=None, description=None, generation_id=None, is_read_only=None, name=None,  
        propogate_to_apic=None, value=None, headers=None, payload=None, active_validation=True,  
        **query_parameters)
```

Alias for *create_security_group*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the security groups.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_security_group(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_security_group*

monitor_bulk_status_security_group(*bulkid*, *headers=None*, ***query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_security_group*

security_groups_acls

class SecurityGroupsAcls

Identity Services Engine SecurityGroupsACLs API (version: 3.0.0).

Wraps the Identity Services Engine SecurityGroupsACLs API and exposes the API as native Python methods that return native Python objects.

get_security_groups_acl_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a security group ACL by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_security_groups_acl_by_id*

update_security_groups_acl_by_id(*id*, *aclcontent=None*, *description=None*, *generation_id=None*, *ip_version=None*, *is_read_only=None*, *modelled_content=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a security group ACL.

Parameters

- **aclcontent** (*string*) – aclcontent, property of the request body.
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **ip_version** (*string*) – Allowed values: IPV4, IPV6, IP_AGNOSTIC, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.
- **modelled_content** (*object*) – Modelled content of contract, property of the request body.
- **name** (*string*) – name, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *aclcontent=None*, *description=None*, *generation_id=None*, *ip_version=None*, *is_read_only=None*, *modelled_content=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_security_groups_acl_by_id*

delete_security_groups_acl_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a security group ACL.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_security_groups_acl_by_id*

get_security_groups_acl(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the security group ACLs. Filter: [ipVersion, name, description] To search guest users by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [ipVersion, name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.

- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_security_groups_acl*

get_security_groups_acl_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the security group ACLs. Filter: [ipVersion, name, description] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [ipVersion, name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_security_groups_acl_generator*

create_security_groups_acl(*aclcontent=None*, *description=None*, *generation_id=None*, *ip_version=None*, *is_read_only=None*, *modelled_content=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API creates a security group ACL.

Parameters

- **aclcontent** (*string*) – aclcontent, property of the request body.
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **ip_version** (*string*) – Allowed values: IPV4, IPV6, IP_AGNOSTIC, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.

- **modelled_content** (*object*) – Modelled content of contract, property of the request body.
- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(aclcontent=None, description=None, generation_id=None, ip_version=None, is_read_only=None, modelled_content=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters)

Alias for *create_security_groups_acl*

get_version(headers=None, **query_parameters)

This API helps to retrieve the version information related to the security group ACLs.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_security_groups_acl(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_security_groups_acl*

monitor_bulk_status_security_groups_acl(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`monitor_bulk_status(bulkid, headers=None, **query_parameters)`

Alias for *`monitor_bulk_status_security_groups_acl`*

self_registered_portal

class SelfRegisteredPortal

Identity Services Engine SelfRegisteredPortal API (version: 3.0.0).

Wraps the Identity Services Engine SelfRegisteredPortal API and exposes the API as native Python methods that return native Python objects.

`get_self_registered_portal_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a self registered portal by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_self_registered_portal_by_id*

update_self_registered_portal_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a self registered portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_self_registered_portal_by_id*

delete_self_registered_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a self registered portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_self_registered_portal_by_id*

get_self_registered_portals(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the self registered portals. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_self_registered_portals*

get_self_registered_portals_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the self registered portals. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_self_registered_portals_generator*

create_self_registered_portal(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a self registered portal.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDGUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_self_registered_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the self registered portal.

Parameters

- **headers(dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

session_directory

class SessionDirectory

Identity Services Engine Session Directory API (version: 3.0.0).

Wraps the Identity Services Engine Session Directory API and exposes the API as native Python methods that return native Python objects.

get_sessions(*headers=None, **query_parameters*)
getSessions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_for_recovery(*headers=None, **query_parameters*)
getSessionsForRecovery.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_session_by_ip_address(*headers=None, **query_parameters*)
getSessionByIpAddress.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_session_by_mac_address(*headers=None, **query_parameters*)
getSessionByMacAddress.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_user_groups(*headers=None, **query_parameters*)
 getUserGroups.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_user_group_by_user_name(*headers=None, **query_parameters*)
 getUserGroupByUserName.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*headers=None, **query_parameters*)

Alias for *get_user_group_by_user_name*

sponsor_group

class SponsorGroup

Identity Services Engine SponsorGroup API (version: 3.0.0).

Wraps the Identity Services Engine SponsorGroup API and exposes the API as native Python methods that return native Python objects.

get_sponsor_group_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a sponsor group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_sponsor_group_by_id*

update_sponsor_group_by_id(*id, auto_notification=None, create_permissions=None, description=None, guest_types=None, is_default_group=None, is_enabled=None, locations=None, manage_permission=None, member_groups=None, name=None, other_permissions=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to update a sponsor group by ID.

Parameters

- **auto_notification** (*boolean*) – autoNotification, property of the request body.
- **create_permissions** (*object*) – createPermissions, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_types** (*list*) – guestTypes, property of the request body (list of strings).

- **id** (*basestring*) – id, property of the request body.
- **is_default_group** (*boolean*) – isDefaultGroup, property of the request body.
- **is_enabled** (*boolean*) – isEnabled, property of the request body.
- **locations** (*list*) – locations, property of the request body (list of strings).
- **manage_permission** (*string*) – managePermission, property of the request body.
- **member_groups** (*list*) – memberGroups, property of the request body (list of strings).
- **name** (*string*) – name, property of the request body.
- **other_permissions** (*object*) – otherPermissions, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *auto_notification=None*, *create_permissions=None*, *description=None*, *guest_types=None*, *is_default_group=None*, *is_enabled=None*, *locations=None*, *manage_permission=None*, *member_groups=None*, *name=None*, *other_permissions=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sponsor_group_by_id*

delete_sponsor_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a sponsor group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_sponsor_group_by_id`*

`get_sponsor_group(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the sponsor groups. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all` (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group*

`get_sponsor_group_generator` (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor groups. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page (int)`** – page query parameter. Page number.
- **`size (int)`** – size query parameter. Number of objects returned per page.
- **`sortasc (basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc (basestring)`** – sortdsc query parameter. sort desc.
- **`filter (basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type (basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group_generator*

create_sponsor_group(*auto_notification=None, create_permissions=None, description=None, guest_types=None, is_default_group=None, is_enabled=None, locations=None, manage_permission=None, member_groups=None, name=None, other_permissions=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a sponsor group.

Parameters

- **auto_notification** (*boolean*) – autoNotification, property of the request body.
- **create_permissions** (*object*) – createPermissions, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_types** (*list*) – guestTypes, property of the request body (list of strings).
- **is_default_group** (*boolean*) – isDefaultGroup, property of the request body.
- **is_enabled** (*boolean*) – isEnabled, property of the request body.
- **locations** (*list*) – locations, property of the request body (list of strings).
- **manage_permission** (*string*) – managePermission, property of the request body.
- **member_groups** (*list*) – memberGroups, property of the request body (list of strings).
- **name** (*string*) – name, property of the request body.
- **other_permissions** (*object*) – otherPermissions, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*auto_notification=None, create_permissions=None, description=None, guest_types=None, is_default_group=None, is_enabled=None, locations=None, manage_permission=None, member_groups=None, name=None, other_permissions=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sponsor_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsor group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sponsor_group_member

class SponsorGroupMember

Identity Services Engine SponsorGroupMember API (version: 3.0.0).

Wraps the Identity Services Engine SponsorGroupMember API and exposes the API as native Python methods that return native Python objects.

get_sponsor_group_member(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor group members. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group_member*

get_sponsor_group_member_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor group members. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group_member_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsor group member.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sponsor_portal

class SponsorPortal

Identity Services Engine SponsorPortal API (version: 3.0.0).

Wraps the Identity Services Engine SponsorPortal API and exposes the API as native Python methods that return native Python objects.

get_sponsor_portal_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a sponsor portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_sponsor_portal_by_id`*

`update_sponsor_portal_by_id(id, customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a sponsor portal by ID.

Parameters

- **`customizations (object)`** – customizations, property of the request body.
- **`description (string)`** – description, property of the request body.
- **`id (basestring)`** – id, property of the request body.
- **`name (string)`** – name, property of the request body.
- **`portal_test_url (string)`** – URL to bring up a test page for this portal, property of the request body.
- **`portal_type (string)`** – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **`settings (object)`** – Defines all of the settings groups available for a portal, property of the request body.
- **`id`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sponsor_portal_by_id*

delete_sponsor_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a sponsor portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(*MyDict*): response headers.
- **response**(*MyDict*): response body as a *MyDict* object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(*bytes*): representation of the request's response
- **text**(*str*): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sponsor_portal_by_id*

get_sponsor_portal(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the sponsor portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.

- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_portal*

get_sponsor_portal_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.

- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_portal_generator*

create_sponsor_portal(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a sponsor portal.

Parameters

- **customizations** (*object*) – customizations, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.

- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDGUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sponsor_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsor portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sponsored_guest_portal

class SponsoredGuestPortal

Identity Services Engine SponsoredGuestPortal API (version: 3.0.0).

Wraps the Identity Services Engine SponsoredGuestPortal API and exposes the API as native Python methods that return native Python objects.

get_sponsored_guest_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a sponsored guest portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sponsored_guest_portal_by_id*

update_sponsored_guest_portal_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a sponsored guest portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.

- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sponsored_guest_portal_by_id*

delete_sponsored_guest_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a sponsored guest portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_sponsored_guest_portal_by_id`*

`get_sponsored_guest_portals(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the sponsored guest portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *`get_sponsored_guest_portals`*

`get_sponsored_guest_portals_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsored guest portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *`get_sponsored_guest_portals_generator`*

`create_sponsored_guest_portal`(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a sponsored guest portal.

Parameters

- **`customizations (object)`** – Defines all of the Portal Customizations available, property of the request body.
- **`description (string)`** – description, property of the request body.
- **`name (string)`** – name, property of the request body.
- **`portal_test_url (string)`** – URL to bring up a test page for this portal, property of the request body.
- **`portal_type (string)`** – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **`settings (object)`** – Defines all of the settings groups available for a portal, property of the request body.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sponsored_guest_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsored guest portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

support_bundle_download

class SupportBundleDownload

Identity Services Engine SupportBundleDownload API (version: 3.0.0).

Wraps the Identity Services Engine SupportBundleDownload API and exposes the API as native Python methods that return native Python objects.

download_support_bundle(*file_name=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to upload a support bundle.

Parameters

- **file_name** (*string*) – fileName, property of the request body.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to os.getcwd().
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type `urllib3.response.HTTPResponse`

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

download(*file_name=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for [download_support_bundle](#)

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the support bundle download.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

support_bundle_status

class SupportBundleStatus

Identity Services Engine SupportBundleStatus API (version: 3.0.0).

Wraps the Identity Services Engine SupportBundleStatus API and exposes the API as native Python methods that return native Python objects.

get_support_bundle_status_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a support bundle status by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_support_bundle_status_by_id*

get_support_bundle_status(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the support bundle status.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_support_bundle_status`*

`get_support_bundle_status_generator`(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the support bundle status.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_support_bundle_status_generator`*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the support bundle status.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

support_bundle_trigger_configuration**class SupportBundleTriggerConfiguration**

Identity Services Engine SupportBundleTriggerConfiguration API (version: 3.0.0).

Wraps the Identity Services Engine SupportBundleTriggerConfiguration API and exposes the API as native Python methods that return native Python objects.

create_support_bundle(*description=None, host_name=None, name=None, support_bundle_include_options=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create a support bundle trigger configuration.

Parameters

- **`description`** (*string*) – description, property of the request body.
- **`host_name`** (*string*) – This parameter is hostName only, xxxx of xxxx.yyy.zz, property of the request body.
- **`name`** (*string*) – Resource Name, property of the request body.
- **`support_bundle_include_options`** (*object*) – supportBundleIncludeOptions, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*description=None, host_name=None, name=None, support_bundle_include_options=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_support_bundle*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the support bundle trigger configuration.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

sync_ise_node

class SyncIseNode

Identity Services Engine Sync ISE Node API (version: 3.0.0).

Wraps the Identity Services Engine Sync ISE Node API and exposes the API as native Python methods that return native Python objects.

sync_node(*hostname=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Performing a manual sync will involve a reload of the target node, but not the primary PAN. There might be situations where if the node has been out of sync for a long time, it may not be possible to recover via a manual sync.

Parameters

- **hostname** (*string*) – hostname, property of the request body. Constraints: maxLength set to 64 and minLength set to 1.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

system_health**class SystemHealth**

Identity Services Engine System Health API (version: 3.0.0).

Wraps the Identity Services Engine System Health API and exposes the API as native Python methods that return native Python objects.

get_healths(*headers=None, **query_parameters*)
getHealths.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_performances(*headers=None, **query_parameters*)
getPerformances.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

system_certificate

class SystemCertificate

Identity Services Engine SystemCertificate API (version: 3.0.0).

Wraps the Identity Services Engine SystemCertificate API and exposes the API as native Python methods that return native Python objects.

create_system_certificate(*ers_local_cert_stub=None, node_id=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create a system certificate.

Parameters

- **ers_local_cert_stub** (*object*) – Inputs for certificate creation, property of the request body.
- **node_id** (*string*) – NodeId of Cisco ISE application, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*ers_local_cert_stub=None, node_id=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_system_certificate*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the system certificate.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

tacacs_command_sets

class TacacsCommandSets

Identity Services Engine TACACSCCommandSets API (version: 3.0.0).

Wraps the Identity Services Engine TACACSCCommandSets API and exposes the API as native Python methods that return native Python objects.

get_tacacs_command_sets_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS command sets by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_command_sets_by_name*

get_tacacs_command_sets_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS command sets by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for `get_tacacs_command_sets_by_id`

update_tacacs_command_sets_by_id(*id*, *commands=None*, *description=None*, *name=None*, *permit_unmatched=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update TACACS command sets.

Parameters

- **commands** (*object*) – commands, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **permit_unmatched** (*boolean*) – permitUnmatched, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *commands=None*, *description=None*, *name=None*, *permit_unmatched=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for `update_tacacs_command_sets_by_id`

delete_tacacs_command_sets_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes TACACS command sets.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_tacacs_command_sets_by_id*

get_tacacs_command_sets(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the TACACS command sets.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_command_sets*

get_tacacs_command_sets_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the TACACS command sets.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_command_sets_generator*

create_tacacs_command_sets(*commands=None, description=None, name=None, permit_unmatched=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates TACACS command sets.

Parameters

- **commands** (*object*) – commands, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **permit_unmatched** (*boolean*) – permitUnmatched, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*commands=None, description=None, name=None, permit_unmatched=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_command_sets*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS command sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

tacacs_external_servers

class TacacsExternalServers

Identity Services Engine TACACSExternalServers API (version: 3.0.0).

Wraps the Identity Services Engine TACACSExternalServers API and exposes the API as native Python methods that return native Python objects.

get_tacacs_external_servers_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS external servers by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_external_servers_by_name*

get_tacacs_external_servers_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS external servers by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_tacacs_external_servers_by_id`

`update_tacacs_external_servers_by_id(id, connection_port=None, description=None, host_ip=None, name=None, shared_secret=None, single_connect=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update TACACS external servers.

Parameters

- **`connection_port (integer)`** – The port to connect the server, property of the request body.
- **`description (string)`** – description, property of the request body.
- **`host_ip (string)`** – The server IPV4 address, property of the request body.
- **`id (basestring)`** – id, property of the request body.
- **`name (string)`** – name, property of the request body.
- **`shared_secret (string)`** – The server shared secret, property of the request body.
- **`single_connect (boolean)`** – Define the use of single connection, property of the request body.
- **`timeout (integer)`** – The server timeout, property of the request body.
- **`id`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *connection_port=None*, *description=None*, *host_ip=None*, *name=None*, *shared_secret=None*, *single_connect=None*, *timeout=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [update_tacacs_external_servers_by_id](#)

delete_tacacs_external_servers_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes TACACS external servers.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [delete_tacacs_external_servers_by_id](#)

get_tacacs_external_servers(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the TACACS external servers.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_tacacs_external_servers`*

`get_tacacs_external_servers_generator`(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the TACACS external servers.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_tacacs_external_servers_generator`*

`create_tacacs_external_servers`(*connection_port=None, description=None, host_ip=None, name=None, shared_secret=None, single_connect=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates TACACS external servers.

Parameters

- **connection_port** (*integer*) – The port to connect the server, property of the request body.
- **description** (*string*) – description, property of the request body.
- **host_ip** (*string*) – The server IPV4 address, property of the request body.
- **name** (*string*) – name, property of the request body.
- **shared_secret** (*string*) – The server shared secret, property of the request body.
- **single_connect** (*boolean*) – Define the use of single connection, property of the request body.
- **timeout** (*integer*) – The server timeout, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*connection_port=None, description=None, host_ip=None, name=None, shared_secret=None, single_connect=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_external_servers*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS external servers.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

tacacs_profile

class TacacsProfile

Identity Services Engine TACACSProfile API (version: 3.0.0).

Wraps the Identity Services Engine TACACSProfile API and exposes the API as native Python methods that return native Python objects.

`get_tacacs_profile_by_name`(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a TACACS profile by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for `get_tacacs_profile_by_name`

get_tacacs_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a TACACS profile by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_profile_by_id*

update_tacacs_profile_by_id(*id*, *description=None*, *name=None*, *session_attributes=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a TACACS profile.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **session_attributes** (*object*) – Holds list of session attributes. View type for GUI is Shell by default, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *session_attributes=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_tacacs_profile_by_id*

delete_tacacs_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a TACACS profile.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_tacacs_profile_by_id*

get_tacacs_profile(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the TACACS profiles.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_profile*

get_tacacs_profile_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the TACACS profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_profile_generator*

create_tacacs_profile(*description=None, name=None, session_attributes=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a TACACS profile.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **session_attributes** (*object*) – Holds list of session attributes. View type for GUI is Shell by default, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, session_attributes=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_profile*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

tacacs_server_sequence

class TacacsServerSequence

Identity Services Engine TacacsServerSequence API (version: 3.0.0).

Wraps the Identity Services Engine TacacsServerSequence API and exposes the API as native Python methods that return native Python objects.

`get_tacacs_server_sequence_by_name`(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a TACACS server sequence by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for `get_tacacs_server_sequence_by_name`

`get_tacacs_server_sequence_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a TACACS server sequence by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_server_sequence_by_id*

update_tacacs_server_sequence_by_id(*id*, *description=None*, *local_accounting=None*, *name=None*, *prefix_delimiter=None*, *prefix_strip=None*, *remote_accounting=None*, *server_list=None*, *suffix_delimiter=None*, *suffix_strip=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a TACACS server sequence.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_delimiter** (*string*) – The delimiter that will be used for prefix strip, property of the request body.
- **prefix_strip** (*boolean*) – Define if a delimiter will be used for prefix strip, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **server_list** (*string*) – The names of Tacacs external servers separated by commas. The order of the names in the string is the order of servers that will be used during authentication, property of the request body.
- **suffix_delimiter** (*string*) – The delimiter that will be used for suffix strip, property of the request body.

- **suffix_strip** (*boolean*) – Define if a delimiter will be used for suffix strip, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *local_accounting=None*, *name=None*, *prefix_delimiter=None*, *prefix_strip=None*, *remote_accounting=None*, *server_list=None*, *suffix_delimiter=None*, *suffix_strip=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_tacacs_server_sequence_by_id*

delete_tacacs_server_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a TACACS server sequence.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_tacacs_server_sequence_by_id*

get_tacacs_server_sequence(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the TACACS server sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_server_sequence*

get_tacacs_server_sequence_generator(*page=None*, *size=None*, *headers=None*,
***query_parameters*)

This API allows the client to get all the TACACS server sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_server_sequence_generator*

create_tacacs_server_sequence(*description=None, local_accounting=None, name=None, prefix_delimiter=None, prefix_strip=None, remote_accounting=None, server_list=None, suffix_delimiter=None, suffix_strip=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a TACACS server sequence.

Parameters

- **description** (*string*) – description, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_delimiter** (*string*) – The delimiter that will be used for prefix strip, property of the request body.
- **prefix_strip** (*boolean*) – Define if a delimiter will be used for prefix strip, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **server_list** (*string*) – The names of Tacacs external servers separated by commas. The order of the names in the string is the order of servers that will be used during authentication, property of the request body.
- **suffix_delimiter** (*string*) – The delimiter that will be used for suffix strip, property of the request body.
- **suffix_strip** (*boolean*) – Define if a delimiter will be used for suffix strip, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, local_accounting=None, name=None, prefix_delimiter=None, prefix_strip=None, remote_accounting=None, server_list=None, suffix_delimiter=None, suffix_strip=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_server_sequence*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS server sequence.

Parameters

- **headers(dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

telemetry_information

class TelemetryInformation

Identity Services Engine TelemetryInformation API (version: 3.0.0).

Wraps the Identity Services Engine TelemetryInformation API and exposes the API as native Python methods that return native Python objects.

get_telemetry_info_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get telemetry information by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_telemetry_info_by_id*

get_telemetry_information(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the telemetry information. Filter: [deploymentId] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)
Alias for *get_telemetry_information*

get_telemetry_information_generator (*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the telemetry information. Filter: [deploymentId] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for *get_telemetry_information_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the telemetry information.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

trust_sec_configuration

class TrustSecConfiguration

Identity Services Engine TrustSec Configuration API (version: 3.0.0).

Wraps the Identity Services Engine TrustSec Configuration API and exposes the API as native Python methods that return native Python objects.

get_security_groups(*headers=None, **query_parameters*)
getSecurityGroups.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_security_groups*

get_security_group_acls(*headers=None, **query_parameters*)
getSecurityGroupAcls.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_egress_policies(*headers=None, **query_parameters*)
getEgressPolicies.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_egress_matrices(*headers=None, **query_parameters*)
getEgressMatrices.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

trust_sec_sxp

class TrustSecSxp

Identity Services Engine TrustSec SXP API (version: 3.0.0).

Wraps the Identity Services Engine TrustSec SXP API and exposes the API as native Python methods that return native Python objects.

get_bindings(*headers=None, **query_parameters*)
getBindings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

version_and_patch

class VersionAndPatch

Identity Services Engine VersionAndPatch API (version: 3.0.0).

Wraps the Identity Services Engine VersionAndPatch API and exposes the API as native Python methods that return native Python objects.

get_ise_version_and_patch(*headers=None, **query_parameters*)
This API allows the client to get Cisco ISE version and patch information.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)

Alias for *get_ise_version_and_patch*

version_info**class VersionInfo**

Identity Services Engine VersionInfo API (version: 3.0.0).

Wraps the Identity Services Engine VersionInfo API and exposes the API as native Python methods that return native Python objects.

`get_version_info`(*resource, headers=None, **query_parameters*)

Get all VersionInfo.

Parameters

- **`resource`** (*basestring*) – resource path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

endpoint

class Endpoint

Identity Services Engine endpoint API (version: 3.0.0).

Wraps the Identity Services Engine endpoint API and exposes the API as native Python methods that return native Python objects.

release_rejected_endpoint(*id*, *headers=None*, ***query_parameters*)

This API allows the client to release a rejected endpoint.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

release_rejected(*id*, *headers=None*, ***query_parameters*)

Alias for *release_rejected_endpoint*

deregister_endpoint(*id*, *headers=None*, ***query_parameters*)

This API allows the client to de-register an endpoint.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`deregister`(*id*, *headers=None*, ***query_parameters*)

Alias for *`deregister_endpoint`*

`get_rejected_endpoints`(*headers=None*, ***query_parameters*)

This API allows the client to get the rejected endpoints.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_rejected`(*headers=None*, ***query_parameters*)

Alias for *`get_rejected_endpoints`*

`get_endpoint_by_name`(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an endpoint by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_by_name*

`get_endpoint_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an endpoint by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_by_id*


```
update_endpoint_by_id(id, custom_attributes=None, description=None, group_id=None,
                      identity_store=None, identity_store_id=None, mac=None, mdm_attributes=None,
                      name=None, portal_user=None, profile_id=None,
                      static_group_assignment=None, static_profile_assignment=None, headers=None,
                      payload=None, active_validation=True, **query_parameters)
```

This API allows the client to update an endpoint.

Parameters

- **custom_attributes** (*object*) – customAttributes, property of the request body.
- **description** (*string*) – description, property of the request body.
- **group_id** (*string*) – groupId, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **identity_store** (*string*) – identityStore, property of the request body.
- **identity_store_id** (*string*) – identityStoreId, property of the request body.
- **mac** (*string*) – mac, property of the request body.
- **mdm_attributes** (*object*) – mdmAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_user** (*string*) – portalUser, property of the request body.
- **profile_id** (*string*) – profileId, property of the request body.
- **static_group_assignment** (*boolean*) – staticGroupAssignment, property of the request body.
- **static_profile_assignment** (*boolean*) – staticProfileAssignment, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *custom_attributes=None*, *description=None*, *group_id=None*, *identity_store=None*, *identity_store_id=None*, *mac=None*, *mdm_attributes=None*, *name=None*, *portal_user=None*, *profile_id=None*, *static_group_assignment=None*, *static_profile_assignment=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_endpoint_by_id*

delete_endpoint_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an endpoint.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_endpoint_by_id*

register_endpoint(*custom_attributes=None*, *description=None*, *group_id=None*, *id=None*, *identity_store=None*, *identity_store_id=None*, *mac=None*, *mdm_attributes=None*, *name=None*, *portal_user=None*, *profile_id=None*, *static_group_assignment=None*, *static_profile_assignment=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to register an endpoint.

Parameters

- **custom_attributes** (*object*) – customAttributes, property of the request body.
- **description** (*string*) – description, property of the request body.
- **group_id** (*string*) – groupId, property of the request body.
- **id** (*string*) – id, property of the request body.
- **identity_store** (*string*) – identityStore, property of the request body.
- **identity_store_id** (*string*) – identityStoreId, property of the request body.

- **mac** (*string*) – mac, property of the request body.
- **mdm_attributes** (*object*) – mdmAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_user** (*string*) – portalUser, property of the request body.
- **profile_id** (*string*) – profileId, property of the request body.
- **static_group_assignment** (*boolean*) – staticGroupAssignment, property of the request body.
- **static_profile_assignment** (*boolean*) – staticProfileAssignment, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

register(*custom_attributes=None, description=None, group_id=None, id=None, identity_store=None, identity_store_id=None, mac=None, mdm_attributes=None, name=None, portal_user=None, profile_id=None, static_group_assignment=None, static_profile_assignment=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *register_endpoint*

get_endpoints(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the endpoints. Filter: Filters can be used to filter out Endpoints based on a set of attributes. This API currently provides the following filters: [logicalProfileName, portalUser, staticProfileAssignment, profileId, profile, groupId, staticGroupAssignment, mac] Example 1: The logicalProfileName filter can be used to get Endpoints that belong to a specific Logical Profile. The supported operator for logicalProfileNamefilter is EQ (equal to). The syntax to invoke the API with this filter: `/ers/config/endpoint?filter={filter name}.{operator}.{logical profile name}` Example: `https://{ise-ip}:9060/ers/config/endpoint?filter=logical ProfileName.EQ.LP_Apple` Example 2: To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET `/ers/config/guestuser/?filter=toDate.CONTAINS.13`

Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_endpoints*

get_endpoints_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the endpoints. Filter: Filters can be used to filter out Endpoints based on a set of attributes. This API currently provides the following filters: [logicalProfileName, portalUser, staticProfileAssignment, profileId, profile, groupId, staticGroupAssignment, mac] Example 1: The logicalProfileName filter can be used to get Endpoints that belong to a specific Logical

Profile. The supported operator for logicalProfileNamefilter is EQ (equal to). The syntax to invoke the API with this filter: /ers/config/endpoint?filter={filter name}.{operator}.{logical profile name} Example: [https://{ise-ip}:9060/ers/config/endpoint?filter=logical ProfileName.EQ.LP_Apple](https://{ise-ip}:9060/ers/config/endpoint?filter=logical%20ProfileName.EQ.LP_Apple) Example 2: To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- RestResponse: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request’s response
 - text(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_endpoints_generator*

```
create_endpoint(custom_attributes=None, description=None, group_id=None, identity_store=None,  
identity_store_id=None, mac=None, mdm_attributes=None, name=None,  
portal_user=None, profile_id=None, static_group_assignment=None,  
static_profile_assignment=None, headers=None, payload=None, active_validation=True,  
**query_parameters)
```

This API creates an endpoint.

Parameters

- **custom_attributes** (*object*) – customAttributes, property of the request body.
- **description** (*string*) – description, property of the request body.
- **group_id** (*string*) – groupId, property of the request body.
- **identity_store** (*string*) – identityStore, property of the request body.
- **identity_store_id** (*string*) – identityStoreId, property of the request body.
- **mac** (*string*) – mac, property of the request body.
- **mdm_attributes** (*object*) – mdmAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_user** (*string*) – portalUser, property of the request body.
- **profile_id** (*string*) – profileId, property of the request body.
- **static_group_assignment** (*boolean*) – staticGroupAssignment, property of the request body.
- **static_profile_assignment** (*boolean*) – staticProfileAssignment, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(custom_attributes=None, description=None, group_id=None, identity_store=None,
        identity_store_id=None, mac=None, mdm_attributes=None, name=None, portal_user=None,
        profile_id=None, static_group_assignment=None, static_profile_assignment=None, headers=None,
        payload=None, active_validation=True, **query_parameters)
```

Alias for *create_endpoint*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the endpoint.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
bulk_request_for_endpoint(operation_type=None, resource_media_type=None, headers=None,
                           payload=None, active_validation=True, **query_parameters)
```

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_endpoint*

monitor_bulk_status_endpoint(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **`bulkid`** (*basestring*) – bulkid path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_endpoint*

portal

class Portal

Identity Services Engine portal API (version: 3.0.0).

Wraps the Identity Services Engine portal API and exposes the API as native Python methods that return native Python objects.

get_portal_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_portal_by_id*

get_portals(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the portals. Filter: [name, description]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portals*

get_portals_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the portals. Filter: [name, description]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- `TypeError` – If the parameter types are incorrect.
- `MalformedRequest` – If the request body created is invalid.
- `ApiError` – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_portals_generator`

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information realted to the portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- `TypeError` – If the parameter types are incorrect.
- `MalformedRequest` – If the request body created is invalid.
- `ApiError` – If the Identity Services Engine cloud returns an error.

px_grid_node

class PxGridNode

Identity Services Engine pxGridNode API (version: 3.0.0).

Wraps the Identity Services Engine pxGridNode API and exposes the API as native Python methods that return native Python objects.

approve_px_grid_node(*name*, *headers=None*, ***query_parameters*)

This API allows the client to approve a pxGrid node. Only pending pxGrid nodes can be approved.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

approve(*name*, *headers=None*, ***query_parameters*)

Alias for *approve_px_grid_node*

get_px_grid_node_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a pxGrid node by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_px_grid_node_by_name*

delete_px_grid_node_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes a pxGrid node by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_px_grid_node_by_name*

get_px_grid_node_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a pxGrid node by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_px_grid_node_by_id`*

`get_px_grid_node(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the npxGrid nodes.

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(page=None, size=None, headers=None, **query_parameters)`

Alias for *`get_px_grid_node`*

`get_px_grid_node_generator(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the npxGrid nodes.

Parameters

- **`page(int)`** – page query parameter. Page number.

- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_px_grid_node_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the pxGrid node.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

tasks

class Tasks

Identity Services Engine tasks API (version: 3.0.0).

Wraps the Identity Services Engine tasks API and exposes the API as native Python methods that return native Python objects.

get_task_status(*headers=None, **query_parameters*)
get all task status.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_task_status_by_id(*task_id, headers=None, **query_parameters*)
Monitor task status.

Parameters

- **task_id** (*basestring*) – taskId path parameter. The id of the task executed before.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

IdentityServicesEngineAPI v3.1.0**aci_bindings****class AciBindings**

Identity Services Engine ACIBindings API (version: 3.1.0).

Wraps the Identity Services Engine ACIBindings API and exposes the API as native Python methods that return native Python objects.

get_aci_bindings(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API allows clients to retrieve all the bindings that were sent to Cisco ISE by ACI or received on ACI from Cisco ISE. The binding information will be identical to the information on ACI bindings page in the Cisco ISE UI. Filtering will be based on one attribute only, such as ip/sgt/vn/psn/learnedFrom/learnedBy with CONTAINS mode of search.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter_by** (*basestring, list, set, tuple*) – filterBy query parameter.
- **filter_value** (*basestring, list, set, tuple*) – filterValue query parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_aci_bindings*

get_aci_bindings_generator(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API allows clients to retrieve all the bindings that were sent to Cisco ISE by ACI or received on ACI from Cisco ISE. The binding information will be identical to the information on ACI bindings page in the Cisco ISE UI. Filtering will be based on one attribute only, such as ip/sgt/vn/psn/learnedFrom/learnedBy with CONTAINS mode of search.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter_by** (*basestring, list, set, tuple*) – filterBy query parameter.
- **filter_value** (*basestring, list, set, tuple*) – filterValue query parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_aci_bindings_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the Cisco ACI bindings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

aci_settings

class AciSettings

Identity Services Engine ACISettings API (version: 3.1.0).

Wraps the Identity Services Engine ACISettings API and exposes the API as native Python methods that return native Python objects.

get_aci_settings(*headers=None, **query_parameters*)

This API allows the client to get ACI Settings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_aci_settings*

test_aci_connectivity(*headers=None, **query_parameters*)

This API allows the client to test ACI Domain Manager connection.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_aci_settings_by_id(*id, aci50=None, aci51=None, aciipaddress=None, acipassword=None, aciuser_name=None, admin_name=None, admin_password=None, all_sxp_domain=None, default_sgt_name=None, enable_aci=None, enable_data_plane=None, enable_elements_limit=None, ip_address_host_name=None, l3_route_network=None, max_num_iepg_from_aci=None, max_num_sgt_to_aci=None, specific_sxp_domain=None, specifix_sxp_domain_list=None, suffix_to_epg=None, suffix_to_sgt=None, tenant_name=None, untagged_packet_iepg_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to update ACI settings.

Parameters

- **aci50** (*boolean*) – Enable 5.0 ACI Version, property of the request body.
- **aci51** (*boolean*) – Enable 5.1 ACI Version, property of the request body.
- **aciipaddress** (*string*) – ACI Domain manager Ip Address., property of the request body.
- **acipassword** (*string*) – ACI Domain manager Password., property of the request body.
- **aciuser_name** (*string*) – ACI Domain manager Username., property of the request body.
- **admin_name** (*string*) – ACI Cluster Admin name, property of the request body.

- **admin_password** (*string*) – ACI Cluster Admin password, property of the request body.
- **all_sxp_domain** (*boolean*) – allSxpDomain, property of the request body.
- **default_sgt_name** (*string*) – defaultSgtName, property of the request body.
- **enable_aci** (*boolean*) – Enable ACI Integration, property of the request body.
- **enable_data_plane** (*boolean*) – enableDataPlane, property of the request body.
- **enable_elements_limit** (*boolean*) – enableElementsLimit, property of the request body.
- **id** (*basestring*) – Resource UUID value, property of the request body.
- **ip_address_host_name** (*string*) – ACI Cluster IP Address / Host name, property of the request body.
- **l3_route_network** (*string*) – l3RouteNetwork, property of the request body.
- **max_num_iepg_from_aci** (*integer*) – maxNumIepgFromAci, property of the request body.
- **max_num_sgt_to_aci** (*integer*) – maxNumSgtToAci, property of the request body.
- **specific_sxp_domain** (*boolean*) – specificSxpDomain, property of the request body.
- **specifix_sxp_domain_list** (*list*) – specifixSxpDomainList, property of the request body (list of strings).
- **suffix_to_epg** (*string*) – suffixToEpg, property of the request body.
- **suffix_to_sgt** (*string*) – suffixToSgt, property of the request body.
- **tenant_name** (*string*) – tenantName, property of the request body.
- **untagged_packet_iepg_name** (*string*) – untaggedPacketIepgName, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *aci50=None*, *aci51=None*, *aciipaddress=None*, *acipassword=None*, *aciuser_name=None*, *admin_name=None*, *admin_password=None*, *all_sxp_domain=None*, *default_sgt_name=None*, *enable_aci=None*, *enable_data_plane=None*, *enable_elements_limit=None*, *ip_address_host_name=None*, *l3_route_network=None*, *max_num_iepg_from_aci=None*, *max_num_sgt_to_aci=None*, *specific_sxp_domain=None*, *specifix_sxp_domain_list=None*, *suffix_to_epg=None*, *suffix_to_sgt=None*, *tenant_name=None*, *untagged_packet_iepg_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_aci_settings_by_id*

get_version(*headers=None*, ***query_parameters*)

This API helps to retrieve the version information related to the Cisco ACI settings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

anc_endpoint

class AncEndpoint

Identity Services Engine ANCEndpoint API (version: 3.1.0).

Wraps the Identity Services Engine ANCEndpoint API and exposes the API as native Python methods that return native Python objects.

get_anc_endpoint_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an ANC endpoint by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_anc_endpoint_by_id*

clear_anc_endpoint(*additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to clear the required configuration.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

clear(*additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *clear_anc_endpoint*

get_anc_endpoint(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the ANC endpoints. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_endpoint*

get_anc_endpoint_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the ANC endpoints. Filter: [name]
 To search resources by using toDate column, follow the format: DD-MON-YY
 (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_endpoint_generator*

apply_anc_endpoint(*additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to apply the required configuration.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

apply(*additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *apply_anc_endpoint*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the ANC Endpoint.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_anc_endpoint(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_anc_endpoint*

monitor_bulk_status_anc_endpoint(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`monitor_bulk_status`(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_anc_endpoint*

active_directory

class `ActiveDirectory`

Identity Services Engine ActiveDirectory API (version: 3.1.0).

Wraps the Identity Services Engine ActiveDirectory API and exposes the API as native Python methods that return native Python objects.

`get_active_directory_by_name`(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get Active Directory by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *get_active_directory_by_name*

get_user_groups(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to get groups of which a given user is a member.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

load_groups_from_domain(*id*, *ad_attributes=None*, *ad_scopes_names=None*, *adgroups=None*, *advanced_settings=None*, *description=None*, *domain=None*, *enable_domain_white_list=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API loads domain groups configuration from Active Directory into Cisco ISE.

Parameters

- **ad_attributes** (*object*) – Holds list of AD Attributes, property of the request body.
- **ad_scopes_names** (*string*) – String that contains the names of the scopes that the active directory belongs to. Names are separated by comma. Alphanumeric, underscore (_) characters are allowed, property of the request body.
- **adgroups** (*object*) – Holds list of AD Groups, property of the request body.
- **advanced_settings** (*object*) – advancedSettings, property of the request body.
- **description** (*string*) – No character restriction, property of the request body.
- **domain** (*string*) – The AD domain. Alphanumeric, hyphen (-) and dot (.) characters are allowed, property of the request body.
- **enable_domain_white_list** (*boolean*) – enableDomainWhiteList, property of the request body.

- **id** (*basestring*) – Resource UUID value, property of the request body.
- **name** (*string*) – Resource Name. Maximum 32 characters allowed. Allowed characters are alphanumeric and `./_` characters, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

leave_domain(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API makes a Cisco ISE node to leave an Active Directory domain.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`is_user_member_of_groups`(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API verifies if the user is a member of the given groups.

Parameters

- **`additional_data`** (*list*) – `additionalData`, property of the request body (list of objects).
- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_trusted_domains`(*id*, *headers=None*, ***query_parameters*)

This API gets the list of domains that are accessible through the given join point via trust relationships.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`join_domain_with_all_nodes`(*id*, *additional_data=None*, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API joins all Cisco ISE Nodes to an Active Directory domain.

Parameters

- **`additional_data`** (*list*) – `additionalData`, property of the request body (list of objects).
- **`id`** (*basestring*) – `id` path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to `True`.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`leave_domain_with_all_nodes`(*id*, *additional_data=None*, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API joins makes all Cisco ISE nodes leave an Active Directory domain.

Parameters

- **`additional_data`** (*list*) – `additionalData`, property of the request body (list of objects).

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_groups_by_domain(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API lists the groups of the given domain.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_active_directory_by_id(*id*, *headers=None*, ***query_parameters*)

This API fetchs the join point details by ID. The ID can be retrieved with the Get All operation.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_active_directory_by_id*

delete_active_directory_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an AD join point from Cisco ISE.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_active_directory_by_id*

join_domain(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API joins a Cisco ISE node to an Active Directory domain.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_active_directory(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API lists all the join points for Active Directory domains in Cisco ISE.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_active_directory*

`get_active_directory_generator`(*page=None, size=None, headers=None, **query_parameters*)

This API lists all the join points for Active Directory domains in Cisco ISE.

Parameters

- **`page (int)`** – page query parameter. Page number.
- **`size (int)`** – size query parameter. Number of objects returned per page.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_active_directory_generator*

```
create_active_directory(ad_attributes=None, ad_scopes_names=None, adgroups=None,
                        advanced_settings=None, description=None, domain=None,
                        enable_domain_white_list=None, id=None, name=None, headers=None,
                        payload=None, active_validation=True, **query_parameters)
```

This API creates an AD join point in Cisco ISE.

Parameters

- **ad_attributes** (*object*) – Holds list of AD Attributes, property of the request body.
- **ad_scopes_names** (*string*) – String that contains the names of the scopes that the active directory belongs to. Names are separated by comma. Alphanumeric, underscore (_) characters are allowed, property of the request body.
- **adgroups** (*object*) – Holds list of AD Groups, property of the request body.
- **advanced_settings** (*object*) – advancedSettings, property of the request body.
- **description** (*string*) – No character restriction, property of the request body.
- **domain** (*string*) – The AD domain. Alphanumeric, hyphen (-) and dot (.) characters are allowed, property of the request body.
- **enable_domain_white_list** (*boolean*) – enableDomainWhiteList, property of the request body.
- **id** (*string*) – Resource UUID value, property of the request body.
- **name** (*string*) – Resource Name. Maximum 32 characters allowed. Allowed characters are alphanumeric and .-/characters, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(ad_attributes=None, ad_scopes_names=None, adgroups=None, advanced_settings=None,
      description=None, domain=None, enable_domain_white_list=None, id=None, name=None,
      headers=None, payload=None, active_validation=True, **query_parameters)
```

Alias for *create_active_directory*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the active directory.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

admin_user

class AdminUser

Identity Services Engine AdminUser API (version: 3.1.0).

Wraps the Identity Services Engine AdminUser API and exposes the API as native Python methods that return native Python objects.

get_admin_user_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get an admin user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_admin_user_by_id*

get_admin_users(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the admin users. Filter: [firstName, lastName, adminGroups, name, description, inactiveAccountNeverDisabled, includeSystemAlarmsInEmail, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_admin_users*

get_admin_users_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the admin users. Filter: [firstName, lastName, adminGroups, name, description, inactiveAccountNeverDisabled, includeSystemAlarmsInEmail, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_admin_users_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the admin user.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

allowed_protocols**class AllowedProtocols**

Identity Services Engine AllowedProtocols API (version: 3.1.0).

Wraps the Identity Services Engine AllowedProtocols API and exposes the API as native Python methods that return native Python objects.

get_allowed_protocol_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get an allowed protocol by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *get_allowed_protocol_by_name*

`get_allowed_protocol_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an allowed protocol by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *get_allowed_protocol_by_id*

```
update_allowed_protocol_by_id(id, allow_chap=None, allow_eap_fast=None, allow_eap_md5=None,
                             allow_eap_tls=None, allow_eap_ttls=None, allow_leap=None,
                             allow_ms_chap_v1=None, allow_ms_chap_v2=None,
                             allow_pap_ascii=None, allow_peap=None,
                             allow_preferred_eap_protocol=None, allow_teap=None,
                             allow_weak_ciphers_for_eap=None, description=None,
                             eap_fast=None, eap_tls=None, eap_tls_l_bit=None, eap_ttls=None,
                             name=None, peap=None, preferred_eap_protocol=None,
                             process_host_lookup=None, require_message_auth=None, teap=None,
                             headers=None, payload=None, active_validation=True,
                             **query_parameters)
```

This API allows the client to update an allowed protocol.

Parameters

- **allow_chap** (*boolean*) – allowChap, property of the request body.
- **allow_eap_fast** (*boolean*) – allowEapFast, property of the request body.
- **allow_eap_md5** (*boolean*) – allowEapMd5, property of the request body.
- **allow_eap_tls** (*boolean*) – allowEapTls, property of the request body.
- **allow_eap_ttls** (*boolean*) – allowEapTtls, property of the request body.
- **allow_leap** (*boolean*) – allowLeap, property of the request body.
- **allow_ms_chap_v1** (*boolean*) – allowMsChapV1, property of the request body.
- **allow_ms_chap_v2** (*boolean*) – allowMsChapV2, property of the request body.
- **allow_pap_ascii** (*boolean*) – allowPapAscii, property of the request body.
- **allow_peap** (*boolean*) – allowPeap, property of the request body.
- **allow_preferred_eap_protocol** (*boolean*) – allowPreferredEapProtocol, property of the request body.
- **allow_teap** (*boolean*) – allowTeap, property of the request body.
- **allow_weak_ciphers_for_eap** (*boolean*) – allowWeakCiphersForEap, property of the request body.
- **description** (*string*) – description, property of the request body.
- **eap_fast** (*object*) – The eapFast is required only if allowEapFast is true, otherwise it must be ignored. The object eapFast contains the settings for EAP FAST protocol, property of the request body.
- **eap_tls** (*object*) – The eapTls is required only if allowEapTls is true, otherwise it must be ignored. The object eapTls contains the settings for EAP TLS protocol, property of the request body.
- **eap_tls_l_bit** (*boolean*) – eapTlsLBit, property of the request body.
- **eap_ttls** (*object*) – The eapTtls is required only if allowEapTtls is true, otherwise it must be ignored. The object eapTtls contains the settings for EAP TTLS protocol, property of the request body.
- **id** (*basestring*) – Resource UUID, Mandatory for update, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **peap** (*object*) – peap, property of the request body.

- **preferred_eap_protocol** (*string*) – The preferredEapProtocol is required only if allowPreferredEapProtocol is true, otherwise it must be ignored. Allowed Values: EAP_FAST, PEAP, LEAP, EAP_MD5, EAP_TLS, EAP_TTLS, TEAP, property of the request body.
- **process_host_lookup** (*boolean*) – processHostLookup, property of the request body.
- **require_message_auth** (*boolean*) – requireMessageAuth, property of the request body.
- **teap** (*object*) – The teap is required only if allowTeap is true, otherwise it must be ignored. The object teap contains the settings for TEAP protocol, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *allow_chap=None*, *allow_eap_fast=None*, *allow_eap_md5=None*, *allow_eap_tls=None*, *allow_eap_ttls=None*, *allow_leap=None*, *allow_ms_chap_v1=None*, *allow_ms_chap_v2=None*, *allow_pap_ascii=None*, *allow_peap=None*, *allow_preferred_eap_protocol=None*, *allow_teap=None*, *allow_weak_ciphers_for_eap=None*, *description=None*, *eap_fast=None*, *eap_tls=None*, *eap_ttls_l_bit=None*, *eap_ttls=None*, *name=None*, *peap=None*, *preferred_eap_protocol=None*, *process_host_lookup=None*, *require_message_auth=None*, *teap=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_allowed_protocol_by_id*

delete_allowed_protocol_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an allowed protocol.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_allowed_protocol_by_id*

get_allowed_protocols(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the allowed protocols.

Parameters

- **page (int)** – page query parameter. Page number.
- **size (int)** – size query parameter. Number of objects returned per page.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_allowed_protocols*

get_allowed_protocols_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the allowed protocols.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_allowed_protocols_generator*

create_allowed_protocol(*allow_chap=None, allow_eap_fast=None, allow_eap_md5=None, allow_eap_tls=None, allow_eap_ttls=None, allow_leap=None, allow_ms_chap_v1=None, allow_ms_chap_v2=None, allow_pap_ascii=None, allow_peap=None, allow_preferred_eap_protocol=None, allow_teap=None, allow_weak_ciphers_for_eap=None, description=None, eap_fast=None, eap_tls=None, eap_tls_l_bit=None, eap_ttls=None, name=None, peap=None, preferred_eap_protocol=None, process_host_lookup=None, require_message_auth=None, teap=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an allowed protocol.

Parameters

- **allow_chap** (*boolean*) – allowChap, property of the request body.
- **allow_eap_fast** (*boolean*) – allowEapFast, property of the request body.
- **allow_eap_md5** (*boolean*) – allowEapMd5, property of the request body.
- **allow_eap_tls** (*boolean*) – allowEapTls, property of the request body.
- **allow_eap_ttls** (*boolean*) – allowEapTtls, property of the request body.
- **allow_leap** (*boolean*) – allowLeap, property of the request body.

- **allow_ms_chap_v1** (*boolean*) – allowMsChapV1, property of the request body.
- **allow_ms_chap_v2** (*boolean*) – allowMsChapV2, property of the request body.
- **allow_pap_ascii** (*boolean*) – allowPapAscii, property of the request body.
- **allow_peap** (*boolean*) – allowPeap, property of the request body.
- **allow_preferred_eap_protocol** (*boolean*) – allowPreferredEapProtocol, property of the request body.
- **allow_teap** (*boolean*) – allowTeap, property of the request body.
- **allow_weak_ciphers_for_eap** (*boolean*) – allowWeakCiphersForEap, property of the request body.
- **description** (*string*) – description, property of the request body.
- **eap_fast** (*object*) – The eapFast is required only if allowEapFast is true, otherwise it must be ignored. The object eapFast contains the settings for EAP FAST protocol, property of the request body.
- **eap_tls** (*object*) – The eapTls is required only if allowEapTls is true, otherwise it must be ignored. The object eapTls contains the settings for EAP TLS protocol, property of the request body.
- **eap_tls_l_bit** (*boolean*) – eapTlsLBit, property of the request body.
- **eap_ttls** (*object*) – The eapTtls is required only if allowEapTtls is true, otherwise it must be ignored. The object eapTtls contains the settings for EAP TTLS protocol, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **peap** (*object*) – peap, property of the request body.
- **preferred_eap_protocol** (*string*) – The preferredEapProtocol is required only if allowPreferredEapProtocol is true, otherwise it must be ignored. Allowed Values: EAP_FAST, PEAP, LEAP, EAP_MD5, EAP_TLS, EAP_TTLS, TEAP, property of the request body.
- **process_host_lookup** (*boolean*) – processHostLookup, property of the request body.
- **require_message_auth** (*boolean*) – requireMessageAuth, property of the request body.
- **teap** (*object*) – The teap is required only if allowTeap is true, otherwise it must be ignored. The object teap contains the settings for TEAP protocol, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*allow_chap=None, allow_eap_fast=None, allow_eap_md5=None, allow_eap_tls=None, allow_eap_tls=None, allow_leap=None, allow_ms_chap_v1=None, allow_ms_chap_v2=None, allow_pap_ascii=None, allow_peap=None, allow_preferred_eap_protocol=None, allow_teap=None, allow_weak_ciphers_for_eap=None, description=None, eap_fast=None, eap_tls=None, eap_tls_l_bit=None, eap_tls=None, name=None, peap=None, preferred_eap_protocol=None, process_host_lookup=None, require_message_auth=None, teap=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_allowed_protocol*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the allowed protocols.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

anc_policy

class AncPolicy

Identity Services Engine AncPolicy API (version: 3.1.0).

Wraps the Identity Services Engine AncPolicy API and exposes the API as native Python methods that return native Python objects.

get_anc_policy_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an ANC policy by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_anc_policy_by_name*

get_anc_policy_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an ANC policy by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_anc_policy_by_id`*

`update_anc_policy_by_id(id, actions=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update an ANC policy.

Parameters

- **`actions (list)`** – QUARANTINE: Allows you to use Exception policies (authorization policies) to limit or deny an endpoint access to the network. PORTBOUNCE: Resets the port on the network device to which the endpoint is connected. SHUTDOWN : Shuts down the port on the network device to which the endpoint is connected. RE_AUTHENTICATE: Re-authenticates the session from the endpoint., property of the request body (list of strings. Available values are 'QUARANTINE', 'PORTBOUNCE', 'SHUTDOWN' and 'RE_AUTHENTICATE').
- **`id (basestring)`** – id, property of the request body.
- **`name (string)`** – name, property of the request body.
- **`id`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *actions=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*,
 ***query_parameters*)

Alias for *update_anc_policy_by_id*

delete_anc_policy_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to delete an ANC policy.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_anc_policy_by_id*

get_anc_policy(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*,
 headers=None, ***query_parameters*)

This API allows the client to get all the ANC policies. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_policy*

get_anc_policy_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the ANC policies. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW:

Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_policy_generator*

create_anc_policy(*actions=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create an ANC policy.

Parameters

- **actions** (*list*) – QUARANTINE: Allows you to use Exception policies (authorization policies) to limit or deny an endpoint access to the network. PORTBOUNCE: Resets the port on the network device to which the endpoint is connected. SHUTDOWN : Shuts down the port on the network device to which the endpoint is connected. RE_AUTHENTICATE: Re-authenticates the session from the endpoint., property of the request body (list of strings. Available values are 'QUARANTINE', 'PORTBOUNCE', 'SHUTDOWN' and 'RE_AUTHENTICATE').
- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*actions=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_anc_policy*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the ANC policy.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_anc_policy(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_anc_policy*

monitor_bulk_status_anc_policy(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_anc_policy*

authorization_profile

class AuthorizationProfile

Identity Services Engine AuthorizationProfile API (version: 3.1.0).

Wraps the Identity Services Engine AuthorizationProfile API and exposes the API as native Python methods that return native Python objects.

get_authorization_profile_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an authorization profile by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_authorization_profile_by_name*

get_authorization_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an authorization profile by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_authorization_profile_by_id`

`update_authorization_profile_by_id(id, access_type=None, acl=None, advanced_attributes=None, agentless_posture=None, airespace_acl=None, airespace_ipv6_acl=None, asa_vpn=None, authz_profile_type=None, auto_smart_port=None, avc_profile=None, dacl_name=None, description=None, easywired_session_candidate=None, interface_template=None, ipv6_acl_filter=None, ipv6_dacl_name=None, mac_sec_policy=None, name=None, neat=None, profile_name=None, reauth=None, service_template=None, track_movement=None, vlan=None, voice_domain_permission=None, web_auth=None, web_redirection=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update an authorization profile.

Parameters

- **`access_type (string)`** – Allowed Values: `ACCESS_ACCEPT`, `ACCESS_REJECT`, property of the request body.
- **`acl (string)`** – `acl`, property of the request body.
- **`advanced_attributes (list)`** – `advancedAttributes`, property of the request body (list of objects).
- **`agentless_posture (boolean)`** – `agentlessPosture`, property of the request body.
- **`airespace_acl (string)`** – `airespaceACL`, property of the request body.
- **`airespace_ipv6_acl (string)`** – `airespaceIPv6ACL`, property of the request body.
- **`asa_vpn (string)`** – `asaVpn`, property of the request body.
- **`authz_profile_type (string)`** – Allowed Values: `SWITCH`, `TRUSTSEC`, `TACACS` `SWITCH` is used for Standard Authorization Profiles, property of the request body.
- **`auto_smart_port (string)`** – `autoSmartPort`, property of the request body.
- **`avc_profile (string)`** – `avcProfile`, property of the request body.
- **`dacl_name (string)`** – `daclName`, property of the request body.
- **`description (string)`** – `description`, property of the request body.

- **easywired_session_candidate** (*boolean*) – easywiredSessionCandidate, property of the request body.
- **id** (*basestring*) – Resource UUID value, property of the request body.
- **interface_template** (*string*) – interfaceTemplate, property of the request body.
- **ipv6_acl_filter** (*string*) – ipv6ACLFILTER, property of the request body.
- **ipv6_dacl_name** (*string*) – ipv6DaclName, property of the request body.
- **mac_sec_policy** (*string*) – Allowed Values: MUST_SECURE, MUST_NOT_SECURE, SHOULD_SECURE, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **neat** (*boolean*) – neat, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **reauth** (*object*) – reauth, property of the request body.
- **service_template** (*boolean*) – serviceTemplate, property of the request body.
- **track_movement** (*boolean*) – trackMovement, property of the request body.
- **vlan** (*object*) – vlan, property of the request body.
- **voice_domain_permission** (*boolean*) – voiceDomainPermission, property of the request body.
- **web_auth** (*boolean*) – webAuth, property of the request body.
- **web_redirection** (*object*) – webRedirection, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *access_type=None*, *acl=None*, *advanced_attributes=None*, *agentless_posture=None*, *airespace_acl=None*, *airespace_ipv6_acl=None*, *asa_vpn=None*, *authz_profile_type=None*, *auto_smart_port=None*, *avc_profile=None*, *dacl_name=None*, *description=None*, *easywired_session_candidate=None*, *interface_template=None*, *ipv6_acl_filter=None*, *ipv6_dacl_name=None*, *mac_sec_policy=None*, *name=None*, *neat=None*, *profile_name=None*, *reauth=None*, *service_template=None*, *track_movement=None*, *vlan=None*, *voice_domain_permission=None*, *web_auth=None*, *web_redirection=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [update_authorization_profile_by_id](#)

delete_authorization_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an authorization profile.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [delete_authorization_profile_by_id](#)

get_authorization_profiles(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all authorization profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_authorization_profiles*

`get_authorization_profiles_generator`(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all authorization profiles.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_authorization_profiles_generator*

```
create_authorization_profile(access_type=None, acl=None, advanced_attributes=None,
                             agentless_posture=None, airespace_acl=None,
                             airespace_ipv6_acl=None, asa_vpn=None, authz_profile_type=None,
                             auto_smart_port=None, avc_profile=None, dacl_name=None,
                             description=None, easywired_session_candidate=None, id=None,
                             interface_template=None, ipv6_acl_filter=None,
                             ipv6_dacl_name=None, mac_sec_policy=None, name=None,
                             neat=None, profile_name=None, reauth=None, service_template=None,
                             track_movement=None, vlan=None, voice_domain_permission=None,
                             web_auth=None, web_redirection=None, headers=None,
                             payload=None, active_validation=True, **query_parameters)
```

This API creates an authorization profile.

Parameters

- **access_type** (*string*) – Allowed Values: ACCESS_ACCEPT, ACCESS_REJECT, property of the request body.
- **acl** (*string*) – acl, property of the request body.
- **advanced_attributes** (*list*) – advancedAttributes, property of the request body (list of objects).
- **agentless_posture** (*boolean*) – agentlessPosture, property of the request body.
- **airespace_acl** (*string*) – airespaceACL, property of the request body.
- **airespace_ipv6_acl** (*string*) – airespaceIPv6ACL, property of the request body.
- **asa_vpn** (*string*) – asaVpn, property of the request body.
- **authz_profile_type** (*string*) – Allowed Values: SWITCH, TRUSTSEC, TACACS SWITCH is used for Standard Authorization Profiles, property of the request body.
- **auto_smart_port** (*string*) – autoSmartPort, property of the request body.
- **avc_profile** (*string*) – avcProfile, property of the request body.
- **dacl_name** (*string*) – daclName, property of the request body.
- **description** (*string*) – description, property of the request body.
- **easywired_session_candidate** (*boolean*) – easywiredSessionCandidate, property of the request body.
- **id** (*string*) – Resource UUID value, property of the request body.
- **interface_template** (*string*) – interfaceTemplate, property of the request body.
- **ipv6_acl_filter** (*string*) – ipv6ACLFILTER, property of the request body.
- **ipv6_dacl_name** (*string*) – ipv6DaclName, property of the request body.
- **mac_sec_policy** (*string*) – Allowed Values: MUST_SECURE, MUST_NOT_SECURE, SHOULD_SECURE, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **neat** (*boolean*) – neat, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **reauth** (*object*) – reauth, property of the request body.
- **service_template** (*boolean*) – serviceTemplate, property of the request body.

- **track_movement** (*boolean*) – trackMovement, property of the request body.
- **vlan** (*object*) – vlan, property of the request body.
- **voice_domain_permission** (*boolean*) – voiceDomainPermission, property of the request body.
- **web_auth** (*boolean*) – webAuth, property of the request body.
- **web_redirection** (*object*) – webRedirection, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(access_type=None, acl=None, advanced_attributes=None, agentless_posture=None,
        airespace_acl=None, airespace_ipv6_acl=None, asa_vpn=None, authz_profile_type=None,
        auto_smart_port=None, avc_profile=None, dacl_name=None, description=None,
        easywired_session_candidate=None, id=None, interface_template=None, ipv6_acl_filter=None,
        ipv6_dacl_name=None, mac_sec_policy=None, name=None, neat=None, profile_name=None,
        reauth=None, service_template=None, track_movement=None, vlan=None,
        voice_domain_permission=None, web_auth=None, web_redirection=None, headers=None,
        payload=None, active_validation=True, **query_parameters)
```

Alias for *create_authorization_profile*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the authorization profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

byod_portal

class ByodPortal

Identity Services Engine BYODPortal API (version: 3.1.0).

Wraps the Identity Services Engine BYODPortal API and exposes the API as native Python methods that return native Python objects.

`get_byod_portal_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a BYOD portal by ID.

Parameters

- **`id`** (*basestring*) – id path parameter. Portal id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_byod_portal_by_id`

```
update_byod_portal_by_id(id, customizations=None, description=None, name=None,
                        portal_test_url=None, portal_type=None, settings=None, headers=None,
                        payload=None, active_validation=True, **query_parameters)
```

This API allows the client to update a BYOD portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available for a BYOD, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – Resource UUID, mandatory for update, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a BYOD, property of the request body.
- **id** – id path parameter. Portal id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, customizations=None, description=None, name=None, portal_test_url=None,
            portal_type=None, settings=None, headers=None, payload=None, active_validation=True,
            **query_parameters)
```

Alias for *update_byod_portal_by_id*

```
delete_byod_portal_by_id(id, headers=None, **query_parameters)
```

This API deletes a BYOD portal by ID.

Parameters

- **id** (*basestring*) – id path parameter. Portal id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_byod_portal_by_id*

get_byod_portal(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the BYOD portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_byod_portal*

get_byod_portal_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the BYOD portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_byod_portal_generator*

create_byod_portal(*customizations=None, description=None, id=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a BYOD portal.

Parameters

- **customizations (object)** – Defines all of the Portal Customizations available for a BYOD, property of the request body.
- **description (string)** – description, property of the request body.
- **id (string)** – Resource UUID, mandatory for update, property of the request body.
- **name (string)** – Resource Name, property of the request body.
- **portal_test_url (string)** – URL to bring up a test page for this portal, property of the request body.
- **portal_type (string)** – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings (object)** – Defines all of the settings groups available for a BYOD, property of the request body.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, id=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_byod_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the BYOD portal.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

backup_and_restore

class BackupAndRestore

Identity Services Engine Backup And Restore API (version: 3.1.0).

Wraps the Identity Services Engine Backup And Restore API and exposes the API as native Python methods that return native Python objects.

config_backup(*backup_encryption_key=None, backup_name=None, repository_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Triggers on demand configuration backup on the ISE node. The API returns the task ID. Use the Task Service status API to get the status of the backup job.

Parameters

- **backup_encryption_key** (*string*) – The encryption key for the backed up file. Encryption key must satisfy the following criteria Contains at least one uppercase letter [A-Z], Contains at least one lowercase letter [a-z], Contains at least one digit [0-9], Contain only [A-Z][a-z][0-9]_#, Has at least 8 characters, Has not more than 15 characters, Must not contain 'CcliSsCco', Must not begin with, property of the request body.
- **backup_name** (*string*) – The backup file will get saved with this name., property of the request body.
- **repository_name** (*string*) – Name of the configured repository where the generated backup file will get copied., property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

config(*backup_encryption_key=None, backup_name=None, repository_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *config_backup*

cancel_backup(*headers=None, **query_parameters*)

Cancels the backup job running on the node.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

cancel(*headers=None, **query_parameters*)

Alias for *cancel_backup*

get_last_config_backup_status(*headers=None, **query_parameters*)

Gives the last backup status.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_last_status(*headers=None, **query_parameters*)

Alias for *get_last_config_backup_status*

restore_config_backup(*backup_encryption_key=None, repository_name=None, restore_file=None, restore_include_adeos=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Triggers a configuration DB restore job on the ISE node. The API returns the task ID. Use the Task Service status API to get the status of the backup job.

Parameters

- **backup_encryption_key** (*string*) – The encryption key which was provided at the time of taking backup., property of the request body.
- **repository_name** (*string*) – Name of the configed repository where the backup file exists., property of the request body.
- **restore_file** (*string*) – Name of the backup file to be restored on ISE node., property of the request body.
- **restore_include_adeos** (*string*) – Determines whether the ADE-OS configure is restored. Possible values true, false, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

restore(*backup_encryption_key=None, repository_name=None, restore_file=None, restore_include_adeos=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *restore_config_backup*

update_scheduled_config_backup(*backup_description=None, backup_encryption_key=None, backup_name=None, end_date=None, frequency=None, month_day=None, repository_name=None, start_date=None, status=None, time=None, week_day=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Update the Schedule of the configuration backup on the ISE node as per the input parameters. This API only helps in editing the schedule.

Parameters

- **backup_description** (*string*) – Description of the backup., property of the request body.
- **backup_encryption_key** (*string*) – The encryption key for the backed up file. Encryption key must satisfy the following criteria Contains at least one uppercase letter [A-Z], Contains at least one lowercase letter [a-z], Contains at least one digit [0-9], Contain only [A-Z][a-z][0-9]_#, Has at least 8 characters, Has not more than 15 characters, Must not contain 'CcliSsCco', Must not begin with, property of the request body.
- **backup_name** (*string*) – The backup file will get saved with this name., property of the request body.
- **end_date** (*string*) – End date of the scheduled backup job. Allowed format MM/DD/YYYY. End date is not required in case of ONE_TIME frequency., property of the request body.
- **frequency** (*string*) – Frequency with which the backup will get scheduled in the ISE node., property of the request body. Available values are 'DAILY', 'MONTHLY', 'ONCE' and 'WEEKLY'.
- **month_day** (*string*) – Day of month you want backup to be performed on when scheduled frequency is MONTHLY. Allowed values from 1 to 28., property of the request body.
- **repository_name** (*string*) – Name of the configured repository where the generated backup file will get copied., property of the request body.
- **start_date** (*string*) – Start date for scheduling the backup job. Allowed format MM/DD/YYYY., property of the request body.
- **status** (*string*) – Enable or disable scheduled backup., property of the request body. Available values are 'DISABLE' and 'ENABLE'.
- **time** (*string*) – Time at which backup job get scheduled. example 12:00 AM, property of the request body.
- **week_day** (*string*) – Day of week you want backup to be performed on when scheduled frequency is WEEKLY, property of the request body. Available values are 'FRI', 'MON', 'SAT', 'SUN', 'THU', 'TUE' and 'WED'.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update(*backup_description=None, backup_encryption_key=None, backup_name=None, end_date=None, frequency=None, month_day=None, repository_name=None, start_date=None, status=None, time=None, week_day=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_scheduled_config_backup*

create_scheduled_config_backup(*backup_description=None, backup_encryption_key=None, backup_name=None, end_date=None, frequency=None, month_day=None, repository_name=None, start_date=None, status=None, time=None, week_day=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Schedules the configuration backup on the ISE node as per the input parameters. This API helps in creating the schedule for the first time.

Parameters

- **backup_description** (*string*) – Description of the backup., property of the request body.
- **backup_encryption_key** (*string*) – The encryption key for the backed up file. Encryption key must satisfy the following criteria Contains at least one uppercase letter [A-Z], Contains at least one lowercase letter [a-z], Contains at least one digit [0-9], Contain only [A-Z][a-z][0-9]_#, Has at least 8 characters, Has not more than 15 characters, Must not contain 'CcliSsCco', Must not begin with, property of the request body.
- **backup_name** (*string*) – The backup file will get saved with this name., property of the request body.
- **end_date** (*string*) – End date of the scheduled backup job. Allowed format MM/DD/YYYY. End date is not required in case of ONE_TIME frequency., property of the request body.
- **frequency** (*string*) – Frequency with which the backup will get scheduled in the ISE node., property of the request body. Available values are 'DAILY', 'MONTHLY', 'ONCE' and 'WEEKLY'.
- **month_day** (*string*) – Day of month you want backup to be performed on when scheduled frequency is MONTHLY. Allowed values from 1 to 28., property of the request body.
- **repository_name** (*string*) – Name of the configured repository where the generated backup file will get copied., property of the request body.
- **start_date** (*string*) – Start date for scheduling the backup job. Allowed format MM/DD/YYYY., property of the request body.
- **status** (*string*) – Enable or disable scheduled backup., property of the request body. Available values are 'DISABLE' and 'ENABLE'.
- **time** (*string*) – Time at which backup job get scheduled. example 12:00 AM, property of the request body.
- **week_day** (*string*) – Day of week you want backup to be performed on when scheduled frequency is WEEKLY, property of the request body. Available values are 'FRI', 'MON', 'SAT', 'SUN', 'THU', 'TUE' and 'WED'.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*backup_description=None, backup_encryption_key=None, backup_name=None, end_date=None, frequency=None, month_day=None, repository_name=None, start_date=None, status=None, time=None, week_day=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_scheduled_config_backup*

certificate_profile

class CertificateProfile

Identity Services Engine CertificateProfile API (version: 3.1.0).

Wraps the Identity Services Engine CertificateProfile API and exposes the API as native Python methods that return native Python objects.

get_certificate_profile_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get a certificate profile by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name(name, headers=None, **query_parameters)`

Alias for *`get_certificate_profile_by_name`*

`get_certificate_profile_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a certificate profile by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_certificate_profile_by_id`*

`update_certificate_profile_by_id(id, allowed_as_user_name=None, certificate_attribute_name=None, description=None, external_identity_store_name=None, match_mode=None, name=None, username_from=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a certificate profile.

Parameters

- **allowed_as_user_name** (*boolean*) – allowedAsUserName, property of the request body.
- **certificate_attribute_name** (*string*) – Attribute name of the Certificate Profile used only when CERTIFICATE is chosen in usernameFrom. Allowed values: SUBJECT_COMMON_NAME SUBJECT_ALTERNATIVE_NAME SUBJECT_SERIAL_NUMBER SUBJECT_SUBJECT_ALTERNATIVE_NAME_OTHER_NAME SUBJECT_ALTERNATIVE_NAME_EMAIL SUBJECT_ALTERNATIVE_NAME_DNS. Additional internal value ALL_SUBJECT_AND_ALTERNATIVE_NAMES is used automatically when usernameFrom=UPN, property of the request body.
- **description** (*string*) – description, property of the request body.
- **external_identity_store_name** (*string*) – Referred IDStore name for the Certificate Profile or [not applicable] in case no identity store is chosen, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **match_mode** (*string*) – Match mode of the Certificate Profile. Allowed values: NEVER RESOLVE_IDENTITY_AMBIGUITY BINARY_COMPARISON, property of the request body.
- **name** (*string*) – name, property of the request body.
- **username_from** (*string*) – The attribute in the certificate where the user name should be taken from. Allowed values: CERTIFICATE (for a specific attribute as defined in certificateAttributeName) UPN (for using any Subject or Alternative Name Attributes in the Certificate an option only in AD), property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *allowed_as_user_name=None*, *certificate_attribute_name=None*, *description=None*, *external_identity_store_name=None*, *match_mode=None*, *name=None*, *username_from=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_certificate_profile_by_id*

get_certificate_profile(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the certificate profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_certificate_profile*

get_certificate_profile_generator(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the certificate profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for `get_certificate_profile_generator`

`create_certificate_profile`(*allowed_as_user_name=None, certificate_attribute_name=None, description=None, external_identity_store_name=None, id=None, match_mode=None, name=None, username_from=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create a certificate profile.

Parameters

- **`allowed_as_user_name`** (*boolean*) – `allowedAsUserName`, property of the request body.
- **`certificate_attribute_name`** (*string*) – Attribute name of the Certificate Profile used only when `CERTIFICATE` is chosen in `usernameFrom`. Allowed values: `SUBJECT_COMMON_NAME` `SUBJECT_ALTERNATIVE_NAME` `SUBJECT_SERIAL_NUMBER` `SUBJECT` `SUBJECT_ALTERNATIVE_NAME_OTHER_NAME` `SUBJECT_ALTERNATIVE_NAME_EMAIL` `SUBJECT_ALTERNATIVE_NAME_DNS`. Additional internal value `ALL_SUBJECT_AND_ALTERNATIVE_NAMES` is used automatically when `usernameFrom=UPN`, property of the request body.
- **`description`** (*string*) – description, property of the request body.
- **`external_identity_store_name`** (*string*) – Referred IDStore name for the Certificate Profile or [not applicable] in case no identity store is chosen, property of the request body.
- **`id`** (*string*) – id, property of the request body.
- **`match_mode`** (*string*) – Match mode of the Certificate Profile. Allowed values: `NEVER` `RESOLVE_IDENTITY_AMBIGUITY` `BINARY_COMPARISON`, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`username_from`** (*string*) – The attribute in the certificate where the user name should be taken from. Allowed values: `CERTIFICATE` (for a specific attribute as defined in `certificateAttributeName`) `UPN` (for using any Subject or Alternative Name Attributes in the Certificate an option only in AD), property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*allowed_as_user_name=None, certificate_attribute_name=None, description=None, external_identity_store_name=None, id=None, match_mode=None, name=None, username_from=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_certificate_profile*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the certificate profile.

Parameters

- **headers(dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

certificate_template

class CertificateTemplate

Identity Services Engine CertificateTemplate API (version: 3.1.0).

Wraps the Identity Services Engine CertificateTemplate API and exposes the API as native Python methods that return native Python objects.

get_certificate_template_by_name(name, headers=None, **query_parameters)

This API allows the client to get a certificate template by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(name, headers=None, **query_parameters)

Alias for *get_certificate_template_by_name*

get_certificate_template_by_id(id, headers=None, **query_parameters)

This API allows the client to get a certificate template by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *`get_certificate_template_by_id`*

`get_certificate_template`(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get aall the certificate templates.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *`get_certificate_template`*

`get_certificate_template_generator`(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get aall the certificate templates.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_certificate_template_generator`*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the certificate template.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *`RestResponse`*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

certificates

class Certificates

Identity Services Engine Certificates API (version: 3.1.0).

Wraps the Identity Services Engine Certificates API and exposes the API as native Python methods that return native Python objects.

get_csrs(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName subject timeStamp Supported Date Format: yyyy-MM-dd HH:mm:ss.SSS Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_csrs_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName subject timeStamp Supported Date Format: yyyy-MM-dd HH:mm:ss.SSS Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
generate_csr(allow_wild_card_cert=None, certificate_policies=None, digest_type=None,
             hostnames=None, key_length=None, key_type=None, portal_group_tag=None,
             san_dir=None, san_dns=None, san_ip=None, san_uri=None, subject_city=None,
             subject_common_name=None, subject_country=None, subject_org=None,
             subject_org_unit=None, subject_state=None, used_for=None, headers=None,
             payload=None, active_validation=True, **query_parameters)
```

Generate a certificate signing request for Multi-Use, Admin, EAP Authentication, RADIUS DTLS, Px-Grid, SAML, Portal and IMS Services. Following Parameters are present in POST request body

PARAMETER DESCRIPTION EXAMPLE

hostnames List of ise node hostnames for which CSRs should be generated [ise-host1, ise-host2]

allowWildCardCert Allow use of WildCards in certificates false

keyLength Length of the Key used for CSR generation (required) 512

keyType Type of key used for CSR generation either RSA or ECDSA(required) RSA

digestType Hash algorithm used for signing CSR(required) SHA-256

usedFor Certificate Usage(required) MULTI-USE

subjectCommonName Certificate common name(CN)(required) \$FQDN\$

subjectOrgUnit Certificate organizational unit(OU) Engineering

subjectOrg Certificate organization (O) Cisco

subjectCity Certificate city or locality (L) San Jose

subjectState Certificate state (ST) California

subjectCountry Certificate country (C) US

sanDNS Array of SAN(Subject Alternative Name) DNS entries(optional) [ise.example.com]

sanIP Array of SAN IP entries(optional) [1.1.1.1]

sanURI Array of SAN URI entries(optional) [https://1.1.1.1]

sanDir Array of SAN DIR entries(optional) [CN=AAA,DC=COM,C=IL]

portalGroupTag Portal Group Tag when using certificate for PORTAL service Default Portal Certificate Group

NOTE: For allowWildCardCert to be false, the below mentioned parameter is mandatory: hostnames

When Certificate is selected to be used for Portal Service, the below mentioned parameter is mandatory: portalGroupTag .

Parameters

- **allow_wild_card_cert** (*boolean*) – allowWildCardCert, property of the request body.
- **certificate_policies** (*string*) – certificatePolicies, property of the request body.
- **digest_type** (*string*) – digestType, property of the request body. Available values are ‘SHA-256’, ‘SHA-384’ and ‘SHA-512’.
- **hostnames** (*list*) – hostnames, property of the request body (list of strings).
- **key_length** (*string*) – keyLength, property of the request body. Available values are ‘1024’, ‘2048’, ‘4096’ and ‘512’.
- **key_type** (*string*) – keyType, property of the request body. Available values are ‘ECDSA’ and ‘RSA’.
- **portal_group_tag** (*string*) – portalGroupTag, property of the request body.
- **san_dns** (*list*) – sanDNS, property of the request body (list of strings).
- **san_dir** (*list*) – sanDir, property of the request body (list of strings).
- **san_ip** (*list*) – sanIP, property of the request body (list of strings).
- **san_uri** (*list*) – sanURI, property of the request body (list of strings).
- **subject_city** (*string*) – subjectCity, property of the request body.
- **subject_common_name** (*string*) – subjectCommonName, property of the request body.
- **subject_country** (*string*) – subjectCountry, property of the request body.
- **subject_org** (*string*) – subjectOrg, property of the request body.
- **subject_org_unit** (*string*) – subjectOrgUnit, property of the request body.
- **subject_state** (*string*) – subjectState, property of the request body.

- **used_for** (*string*) – usedFor, property of the request body. Available values are ‘ADMIN’, ‘DTLS- AUTH’, ‘EAP-AUTH’, ‘IMS’, ‘MULTI-USE’, ‘PORTAL’, ‘PXGRID’ and ‘SAML’.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

export_csr(*hostname, id, dirpath=None, save_file=None, headers=None, **query_parameters*)

The response of this API carries a CSR corresponding to the requested ID.

Parameters

- **hostname** (*basestring*) – hostname path parameter. The hostname to which the CSR belongs.
- **id** (*basestring*) – id path parameter. The ID of the CSR to be exported.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to os.getcwd().
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type urllib3.response.HTTPResponse

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

generate_intermediate_ca_csr(*headers=None, **query_parameters*)

CSR Generation for Intermediate Certificates.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_csr_by_id(*host_name, id, headers=None, **query_parameters*)

This API displays details of a Certificate Signing Request of a particular node based on a given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which CSR's should be returned.
- **id** (*basestring*) – id path parameter. The ID of the Certificate Signing Request returned.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_csr_by_id(*host_name*, *id*, *headers=None*, ***query_parameters*)

This API deletes a Certificate Signing Request of a particular node based on a given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which CSR's should be deleted.
- **id** (*basestring*) – id path parameter. The ID of the Certificate Signing Request to be deleted.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

regenerate_ise_root_ca(*remove_existing_ise_intermediate_csr=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API will initiate regeneration of ISE root CA certificate chain. Response contains id which can be used to track the status. Setting “removeExistingISEIntermediateCSR” to true will remove existing ISE Intermediate CSR.

Parameters

- **remove_existing_ise_intermediate_csr** (*boolean*) – Setting this attribute to true will remove existing ISE Intermediate CSR, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`renew_certificates`(*cert_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API will initiate regeneration of certificates. Response contains id which can be used to track the status.

Parameters

- **`cert_type`** (*string*) – `certType`, property of the request body. Available values are 'IMS' and 'OCSP'.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

```
bind_csr(admin=None, allow_extended_validity=None, allow_out_of_date_cert=None,
allow_replacement_of_certificates=None, allow_replacement_of_portal_group_tag=None,
data=None, eap=None, host_name=None, id=None, ims=None, name=None, portal=None,
portal_group_tag=None, pxgrid=None, radius=None, saml=None,
validate_certificate_extensions=None, headers=None, payload=None, active_validation=True,
**query_parameters)
```

Bind CA Signed Certificate. **NOTE: This API requires an** existing Certificate Signing Request, and the root certificate must already be trusted. **NOTE:** The certificate may have a validity period longer than 398 days. It may be untrusted by many browsers. **NOTE:** Request Parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following Parameters are used in POST body
PARAMETER DESCRIPTION EXAMPLE name Friendly name of the certificate. Signed Certificate data Plain-text contents of the certificate file. Every space needs to be replaced with newline escape sequence (

) (required). awk 'NF {sub(/

/, ""); printf "%sn", \$0;}' <<your .pem file>> allowExtendedValidity Allow the certificates greater than validity of 398 days (required) false allowOutOfDateCert Allow out of date certificates (required) false allowReplacementOfCertificates Allow Replacement of certificates (required) false allowReplacementOfPortalGroupTag Allow Replacement of Portal Group Tag (required) false admin Use certificate to authenticate the ISE Admin Portal false eap Use certificate for EAP protocols that use SSL/TLS tunneling false radius Use certificate for RADSec server false pxgrid Use certificate for the pxGrid Controller false ims Use certificate for the ISE Messaging Service false saml Use certificate for SAML Signing false portal Use certificate for portal false portalGroupTag Portal Group Tag for using certificate with portal role Default Portal Certificate Group validateCertificateExtensions Validate Certificate Extensions false Following Roles can be used in any combinations ROLE DEFAULT WARNING Admin False Enabling Admin role for this certificate will cause an application server restart on the selected node. Note: Make sure required Certificate Chain is imported under Trusted Certificates EAP Authentication False Only one system certificate can be used for EAP. Assigning EAP to this certificate will remove the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates RADIUS DTLS False Only one system certificate can be used for DTLS. Assigning DTLS to this certificate will remove the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates SAML False SAML cannot be used with other Usage. Enabling SAML will uncheck all other Usage. Note: Make sure required Certificate Chain is imported under Trusted Certificates .

Args:

admin(boolean): Use certificate to authenticate the ISE Admin Portal, property of the request body.

allow_extended_validity(boolean): Allow import of certificates with validity greater than 398 days (required), property of the request body.

allow_out_of_date_cert(boolean): Allow out of date certificates (required), property of the request body.

allow_replacement_of_certificates(boolean): Allow Replacement of certificates (required), property of the request body.

allow_replacement_of_portal_group_tag(boolean): Allow Replacement of Portal Group Tag (required), property of the request body.

data(string): Signed Certificate data (required), property of the request body.

eap(boolean): Use certificate for EAP protocols that use SSL/TLS tunneling, property of the request body.

host_name(string): Name of Host whose CSR ID has been provided (required), property of the request body.

id(string): ID of the generated CSR (required), property of the request body.

ims(boolean): Use certificate for the ISE Messaging Service, property of the request body.

name(string): Friendly Name of the certificate, property of the request body.

portal(boolean): Use for portal, property of the request body.

portal_group_tag(string): Set Group tag, property of the request body.

pxgrid(boolean): Use certificate for the pxGrid Controller, property of the request body.

radius(boolean): Use certificate for the RADSec server, property of the request body.

saml(boolean): Use certificate for SAML Signing, property of the request body.

validate_certificate_extensions(boolean): Validate Certificate Extensions, property of the request body.

headers(dict): Dictionary of HTTP Headers to send with the Request .

payload(dict): A JSON serializable Python object to send in the body of the Request.

active_validation(bool): Enable/Disable payload validation. Defaults to True.

****query_parameters:** Additional query parameters (provides support for parameters that may be added in the future).

Returns:

RestResponse: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Raises: TypeError: If the parameter types are incorrect. MalformedRequest: If the request body created is invalid. ApiError: If the Identity Services Engine cloud returns an error.

export_system_certificate(*export=None, id=None, password=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Export System Certificate. Following Parameters are used in POST body
 PARAMETER DESCRIPTION
 EXAMPLE id ID of a System Certificate(required) < SYSTEM_CERT_ID >
 export One of the below option is required
 "CERTIFICATE" : Export only Certificate without Private Key
 "CERTIFICATE_WITH_PRIVATE_KEY" : Export both Certificate and Private Key
 ("certificatePassword" is required)
 CERTIFICATE_WITH_PRIVATE_KEY password Certificate Password (required if "export" :
 CERTIFICATE_WITH_PRIVATE_KEY) Password Constraints: Alphanumeric Minimum of 8 Characters
 Maximum of 100 Characters Passw*** NOTE: The response of this API carries a ZIP file containing
 the certificate and private key if "export" : "CERTIFICATE_WITH_PRIVATE_KEY" in the request. If
 "export" : "CERTIFICATE" in request body, the response carries a ZIP file containing only the certificate.
 WARNING: Exporting a private key is not a secure operation. It could lead to possible exposure of the
 private key. .

Parameters

- **export** (*string*) – export, property of the request body. Available values are ‘CERTIFICATE’ and ‘CERTIFICATE_WITH_PRIVATE_KEY’.
- **id** (*string*) – id, property of the request body.
- **password** (*string*) – password, property of the request body.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to `os.getcwd()`.
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type `urllib3.response.HTTPResponse`

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

```
import_system_certificate(admin=None, allow_extended_validity=None,
                          allow_out_of_date_cert=None, allow_replacement_of_certificates=None,
                          allow_replacement_of_portal_group_tag=None,
                          allow_shal_certificates=None, allow_wild_card_certificates=None,
                          data=None, eap=None, ims=None, name=None, password=None,
                          portal=None, portal_group_tag=None,
                          portal_tag_transfer_for_same_subject=None, private_key_data=None,
                          pxgrid=None, radius=None, role_transfer_for_same_subject=None,
                          saml=None, validate_certificate_extensions=None, headers=None,
                          payload=None, active_validation=True, **query_parameters)
```

Import an X509 certificate as a system certificate. NOTE: The certificate may have a validity period longer than 398 days. It may be untrusted by many browsers. NOTE: Request Parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following Parameters are used in POST body
PARAMETER DESCRIPTION EXAMPLE name Friendly name of the certificate. System Certificate password Password of the certificate to be imported (required). Passw*** data Plain-text contents of the certificate file. Every space needs to be replaced with newline escape sequence (

) (required). awk ‘NF {sub(/

/, “”); printf ““%sn”,\$0;}’ <<your .pem file>> privateKeyData Plain-text contents of the private key file.
Every space needs to be replaced with newline escape sequence (

) (required). awk ‘NF {sub(/ /,

```

"""); printf("%sn", $0;}' <<your .pem file>> allowOutOfDateCert Allow out of date certificates (re-
quired) false allowSHA1Certificates Allow SHA1 based certificates (required) false allowExtend-
edValidity Allow the certificates greater than validity of 398 days (required) false roleTransferFor-
SameSubject Allow the transfer of roles to certificates with same subject false portalTagTransfer-
ForSameSubject Acquire the group tag of the matching certificate false admin Use certificate to
authenticate the ISE Admin Portal false eap Use certificate for EAP protocols that use SSL/TLS
tunneling false radius Use certificate for RADSec server false pxgrid Use certificate for the px-
Grid Controller false ims Use certificate for the ISE Messaging Service false saml Use certificate
for SAML Signing false portal Use certificate for portal false portalGroupTag Portal Group Tag
for using certificate with portal role Default Portal Certificate Group allowReplacementOfPor-
talGroupTag Allow Replacement of Portal Group Tag (required) false allowWildcardCertificates
Allow use of WildCards in certificates false validateCertificateExtensions Validate Certificate Ex-
tensions false Following Roles can be used in any combinations ROLE DEFAULT WARNING
Admin False Enabling Admin role for this certificate will cause an application server restart on
the selected node. Note: Make sure required Certificate Chain is imported under Trusted Certifi-
cates EAP Authentication False Only one system certificate can be used for EAP. Assigning EAP
to this certificate will remove the assignment from another certificate. Note: Make sure required
Certificate Chain is imported under Trusted Certificates RADIUS DTLS False Only one system
certificate can be used for DTLS. Assigning DTLS to this certificate will remove the assignment
from another certificate. Note: Make sure required Certificate Chain is imported under Trusted
Certificates SAML False SAML cannot be used with other Usage. Enabling SAML will uncheck
all other Usage. Note: Make sure required Certificate Chain is imported under Trusted Certificates
.

```

Args:

- admin(boolean):** Use certificate to authenticate the ISE Admin Portal, property of the request body.
- allow_extended_validity(boolean):** Allow import of certificates with validity greater than 398 days (required), property of the request body.
- allow_out_of_date_cert(boolean):** Allow out of date certificates (required), property of the request body.
- allow_replacement_of_certificates(boolean):** Allow Replacement of certificates (required), property of the request body.
- allow_replacement_of_portal_group_tag(boolean):** Allow Replacement of Portal Group Tag (required), property of the request body.
- allow_sha1_certificates(boolean):** Allow SHA1 based certificates (required), property of the request body.
- allow_wild_card_certificates(boolean):** Allow Wildcard Certificates, property of the request body.
- data(string):** Certificate Content (required), property of the request body.
- eap(boolean):** Use certificate for EAP protocols that use SSL/TLS tunneling, property of the request body.
- ims(boolean):** Use certificate for the ISE Messaging Service, property of the request body.
- name(string):** Name of the certificate, property of the request body.
- password(string):** Certificate Password (required), property of the request body.
- portal(boolean):** Use for portal, property of the request body.

portal_group_tag(string): Set Group tag, property of the request body.

portal_tag_transfer_for_same_subject(boolean): Allow overwriting the portal tag from matching certificate of same subject, property of the request body.

private_key_data(string): Private Key data (required), property of the request body.

pxgrid(boolean): Use certificate for the pxGrid Controller, property of the request body.

radius(boolean): Use certificate for the RADSec server, property of the request body.

role_transfer_for_same_subject(boolean): Allow transfer of roles for certificate with matching subject, property of the request body.

saml(boolean): Use certificate for SAML Signing, property of the request body.

validate_certificate_extensions(boolean): Validate Certificate Extensions, property of the request body.

headers(dict): Dictionary of HTTP Headers to send with the Request .

payload(dict): A JSON serializable Python object to send in the body of the Request.

active_validation(bool): Enable/Disable payload validation. Defaults to True.

****query_parameters:** Additional query parameters (provides support for parameters that may be added in the future).

Returns:

RestResponse: REST response with following properties:

- **headers(MyDict):** response headers.
- **response(MyDict):** response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes):** representation of the request's response
- **text(str):** representation of the request's response

Raises: TypeError: If the parameter types are incorrect. MalformedRequest: If the request body created is invalid. ApiError: If the Identity Services Engine cloud returns an error.

get_system_certificates(*host_name, filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName issuedTo issuedBy validFrom Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **host_name (basestring)** – hostName path parameter. Name of the host of which system certificates should be returned.
- **page (int)** – page query parameter. Page number.
- **size (int)** – size query parameter. Number of objects returned per page.
- **sort (basestring)** – sort query parameter. sort type asc or desc.
- **sort_by (basestring)** – sortBy query parameter. sort column by which objects needs to be sorted.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_system_certificates_generator(*host_name*, *filter=None*, *filter_type=None*, *page=None*, *size=None*, *sort=None*, *sort_by=None*, *headers=None*, ***query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName issuedTo issuedBy validFrom Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which system certificates should be returned.
- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a

triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- RestResponse: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request’s response
 - text(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_system_certificate_by_id(*host_name, id, headers=None, **query_parameters*)

This API displays details of a System Certificate of a particular node based on a given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which system certificates should be returned.
- **id** (*basestring*) – id path parameter. The id of the system certificate.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_system_certificate(*host_name, id, admin=None, allow_replacement_of_portal_group_tag=None, description=None, eap=None, expiration_ttl_period=None, expiration_ttl_units=None, ims=None, name=None, portal=None, portal_group_tag=None, portal_tag_transfer_for_same_subject=None, pxgrid=None, radius=None, renew_self_signed_certificate=None, role_transfer_for_same_subject=None, saml=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Update a System Certificate. NOTE: Renewing a certificate will cause an application server restart on the selected node. NOTE: Request Parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following Parameters are used in POST body
PARAMETER DESCRIPTION EXAMPLE
name Friendly name of the certificate. **System Certificate description** Description of the Certificate
Default Description admin Use certificate to authenticate the ISE Admin Portal **false eap** Use certificate for EAP protocols that use SSL/TLS tunneling **false radius** Use certificate for RADSec server **false pxgrid** Use certificate for the pxGrid Controller **false ims** Use certificate for the ISE Messaging Service **false saml** Use certificate for SAML Signing **false portal** Use certificate for portal **false portalGroupTag** Portal Group Tag for using certificate with portal role **Default Portal Certificate Group allowReplacementOfPortalGroupTag** Allow Replacement of Portal Group Tag (required) **false roleTransferForSameSubject** Allow the transfer of roles to certificates with same subject **false portalTagTransferForSameSubject** Acquire the group tag of the matching certificate **false renewSelfSignedCertificate** Renew Self Signed Certificate **false expirationTTLPeriod** Expiration Period 365 **expirationTTLUnits** Expiration Units in one of the below formats days / weeks / months / years **days** Following Roles can be used in any combinations
ROLE DEFAULT WARNING Admin **False** Enabling Admin role for this certificate will cause an application server restart on the selected node. Note: Make sure required Certificate Chain is imported under Trusted Certificates
EAP Authentication **False** Only one system certificate can be used for EAP. Assigning EAP to this certificate will remove the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates
RADIUS DTLS **False** Only one system certificate can be used for DTLS. Assigning DTLS to this certificate will remove the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates
SAML **False** SAML cannot be used with other Usage. Enabling SAML will uncheck all other Usage. Note: Make sure required Certificate Chain is imported under Trusted Certificates .

Parameters

- **admin** (*boolean*) – Use certificate to authenticate the ISE Admin Portal, property of the request body.
- **allow_replacement_of_portal_group_tag** (*boolean*) – Allow Replacement of Portal Group Tag (required), property of the request body.
- **description** (*string*) – Description of System Certificate, property of the request body.
- **eap** (*boolean*) – Use certificate for EAP protocols that use SSL/TLS tunneling, property of the request body.
- **expiration_ttl_period** (*integer*) – `expirationTTLPeriod`, property of the request body.

- **expiration_ttl_units** (*string*) – expirationTTLUnits, property of the request body. Available values are ‘days’, ‘months’, ‘weeks’ and ‘years’.
- **ims** (*boolean*) – Use certificate for the ISE Messaging Service, property of the request body.
- **name** (*string*) – Name of the certificate, property of the request body.
- **portal** (*boolean*) – Use for portal, property of the request body.
- **portal_group_tag** (*string*) – Set Group tag, property of the request body.
- **portal_tag_transfer_for_same_subject** (*boolean*) – Allow overwriting the portal tag from matching certificate of same subject, property of the request body.
- **pxgrid** (*boolean*) – Use certificate for the pxGrid Controller, property of the request body.
- **radius** (*boolean*) – Use certificate for the RADSec server, property of the request body.
- **renew_self_signed_certificate** (*boolean*) – Renew Self Signed Certificate, property of the request body.
- **role_transfer_for_same_subject** (*boolean*) – Allow transfer of roles for certificate with matching subject , property of the request body.
- **saml** (*boolean*) – Use certificate for SAML Signing, property of the request body.
- **id** (*basestring*) – id path parameter. The ID of the System Certificate to be updated.
- **host_name** (*basestring*) – hostName path parameter. Name of Host whose certificate needs to be updated.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_system_certificate_by_id(*host_name, id, headers=None, **query_parameters*)

This API deletes a System Certificate of a particular node based on a given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host from which the System Certificate needs to be deleted.
- **id** (*basestring*) – id path parameter. The ID of the System Certificate to be deleted.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_trusted_certificates(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName subject issuedTo issuedBy validFrom Supported Date Format: yyyy-MM- dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT status Allowed values: enabled, disabled Supported Operators: EQ, NEQ .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_trusted_certificates_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName subject issuedTo issuedBy validFrom Supported Date Format: yyyy-MM- dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT status Allowed values: enabled, disabled Supported Operators: EQ, NEQ .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

export_trusted_certificate(*id*, *dirpath=None*, *save_file=None*, *headers=None*, ****query_parameters**)

The response of this API carries a trusted certificate file mapped to the requested id.

Parameters

- **id** (*basestring*) – id path parameter. The ID of the Trusted Certificate to be exported.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to `os.getcwd()`.
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type `urllib3.response.HTTPResponse`

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

```
import_trust_certificate(allow_basic_constraint_cafalse=None, allow_out_of_date_cert=None,
                        allow_sha1_certificates=None, data=None, description=None, name=None,
                        trust_for_certificate_based_admin_auth=None,
                        trust_for_cisco_services_auth=None, trust_for_client_auth=None,
                        trust_for_ise_auth=None, validate_certificate_extensions=None,
                        headers=None, payload=None, active_validation=True,
                        **query_parameters)
```

Import an X509 certificate as a trust certificate. NOTE: Request Parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following Parameters are used in POST body PARAMETER DESCRIPTION EXAMPLE name Friendly name of the certificate Trust Certificate description Description of the certificate Passw*** data Plain-text contents of the certificate file. Every space needs to be replaced with newline escape sequence (

) (required). awk 'NF {sub(/

/, ""); printf "%sn", \$0;}' <<your .pem file>> allowOutOfDateCert Allow out of date certificates (required) false allowSHA1Certificates Allow SHA1 based certificates (required) false trustForIseAuth Trust for authentication within ISE false trustForClientAuth Trust for client authentication and Syslog false trustForCertificateBasedAdminAuth Trust for Certificate based Admin authentication false trustForCiscoServicesAuth Trust for authentication of Cisco Services false validateCertificateExtensions Validate extensions for trust certificate false NOTE: If name is not set, a default name of the following format will be generated: common-name#issuer#nnnnn where "nnnnn" is a unique number. You can always change the friendly name later by editing the certificate. You must choose how this certificate will be trusted in ISE. The objective here is to distinguish between certificates that are used for trust within an ISE deployment and public certificates that are used to trust Cisco services. Typically, you will not want to use a given certificate for both purposes. Trusted For Usage Authentication within ISE Use "trustForIseAuth":true if the certificate is used for trust within ISE, such as for secure communication between ISE nodes Client authentication and Syslog Use "trustForClientAuth":true if the certificate is to be used for authentication of endpoints that contact ISE over the EAP protocol. Also check this box if certificate is used to trust a Syslog server. Make sure to have keyCertSign bit asserted under KeyUsage extension for this certificate. Note: "" can be set true only if the "trustForIseAuth" has been set true. Certificate based admin authentication Use "trustForCertificateBasedAdminAuth":true if the certificate is used for trust within ISE, such as for secure communication between ISE nodes Note: "trustForCertificateBasedAdminAuth" can be set true only if "trustForIseAuth" and "trustForClientAuth" are true. Authentication of Cisco Services Use "trustForCiscoServicesAuth":true if the certificate is to be used for trusting external Cisco services, such as Feed Service. .

Args:

allow_basic_constraint_cafalse(boolean): Allow Certificates with Basic Constraints CA Field as False (required), property of the request body.

allow_out_of_date_cert(boolean): Allow out of date certificates (required), property of the request body.

allow_sha1_certificates(boolean): Allow SHA1 based certificates (required), property of the request body.

data(string): Certificate content (required), property of the request body.

description(string): Description of the certificate, property of the request body.

name(string): Name of the certificate, property of the request body.

trust_for_certificate_based_admin_auth(boolean): Trust for Certificate based Admin authentication, property of the request body.

trust_for_cisco_services_auth(boolean): Trust for authentication of Cisco Services, property of the request body.

trust_for_client_auth(boolean): Trust for client authentication and Syslog, property of the request body.

trust_for_ise_auth(boolean): Trust for authentication within ISE, property of the request body.

validate_certificate_extensions(boolean): Validate trust certificate extension, property of the request body.

headers(dict): Dictionary of HTTP Headers to send with the Request .

payload(dict): A JSON serializable Python object to send in the body of the Request.

active_validation(bool): Enable/Disable payload validation. Defaults to True.

****query_parameters:** Additional query parameters (provides support for parameters that may be added in the future).

Returns:

RestResponse: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Raises: TypeError: If the parameter types are incorrect. MalformedRequest: If the request body created is invalid. ApiError: If the Identity Services Engine cloud returns an error.

get_trusted_certificate_by_id(id, headers=None, **query_parameters)

This API can displays details of a Trust Certificate based on a given ID.

Parameters

- **id (basestring)** – id path parameter. The id of the trust certificate.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_trusted_certificate(id, authenticate_before_crl_received=None, automatic_crl_update=None,
                           automatic_crl_update_period=None, automatic_crl_update_units=None,
                           crl_distribution_url=None, crl_download_failure_retries=None,
                           crl_download_failure_retries_units=None, description=None,
                           download_crl=None, enable_ocsp_validation=None,
                           enable_server_identity_check=None, ignore_crl_expiration=None,
                           name=None, non_automatic_crl_update_period=None,
                           non_automatic_crl_update_units=None,
                           reject_if_no_status_from_ocs_p=None,
                           reject_if_unreachable_from_ocs_p=None, selected_ocsp_service=None,
                           status=None, trust_for_certificate_based_admin_auth=None,
                           trust_for_cisco_services_auth=None, trust_for_client_auth=None,
                           trust_for_ise_auth=None, headers=None, payload=None,
                           active_validation=True, **query_parameters)
```

Update a trusted certificate present in ISE trust store. Following Parameters are used in PUT request body

PARAMETER	DESCRIPTION	EXAMPLE	name	Friendly name of the certificate(required)	Trust Certificate status	Status of the certificate	Enabled	description	Description of the certificate	Certificate for secure connection to cisco.com	trustForIseAuth	Trust for authentication within ISE	false	trustForClientAuth	Trust for client authentication and Syslog	false	trustForCertificateBasedAdminAuth	Trust for Certificate based Admin authentication	false	trustForCiscoServicesAuth	Trust for authentication of Cisco Services	false	enableOCSPValidation	Switch to enable/disable OCSP Validation	false	selectedOCSPService	Name of selected OCSP Service	INTERNAL_OCSP_SERVICE	rejectIfNoStatusFromOCSP	Switch to reject certificate if there is no status from OCSP	false	rejectIfUnreachableFromOCSP	Switch to reject certificate if unreachable from OCSP	false	downloadCRL	Switch to enable/disable download of CRL	false	crlDistributionUrl	Certificate Revocation List Distribution URL	automaticCRLUpdate	Switch to enable/disable automatic CRL update	false	automaticCRLUpdatePeriod	Automatic CRL update period	5	automaticCRLUpdateUnits	Unit of time for automatic CRL update	Minutes	nonAutomaticCRLUpdatePeriod	Non automatic CRL update period	1	nonAutomaticCRLUpdateUnits	Unit of time of non automatic CRL update	Hours	crlDownloadFailureRetries	If CRL download fails, wait time before retry	10	crlDownloadFailureRetriesUnits	Unit of time before retry if CRL download fails	Minutes	enableServerIdentityCheck	Switch to enable/disable verification if HTTPS or LDAP server certificate name fits the configured server URL	false	authenticateBeforeCRLReceived	Switch to enable/disable CRL Verification if CRL is not Received	false	ignoreCRLExpiration	Switch to enable/disable ignore CRL Expiration	false	Trusted For Usage Authentication within ISE	Use “trustForIseAuth”:true if the certificate is used for trust within ISE, such as for secure communication between ISE nodes	Client authentication and Syslog	Use “trustForClientAuth”:true if the certificate is to be used for authentication of endpoints that contact ISE over the EAP protocol. Also check this box if certificate is used to trust a Syslog server. Make sure to have keyCertSign bit asserted under KeyUsage extension for this certificate. Note: “trustForClientAuth” can be set true only if the “trustForIseAuth” has been set true. Certificate based admin authentication	Use “trustForCertificateBasedAdminAuth”:true if the certificate is used for trust within ISE, such as for secure communication between ISE nodes	Note: “trustForCertificateBasedAdminAuth” can be set true only if “trustForIseAuth” and “trustForClientAuth” are true. Authentication of Cisco Services	Use “trustForCiscoServicesAuth”:true if the certificate is to be used for trusting external Cisco services, such as Feed Service. OCSP Configuration Usage Validation against OCSP service	Use “enableOCSPValidation”:true to validate the certificate against OCSP service mentioned in the field selectedOCSPService	OCSP Service name	Use “selectedOCSPService”:“Name of OCSP Service”	Name of the OCSP service against which the certificate should be validated	Note: “selectedOCSPService” value will on be used if “enableOCSPValidation” has been set true. Reject the request if OCSP returns UNKNOWN status	Use “rejectIfNoStatusFromOCSP”:true to reject the certificate if the OCSP service returns UNKNOWN status	Note: “rejectIfNoStatusFromOCSP:true” can be used only if “enableOCSPValidation” has been set true. Reject the request if OCSP Responder is unreachable	Use “rejectIfUnreachableFromOCSP”:true to reject the certificate if the OCSP service is unreachable.
-----------	-------------	---------	------	--	--------------------------	---------------------------	---------	-------------	--------------------------------	--	-----------------	-------------------------------------	-------	--------------------	--	-------	-----------------------------------	--	-------	---------------------------	--	-------	----------------------	--	-------	---------------------	-------------------------------	-----------------------	--------------------------	--	-------	-----------------------------	---	-------	-------------	--	-------	--------------------	--	--------------------	---	-------	--------------------------	-----------------------------	---	-------------------------	---------------------------------------	---------	-----------------------------	---------------------------------	---	----------------------------	--	-------	---------------------------	---	----	--------------------------------	---	---------	---------------------------	---	-------	-------------------------------	--	-------	---------------------	--	-------	---	--	----------------------------------	--	--	---	--	---	-------------------	--	--	--	--	---	--

Note: “rejectIfUnreachableFromOCSP:true” can be used only if “enableOCSPValidation” has been set true. Certificate Revocation List Configuration Usage Validation against CRL Use “downloadCRL”:true to validate the certificate against CRL downloaded from URL mentioned in the field `crlDistributionUrl` CRL distribution url Use “`crlDistributionUrl`” to specify the URL from where the CRL should be downloaded Note: “`crlDistributionUrl`” value will only be used if “downloadCRL” has been set true. Retrieve CRL time Use “automaticCRLUpdate”:true and automaticCRLUpdatePeriod, automaticCRLUpdatePeriod to set the time before which CRL is automatically retrieved prior to expiration Use “nonAutomaticCRLUpdatePeriod, nonAutomaticCRLUpdateUnits to set the time period for CRL retrieval in loop. Note: All the above fields can be used only if “downloadCRL” has been set true. If download fails Use “crlDownloadFailureRetries” and “crlDownloadFailureRetriesUnits” to set retry time period if CRL download fails Note: “crlDownloadFailureRetries” and “crlDownloadFailureRetriesUnits” can be used only if “downloadCRL” has been set true. Enable Server Identity Check Use “enableServerIdentityCheck”:true to verify that HTTPS or LDAPS server certificate name fits the configured server URL Note: “enableServerIdentityCheck:true” can be used only if “downloadCRL” has been set true. Bypass CRL Verification if CRL is not Received Use “authenticateBeforeCRLReceived”:true to bypass CRL Verification if CRL is not Received Note: “authenticateBeforeCRLReceived:true” can be used only if “downloadCRL” has been set true. Ignore that CRL is not yet valid or has expired Use “ignoreCRLExpiration”:true to ignore if CRL is not yet valid or expired Note: “ignoreCRLExpiration:true” can be used only if “downloadCRL” has been set true. Note: boolean properties accept integers values as well, with 0 considered as false and other values being considered as true .

Parameters

- **authenticate_before_crl_received** (*boolean*) – Switch to enable/disable CRL Verification if CRL is not Received, property of the request body.
- **automatic_crl_update** (*boolean*) – Switch to enable/disable automatic CRL update, property of the request body.
- **automatic_crl_update_period** (*integer*) – Automatic CRL update period, property of the request body.
- **automatic_crl_update_units** (*string*) – Unit of time for automatic CRL update, property of the request body. Available values are ‘Days’, ‘Hours’, ‘Minutes’ and ‘Weeks’.
- **crl_distribution_url** (*string*) – CRL Distribution URL, property of the request body.
- **crl_download_failure_retries** (*integer*) – If CRL download fails, wait time before retry, property of the request body.
- **crl_download_failure_retries_units** (*string*) – Unit of time before retry if CRL download fails, property of the request body. Available values are ‘Days’, ‘Hours’, ‘Minutes’ and ‘Weeks’.
- **description** (*string*) – Description for trust certificate, property of the request body.
- **download_crl** (*boolean*) – Switch to enable/disable download of CRL, property of the request body.
- **enable_ocsp_validation** (*boolean*) – Switch to enable/disable OCSP Validation, property of the request body.
- **enable_server_identity_check** (*boolean*) – Switch to enable/disable verification if HTTPS or LDAP server certificate name fits the configured server URL, property of the request body.
- **ignore_crl_expiration** (*boolean*) – Switch to enable/disable ignore CRL Expiration, property of the request body.
- **name** (*string*) – Friendly name of the certificate, property of the request body.

- **non_automatic_crl_update_period** (*integer*) – Non automatic CRL update period, property of the request body.
- **non_automatic_crl_update_units** (*string*) – Unit of time of non automatic CRL update, property of the request body. Available values are ‘Days’, ‘Hours’, ‘Minutes’ and ‘Weeks’.
- **reject_if_no_status_from_ocs_p** (*boolean*) – Switch to reject certificate if there is no status from OCSP, property of the request body.
- **reject_if_unreachable_from_ocs_p** (*boolean*) – Switch to reject certificate if unreachable from OCSP, property of the request body.
- **selected_ocs_service** (*string*) – Name of selected OCSP Service, property of the request body.
- **status** (*string*) – status, property of the request body. Available values are ‘Disabled’ and ‘Enabled’.
- **trust_for_certificate_based_admin_auth** (*boolean*) – Trust for Certificate based Admin authentication, property of the request body.
- **trust_for_cisco_services_auth** (*boolean*) – Trust for authentication of Cisco Services, property of the request body.
- **trust_for_client_auth** (*boolean*) – Trust for client authentication and Syslog, property of the request body.
- **trust_for_ise_auth** (*boolean*) – Trust for authentication within ISE, property of the request body.
- **id** (*basestring*) – id path parameter. The id of the trust certificate.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_trusted_certificate_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a Trust Certificate from Trusted Certificate Store based on a given ID.

Parameters

- **id** (*basestring*) – id path parameter. The ID of the Trusted Certificate to be deleted.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

clear_threats_and_vulnerabilities**class ClearThreatsAndVulnerabilities**

Identity Services Engine ClearThreatsAndVulnerabilities API (version: 3.1.0).

Wraps the Identity Services Engine ClearThreatsAndVulnerabilities API and exposes the API as native Python methods that return native Python objects.

clear_threats_and_vulnerabilities(*mac_addresses=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to delete the ThreatContext and Threat events that are associated with the given MAC Address.

Parameters

- **mac_addresses** (*string*) – macAddresses, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

clear(*mac_addresses=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *clear_threats_and_vulnerabilities*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the clear threats and vulnerabilities.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

consumer

class Consumer

Identity Services Engine Consumer API (version: 3.1.0).

Wraps the Identity Services Engine Consumer API and exposes the API as native Python methods that return native Python objects.

create_account(*node_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

AccountCreate.

Parameters

- **node_name** (*string*) – nodeName, property of the request body.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*node_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_account*

activate_account(*description=None, headers=None, payload=None, active_validation=True, **query_parameters*)

AccountActivate.

Parameters

- **description** (*string*) – description, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

lookup_service(*name=None, headers=None, payload=None, active_validation=True,*
***query_parameters*)

ServiceLookup.

Parameters

- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

access_secret(*peer_node_name=None, headers=None, payload=None, active_validation=True,*
***query_parameters*)

AccessSecret.

Parameters

- **peer_node_name** (*string*) – peerNodeName, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

device_administration_authentication_rules

class DeviceAdministrationAuthenticationRules

Identity Services Engine Device Administration - Authentication Rules API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Authentication Rules API and exposes the API as native Python methods that return native Python objects.

`get_device_admin_authentication_rules`(*policy_id*, *headers=None*, ***query_parameters*)

Device Admin Get authentication rules.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*policy_id*, *headers=None*, ***query_parameters*)

Alias for `get_device_admin_authentication_rules`

```
create_device_admin_authentication_rule(policy_id, identity_source_name=None,  
                                         if_auth_fail=None, if_process_fail=None,  
                                         if_user_not_found=None, link=None, rule=None,  
                                         headers=None, payload=None, active_validation=True,  
                                         **query_parameters)
```

Device Admin Create authentication rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authentication policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *identity_source_name=None*, *if_auth_fail=None*, *if_process_fail=None*, *if_user_not_found=None*, *link=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)
 Alias for *create_device_admin_authentication_rule*

reset_hit_counts_device_admin_authentication_rules(*policy_id*, *headers=None*, ***query_parameters*)

Device Admin Reset HitCount for Authentication Rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)
 Alias for *reset_hit_counts_device_admin_authentication_rules*

get_device_admin_authentication_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)
 Device Admin Get rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, policy_id, headers=None, **query_parameters*)

Alias for *get_device_admin_authentication_rule_by_id*

update_device_admin_authentication_rule_by_id(*id, policy_id, identity_source_name=None, if_auth_fail=None, if_process_fail=None, if_user_not_found=None, link=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Update rule.

Parameters

- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id, policy_id, identity_source_name=None, if_auth_fail=None, if_process_fail=None, if_user_not_found=None, link=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_device_admin_authentication_rule_by_id*

delete_device_admin_authentication_rule_by_id(*id, policy_id, headers=None, **query_parameters*)

Device Admin Delete rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id, policy_id, headers=None, **query_parameters*)

Alias for *delete_device_admin_authentication_rule_by_id*

device_administration_authorization_exception_rules

class DeviceAdministrationAuthorizationExceptionRules

Identity Services Engine Device Administration - Authorization Exception Rules API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Authorization Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_device_admin_local_exception_rules(*policy_id*, *headers=None*, ***query_parameters*)
Device Admin Get local exception rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)
Alias for *get_device_admin_local_exception_rules*

create_device_admin_local_exception_rule(*policy_id*, *commands=None*, *link=None*, *profile=None*,
rule=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Device Admin Create local authorization exception rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.

- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *create_device_admin_local_exception_rule*

reset_hit_counts_device_admin_local_exceptions(*policy_id*, *headers=None*, ***query_parameters*)

Device Admin Reset HitCount for local exceptions.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *reset_hit_counts_device_admin_local_exceptions*

get_device_admin_local_exception_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Device Admin Get local exception rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_local_exception_rule_by_id*

update_device_admin_local_exception_rule_by_id(*id*, *policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Update local exception rule.

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id, policy_id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_device_admin_local_exception_rule_by_id*

delete_device_admin_local_exception_rule_by_id(*id, policy_id, headers=None, **query_parameters*)

Device Admin Delete local exception rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_local_exception_rule_by_id*

device_administration_authorization_global_exception_rules**class DeviceAdministrationAuthorizationGlobalExceptionRules**

Identity Services Engine Device Administration - Authorization Global Exception Rules API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Authorization Global Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_device_admin_policy_set_global_exception_rules(*headers=None*, ***query_parameters*)

Device Admin Get global exception rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None*, ***query_parameters*)

Alias for *get_device_admin_policy_set_global_exception_rules*

create_device_admin_policy_set_global_exception(*commands=None*, *link=None*, *profile=None*,
rule=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Device Admin Create global exception authorization rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_device_admin_policy_set_global_exception*

reset_hit_counts_device_admin_global_exceptions(*headers=None, **query_parameters*)

Device Admin Reset HitCount for Global Exceptions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`reset_hit_counts`(*headers=None, **query_parameters*)

Alias for *`reset_hit_counts_device_admin_global_exceptions`*

`get_device_admin_policy_set_global_exception_by_rule_id`(*id, headers=None, **query_parameters*)

Device Admin Get global exception rule attribute.

Parameters

- **`id`** (*basestring*) – id path parameter. Rule id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id, headers=None, **query_parameters*)

Alias for *`get_device_admin_policy_set_global_exception_by_rule_id`*

`update_device_admin_policy_set_global_exception_by_rule_id`(*id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Update global exception authorization rule.

Parameters

- **`commands`** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).

- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_policy_set_global_exception_by_rule_id*

delete_device_admin_policy_set_global_exception_by_rule_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete global exception authorization rule.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_device_admin_policy_set_global_exception_by_rule_id`*

`device_administration_authorization_rules`

`class DeviceAdministrationAuthorizationRules`

Identity Services Engine Device Administration - Authorization Rules API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Authorization Rules API and exposes the API as native Python methods that return native Python objects.

`get_device_admin_authorization_rules(policy_id, headers=None, **query_parameters)`

Device Admin Get authorization rules.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(policy_id, headers=None, **query_parameters)`

Alias for *`get_device_admin_authorization_rules`*

```
create_device_admin_authorization_rule(policy_id, commands=None, link=None, profile=None,
                                         rule=None, headers=None, payload=None,
                                         active_validation=True, **query_parameters)
```

Device Admin Create authorization rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(policy_id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None,
        active_validation=True, **query_parameters)
```

Alias for *create_device_admin_authorization_rule*

```
reset_hit_counts_device_admin_authorization_rules(policy_id, headers=None,
                                                    **query_parameters)
```

Device Admin Reset HitCount for Authorization Rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *reset_hit_counts_device_admin_authorization_rules*

get_device_admin_authorization_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Device Admin Get authorization rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_authorization_rule_by_id*

update_device_admin_authorization_rule_by_id(*id*, *policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Update authorization rule.

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_authorization_rule_by_id*

delete_device_admin_authorization_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Device Admin Delete authorization rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_authorization_rule_by_id*

device_administration_command_set

class DeviceAdministrationCommandSet

Identity Services Engine Device Administration - Command Set API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Command Set API and exposes the API as native Python methods that return native Python objects.

get_device_admin_command_sets(*headers=None*, ***query_parameters*)

Device Admin Return list of command sets. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_device_admin_command_sets*

device_administration_conditions

class DeviceAdministrationConditions

Identity Services Engine Device Administration - Conditions API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Conditions API and exposes the API as native Python methods that return native Python objects.

get_device_admin_conditions(*headers=None, **query_parameters*)

Device Admin Returns list of library conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_device_admin_conditions*

```
create_device_admin_condition(attribute_name=None, attribute_value=None, children=None,  
condition_type=None, dates_range=None,  
dates_range_exception=None, description=None,  
dictionary_name=None, dictionary_value=None, hours_range=None,  
hours_range_exception=None, id=None, is_negate=None, link=None,  
name=None, operator=None, week_days=None,  
week_days_exception=None, headers=None, payload=None,  
active_validation=True, **query_parameters)
```

Device Admin Creates a library condition: Library Condition has hierarchical structure which define a set of condition for which authentication and authorization policy rules could be match. Condition can be compose from single dictionary attribute name and value using model LibraryConditionAttributes , or from combination of dictionary attributes with logical operation of AND/OR between them, using models: LibraryConditionAndBlock or LibraryConditionOrBlock . When using AND/OR blocks, the condition will include inner layers inside these blocks, these layers are built using the inner condition models: ConditionAttributes , ConditionAndBlock , ConditionOrBlock , that represent dynamically built Conditions which are not stored in the conditions Library, or using ConditionReference , which includes an ID to existing stored condition in the library. The LibraryCondition models can only be used in the outer-most layer (root of the condition) and must always include the condition name. When using one of the 3 inner condition models (ConditionAttributes, ConditionAndBlock, ConditionOrBlock), condition name cannot be included in the request, since these will not be stored in the conditions library, and used only as inner members of the root condition. When using ConditionReference model in inner layers, the condition name is not required. ConditionReference objects can also include a reference ID to a condition of type TimeAndDate

..

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.

- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'not-Contains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_device_admin_condition*

get_device_admin_conditions_for_authentication_rules(*headers=None, **query_parameters*)

Device Admin Returns list of library conditions for authentication rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authentication_rules(*headers=None, **query_parameters*)

Alias for *get_device_admin_conditions_for_authentication_rules*

get_device_admin_conditions_for_authorization_rules(*headers=None, **query_parameters*)

Device Admin Returns list of library conditions for authorization rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authorization_rules(*headers=None, **query_parameters*)

Alias for *get_device_admin_conditions_for_authorization_rules*

get_device_admin_condition_by_name(*name, headers=None, **query_parameters*)

Device Admin Returns a library condition.

Parameters

- **name** (*basestring*) – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name, headers=None, **query_parameters*)

Alias for *get_device_admin_condition_by_name*

update_device_admin_condition_by_name(*name, attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Update library condition using condition name.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.

- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates that “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*basestring*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘contains’, ‘endsWith’, ‘equals’, ‘greaterOrEquals’, ‘greaterThan’, ‘in’, ‘ipEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipNotEquals’, ‘lessOrEquals’, ‘lessThan’, ‘matches’, ‘notContains’, ‘notEndsWith’, ‘notEquals’, ‘notIn’, ‘notStartsWith’ and ‘startsWith’.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the re-

quest body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).

- **name** – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *id=None*, *is_negate=None*, *link=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_condition_by_name*

delete_device_admin_condition_by_name(*name*, *headers=None*, ***query_parameters*)

NDevice Admin Delete a library condition using condition Name.

Parameters

- **name** (*basestring*) – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_condition_by_name*

get_device_admin_conditions_for_policy_sets(*headers=None*, ***query_parameters*)

Device Admin Returns list of library conditions for policy sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_for_policy_sets(*headers=None*, ***query_parameters*)

Alias for *get_device_admin_conditions_for_policy_sets*

get_device_admin_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Returns a library condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_device_admin_condition_by_id`

`update_device_admin_condition_by_id(id, attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Device Admin Update library condition.

Parameters

- **`attribute_name (string)`** – Dictionary attribute name, property of the request body.
- **`attribute_value (string)`** – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **`children (list)`** – In case type is `andBlock` or `orBlock` additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **`condition_type (string)`** – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **`dates_range (object)`** – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **`dates_range_exception (object)`** – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **`description (string)`** – Condition description, property of the request body.
- **`dictionary_name (string)`** – Dictionary name, property of the request body.

- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'not-Contains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [`update_device_admin_condition_by_id`](#)

delete_device_admin_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete a library condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [`delete_device_admin_condition_by_id`](#)

device_administration_dictionary_attributes_list

class DeviceAdministrationDictionaryAttributesList

Identity Services Engine Device Administration - Dictionary Attributes List API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Dictionary Attributes List API and exposes the API as native Python methods that return native Python objects.

get_device_admin_dictionaries_authentication(*headers=None*, ***query_parameters*)

Network Access Returns list of dictionary attributes for authentication.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authentication(*headers=None, **query_parameters*)

Alias for *get_device_admin_dictionaries_authentication*

get_device_admin_dictionaries_authorization(*headers=None, **query_parameters*)

Network Access Returns list of dictionary attributes for authorization.

Parameters

- **headers (*dict*)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authorization(*headers=None, **query_parameters*)

Alias for *get_device_admin_dictionaries_authorization*

get_device_admin_dictionaries_policy_set(*headers=None, **query_parameters*)

Network Access Returns list of dictionary attributes for policysset.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_policy_set(headers=None, **query_parameters)

Alias for *get_device_admin_dictionaries_policy_set*

device_administration_identity_stores**class DeviceAdministrationIdentityStores**

Identity Services Engine Device Administration - Identity Stores API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Identity Stores API and exposes the API as native Python methods that return native Python objects.

get_device_admin_identity_stores(headers=None, **query_parameters)

Device Admin Return list of identity stores for authentication. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_device_admin_identity_stores*

device_administration_network_conditions

class DeviceAdministrationNetworkConditions

Identity Services Engine Device Administration - Network Conditions API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Network Conditions API and exposes the API as native Python methods that return native Python objects.

get_device_admin_network_conditions(*headers=None, **query_parameters*)
Device Admin Returns a list of network conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_device_admin_network_conditions*

create_device_admin_network_condition(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device AdminCreates network condition.

Parameters

- **condition_type** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are 'DeviceCondition', 'DevicePortCondition' and 'EndstationCondition'.

- **conditions** (*list*) – conditions, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Network Condition name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_device_admin_network_condition*

get_device_admin_network_condition_by_id(*id, headers=None, **query_parameters*)

Device Admin Returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_device_admin_network_condition_by_id`

`update_device_admin_network_condition_by_id(id, condition_type=None, conditions=None, description=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Device Admin Update network condition.

Parameters

- **`condition_type`** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are 'DeviceCondition', 'DevicePortCondition' and 'EndstationCondition'.
- **`conditions`** (*list*) – conditions, property of the request body (list of objects).
- **`description`** (*string*) – description, property of the request body.
- **`id`** (*basestring*) – id, property of the request body.
- **`link`** (*object*) – link, property of the request body.
- **`name`** (*string*) – Network Condition name, property of the request body.
- **`id`** – id path parameter. Condition id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *condition_type=None*, *conditions=None*, *description=None*, *link=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_network_condition_by_id*

delete_device_admin_network_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_network_condition_by_id*

device_administration_policy_set

class DeviceAdministrationPolicySet

Identity Services Engine Device Administration - Policy Set API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Policy Set API and exposes the API as native Python methods that return native Python objects.

get_device_admin_policy_sets(*headers=None*, ***query_parameters*)

Device Admin List of policy sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)

Alias for *get_device_admin_policy_sets*

`create_device_admin_policy_set`(*condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Create a new policy set: Policy must include name , service identifier (either server sequence or allowed protocol) and a condition. Condition has hierarchical structure which define a set of condition for which policy could be match. Condition can be either reference to a stored Library condition, using model `ConditionReference` , or, dynamically built conditions which are not stored in the conditions Library, using models `ConditionAttributes`, `ConditionAndBlock`, `ConditionOrBlock` . .

Parameters

- **`condition`** (*object*) – condition, property of the request body.
- **`default`** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **`description`** (*string*) – The description for the policy set, property of the request body.
- **`hit_counts`** (*integer*) – The amount of times the policy was matched, property of the request body.
- **`id`** (*string*) – Identifier for the policy set, property of the request body.
- **`is_proxy`** (*boolean*) – Flag which indicates if the policy set service is of type 'Proxy Sequence' or 'Allowed Protocols', property of the request body.
- **`link`** (*object*) – link, property of the request body.
- **`name`** (*string*) – Given name for the policy set, [Valid characters are alphanumeric, underscore, hyphen, space, period, parentheses], property of the request body.
- **`rank`** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **`service_name`** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.
- **`state`** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are 'disabled', 'enabled' and 'monitor'.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_device_admin_policy_set*

reset_hit_counts_device_admin_policy_sets(*headers=None, **query_parameters*)

Device Admin Reset HitCount for PolicySets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts(*headers=None, **query_parameters*)

Alias for [*reset_hit_counts_device_admin_policy_sets*](#)

get_device_admin_policy_set_by_id(*id, headers=None, **query_parameters*)

Device Admin Get policy set attributes.

Parameters

- **id** (*basestring*) – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for [*get_device_admin_policy_set_by_id*](#)

update_device_admin_policy_set_by_id(*id, condition=None, default=None, description=None, hit_counts=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Update a policy set.

Parameters

- **condition** (*object*) – condition, property of the request body.
- **default** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **description** (*string*) – The description for the policy set, property of the request body.
- **hit_counts** (*integer*) – The amount of times the policy was matched, property of the request body.
- **id** (*basestring*) – Identifier for the policy set, property of the request body.
- **is_proxy** (*boolean*) – Flag which indicates if the policy set service is of type 'Proxy Sequence' or 'Allowed Protocols', property of the request body.
- **link** (*object*) – link, property of the request body.

- **name** (*string*) – Given name for the policy set, [Valid characters are alphanumerics, underscore, hyphen, space, period, parentheses], property of the request body.
- **rank** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **service_name** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.
- **state** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are ‘disabled’, ‘enabled’ and ‘monitor’.
- **id** – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *condition=None*, *default=None*, *description=None*, *hit_counts=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_policy_set_by_id*

delete_device_admin_policy_set_by_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete a policy set.

Parameters

- **id** (*basestring*) – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_device_admin_policy_set_by_id`*

device_administration_profiles

class DeviceAdministrationProfiles

Identity Services Engine Device Administration - Profiles API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Profiles API and exposes the API as native Python methods that return native Python objects.

`get_device_admin_profiles(headers=None, **query_parameters)`

Device Admin Returns list of shell profiles. (Other CRUD APIs available through ERS).

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of `MyDict` objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(headers=None, **query_parameters)`

Alias for *`get_device_admin_profiles`*

device_administration_service_names

class DeviceAdministrationServiceNames

Identity Services Engine Device Administration - Service Names API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Service Names API and exposes the API as native Python methods that return native Python objects.

get_device_admin_service_names(headers=None, **query_parameters)

Returns list of Allowed Protocols and Server Sequences for Device Admin Policy Set results. 'isLocalAuthorization' property is available only for Network Access Policy Set results of type Server Sequence. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(headers=None, **query_parameters)

Alias for *get_device_admin_service_names*

device_administration_time_date_conditions

class DeviceAdministrationTimeDateConditions

Identity Services Engine Device Administration - Time/Date Conditions API (version: 3.1.0).

Wraps the Identity Services Engine Device Administration - Time/Date Conditions API and exposes the API as native Python methods that return native Python objects.

get_device_admin_time_conditions(headers=None, **query_parameters)

Device Admin Returns a list of time and date conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)

Alias for *get_device_admin_time_conditions*

`create_device_admin_time_condition`(*attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Creates time/date condition.

Parameters

- **`attribute_name`** (*string*) – Dictionary attribute name, property of the request body.
- **`attribute_value`** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **`children`** (*list*) – In case type is `andBlock` or `orBlock` additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **`condition_type`** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type `enum(reference,single)` indicates than “`conditionId`” OR “`ConditionAttrs`” fields should contain condition data but not both Logical aggregation(`and,or`) `enum` indicates that additional conditions are present under the `children` field, property of the request body. Available values are ‘`ConditionAndBlock`’, ‘`ConditionAttributes`’, ‘`ConditionOrBlock`’, ‘`ConditionReference`’, ‘`LibraryConditionAndBlock`’, ‘`LibraryConditionAttributes`’, ‘`LibraryConditionOrBlock`’ and ‘`TimeAndDateCondition`’.
- **`dates_range`** (*object*) – Defines for which date/s `TimeAndDate` condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format `yyyy- mm-dd` (MM = month, dd = day, yyyy = year), property of the request body.
- **`dates_range_exception`** (*object*) – Defines for which date/s `TimeAndDate` condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates

Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.

- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘contains’, ‘endsWith’, ‘equals’, ‘greaterOrEquals’, ‘greaterThan’, ‘in’, ‘ipEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipNotEquals’, ‘lessOrEquals’, ‘lessThan’, ‘matches’, ‘not-Contains’, ‘notEndsWith’, ‘notEquals’, ‘notIn’, ‘notStartsWith’ and ‘startsWith’.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(attribute_name=None, attribute_value=None, children=None, condition_type=None,
        dates_range=None, dates_range_exception=None, description=None, dictionary_name=None,
        dictionary_value=None, hours_range=None, hours_range_exception=None, id=None,
        is_negate=None, link=None, name=None, operator=None, week_days=None,
        week_days_exception=None, headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Alias for `create_device_admin_time_condition`

```
get_device_admin_time_condition_by_id(id, headers=None, **query_parameters)
```

Device Admin Returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_by_id(id, headers=None, **query_parameters)
```

Alias for `get_device_admin_time_condition_by_id`

```
update_device_admin_time_condition_by_id(id, attribute_name=None, attribute_value=None,
        children=None, condition_type=None,
        dates_range=None, dates_range_exception=None,
        description=None, dictionary_name=None,
        dictionary_value=None, hours_range=None,
        hours_range_exception=None, is_negate=None,
        link=None, name=None, operator=None,
        week_days=None, week_days_exception=None,
        headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Device Admin Update network condition.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates that “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘contains’, ‘endsWith’, ‘equals’, ‘greaterOrEquals’, ‘greaterThan’, ‘in’, ‘ipEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipNotEquals’, ‘lessOrEquals’, ‘lessThan’, ‘matches’, ‘notContains’, ‘notEndsWith’, ‘notEquals’, ‘notIn’, ‘notStartsWith’ and ‘startsWith’.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).

- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_time_condition_by_id*

delete_device_admin_time_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete Time/Date condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`
 Alias for `delete_device_admin_time_condition_by_id`

downloadable_acl

class DownloadableAcl

Identity Services Engine DownloadableACL API (version: 3.1.0).

Wraps the Identity Services Engine DownloadableACL API and exposes the API as native Python methods that return native Python objects.

`get_downloadable_acl_by_id(id, headers=None, **query_parameters)`
 This API allows the client to get a downloadable ACL by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`
 Alias for `get_downloadable_acl_by_id`

```
update_downloadable_acl_by_id(id, dacl=None, dacl_type=None, description=None, name=None,
                              headers=None, payload=None, active_validation=True,
                              **query_parameters)
```

This API allows the client to update a downloadable ACL.

Parameters

- **dacl** (*string*) – The DACL Content. Use the string `\n` for a newline, property of the request body.
- **dacl_type** (*string*) – Allowed values: `IPV4`, `IPV6`, `IP_AGNOSTIC`, property of the request body.
- **description** (*string*) – Use the string `\n` for a newline, property of the request body.
- **id** (*basestring*) – `id`, property of the request body.
- **name** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters `[_.-]`, property of the request body.
- **id** – `id` path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to `True`.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(*MyDict*): response headers.
- **response**(*MyDict*): response body as a *MyDict* object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(*bytes*): representation of the request's response
- **text**(*str*): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, dacl=None, dacl_type=None, description=None, name=None, headers=None,
              payload=None, active_validation=True, **query_parameters)
```

Alias for *update_downloadable_acl_by_id*

```
delete_downloadable_acl_by_id(id, headers=None, **query_parameters)
```

This API deletes a downloadable ACL.

Parameters

- **id** (*basestring*) – `id` path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_downloadable_acl_by_id*

get_downloadable_acl(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all downloadable ACLs.

Parameters

- **page (int)** – page query parameter. Page number.
- **size (int)** – size query parameter. Number of objects returned per page.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_downloadable_acl*

get_downloadable_acl_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all downloadable ACLs.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_downloadable_acl_generator*

create_downloadable_acl(*dacl=None, dacl_type=None, description=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a downloadable ACL.

Parameters

- **dacl** (*string*) – The DACL Content. Use the string n for a newline, property of the request body.
- **dacl_type** (*string*) – Allowed values: IPV4, IPV6, IP_AGNOSTIC, property of the request body.
- **description** (*string*) – Use the string n for a newline, property of the request body.
- **name** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters [_.-], property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*dacl=None, dacl_type=None, description=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_downloadable_acl*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the downloadable ACL.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

egress_matrix_cell

class EgressMatrixCell

Identity Services Engine EgressMatrixCell API (version: 3.1.0).

Wraps the Identity Services Engine EgressMatrixCell API and exposes the API as native Python methods that return native Python objects.

clear_all_matrix_cells(*headers=None, **query_parameters*)

This API allows the client to clear all the egress matrix cells.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

clear(*headers=None, **query_parameters*)

Alias for *clear_all_matrix_cells*

set_all_cells_status(*status, headers=None, **query_parameters*)

This API allows the client to set status of all the egress matrix cells.

Parameters

- **status** (*basestring*) – status path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

set_status(*status*, *headers=None*, ***query_parameters*)

Alias for *set_all_cells_status*

clone_matrix_cell(*dst_sgt_id*, *id*, *src_sgt_id*, *headers=None*, ***query_parameters*)

This API allows the client to clone an egress matrix cell.

Parameters

- **id** (*basestring*) – id path parameter.
- **src_sgt_id** (*basestring*) – srcSgtId path parameter.
- **dst_sgt_id** (*basestring*) – dstSgtId path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

clone(*dst_sgt_id*, *id*, *src_sgt_id*, *headers=None*, ***query_parameters*)

Alias for *clone_matrix_cell*

get_egress_matrix_cell_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an egress matrix cell by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_egress_matrix_cell_by_id`

`update_egress_matrix_cell_by_id(id, default_rule=None, description=None, destination_sgt_id=None, matrix_cell_status=None, name=None, sgacIs=None, source_sgt_id=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update an egress matrix cell.

Parameters

- **`default_rule(string)`** – Allowed values: NONE, DENY_IP, PERMIT_IP, property of the request body.
- **`description(string)`** – description, property of the request body.
- **`destination_sgt_id(string)`** – destinationSgtId, property of the request body.
- **`id(basestring)`** – id, property of the request body.
- **`matrix_cell_status(string)`** – Allowed values: DISABLED, ENABLED, MONITOR, property of the request body.
- **`name(string)`** – name, property of the request body.
- **`sgacIs(list)`** – sgacIs, property of the request body (list of strings).
- **`source_sgt_id(string)`** – sourceSgtId, property of the request body.
- **`id`** – id path parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload(dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation(bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id*, *default_rule=None*, *description=None*, *destination_sgt_id=None*, *matrix_cell_status=None*, *name=None*, *sgacs=None*, *source_sgt_id=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_egress_matrix_cell_by_id*

`delete_egress_matrix_cell_by_id`(*id*, *headers=None*, ***query_parameters*)

This API deletes an egress matrix cell.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_egress_matrix_cell_by_id*

`get_egress_matrix_cell`(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the egress matrix cell. Filter: [sgtSrc-Value, matrixStatus, description, sgtSrcName, sgtDstName, sgtDstValue] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET

/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [description, sgtSrcName, sgtDstName, sgtDstValue].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_egress_matrix_cell*

get_egress_matrix_cell_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the egress matrix cell. Filter: [sgtSrcValue, matrixStatus, description, sgtSrcName, sgtDstName, sgtDstValue] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13

Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [description, sgtSrcName, sgtDst-
 Name, sgtDstValue].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_egress_matrix_cell_generator*

```
create_egress_matrix_cell(default_rule=None, description=None, destination_sgt_id=None,  
                           matrix_cell_status=None, name=None, sgacIs=None, source_sgt_id=None,  
                           headers=None, payload=None, active_validation=True,  
                           **query_parameters)
```

This API creates an egress matrix cell.

Parameters

- **default_rule** (*string*) – Allowed values: NONE, DENY_IP, PERMIT_IP, property of the request body.
- **description** (*string*) – description, property of the request body.
- **destination_sgt_id** (*string*) – destinationSgtId, property of the request body.
- **matrix_cell_status** (*string*) – Allowed values: DISABLED, ENABLED, MONITOR, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgacIs** (*list*) – sgacIs, property of the request body (list of strings).
- **source_sgt_id** (*string*) – sourceSgtId, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(default_rule=None, description=None, destination_sgt_id=None, matrix_cell_status=None,  
        name=None, sgacIs=None, source_sgt_id=None, headers=None, payload=None,  
        active_validation=True, **query_parameters)
```

Alias for *create_egress_matrix_cell*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the egress matrix cell.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_egress_matrix_cell(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type (string)** – operationType, property of the request body.
- **resource_media_type (string)** – resourceMediaType, property of the request body.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_egress_matrix_cell*

monitor_bulk_status_egress_matrix_cell(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_egress_matrix_cell*

endpoint_certificate

class EndpointCertificate

Identity Services Engine EndpointCertificate API (version: 3.1.0).

Wraps the Identity Services Engine EndpointCertificate API and exposes the API as native Python methods that return native Python objects.

create_endpoint_certificate(*cert_template_name=None, certificate_request=None, format=None, password=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create an endpoint certificate.

Parameters

- **cert_template_name** (*string*) – Name of an Internal CA template, property of the request body.
- **certificate_request** (*object*) – Key value map. Must have CN and SAN entries, property of the request body.

- **format** (*string*) – Allowed values: PKCS12, PKCS12_CHAIN, PKCS8, PKCS8_CHAIN, property of the request body.
- **password** (*string*) – Protects the private key. Must have more than 8 characters, less than 15 characters, at least one upper case letter, at least one lower case letter, at least one digit, and can only contain [A-Z][a-z][0-9]_#, property of the request body.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to os.getcwd().
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type `urllib3.response.HTTPResponse`

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

create(*cert_template_name=None, certificate_request=None, format=None, password=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for [create_endpoint_certificate](#)

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the endpoint certificate.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

endpoint_identity_group**class EndpointIdentityGroup**

Identity Services Engine EndpointIdentityGroup API (version: 3.1.0).

Wraps the Identity Services Engine EndpointIdentityGroup API and exposes the API as native Python methods that return native Python objects.

get_endpoint_group_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an endpoint identity group by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_group_by_name*

get_endpoint_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an endpoint identity group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_group_by_id*

update_endpoint_group_by_id(*id*, *description=None*, *name=None*, *system_defined=None*,
headers=None, *payload=None*, *active_validation=True*,
***query_parameters*)

This API allows the client to update an endpoint identity group.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **system_defined** (*boolean*) – systemDefined, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *system_defined=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_endpoint_group_by_id*

delete_endpoint_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an endpoint identity group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_endpoint_group_by_id*

get_endpoint_groups(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the endpoint identity groups. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_groups*

get_endpoint_groups_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the endpoint identity groups. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter

is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_endpoint_groups_generator*

create_endpoint_group(*description=None, name=None, system_defined=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an endpoint identity group.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **system_defined** (*boolean*) – systemDefined, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, system_defined=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_endpoint_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the endpoint identity group.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

external_radius_server

class ExternalRadiusServer

Identity Services Engine ExternalRADIUSServer API (version: 3.1.0).

Wraps the Identity Services Engine ExternalRADIUSServer API and exposes the API as native Python methods that return native Python objects.

get_external_radius_server_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an external RADIUS server by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_external_radius_server_by_name*

get_external_radius_server_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an external RADIUS server by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for `get_external_radius_server_by_id`

update_external_radius_server_by_id(*id*, *accounting_port=None*, *authentication_port=None*, *authenticator_key=None*, *description=None*, *enable_key_wrap=None*, *encryption_key=None*, *host_ip=None*, *key_input_format=None*, *name=None*, *proxy_timeout=None*, *retries=None*, *shared_secret=None*, *timeout=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an external RADIUS server.

Parameters

- **accounting_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authentication_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authenticator_key** (*string*) – The authenticatorKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 20 ASCII characters or 40 HEXADECIMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **description** (*string*) – description, property of the request body.
- **enable_key_wrap** (*boolean*) – KeyWrap may only be enabled if it is supported on the device. When running in FIPS mode this option should be enabled for such devices, property of the request body.
- **encryption_key** (*string*) – The encryptionKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 16 ASCII characters or 32 HEXADECIMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **host_ip** (*string*) – The IP of the host must be a valid IPV4 address, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **key_input_format** (*string*) – Specifies the format of the input for fields 'encryption-Key' and 'authenticatorKey'. Allowed Values: ASCII HEXADECIMAL, property of the request body.
- **name** (*string*) – Resource Name. Allowed characters are alphanumeric and _ (underscore), property of the request body.
- **proxy_timeout** (*integer*) – Valid Range 1 to 600, property of the request body.
- **retries** (*integer*) – Valid Range 1 to 9, property of the request body.

- **shared_secret** (*string*) – Shared secret maximum length is 128 characters, property of the request body.
- **timeout** (*integer*) – Valid Range 1 to 120, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *accounting_port=None*, *authentication_port=None*, *authenticator_key=None*, *description=None*, *enable_key_wrap=None*, *encryption_key=None*, *host_ip=None*, *key_input_format=None*, *name=None*, *proxy_timeout=None*, *retries=None*, *shared_secret=None*, *timeout=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_external_radius_server_by_id*

delete_external_radius_server_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an external RADIUS server.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_external_radius_server_by_id*

get_external_radius_server(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the external RADIUS servers.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_external_radius_server*

get_external_radius_server_generator(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the external RADIUS servers.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_external_radius_server_generator*

create_external_radius_server(*accounting_port=None, authentication_port=None, authenticator_key=None, description=None, enable_key_wrap=None, encryption_key=None, host_ip=None, key_input_format=None, name=None, proxy_timeout=None, retries=None, shared_secret=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an external RADIUS server.

Parameters

- **accounting_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authentication_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authenticator_key** (*string*) – The authenticatorKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 20 ASCII characters or 40 HEXADECIMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **description** (*string*) – description, property of the request body.
- **enable_key_wrap** (*boolean*) – KeyWrap may only be enabled if it is supported on the device. When running in FIPS mode this option should be enabled for such devices, property of the request body.
- **encryption_key** (*string*) – The encryptionKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 16 ASCII characters or 32 HEXADECIMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **host_ip** (*string*) – The IP of the host must be a valid IPV4 address, property of the request body.
- **key_input_format** (*string*) – Specifies the format of the input for fields 'encryption-Key' and 'authenticatorKey'. Allowed Values: ASCII HEXADECIMAL, property of the request body.

- **name** (*string*) – Resource Name. Allowed characters are alphanumeric and _ (underscore), property of the request body.
- **proxy_timeout** (*integer*) – Valid Range 1 to 600, property of the request body.
- **retries** (*integer*) – Valid Range 1 to 9, property of the request body.
- **shared_secret** (*string*) – Shared secret maximum length is 128 characters, property of the request body.
- **timeout** (*integer*) – Valid Range 1 to 120, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*accounting_port=None, authentication_port=None, authenticator_key=None, description=None, enable_key_wrap=None, encryption_key=None, host_ip=None, key_input_format=None, name=None, proxy_timeout=None, retries=None, shared_secret=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_external_radius_server*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the external RADIUS server.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

filter_policy

class FilterPolicy

Identity Services Engine FilterPolicy API (version: 3.1.0).

Wraps the Identity Services Engine FilterPolicy API and exposes the API as native Python methods that return native Python objects.

`get_filter_policy_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a filter policy by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_filter_policy_by_id`*

`update_filter_policy_by_id(id, domains=None, sgt=None, subnet=None, vn=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a filter policy.

Parameters

- **domains** (*string*) – List of SXP Domains, separated with comma, property of the request body.
- **sgt** (*string*) – SGT name or ID. At least one of subnet or sgt or vn should be defined, property of the request body.
- **subnet** (*string*) – Subnet for filter policy (hostname is not supported). At least one of subnet or sgt or vn should be defined, property of the request body.
- **vn** (*string*) – Virtual Network. At least one of subnet or sgt or vn should be defined, property of the request body.
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *domains=None*, *sgt=None*, *subnet=None*, *vn=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_filter_policy_by_id*

delete_filter_policy_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a filter policy.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_filter_policy_by_id`*

`get_filter_policy(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the filter policies.

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(page=None, size=None, headers=None, **query_parameters)`

Alias for *`get_filter_policy`*

`get_filter_policy_generator(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the filter policies.

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_filter_policy_generator*

create_filter_policy(*domains=None, sgt=None, subnet=None, vn=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a filter policy.

Parameters

- **domains** (*string*) – List of SXP Domains, separated with comma, property of the request body.
- **sgt** (*string*) – SGT name or ID. At least one of subnet or sgt or vn should be defined, property of the request body.
- **subnet** (*string*) – Subnet for filter policy (hostname is not supported). At least one of subnet or sgt or vn should be defined, property of the request body.
- **vn** (*string*) – Virtual Network. At least one of subnet or sgt or vn should be defined, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*domains=None, sgt=None, subnet=None, vn=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_filter_policy*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the filter policy.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

guest_location

class GuestLocation

Identity Services Engine GuestLocation API (version: 3.1.0).

Wraps the Identity Services Engine GuestLocation API and exposes the API as native Python methods that return native Python objects.

get_guest_location_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a guest location by ID.

Parameters

- **`id (basestring)`** – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_location_by_id*

get_guest_location(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the guest locations. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_location*

get_guest_location_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest locations. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page (int)** – page query parameter. Page number.
- **size (int)** – size query parameter. Number of objects returned per page.
- **sortasc (basestring)** – sortasc query parameter. sort asc.
- **sortdsc (basestring)** – sortdsc query parameter. sort desc.
- **filter (basestring, list, set, tuple)** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type (basestring)** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- `TypeError` – If the parameter types are incorrect.
- `MalformedRequest` – If the request body created is invalid.
- `ApiError` – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_guest_location_generator`

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the guest location.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- `TypeError` – If the parameter types are incorrect.
- `MalformedRequest` – If the request body created is invalid.
- `ApiError` – If the Identity Services Engine cloud returns an error.

guest_smtp_notification_configuration

class GuestSmtpNotificationConfiguration

Identity Services Engine GuestSMTPNotificationConfiguration API (version: 3.1.0).

Wraps the Identity Services Engine GuestSMTPNotificationConfiguration API and exposes the API as native Python methods that return native Python objects.

get_guest_smtp_notification_settings_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a guest SMTP notification configuration by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_smtp_notification_settings_by_id*

update_guest_smtp_notification_settings_by_id(*id*, *connection_timeout=None*,
default_from_address=None,
notification_enabled=None, *password=None*,
smtp_port=None, *smtp_server=None*,
use_default_from_address=None,
use_password_authentication=None,
use_tlssr_ssl_encryption=None,
user_name=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API allows the client to update a SMTP configuration setting.

Parameters

- **connection_timeout** (*string*) – Interval in seconds for all the SMTP client connections, property of the request body.
- **default_from_address** (*string*) – The default from email address to be used to send emails from, property of the request body.

- **id** (*basestring*) – id, property of the request body.
- **notification_enabled** (*boolean*) – Indicates if the email notification service is to be enabled, property of the request body.
- **password** (*string*) – Password of Secure SMTP server, property of the request body.
- **smtp_port** (*string*) – Port at which SMTP Secure Server is listening, property of the request body.
- **smtp_server** (*string*) – The SMTP server ip address or fqdn such as out-bound.mycompany.com, property of the request body.
- **use_default_from_address** (*boolean*) – If the default from address should be used rather than using a sponsor user email address, property of the request body.
- **use_password_authentication** (*boolean*) – If configured to true, SMTP server authentication will happen using username/password, property of the request body.
- **use_tlslor_ssl_encryption** (*boolean*) – If configured to true, SMTP server authentication will happen using TLS/SSL, property of the request body.
- **user_name** (*string*) – Username of Secure SMTP server, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *connection_timeout=None*, *default_from_address=None*, *notification_enabled=None*, *password=None*, *smtp_port=None*, *smtp_server=None*, *use_default_from_address=None*, *use_password_authentication=None*, *use_tlslor_ssl_encryption=None*, *user_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_smtp_notification_settings_by_id*

```
get_guest_smtp_notification_settings(filter=None, filter_type=None, page=None, size=None,
                                     sortasc=None, sortdsc=None, headers=None,
                                     **query_parameters)
```

This API allows the client to get all the guest SMTP notification configurations. Filter: [name] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
        headers=None, **query_parameters)
```

Alias for *get_guest_smtp_notification_settings*

get_guest_smtp_notification_settings_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest SMTP notification configurations. Filter: [name] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_guest_smtp_notification_settings_generator`

```
create_guest_smtp_notification_settings(connection_timeout=None, default_from_address=None,  
notification_enabled=None, password=None,  
smtp_port=None, smtp_server=None,  
use_default_from_address=None,  
use_password_authentication=None,  
use_tlsor_ssl_encryption=None, user_name=None,  
headers=None, payload=None, active_validation=True,  
**query_parameters)
```

This API creates a guest SMTP notification configuration.

Parameters

- **connection_timeout** (*string*) – Interval in seconds for all the SMTP client connections, property of the request body.
- **default_from_address** (*string*) – The default from email address to be used to send emails from, property of the request body.
- **notification_enabled** (*boolean*) – Indicates if the email notification service is to be enabled, property of the request body.
- **password** (*string*) – Password of Secure SMTP server, property of the request body.
- **smtp_port** (*string*) – Port at which SMTP Secure Server is listening, property of the request body.
- **smtp_server** (*string*) – The SMTP server ip address or fqdn such as out-bound.mycompany.com, property of the request body.
- **use_default_from_address** (*boolean*) – If the default from address should be used rather than using a sponsor user email address, property of the request body.
- **use_password_authentication** (*boolean*) – If configured to true, SMTP server authentication will happen using username/password, property of the request body.
- **use_tlsor_ssl_encryption** (*boolean*) – If configured to true, SMTP server authentication will happen using TLS/SSL, property of the request body.
- **user_name** (*string*) – Username of Secure SMTP server, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*connection_timeout=None, default_from_address=None, notification_enabled=None, password=None, smtp_port=None, smtp_server=None, use_default_from_address=None, use_password_authentication=None, use_tlsor_ssl_encryption=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
 Alias for *create_guest_smtp_notification_settings*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the guest smtp notification configuration.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

guest_ssid

class GuestSsid

Identity Services Engine GuestSSID API (version: 3.1.0).

Wraps the Identity Services Engine GuestSSID API and exposes the API as native Python methods that return native Python objects.

get_guest_ssid_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a guest SSID by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_guest_ssid_by_id`

`update_guest_ssid_by_id(id, name=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a guest SSID by ID.

Parameters

- **`id (basestring)`** – id, property of the request body.
- **`name (string)`** – Resource Name. Name may contain alphanumeric or any of the following characters `[_.-]`, property of the request body.
- **`id`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*,
***query_parameters*)

Alias for *update_guest_ssid_by_id*

delete_guest_ssid_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a guest SSID by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_guest_ssid_by_id*

get_guest_ssid(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*,
headers=None, ***query_parameters*)

This API allows the client to get all the guest SSIDs. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and

can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_ssid*

get_guest_ssid_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest SSIDs. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_ssid_generator*

create_guest_ssid(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a guest SSID.

Parameters

- **name** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters [_.-], property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_guest_ssid*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the guest SSID.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

guest_type

class GuestType

Identity Services Engine GuestType API (version: 3.1.0).

Wraps the Identity Services Engine GuestType API and exposes the API as native Python methods that return native Python objects.

`update_guest_type_email`(*id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to update a guest type email by ID.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_email(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_type_email*

update_guest_type_sms(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest type sms by ID.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_sms(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*,
***query_parameters*)

Alias for *update_guest_type_sms*

get_guest_type_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a guest type by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_type_by_id*

update_guest_type_by_id(*id*, *access_time=None*, *description=None*, *expiration_notification=None*,
is_default_type=None, *login_options=None*, *name=None*,
sponsor_groups=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API allows the client to update a guest type.

Parameters

- **access_time** (*object*) – accessTime, property of the request body.
- **description** (*string*) – description, property of the request body.
- **expiration_notification** (*object*) – Expiration Notification Settings, property of the request body.

- **id** (*basestring*) – id, property of the request body.
- **is_default_type** (*boolean*) – isDefaultType, property of the request body.
- **login_options** (*object*) – loginOptions, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sponsor_groups** (*list*) – sponsorGroups, property of the request body (list of strings).
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *access_time=None*, *description=None*, *expiration_notification=None*, *is_default_type=None*, *login_options=None*, *name=None*, *sponsor_groups=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_type_by_id*

delete_guest_type_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a guest type.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_guest_type_by_id*

get_guest_type(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the guest types. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_type*

get_guest_type_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest types. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_type_generator*

create_guest_type(*access_time=None, description=None, expiration_notification=None, is_default_type=None, login_options=None, name=None, sponsor_groups=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a guest type.

Parameters

- **access_time** (*object*) – accessTime, property of the request body.
- **description** (*string*) – description, property of the request body.
- **expiration_notification** (*object*) – Expiration Notification Settings, property of the request body.
- **is_default_type** (*boolean*) – isDefaultType, property of the request body.
- **login_options** (*object*) – loginOptions, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sponsor_groups** (*list*) – sponsorGroups, property of the request body (list of strings).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*access_time=None, description=None, expiration_notification=None, is_default_type=None, login_options=None, name=None, sponsor_groups=None, headers=None, payload=None, active_validation=True, **query_parameters*)
 Alias for *create_guest_type*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the guest type.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

guest_user

class GuestUser

Identity Services Engine GuestUser API (version: 3.1.0).

Wraps the Identity Services Engine GuestUser API and exposes the API as native Python methods that return native Python objects.

approve_guest_user_by_id(*id, headers=None, **query_parameters*)

This API allows the client to approve a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`approve_by_id(id, headers=None, **query_parameters)`

Alias for `approve_guest_user_by_id`

`change_sponsor_password(portal_id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to change the sponsor password.

Parameters

- **`additional_data(list)`** – `additionalData`, property of the request body (list of objects).
- **`portal_id(basestring)`** – `portalId` path parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload(dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation(bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`suspend_guest_user_by_name(name, headers=None, **query_parameters)`

This API allows the client to suspend a guest user by name.

Parameters

- **`name(basestring)`** – `name` path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

suspend_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *suspend_guest_user_by_name*

reinstate_guest_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to reinstate a guest user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reinstate_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *reinstate_guest_user_by_name*

get_guest_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a guest user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_guest_user_by_name*

update_guest_user_by_name(*name*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *id=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest user by name.

Parameters

- **custom_fields** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_access_info** (*object*) – guestAccessInfo, property of the request body.
- **guest_info** (*object*) – guestInfo, property of the request body.
- **guest_type** (*string*) – guestType, property of the request body.
- **id** (*string*) – id, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **portal_id** (*string*) – portalId, property of the request body.
- **reason_for_visit** (*string*) – reasonForVisit, property of the request body.
- **sponsor_user_id** (*string*) – sponsorUserId, property of the request body.
- **sponsor_user_name** (*string*) – sponsorUserName, property of the request body.

- **status** (*string*) – status, property of the request body.
- **status_reason** (*string*) – statusReason, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *id=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_user_by_name*

delete_guest_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes a guest user.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_guest_user_by_name*

reset_guest_user_password_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to reset the guest user password.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_password_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *reset_guest_user_password_by_id*

reinstate_guest_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to reinstate a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`reinstate_by_id(id, headers=None, **query_parameters)`

Alias for *`reinstate_guest_user_by_id`*

`update_guest_user_email(id, portal_id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a guest user email by ID.

Parameters

- **`additional_data(list)`** – `additionalData`, property of the request body (list of objects).
- **`id(basestring)`** – `id` path parameter.
- **`portal_id(basestring)`** – `portalId` path parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload(dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation(bool)`** – Enable/Disable payload validation. Defaults to `True`.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_email(id, portal_id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Alias for *`update_guest_user_email`*

update_guest_user_sms(*id*, *portal_id*, *headers=None*, ***query_parameters*)

This API allows the client to update a guest user sms by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **portal_id** (*basestring*) – portalId path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_sms(*id*, *portal_id*, *headers=None*, ***query_parameters*)

Alias for *update_guest_user_sms*

deny_guest_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to deny a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

deny_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *deny_guest_user_by_id*

get_guest_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_user_by_id*

update_guest_user_by_id(*id*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *name=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest user by ID.

Parameters

- **custom_fields** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_access_info** (*object*) – guestAccessInfo, property of the request body.
- **guest_info** (*object*) – guestInfo, property of the request body.
- **guest_type** (*string*) – guestType, property of the request body.
- **id** (*basestring*) – id, property of the request body.

- **name** (*string*) – name, property of the request body.
- **portal_id** (*string*) – portalId, property of the request body.
- **reason_for_visit** (*string*) – reasonForVisit, property of the request body.
- **sponsor_user_id** (*string*) – sponsorUserId, property of the request body.
- **sponsor_user_name** (*string*) – sponsorUserName, property of the request body.
- **status** (*string*) – status, property of the request body.
- **status_reason** (*string*) – statusReason, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *name=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_user_by_id*

delete_guest_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for `delete_guest_user_by_id`

`get_guest_users(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the guest users. Filter: [lastName, sponsor, creationTime, personBeingVisited, toDate, userName, firstName, emailAddress, phoneNumber, groupTag, name, company, guestType, status] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [firstName, lastName, emailAddress, name, description].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_guest_users`

`get_guest_users_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest users. Filter: [lastName, sponsor, creationTime, personBeingVisited, toDate, userName, firstName, emailAddress, phoneNumber, groupTag, name, company, guestType, status] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [firstName, lastName, emailAddress, name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_guest_users_generator`

`create_guest_user`(*custom_fields=None, description=None, guest_access_info=None, guest_info=None, guest_type=None, name=None, portal_id=None, reason_for_visit=None, sponsor_user_id=None, sponsor_user_name=None, status=None, status_reason=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a guest user.

Parameters

- **`custom_fields`** (*object*) – Key value map, property of the request body.
- **`description`** (*string*) – description, property of the request body.
- **`guest_access_info`** (*object*) – `guestAccessInfo`, property of the request body.
- **`guest_info`** (*object*) – `guestInfo`, property of the request body.
- **`guest_type`** (*string*) – `guestType`, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`portal_id`** (*string*) – `portalId`, property of the request body.
- **`reason_for_visit`** (*string*) – `reasonForVisit`, property of the request body.
- **`sponsor_user_id`** (*string*) – `sponsorUserId`, property of the request body.
- **`sponsor_user_name`** (*string*) – `sponsorUserName`, property of the request body.
- **`status`** (*string*) – status, property of the request body.
- **`status_reason`** (*string*) – `statusReason`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*custom_fields=None, description=None, guest_access_info=None, guest_info=None, guest_type=None, name=None, portal_id=None, reason_for_visit=None, sponsor_user_id=None, sponsor_user_name=None, status=None, status_reason=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_guest_user*

suspend_guest_user_by_id(*id, additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to suspend a guest user by ID.

Parameters

- **`additional_data (list)`** – `additionalData`, property of the request body (list of objects).
- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

suspend_by_id(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*,
 ***query_parameters*)

Alias for *suspend_guest_user_by_id*

get_version(*headers=None*, ***query_parameters*)

This API helps to retrieve the version information related to the guest user.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_guest_user(*operation_type=None*, *resource_media_type=None*, *headers=None*,
 payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_guest_user*

monitor_bulk_status_guest_user(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_guest_user*

hotspot_portal

class HotspotPortal

Identity Services Engine HotspotPortal API (version: 3.1.0).

Wraps the Identity Services Engine HotspotPortal API and exposes the API as native Python methods that return native Python objects.

get_hotspot_portal_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a hotspot portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_hotspot_portal_by_id*

update_hotspot_portal_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a hotspot portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a BYOD, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_hotspot_portal_by_id*

delete_hotspot_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a hotspot portal by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_hotspot_portal_by_id*

get_hotspot_portal(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the hotspot portals. Filter: [name]
 To search resources by using toDate column, follow the format: DD-MON-YY
 (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_hotspot_portal*

get_hotspot_portal_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the hotspot portals. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_hotspot_portal_generator*

```
create_hotspot_portal(customizations=None, description=None, name=None, portal_test_url=None,
                       portal_type=None, settings=None, headers=None, payload=None,
                       active_validation=True, **query_parameters)
```

This API creates a hotspot portal.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a BYOD, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(customizations=None, description=None, name=None, portal_test_url=None, portal_type=None,
        settings=None, headers=None, payload=None, active_validation=True, **query_parameters)
Alias for create_hotspot_portal
```

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the hotspot portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

ip_to_sgt_mapping

class IpToSgtMapping

Identity Services Engine IPToSGTMMapping API (version: 3.1.0).

Wraps the Identity Services Engine IPToSGTMMapping API and exposes the API as native Python methods that return native Python objects.

deploy_ip_to_sgt_mapping_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to deploy an IP to SGT mapping by ID. Only one Deploy process can run at any given time.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

deploy_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *deploy_ip_to_sgt_mapping_by_id*

deploy_all_ip_to_sgt_mapping(*headers=None*, ***query_parameters*)

This API allows the client to deploy all the IP to SGT mappings. Only one Deploy process can run at any given time.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

deploy_all(*headers=None*, ***query_parameters*)

Alias for *deploy_all_ip_to_sgt_mapping*

get_deploy_status_ip_to_sgt_mapping(*headers=None*, ***query_parameters*)

This API allows the client to get the IP to SGT mapping deployment status. Deploy Status will show last Deploy command output. The information will be saved until the next Deploy command.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_deploy_status(*headers=None, **query_parameters*)

Alias for *get_deploy_status_ip_to_sgt_mapping*

get_ip_to_sgt_mapping_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get an IP to SGT mapping by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_ip_to_sgt_mapping_by_id*

update_ip_to_sgt_mapping_by_id(*id, deploy_to=None, deploy_type=None, host_ip=None, host_name=None, mapping_group=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to update an IP to SGT mapping by ID.

Parameters

- **deploy_to** (*string*) – Mandatory unless mappingGroup is set or unless deployType=ALL, property of the request body.
- **deploy_type** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **host_ip** (*string*) – Mandatory if hostName is empty -valid IP, property of the request body.
- **host_name** (*string*) – Mandatory if hostIp is empty, property of the request body.

- **id** (*basestring*) – id, property of the request body.
- **mapping_group** (*string*) – Mapping Group Id. Mandatory unless sgt and deployTo and deployType are set, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt** (*string*) – Mandatory unless mappingGroup is set, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *deploy_to=None*, *deploy_type=None*, *host_ip=None*, *host_name=None*, *mapping_group=None*, *name=None*, *sgt=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_ip_to_sgt_mapping_by_id*

delete_ip_to_sgt_mapping_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an IP to SGT mapping.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_ip_to_sgt_mapping_by_id`*

`get_ip_to_sgt_mapping(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the IP to SGT mappings. Filter: [hostName, groupName, ip, sgtName] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [hostName, groupName, ip, sgtName].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_ip_to_sgt_mapping*

get_ip_to_sgt_mapping_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the IP to SGT mappings. Filter: [hostName, groupName, ip, sgtName] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [hostName, groupName, ip, sgtName].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response

- `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_ip_to_sgt_mapping_generator`

`create_ip_to_sgt_mapping`(*deploy_to=None, deploy_type=None, host_ip=None, host_name=None, mapping_group=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an IP to SGT mapping.

Parameters

- **`deploy_to`** (*string*) – Mandatory unless `mappingGroup` is set or unless `deployType=ALL`, property of the request body.
- **`deploy_type`** (*string*) – Allowed values: `ALL`, `ND`, `NDG`, property of the request body.
- **`host_ip`** (*string*) – Mandatory if `hostName` is empty -valid IP, property of the request body.
- **`host_name`** (*string*) – Mandatory if `hostIp` is empty, property of the request body.
- **`mapping_group`** (*string*) – Mapping Group Id. Mandatory unless `sgt` and `deployTo` and `deployType` are set, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`sgt`** (*string*) – Mandatory unless `mappingGroup` is set, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to `True`.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- **`TypeError`** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*deploy_to=None, deploy_type=None, host_ip=None, host_name=None, mapping_group=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_ip_to_sgt_mapping*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to IP to SGT mapping.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_ip_to_sgt_mapping(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_ip_to_sgt_mapping*

monitor_bulk_status_ip_to_sgt_mapping(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **`bulkid`** (*basestring*) – bulkid path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_ip_to_sgt_mapping*

ip_to_sgt_mapping_group

class IpToSgtMappingGroup

Identity Services Engine IPToSGTMappingGroup API (version: 3.1.0).

Wraps the Identity Services Engine IPToSGTMappingGroup API and exposes the API as native Python methods that return native Python objects.

deploy_ip_to_sgt_mapping_group_by_id(id, headers=None, **query_parameters)

This API allows the client to deploy an IP to SGT mapping group by ID. Only one Deploy process can run at any given time.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

deploy_all_ip_to_sgt_mapping_group(headers=None, **query_parameters)

This API allows the client to deploy all the IP to SGT mapping groups. Only one Deploy process can run at any given time.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_deploy_status_ip_to_sgt_mapping_group(*headers=None, **query_parameters*)

This API allows the client to get the IP to SGT mapping group deployment status. Deploy Status will show last Deploy command output. The information will be saved until the next Deploy command.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_ip_to_sgt_mapping_group_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get an IP to SGT mapping group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_ip_to_sgt_mapping_group_by_id*

update_ip_to_sgt_mapping_group_by_id(*id*, *deploy_to=None*, *deploy_type=None*, *name=None*, *sgt=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an IP to SGT mapping group by ID.

Parameters

- **deploy_to** (*string*) – Mandatory unless mappingGroup is set or unless deploy-Type=ALL, property of the request body.
- **deploy_type** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt** (*string*) – Mandatory unless mappingGroup is set, property of the request body.
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *deploy_to=None*, *deploy_type=None*, *name=None*, *sgt=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_ip_to_sgt_mapping_group_by_id*

delete_ip_to_sgt_mapping_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an IP to SGT mapping group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_ip_to_sgt_mapping_group_by_id*

get_ip_to_sgt_mapping_group(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the IP to SGT mapping groups. Filter: [name, sgt-Name] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, sgtName].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_ip_to_sgt_mapping_group*

get_ip_to_sgt_mapping_group_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the IP to SGT mapping groups. Filter: [name, sgt-Name] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, sgtName].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_ip_to_sgt_mapping_group_generator*

create_ip_to_sgt_mapping_group(*deploy_to=None, deploy_type=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an IP to SGT mapping group.

Parameters

- **deploy_to** (*string*) – Mandatory unless mappingGroup is set or unless deploy-Type=ALL, property of the request body.
- **deploy_type** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt** (*string*) – Mandatory unless mappingGroup is set, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*deploy_to=None, deploy_type=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_ip_to_sgt_mapping_group*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the IP to SGT mapping group.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_for_ip_to_sgt_mapping_group`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type (string)`** – operationType, property of the request body.
- **`resource_media_type (string)`** – resourceMediaType, property of the request body.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_ip_to_sgt_mapping_group*

monitor_bulk_status_ip_to_sgt_mapping_group(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_ip_to_sgt_mapping_group*

identity_groups

class IdentityGroups

Identity Services Engine IdentityGroups API (version: 3.1.0).

Wraps the Identity Services Engine IdentityGroups API and exposes the API as native Python methods that return native Python objects.

get_identity_group_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an identity group by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_identity_group_by_name*

get_identity_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an identity group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_identity_group_by_id*

update_identity_group_by_id(*id*, *description=None*, *name=None*, *parent=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an identity group.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *parent=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_identity_group_by_id*

get_identity_groups(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the identity groups. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_identity_groups*

get_identity_groups_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the identity groups. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_identity_groups_generator*

create_identity_group(*description=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an identity group.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_identity_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to identity group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

identity_sequence

class IdentitySequence

Identity Services Engine IdentitySequence API (version: 3.1.0).

Wraps the Identity Services Engine IdentitySequence API and exposes the API as native Python methods that return native Python objects.

get_identity_sequence_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an identity sequence by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_identity_sequence_by_name*

get_identity_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an identity sequence by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_identity_sequence_by_id*

update_identity_sequence_by_id(*id*, *break_on_store_fail=None*,
certificate_authentication_profile=None, *description=None*,
id_seq_item=None, *name=None*, *parent=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to update an identity sequence. Partial update is not supported.

Parameters

- **break_on_store_fail** (*boolean*) – breakOnStoreFail, property of the request body.
- **certificate_authentication_profile** (*string*) – certificateAuthenticationProfile, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **id_seq_item** (*list*) – idSeqItem, property of the request body (list of objects).
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id*, *break_on_store_fail=None*, *certificate_authentication_profile=None*, *description=None*, *id_seq_item=None*, *name=None*, *parent=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_identity_sequence_by_id*

`delete_identity_sequence_by_id`(*id*, *headers=None*, ***query_parameters*)

This API deletes an identity sequence.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_identity_sequence_by_id*

`get_identity_sequence`(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the identity sequences.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_identity_sequence*

get_identity_sequence_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the identity sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_identity_sequence_generator*

create_identity_sequence(*break_on_store_fail=None, certificate_authentication_profile=None, description=None, id_seq_item=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an identity sequence.

Parameters

- **break_on_store_fail** (*boolean*) – breakOnStoreFail, property of the request body.
- **certificate_authentication_profile** (*string*) – certificateAuthenticationProfile, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id_seq_item** (*list*) – idSeqItem, property of the request body (list of objects).
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*break_on_store_fail=None, certificate_authentication_profile=None, description=None, id_seq_item=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_identity_sequence*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the identity sequence.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

internal_user

class InternalUser

Identity Services Engine InternalUser API (version: 3.1.0).

Wraps the Identity Services Engine InternalUser API and exposes the API as native Python methods that return native Python objects.

get_internal_user_by_name(*name*, *headers=None*, ****query_parameters**)

This API allows the client to get an internal user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_internal_user_by_name*

update_internal_user_by_name(*name*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *id=None*, *identity_groups=None*, *last_name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an internal user by name.

Parameters

- **change_password** (*boolean*) – changePassword, property of the request body.
- **custom_attributes** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **email** (*string*) – email, property of the request body.
- **enable_password** (*string*) – enablePassword, property of the request body.
- **enabled** (*boolean*) – Whether the user is enabled/disabled. To use it as filter, the values should be 'Enabled' or 'Disabled'. The values are case sensitive. For example, '[ERSObjectURL]?filter=enabled.EQ.Enabled', property of the request body.
- **expiry_date** (*string*) – To store the internal user's expiry date information. It's format is = 'YYYY-MM-DD', property of the request body.
- **expiry_date_enabled** (*boolean*) – expiryDateEnabled, property of the request body.
- **first_name** (*string*) – firstName, property of the request body.
- **id** (*string*) – id, property of the request body.
- **identity_groups** (*string*) – CSV of identity group IDs, property of the request body.
- **last_name** (*string*) – lastName, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **password** (*string*) – password, property of the request body.
- **password_idstore** (*string*) – The id store where the internal user's password is kept, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_name`(*name*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *id=None*, *identity_groups=None*, *last_name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *`update_internal_user_by_name`*

`delete_internal_user_by_name`(*name*, *headers=None*, ***query_parameters*)

This API deletes an internal user by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *`delete_internal_user_by_name`*

`get_internal_user_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an internal user by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_internal_user_by_id*

update_internal_user_by_id(*id*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *identity_groups=None*, *last_name=None*, *name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an internal user by ID.

Parameters

- **change_password** (*boolean*) – changePassword, property of the request body.
- **custom_attributes** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **email** (*string*) – email, property of the request body.
- **enable_password** (*string*) – enablePassword, property of the request body.
- **enabled** (*boolean*) – Whether the user is enabled/disabled. To use it as filter, the values should be 'Enabled' or 'Disabled'. The values are case sensitive. For example, '[ERSObjectURL]?filter=enabled.EQ.Enabled', property of the request body.
- **expiry_date** (*string*) – To store the internal user's expiry date information. It's format is = 'YYYY-MM-DD', property of the request body.
- **expiry_date_enabled** (*boolean*) – expiryDateEnabled, property of the request body.
- **first_name** (*string*) – firstName, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **identity_groups** (*string*) – CSV of identity group IDs, property of the request body.
- **last_name** (*string*) – lastName, property of the request body.

- **name** (*string*) – name, property of the request body.
- **password** (*string*) – password, property of the request body.
- **password_idstore** (*string*) – The id store where the internal user’s password is kept, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *identity_groups=None*, *last_name=None*, *name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_internal_user_by_id*

delete_internal_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an internal user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_internal_user_by_id*

get_internal_user(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the internal users. Filter: [firstName, lastName, identityGroup, name, description, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
        headers=None, **query_parameters)
```

Alias for *get internal user*

```
get_internal_user_generator(filter=None, filter_type=None, page=None, size=None, sortasc=None,
                             sortdsc=None, headers=None, **query_parameters)
```

This API allows the client to get all the internal users. Filter: [firstName, lastName, identityGroup, name, description, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- RestResponse: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request's response
 - text(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_internal_user_generator*

create_internal_user(*change_password=None, custom_attributes=None, description=None, email=None, enable_password=None, enabled=None, expiry_date=None, expiry_date_enabled=None, first_name=None, identity_groups=None, last_name=None, name=None, password=None, password_idstore=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an internal user.

Parameters

- **change_password** (*boolean*) – changePassword, property of the request body.
- **custom_attributes** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **email** (*string*) – email, property of the request body.
- **enable_password** (*string*) – enablePassword, property of the request body.
- **enabled** (*boolean*) – Whether the user is enabled/disabled. To use it as filter, the values should be 'Enabled' or 'Disabled'. The values are case sensitive. For example, '[ERSObjectURL]?filter=enabled.EQ.Enabled', property of the request body.
- **expiry_date** (*string*) – To store the internal user's expiry date information. It's format is = 'YYYY-MM-DD', property of the request body.
- **expiry_date_enabled** (*boolean*) – expiryDateEnabled, property of the request body.
- **first_name** (*string*) – firstName, property of the request body.
- **identity_groups** (*string*) – CSV of identity group IDs, property of the request body.
- **last_name** (*string*) – lastName, property of the request body.
- **name** (*string*) – name, property of the request body.
- **password** (*string*) – password, property of the request body.
- **password_idstore** (*string*) – The id store where the internal user's password is kept, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*change_password=None, custom_attributes=None, description=None, email=None, enable_password=None, enabled=None, expiry_date=None, expiry_date_enabled=None, first_name=None, identity_groups=None, last_name=None, name=None, password=None, password_idstore=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_internal_user*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the internal user.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

mdm

class Mdm

Identity Services Engine MDM API (version: 3.1.0).

Wraps the Identity Services Engine MDM API and exposes the API as native Python methods that return native Python objects.

get_endpoints(*headers=None, **query_parameters*)
getEndpoints.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_endpoints*

get_endpoint_by_mac_address(*headers=None, **query_parameters*)
getEndpointByMacAddress.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_endpoints_by_type(*headers=None, **query_parameters*)
getEndpointsByType.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_endpoints_by_os_type(*headers=None, **query_parameters*)
getEndpointsByOsType.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- ***MalformedRequest*** – If the request body created is invalid.
- ***ApiError*** – If the Identity Services Engine cloud returns an error.

misc

class Misc

Identity Services Engine Misc API (version: 3.1.0).

Wraps the Identity Services Engine Misc API and exposes the API as native Python methods that return native Python objects.

get_active_count(*headers=None, **query_parameters*)
ActiveCount.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- ***TypeError*** – If the parameter types are incorrect.
- ***MalformedRequest*** – If the request body created is invalid.
- ***ApiError*** – If the Identity Services Engine cloud returns an error.

get_active_list(*headers=None, **query_parameters*)
ActiveList.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_session_auth_list(*headers=None, **query_parameters*)
Session/AuthList.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_posture_count(*headers=None, **query_parameters*)
PostureCount.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_profiler_count(*headers=None, **query_parameters*)
ProfilerCount.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_mac(*mac, headers=None, **query_parameters*)
Sessions by MAC.

Parameters

- **mac** (*basestring*) – mac path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_username(*username*, *headers=None*, ***query_parameters*)

Sessions by Username.

Parameters

- **username** (*basestring*) – username path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_nas_ip(*nas_ipv4*, *headers=None*, ***query_parameters*)

Sessions by NAS IP.

Parameters

- **nas_ipv4** (*basestring*) – nas_ipv4 path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_endpoint_ip(*endpoint_ipv4*, *headers=None*, ***query_parameters*)

Sessions by Endpoint IP.

Parameters

- **endpoint_ipv4** (*basestring*) – endpoint_ipv4 path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_session_id(*session_id*, *headers=None*, ***query_parameters*)

Sessions by SessionID.

Parameters

- **session_id** (*basestring*) – session_id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_all_sessions(*headers=None, **query_parameters*)

Delete All Sessions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_mnt_version(*headers=None, **query_parameters*)

MNT Version.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_failure_reasons(*headers=None, **query_parameters*)
FailureReasons.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_authentication_status_by_mac(*mac, rec_ord_s, sec_ond_s, headers=None, **query_parameters*)
AuthenticationStatus by MAC.

Parameters

- **mac** (*basestring*) – MAC path parameter.
- **sec_ond_s** (*basestring*) – SECONDS path parameter.
- **rec_ord_s** (*basestring*) – RECORDS path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

session_reauthentication_by_mac(*end_poi_ntm_ac*, *psn_nam_e*, *rea_uth_tpy_e*, *headers=None*,
***query_parameters*)

Session Reauthentication by MAC.

Parameters

- **psn_nam_e** (*basestring*) – PSN_NAME path parameter.
- **end_poi_ntm_ac** (*basestring*) – ENDPOINT_MAC path parameter.
- **rea_uth_tpy_e** (*basestring*) – REAUTH_TYPE path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

session_disconnect(*dis_con_nec_tty_pe*, *end_poi_nti_p*, *mac*, *nas_ipv4*, *psn_nam_e*, *headers=None*,
***query_parameters*)

Session Disconnect.

Parameters

- **end_poi_nti_p** (*basestring*) – ENDPOINT_IP path parameter.
- **psn_nam_e** (*basestring*) – PSN_NAME path parameter.
- **mac** (*basestring*) – MAC path parameter.
- **dis_con_nec_tty_pe** (*basestring*) – DISCONNECT_TYPE path parameter.
- **nas_ipv4** (*basestring*) – NAS_IPV4 path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_account_status_by_mac`(*duration, mac, headers=None, **query_parameters*)
AccountStatus by MAC.

Parameters

- **`mac`** (*basestring*) – mac path parameter.
- **`duration`** (*basestring*) – duration path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

my_device_portal

class MyDevicePortal

Identity Services Engine MyDevicePortal API (version: 3.1.0).

Wraps the Identity Services Engine MyDevicePortal API and exposes the API as native Python methods that return native Python objects.

get_my_device_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a my device portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_my_device_portal_by_id*

update_my_device_portal_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a my device portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.

- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDGUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a Mydevice portal, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_my_device_portal_by_id*

delete_my_device_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a my device portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_my_device_portal_by_id*

get_my_device_portal(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the my device portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_my_device_portal*

get_my_device_portal_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the my device portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_my_device_portal_generator*

create_my_device_portal(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a my device portal.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a Mydevice portal, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for [create_my_device_portal](#)

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the my device portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

native_suppllicant_profile

class NativeSuppllicantProfile

Identity Services Engine NativeSuppllicantProfile API (version: 3.1.0).

Wraps the Identity Services Engine NativeSuppllicantProfile API and exposes the API as native Python methods that return native Python objects.

get_native_suppllicant_profile_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a native suppllicant profile by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_native_suppllicant_profile_by_id`

`update_native_suppllicant_profile_by_id(id, description=None, name=None, wireless_profiles=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a native suppllicant profile.

Parameters

- **`description`** (*string*) – description, property of the request body.
- **`id`** (*basestring*) – id, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`wireless_profiles`** (*list*) – wirelessProfiles, property of the request body (list of objects).
- **`id`** – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *wireless_profiles=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [update_native_suppllicant_profile_by_id](#)

delete_native_suppllicant_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a native supplicant profile.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [delete_native_suppllicant_profile_by_id](#)

get_native_suppllicant_profile(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the native supplicant profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_native_suppllicant_profile*

get_native_suppllicant_profile_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the native suppllicant profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_native_suppllicant_profile_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the native suppllicant profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

network_access_authentication_rules

class NetworkAccessAuthenticationRules

Identity Services Engine Network Access - Authentication Rules API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Authentication Rules API and exposes the API as native Python methods that return native Python objects.

`get_network_access_authentication_rules`(*policy_id*, *headers=None*, ***query_parameters*)

Network Access Get authentication rules.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_authentication_rules*

```
create_network_access_authentication_rule(policy_id, identity_source_name=None,
                                           if_auth_fail=None, if_process_fail=None,
                                           if_user_not_found=None, link=None, rule=None,
                                           headers=None, payload=None,
                                           active_validation=True, **query_parameters)
```

Network Access Create authentication rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authentication policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *identity_source_name=None*, *if_auth_fail=None*, *if_process_fail=None*, *if_user_not_found=None*, *link=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [*create_network_access_authentication_rule*](#)

reset_hit_counts_network_access_authentication_rules(*policy_id*, *headers=None*, ***query_parameters*)

Network Access Reset HitCount for Authentication Rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for [*reset_hit_counts_network_access_authentication_rules*](#)

get_network_access_authentication_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Network Access Get rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, policy_id, headers=None, **query_parameters*)

Alias for *get_network_access_authentication_rule_by_id*

update_network_access_authentication_rule_by_id(*id, policy_id, identity_source_name=None, if_auth_fail=None, if_process_fail=None, if_user_not_found=None, link=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Update rule.

Parameters

- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id, policy_id, identity_source_name=None, if_auth_fail=None, if_process_fail=None, if_user_not_found=None, link=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_network_access_authentication_rule_by_id*

delete_network_access_authentication_rule_by_id(*id, policy_id, headers=None, **query_parameters*)

Network Access Delete rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id, policy_id, headers=None, **query_parameters*)

Alias for *delete_network_access_authentication_rule_by_id*

network_access_authorization_exception_rules

class NetworkAccessAuthorizationExceptionRules

Identity Services Engine Network Access - Authorization Exception Rules API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Authorization Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_network_access_local_exception_rules(*policy_id*, *headers=None*, ***query_parameters*)
Network Access Get local exception rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)
Alias for *get_network_access_local_exception_rules*

create_network_access_local_exception_rule(*policy_id*, *link=None*, *profile=None*, *rule=None*,
security_group=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Network Access Create local authorization exception rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *create_network_access_local_exception_rule*

reset_hit_counts_network_access_local_exceptions(*policy_id*, *headers=None*, ***query_parameters*)

Network Access Reset HitCount for local exceptions.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *reset_hit_counts_network_access_local_exceptions*

get_network_access_local_exception_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Network Access Get local exception rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_local_exception_rule_by_id*

update_network_access_local_exception_rule_by_id(*id*, *policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update local exception rule.

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_local_exception_rule_by_id*

delete_network_access_local_exception_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Network Access Delete local exception rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_local_exception_rule_by_id*

network_access_authorization_global_exception_rules

class NetworkAccessAuthorizationGlobalExceptionRules

Identity Services Engine Network Access - Authorization Global Exception Rules API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Authorization Global Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_network_access_policy_set_global_exception_rules(*headers=None*, ***query_parameters*)

Network Access Get global exception rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None*, ***query_parameters*)

Alias for *get_network_access_policy_set_global_exception_rules*

create_network_access_policy_set_global_exception_rule(*link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Create global exception authorization rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*link=None, profile=None, rule=None, security_group=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_policy_set_global_exception_rule*

reset_hit_counts_network_access_global_exceptions(*headers=None, **query_parameters*)

Network Access Reset HitCount for Global Exceptions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts(*headers=None, **query_parameters*)

Alias for *reset_hit_counts_network_access_global_exceptions*

get_network_access_policy_set_global_exception_rule_by_id(*id, headers=None, **query_parameters*)

Network Access Get global exception rule attributes.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_network_access_policy_set_global_exception_rule_by_id*

update_network_access_policy_set_global_exception_rule_by_id(*id, link=None, profile=None, rule=None, security_group=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Update global exception authorization rule.

Parameters

- **link** (*object*) – link, property of the request body.

- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_policy_set_global_exception_rule_by_id*

delete_network_access_policy_set_global_exception_rule_by_id(*id*, *headers=None*, ***query_parameters*)

Network Access Delete global exception authorization rule.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_network_access_policy_set_global_exception_rule_by_id`*

network_access_authorization_rules

class `NetworkAccessAuthorizationRules`

Identity Services Engine Network Access - Authorization Rules API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Authorization Rules API and exposes the API as native Python methods that return native Python objects.

`get_network_access_authorization_rules(policy_id, headers=None, **query_parameters)`

Network Access Get authorization rules.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(policy_id, headers=None, **query_parameters)`

Alias for *`get_network_access_authorization_rules`*

```
create_network_access_authorization_rule(policy_id, link=None, profile=None, rule=None,
                                         security_group=None, headers=None, payload=None,
                                         active_validation=True, **query_parameters)
```

Network Access Create authorization rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(policy_id, link=None, profile=None, rule=None, security_group=None, headers=None,
       payload=None, active_validation=True, **query_parameters)
```

Alias for *create_network_access_authorization_rule*

```
reset_hit_counts_network_access_authorization_rules(policy_id, headers=None,
                                                    **query_parameters)
```

Network Access Reset HitCount for Authorization Rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *reset_hit_counts_network_access_authorization_rules*

get_network_access_authorization_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Network Access Get authorization rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_authorization_rule_by_id*

update_network_access_authorization_rule_by_id(*id*, *policy_id*, *link=None*, *profile=None*,
rule=None, *security_group=None*,
headers=None, *payload=None*,
active_validation=True, ***query_parameters*)

Network Access Update authorization rule.

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_authorization_rule_by_id*

delete_network_access_authorization_rule_by_id(*id*, *policy_id*, *headers=None*,
***query_parameters*)

Network Access Delete authorization rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_authorization_rule_by_id*

network_access_conditions**class NetworkAccessConditions**

Identity Services Engine Network Access - Conditions API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Conditions API and exposes the API as native Python methods that return native Python objects.

get_network_access_conditions(*headers=None*, ***query_parameters*)

Network Access Returns all library conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_conditions*

create_network_access_condition(*attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Creates a library condition: Library Condition has hierarchical structure which define a set of condition for which authentication and authorization policy rules could be match. Condition can be compose from single dictionary attribute name and value using model LibraryConditionAttributes , or from combination of dictionary attributes with logical operation of AND/OR between them, using models: LibraryConditionAndBlock or LibraryConditionOrBlock . When using AND/OR blocks, the condition will include inner layers inside these blocks, these layers are built using the inner condition models: ConditionAttributes , ConditionAndBlock , ConditionOrBlock , that represent dynamically built Conditions which are not stored in the conditions Library, or using ConditionReference , which includes an ID to existing stored condition in the library. The LibraryCondition models can only be used in the outer-most layer (root of the condition) and must always include the condition name. When using one of the 3 inner condition models (ConditionAttributes, ConditionAndBlock, ConditionOrBlock), condition name cannot be included in the request, since these will not be stored in the conditions library, and used only as inner members of the root condition. When using ConditionReference model in inner layers, the condition name is not required. ConditionReference objects can also include a reference ID to a condition of type TimeAndDate

..

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttr” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.

- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'not-Contains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_condition*

get_network_access_conditions_for_authentication_rules(*headers=None, **query_parameters*)

Network Access Returns list of library conditions for Authentication rules scope.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_network_access_conditions_for_authorization_rules(*headers=None, **query_parameters*)

Network Access Returns list of library conditions for Authorization rules scope.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_network_access_condition_by_name`(*name*, *headers=None*, ***query_parameters*)

Network Access Returns a library condition.

Parameters

- **`name`** (*basestring*) – name path parameter. Condition name.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for `get_network_access_condition_by_name`

`update_network_access_condition_by_name`(*name*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *id=None*, *is_negate=None*, *link=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update library condition using condition name.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*basestring*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘contains’, ‘endsWith’, ‘equals’, ‘greaterOrEquals’, ‘greaterThan’, ‘in’, ‘ipEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipNotEquals’, ‘lessOrEquals’, ‘lessThan’, ‘matches’, ‘notContains’, ‘notEndsWith’, ‘notEquals’, ‘notIn’, ‘notStartsWith’ and ‘startsWith’.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).

- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **name** – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *id=None*, *is_negate=None*, *link=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_condition_by_name*

delete_network_access_condition_by_name(*name*, *headers=None*, ***query_parameters*)

Network Access Delete a library condition using condition Name.

Parameters

- **name** (*basestring*) – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *`delete_network_access_condition_by_name`*

`get_network_access_conditions_for_policy_sets`(*headers=None*, ***query_parameters*)

Network Access Returns list of library conditions for PolicySet scope.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_for_policy_sets`(*headers=None*, ***query_parameters*)

Alias for *`get_network_access_conditions_for_policy_sets`*

`get_network_access_condition_by_id`(*id*, *headers=None*, ***query_parameters*)

Network Access Returns a library condition.

Parameters

- **`id`** (*basestring*) – id path parameter. Condition id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_network_access_condition_by_id`*

`update_network_access_condition_by_id(id, attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Network Access Update library condition.

Parameters

- **`attribute_name (string)`** – Dictionary attribute name, property of the request body.
- **`attribute_value (string)`** – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **`children (list)`** – In case type is `andBlock` or `orBlock` additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **`condition_type (string)`** – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates that “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **`dates_range (object)`** – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **`dates_range_exception (object)`** – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.

- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘contains’, ‘endsWith’, ‘equals’, ‘greaterOrEquals’, ‘greaterThan’, ‘in’, ‘ipEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipNotEquals’, ‘lessOrEquals’, ‘lessThan’, ‘matches’, ‘not-Contains’, ‘notEndsWith’, ‘notEquals’, ‘notIn’, ‘notStartsWith’ and ‘startsWith’.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [update_network_access_condition_by_id](#)

delete_network_access_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Network Access Delete a library condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [delete_network_access_condition_by_id](#)

network_access_dictionary

class NetworkAccessDictionary

Identity Services Engine Network Access - Dictionary API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Dictionary API and exposes the API as native Python methods that return native Python objects.

get_network_access_dictionaries(*headers=None*, ***query_parameters*)

Get all Dictionaries.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_dictionaries*

create_network_access_dictionaries(*description=None, dictionary_attr_type=None, id=None, link=None, name=None, version=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Create a new Dictionary.

Parameters

- **description** (*string*) – The description of the Dictionary, property of the request body.
- **dictionary_attr_type** (*string*) – The dictionary attribute type, property of the request body. Available values are 'ENTITY_ATTR', 'MSG_ATTR' and 'PIP_ATTR'.
- **id** (*string*) – Identifier for the dictionary, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – The dictionary name, property of the request body.
- **version** (*string*) – The dictionary version, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*description=None, dictionary_attr_type=None, id=None, link=None, name=None, version=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_network_access_dictionaries*

`get_network_access_dictionary_by_name`(*name, headers=None, **query_parameters*)
GET a dictionary by name.

Parameters

- **`name`** (*basestring*) – name path parameter. the dictionary name.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name, headers=None, **query_parameters*)
Alias for *get_network_access_dictionary_by_name*

`update_network_access_dictionary_by_name`(*name, description=None, dictionary_attr_type=None, id=None, link=None, version=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Update a Dictionary.

Parameters

- **`description`** (*string*) – The description of the Dictionary, property of the request body.
- **`dictionary_attr_type`** (*string*) – The dictionary attribute type, property of the request body. Available values are 'ENTITY_ATTR', 'MSG_ATTR' and 'PIP_ATTR'.

- **id** (*string*) – Identifier for the dictionary, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*basestring*) – The dictionary name, property of the request body.
- **version** (*string*) – The dictionary version, property of the request body.
- **name** – name path parameter. the dictionary name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *description=None*, *dictionary_attr_type=None*, *id=None*, *link=None*, *version=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_dictionary_by_name*

delete_network_access_dictionary_by_name(*name*, *headers=None*, ***query_parameters*)

Network Access Delete a Dictionary.

Parameters

- **name** (*basestring*) – name path parameter. the dictionary name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_dictionary_by_name*

network_access_dictionary_attribute

class NetworkAccessDictionaryAttribute

Identity Services Engine Network Access - Dictionary Attribute API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Dictionary Attribute API and exposes the API as native Python methods that return native Python objects.

get_network_access_dictionary_attributes_by_dictionary_name(*dictionary_name*,
headers=None,
***query_parameters*)

Returns a list of Dictionary Attributes for an existing Dictionary.

Parameters

- **dictionary_name** (*basestring*) – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*dictionary_name*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_dictionary_attributes_by_dictionary_name*

```
create_network_access_dictionary_attribute(dictionary_name, allowed_values=None,  
                                           data_type=None, description=None,  
                                           direction_type=None, id=None, internal_name=None,  
                                           name=None, headers=None, payload=None,  
                                           active_validation=True, **query_parameters)
```

Create a new Dictionary Attribute for an existing Dictionary.

Parameters

- **allowed_values** (*list*) – all of the allowed values for the dictionary attribute, property of the request body (list of objects).
- **data_type** (*string*) – the data type for the dictionary attribute, property of the request body. Available values are 'BOOLEAN', 'DATE', 'FLOAT', 'INT', 'IP', 'IPV4', 'IPV6', 'IPV6INTERFACE', 'IPV6PREFIX', 'LONG', 'OCTET_STRING', 'STRING', 'UINT64' and 'UNIT32'.
- **description** (*string*) – The description of the Dictionary attribute, property of the request body.
- **dictionary_name** (*basestring*) – the name of the dictionary which the dictionary attribute belongs to, property of the request body.
- **direction_type** (*string*) – the direction for the usage of the dictionary attribute, property of the request body. Available values are 'BOTH', 'IN', 'NONE' and 'OUT'.
- **id** (*string*) – Identifier for the dictionary attribute, property of the request body.
- **internal_name** (*string*) – the internal name of the dictionary attribute, property of the request body.
- **name** (*string*) – The dictionary attribute's name, property of the request body.
- **dictionary_name** – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*dictionary_name*, *allowed_values=None*, *data_type=None*, *description=None*, *direction_type=None*, *id=None*, *internal_name=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)
 Alias for *create_network_access_dictionary_attribute*

get_network_access_dictionary_attribute_by_name(*dictionary_name*, *name*, *headers=None*, ***query_parameters*)

Get a Dictionary Attribute.

Parameters

- **name** (*basestring*) – name path parameter. the dictionary attribute name.
- **dictionary_name** (*basestring*) – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*dictionary_name*, *name*, *headers=None*, ***query_parameters*)
 Alias for *get_network_access_dictionary_attribute_by_name*

update_network_access_dictionary_attribute_by_name(*dictionary_name*, *name*, *allowed_values=None*, *data_type=None*, *description=None*, *direction_type=None*, *id=None*, *internal_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Update a Dictionary Attribute.

Parameters

- **allowed_values** (*list*) – all of the allowed values for the dictionary attribute, property of the request body (list of objects).
- **data_type** (*string*) – the data type for the dictionary attribute, property of the request body. Available values are 'BOOLEAN', 'DATE', 'FLOAT', 'INT', 'IP', 'IPV4', 'IPV6',

'IPV6INTERFACE', 'IPV6PREFIX', 'LONG', 'OCTET_STRING', 'STRING', 'UINT64' and 'UNIT32'.

- **description** (*string*) – The description of the Dictionary attribute, property of the request body.
- **dictionary_name** (*basestring*) – the name of the dictionary which the dictionary attribute belongs to, property of the request body.
- **direction_type** (*string*) – the direction for the usage of the dictionary attribute, property of the request body. Available values are 'BOTH', 'IN', 'NONE' and 'OUT'.
- **id** (*string*) – Identifier for the dictionary attribute, property of the request body.
- **internal_name** (*string*) – the internal name of the dictionary attribute, property of the request body.
- **name** (*basestring*) – The dictionary attribute's name, property of the request body.
- **name** – name path parameter. the dictionary attribute name.
- **dictionary_name** – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*dictionary_name, name, allowed_values=None, data_type=None, description=None, direction_type=None, id=None, internal_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_network_access_dictionary_attribute_by_name*

delete_network_access_dictionary_attribute_by_name(*dictionary_name, name, headers=None, **query_parameters*)

Delete a Dictionary Attribute.

Parameters

- **name** (*basestring*) – name path parameter. the dictionary attribute name.
- **dictionary_name** (*basestring*) – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*dictionary_name, name, headers=None, **query_parameters*)

Alias for *delete_network_access_dictionary_attribute_by_name*

network_access_dictionary_attributes_list

class NetworkAccessDictionaryAttributesList

Identity Services Engine Network Access - Dictionary Attributes List API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Dictionary Attributes List API and exposes the API as native Python methods that return native Python objects.

get_network_access_dictionaries_authentication(*headers=None, **query_parameters*)

Network Access Returns list of dictionary attributes for authentication.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authentication(*headers=None, **query_parameters*)

Alias for *get_network_access_dictionaries_authentication*

get_network_access_dictionaries_authorization(*headers=None, **query_parameters*)

Network Access Returns list of dictionary attributes for authorization.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authorization(*headers=None, **query_parameters*)

Alias for *get_network_access_dictionaries_authorization*

get_network_access_dictionaries_policy_set(*headers=None, **query_parameters*)

Network Access Returns list of dictionary attributes for policyset.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_policy_set(headers=None, **query_parameters)`

Alias for *`get_network_access_dictionaries_policy_set`*

`network_access_identity_stores`

`class NetworkAccessIdentityStores`

Identity Services Engine Network Access - Identity Stores API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Identity Stores API and exposes the API as native Python methods that return native Python objects.

`get_network_access_identity_stores(headers=None, **query_parameters)`

Network Access Return list of identity stores for authentication policy definition. (Other CRUD APIs available through ERS).

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(headers=None, **query_parameters)`

Alias for *`get_network_access_identity_stores`*

network_access_network_conditions

class NetworkAccessNetworkConditions

Identity Services Engine Network Access - Network Conditions API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Network Conditions API and exposes the API as native Python methods that return native Python objects.

get_network_access_network_conditions(*headers=None, **query_parameters*)

Network Access Returns a list of network conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_network_conditions*

create_network_access_network_condition(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Creates network condition.

Parameters

- **condition_type** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are 'DeviceCondition', 'DevicePortCondition' and 'EndstationCondition'.
- **conditions** (*list*) – conditions, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Network Condition name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_network_condition*

get_network_access_network_condition_by_id(*id, headers=None, **query_parameters*)

Network Access Returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [*get_network_access_network_condition_by_id*](#)

update_network_access_network_condition_by_id(*id*, *condition_type=None*, *conditions=None*, *description=None*, *link=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update network condition.

Parameters

- **condition_type** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are ‘DeviceCondition’, ‘DevicePortCondition’ and ‘EndstationCondition’.
- **conditions** (*list*) – conditions, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Network Condition name, property of the request body.
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *condition_type=None*, *conditions=None*, *description=None*, *link=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [*update_network_access_network_condition_by_id*](#)

delete_network_access_network_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Network Access Delete network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)
Alias for *delete_network_access_network_condition_by_id*

network_access_policy_set

class NetworkAccessPolicySet

Identity Services Engine Network Access - Policy Set API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Policy Set API and exposes the API as native Python methods that return native Python objects.

get_network_access_policy_sets(*headers=None*, ***query_parameters*)
Get all network access policy sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_policy_sets*

create_network_access_policy_set(*condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Create a new policy set: Policy must include name , service identifier (either server sequence or allowed protocol) and a condition. Condition has hierarchical structure which define a set of condition for which policy could be match. Condition can be either reference to a stored Library condition, using model ConditionReference , or, dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **condition** (*object*) – condition, property of the request body.
- **default** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **description** (*string*) – The description for the policy set, property of the request body.
- **hit_counts** (*integer*) – The amount of times the policy was matched, property of the request body.
- **id** (*string*) – Identifier for the policy set, property of the request body.
- **is_proxy** (*boolean*) – Flag which indicates if the policy set service is of type ‘Proxy Sequence’ or ‘Allowed Protocols’, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Given name for the policy set, [Valid characters are alphanumerics, underscore, hyphen, space, period, parentheses], property of the request body.
- **rank** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **service_name** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.
- **state** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are ‘disabled’, ‘enabled’ and ‘monitor’.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_network_access_policy_set*

`reset_hit_counts_network_access_policy_sets`(*headers=None, **query_parameters*)
Network Access Reset HitCount for PolicySets.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`reset_hit_counts`(*headers=None, **query_parameters*)
Alias for *reset_hit_counts_network_access_policy_sets*

`get_network_access_policy_set_by_id`(*id, headers=None, **query_parameters*)
Network Access Get policy set attributes.

Parameters

- **id** (*basestring*) – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_policy_set_by_id*

update_network_access_policy_set_by_id(*id*, *condition=None*, *default=None*, *description=None*, *hit_counts=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update a policy set.

Parameters

- **condition** (*object*) – condition, property of the request body.
- **default** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **description** (*string*) – The description for the policy set, property of the request body.
- **hit_counts** (*integer*) – The amount of times the policy was matched, property of the request body.
- **id** (*basestring*) – Identifier for the policy set, property of the request body.
- **is_proxy** (*boolean*) – Flag which indicates if the policy set service is of type 'Proxy Sequence' or 'Allowed Protocols', property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Given name for the policy set, [Valid characters are alphanumerics, underscore, hyphen, space, period, parentheses], property of the request body.
- **rank** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **service_name** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.

- **state** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are ‘disabled’, ‘enabled’ and ‘monitor’.
- **id** – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *condition=None*, *default=None*, *description=None*, *hit_counts=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_policy_set_by_id*

delete_network_access_policy_set_by_id(*id*, *headers=None*, ***query_parameters*)

Network Access Delete a policy set.

Parameters

- **id** (*basestring*) – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_policy_set_by_id*

network_access_profiles

class NetworkAccessProfiles

Identity Services Engine Network Access - Profiles API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Profiles API and exposes the API as native Python methods that return native Python objects.

get_network_access_profiles(*headers=None*, ***query_parameters*)

Network Access Returns list of authorization profiles. (Other CRUD APIs available throught ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None*, ***query_parameters*)

Alias for *get_network_access_profiles*

network_access_security_groups

class NetworkAccessSecurityGroups

Identity Services Engine Network Access - Security Groups API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Security Groups API and exposes the API as native Python methods that return native Python objects.

get_network_access_security_groups(*headers=None, **query_parameters*)

Network Access Return list of available security groups for authorization policy definition. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_security_groups*

network_access_service_names

class NetworkAccessServiceNames

Identity Services Engine Network Access - Service Names API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Service Names API and exposes the API as native Python methods that return native Python objects.

get_network_access_service_names(*headers=None, **query_parameters*)

Returns list of Allowed Protocols and Server Sequences for Network Access Policy Set results. 'isLocalAuthorization' property is available only for Network Access Policy Set results of type Server Sequence. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of `MyDict` objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)
Alias for *get_network_access_service_names*

network_access_time_date_conditions**class NetworkAccessTimeDateConditions**

Identity Services Engine Network Access - Time/Date Conditions API (version: 3.1.0).

Wraps the Identity Services Engine Network Access - Time/Date Conditions API and exposes the API as native Python methods that return native Python objects.

`get_network_access_time_conditions`(*headers=None, **query_parameters*)
Network Access Returns a list of time and date conditions.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_time_conditions*

create_network_access_time_condition(*attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Creates time/date condition.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.

- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'not-Contains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(attribute_name=None, attribute_value=None, children=None, condition_type=None,
        dates_range=None, dates_range_exception=None, description=None, dictionary_name=None,
        dictionary_value=None, hours_range=None, hours_range_exception=None, id=None,
        is_negate=None, link=None, name=None, operator=None, week_days=None,
        week_days_exception=None, headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Alias for *create_network_access_time_condition*

```
get_network_access_time_condition_by_id(id, headers=None, **query_parameters)
```

Network Access returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_time_condition_by_id*

update_network_access_time_condition_by_id(*id*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update network condition.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children

field, property of the request body. Available values are 'ConditionAndBlock', 'ConditionAttributes', 'ConditionOrBlock', 'ConditionReference', 'LibraryConditionAndBlock', 'LibraryConditionAttributes', 'LibraryConditionOrBlock' and 'TimeAndDateCondition'.

- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'not-Contains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_time_condition_by_id*

delete_network_access_time_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Network Access Delete Time/Date condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_time_condition_by_id*

network_device

class NetworkDevice

Identity Services Engine NetworkDevice API (version: 3.1.0).

Wraps the Identity Services Engine NetworkDevice API and exposes the API as native Python methods that return native Python objects.

get_network_device_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a network device by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_network_device_by_name*

update_network_device_by_name(*name*, *authentication_settings=None*, *coa_port=None*, *description=None*, *dtls_dns_name=None*, *id=None*, *model_name=None*, *network_device_group_list=None*, *network_device_ip_list=None*, *profile_name=None*, *snmpsettings=None*, *software_version=None*, *tacacs_settings=None*, *trustsecsettings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a network device by name.

Parameters

- **network_device_group_list** (*list*) – List of Network Device Group names for this node, property of the request body (list of strings).
- **network_device_ip_list** (*list*) – List of IP Subnets for this node, property of the request body (list of objects).
- **authentication_settings** (*object*) – authenticationSettings, property of the request body.

- **coa_port** (*integer*) – coaPort, property of the request body.
- **description** (*string*) – description, property of the request body.
- **dtls_dns_name** (*string*) – This value is used to verify the client identity contained in the X.509 RADIUS/DTLS client certificate, property of the request body.
- **id** (*string*) – id, property of the request body.
- **model_name** (*string*) – modelName, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **snmpsettings** (*object*) – snmpsettings, property of the request body.
- **software_version** (*string*) – softwareVersion, property of the request body.
- **tacacs_settings** (*object*) – tacacsSettings, property of the request body.
- **trustsecsettings** (*object*) – trustsecsettings, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_name(name, authentication_settings=None, coa_port=None, description=None,
               dtls_dns_name=None, id=None, model_name=None, network_device_group_list=None,
               network_device_ip_list=None, profile_name=None, snmpsettings=None,
               software_version=None, tacacs_settings=None, trustsecsettings=None, headers=None,
               payload=None, active_validation=True, **query_parameters)
```

Alias for *update_network_device_by_name*

```
delete_network_device_by_name(name, headers=None, **query_parameters)
```

This API deletes a network device by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_network_device_by_name*

get_network_device_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a network device by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_device_by_id*

update_network_device_by_id(*id*, *authentication_settings=None*, *coa_port=None*, *description=None*, *dtls_dns_name=None*, *model_name=None*, *name=None*, *network_device_group_list=None*, *network_device_ip_list=None*, *profile_name=None*, *snmpsettings=None*, *software_version=None*, *tacacs_settings=None*, *trustsecsettings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a network device by ID.

Parameters

- **network_device_group_list** (*list*) – List of Network Device Group names for this node, property of the request body (list of strings).
- **network_device_ip_list** (*list*) – List of IP Subnets for this node, property of the request body (list of objects).
- **authentication_settings** (*object*) – authenticationSettings, property of the request body.
- **coa_port** (*integer*) – coaPort, property of the request body.
- **description** (*string*) – description, property of the request body.
- **dtls_dns_name** (*string*) – This value is used to verify the client identity contained in the X.509 RADIUS/DTLS client certificate, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **model_name** (*string*) – modelName, property of the request body.
- **name** (*string*) – name, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **snmpsettings** (*object*) – snmpsettings, property of the request body.
- **software_version** (*string*) – softwareVersion, property of the request body.
- **tacacs_settings** (*object*) – tacacsSettings, property of the request body.
- **trustsecsettings** (*object*) – trustsecsettings, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id, authentication_settings=None, coa_port=None, description=None, dtls_dns_name=None, model_name=None, name=None, network_device_group_list=None, network_device_ip_list=None, profile_name=None, snmpsettings=None, software_version=None, tacacs_settings=None, trustsecsettings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_network_device_by_id*

delete_network_device_by_id(*id, headers=None, **query_parameters*)

This API deletes a network device by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id, headers=None, **query_parameters*)

Alias for *delete_network_device_by_id*

get_network_device(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the network devices. Filter: [ipaddress, name, description, location, type] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_network_device*

get_network_device_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the network devices. Filter: [ipaddress, name, description, location, type] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.

- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_network_device_generator*

create_network_device(*authentication_settings=None, coa_port=None, description=None, dtls_dns_name=None, model_name=None, name=None, network_device_group_list=None, network_device_ip_list=None, profile_name=None, snmpsettings=None, software_version=None, tacacs_settings=None, trustsecsettings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a network device.

Parameters

- **network_device_group_list** (*list*) – List of Network Device Group names for this node, property of the request body (list of strings).

- **network_device_iplist** (*list*) – List of IP Subnets for this node, property of the request body (list of objects).
- **authentication_settings** (*object*) – authenticationSettings, property of the request body.
- **coa_port** (*integer*) – coaPort, property of the request body.
- **description** (*string*) – description, property of the request body.
- **dtls_dns_name** (*string*) – This value is used to verify the client identity contained in the X.509 RADIUS/DTLS client certificate, property of the request body.
- **model_name** (*string*) – modelName, property of the request body.
- **name** (*string*) – name, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **snmpsettings** (*object*) – snmpsettings, property of the request body.
- **software_version** (*string*) – softwareVersion, property of the request body.
- **tacacs_settings** (*object*) – tacacsSettings, property of the request body.
- **trustsecsettings** (*object*) – trustsecsettings, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(authentication_settings=None, coa_port=None, description=None, dtls_dns_name=None,
        model_name=None, name=None, network_device_group_list=None, network_device_iplist=None,
        profile_name=None, snmpsettings=None, software_version=None, tacacs_settings=None,
        trustsecsettings=None, headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Alias for *create_network_device*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the network device.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_network_device(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_network_device*

monitor_bulk_status_network_device(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_network_device*

network_device_group

class NetworkDeviceGroup

Identity Services Engine NetworkDeviceGroup API (version: 3.1.0).

Wraps the Identity Services Engine NetworkDeviceGroup API and exposes the API as native Python methods that return native Python objects.

get_network_device_group_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get a network device group by name.

Parameters

- **name** (*basestring*) – name path parameter. colon is used as a separator instead of (#) in the NDG name. For example, if the name is a#b#c it should appear in the request URL as a:b:c.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name(name, headers=None, **query_parameters)`

Alias for *`get_network_device_group_by_name`*

`get_network_device_group_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a network device group by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_network_device_group_by_id`*

`update_network_device_group_by_id(id, description=None, name=None, othername=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a network device group.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **othername** (*string*) – othername, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *othername=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_device_group_by_id*

delete_network_device_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a network device group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *`delete_network_device_group_by_id`*

`get_network_device_group`(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the network device groups. Filter: [name, description, type] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_network_device_group*

get_network_device_group_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the network device groups. Filter: [name, description, type] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- RestResponse: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request’s response
 - text(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_network_device_group_generator*

create_network_device_group(*description=None, name=None, othername=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a network device group.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **othername** (*string*) – othername, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, othername=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_device_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the network device group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

node_deployment

class NodeDeployment

Identity Services Engine Node Deployment API (version: 3.1.0).

Wraps the Identity Services Engine Node Deployment API and exposes the API as native Python methods that return native Python objects.

get_nodes(*headers=None, **query_parameters*)

Discovers all deployment nodes in the cluster. It provides basic information about each of deployed nodes in the cluster like Hostname, personas, status, roles and services. .

Parameters

- **headers(dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

register_node(*administration=None, fdqn=None, general_settings=None, password=None, profile_configuration=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Register ISE node to form a multi-node deployment .

Parameters

- **administration** (*object*) – administration, property of the request body.
- **fdqn** (*string*) – fdqn, property of the request body. Constraints: maxLength set to 256 and minLength set to 1.
- **general_settings** (*object*) – generalSettings, property of the request body.
- **password** (*string*) – password, property of the request body.
- **profile_configuration** (*object*) – profileConfiguration, property of the request body.
- **user_name** (*string*) – userName, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

promote_node(*promotion_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Changes the cluster setting by promoting a node to primary when executed on standalone or secondary node. It could also be used to convert a deployment node to standalone node. .

Parameters

- **promotion_type** (*string*) – promotionType, property of the request body. Available values are 'SECONDARY_TO_PRIMARY', 'STANDALONE_TO_PRIMARY' and 'TO_STANDALONE'.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_node_details(*hostname*, *headers=None*, ***query_parameters*)

It provides detailed information of the deployed node in the cluster. .

Parameters

- **hostname** (*basestring*) – hostname path parameter. ID of the existing deployed node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*hostname*, *headers=None*, ***query_parameters*)

Alias for *get_node_details*

update_node(*hostname*, *general_settings=None*, *profile_configuration=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Updates the deployed ISE node with the information provided .

Parameters

- **general_settings** (*object*) – generalSettings, property of the request body.
- **profile_configuration** (*object*) – profileConfiguration, property of the request body.
- **hostname** (*basestring*) – hostname path parameter. ID of the existing deployed node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_node(hostname, headers=None, **query_parameters)

The de-register ednode becomes a standalone Cisco ISE node. It retains the last configuration that it received from the PrimaryPAN and assumes the default personas of a standalone node that are Administration, PolicyService, and Monitoring. .

Parameters

- **hostname** (*basestring*) – hostname path parameter. node name of the existing deployed node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

node_group**class NodeGroup**

Identity Services Engine Node Group API (version: 3.1.0).

Wraps the Identity Services Engine Node Group API and exposes the API as native Python methods that return native Python objects.

get_node_groups(*headers=None, **query_parameters*)

Get details of all the node groups in the cluster. To detect node failure and to reset all URL-redirceted sessions on the failed node, two or more Policy Service nodes can be placed in the same node group. When a node that belongs to a node group fails, another node in the same node group issues a Change of Authorization (CoA) for all URL-redirceted sessions on the failed node.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_node_group(*node_group_name, headers=None, **query_parameters*)

Get details of a node group in the cluster.

Parameters

- **node_group_name** (*basestring*) – node-group-name path parameter. ID of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create_node_group`(*node_group_name, description=None, mar_cache=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Developers need to create node group in the system. Node Group is a group of PSNs, mainly used for terminating posture pending sessions when a PSN in local node group fails. Node group members can communicate over TCP/7800.

Parameters

- **`description`** (*string*) – description, property of the request body. Constraints: `maxLength` set to 256 and `minLength` set to 1.
- **`mar_cache`** (*object*) – mar-cache, property of the request body.
- **`node_group_name`** (*basestring*) – node-group-name path parameter. ID of the existing node group.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to `True`.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_node_group(*node_group_name*, *description=None*, *mar_cache=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

API updates an existing node group in the system.

Parameters

- **description** (*string*) – description, property of the request body. Constraints: maxLength set to 256 and minLength set to 1.
- **mar_cache** (*object*) – mar-cache, property of the request body.
- **node_group_name** (*basestring*) – node-group-name path parameter. ID of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_node_group(*node_group_name*, *headers=None*, ***query_parameters*)

Developers need to delete node group in the system.

Parameters

- **node_group_name** (*basestring*) – node-group-name path parameter. ID of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

node_details

class NodeDetails

Identity Services Engine NodeDetails API (version: 3.1.0).

Wraps the Identity Services Engine NodeDetails API and exposes the API as native Python methods that return native Python objects.

`get_node_detail_by_name`(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get node details by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *`get_node_detail_by_name`*

`get_node_detail_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get node details by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_node_detail_by_id*

get_node_details(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the node details. Filter: [nodeservice-types] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for *get_node_details*

get_node_details_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the node details. Filter: [nodeservice-types] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page(int)** – page query parameter. Page number.
- **size(int)** – size query parameter. Number of objects returned per page.
- **filter(basestring, list, set, tuple)** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type(basestring)** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers(dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- `TypeError` – If the parameter types are incorrect.
- `MalformedRequest` – If the request body created is invalid.
- `ApiError` – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for `get_node_details_generator`

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the node details.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- `TypeError` – If the parameter types are incorrect.
- `MalformedRequest` – If the request body created is invalid.
- `ApiError` – If the Identity Services Engine cloud returns an error.

pan_ha

class PanHa

Identity Services Engine PAN HA API (version: 3.1.0).

Wraps the Identity Services Engine PAN HA API and exposes the API as native Python methods that return native Python objects.

get_pan_ha_status(*headers=None, **query_parameters*)

In a high availability configuration, the Primary Administration Node (PAN) is in the active state. The Secondary PAN (backup PAN) is in the standby state, which means it receives all configuration updates from the Primary PAN, but is not active in the ISE network. You can configure ISE to automatically promote the secondary PAN when the primary PAN becomes unavailable.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

enable_pan_ha(*failed_attempts=None, is_enabled=None, polling_interval=None, primary_health_check_node=None, secondary_health_check_node=None, headers=None, payload=None, active_validation=True, **query_parameters*)

To deploy the auto-failover feature, you must have at least three nodes, where two of the nodes assume the Administration persona, and one node acts as the health check node. A health check node is a non-administration node and can be a Policy Service, Monitoring, or pxGrid node, or a combination of these. If the PANs are in different data centers, you must have a health check node for each PAN.

Parameters

- **failed_attempts** (*integer*) – failedAttempts, property of the request body.
- **is_enabled** (*boolean*) – isEnabled, property of the request body.
- **polling_interval** (*integer*) – pollingInterval, property of the request body.
- **primary_health_check_node** (*string*) – primaryHealthCheckNode, property of the request body. Constraints: maxLength set to 64 and minLength set to 1.
- **secondary_health_check_node** (*string*) – secondaryHealthCheckNode, property of the request body. Constraints: maxLength set to 64 and minLength set to 1.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

disable_pan_ha(*headers=None, **query_parameters*)

Disable the automatic PAN failover.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

portal_global_setting

class PortalGlobalSetting

Identity Services Engine PortalGlobalSetting API (version: 3.1.0).

Wraps the Identity Services Engine PortalGlobalSetting API and exposes the API as native Python methods that return native Python objects.

get_portal_global_setting_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get the portal global settings by id.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_portal_global_setting_by_id*

update_portal_global_setting_by_id(*id*, *customization=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update the portal global settings by id.

Parameters

- **customization** (*string*) – Allowed values: HTML, HTMLANDJAVASCRIPT, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customization=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_portal_global_setting_by_id*

get_portal_global_settings(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the portal global settings. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portal_global_settings*

`get_portal_global_settings_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the portal global settings. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_portal_global_settings_generator`

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the portal global setting .

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

portal_theme

class PortalTheme

Identity Services Engine PortalTheme API (version: 3.1.0).

Wraps the Identity Services Engine PortalTheme API and exposes the API as native Python methods that return native Python objects.

get_portal_theme_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a portal theme by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_portal_theme_by_id*

update_portal_theme_by_id(*id*, *description=None*, *name=None*, *theme_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a portal theme by ID.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **theme_data** (*string*) – Portal Theme for all portals, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *theme_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_portal_theme_by_id*

delete_portal_theme_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a portal theme by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_portal_theme_by_id*

get_portal_themes(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the portal themes. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portal_themes*

get_portal_themes_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the portal themes. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portal_themes_generator*

```
create_portal_theme(description=None, name=None, theme_data=None, headers=None, payload=None,
                    active_validation=True, **query_parameters)
```

This API creates a portal theme.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **theme_data** (*string*) – Portal Theme for all portals, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(description=None, name=None, theme_data=None, headers=None, payload=None,
       active_validation=True, **query_parameters)
```

Alias for *create_portal_theme*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the portal theme.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

profiler

class Profiler

Identity Services Engine Profiler API (version: 3.1.0).

Wraps the Identity Services Engine Profiler API and exposes the API as native Python methods that return native Python objects.

`get_profiles(headers=None, **query_parameters)`
getProfiles.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

profiler_profile

class ProfilerProfile

Identity Services Engine ProfilerProfile API (version: 3.1.0).

Wraps the Identity Services Engine ProfilerProfile API and exposes the API as native Python methods that return native Python objects.

get_profiler_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a profiler profile by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_profiler_profile_by_id*

get_profiler_profiles(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the profiler profiles. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_profiler_profiles*

get_profiler_profiles_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the profiler profiles. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter

is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request’s response
 - text(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_profiler_profiles_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the profiler profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

provider

class Provider

Identity Services Engine Provider API (version: 3.1.0).

Wraps the Identity Services Engine Provider API and exposes the API as native Python methods that return native Python objects.

register_service(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

ServiceRegister.

Parameters

- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

unregister_service(*headers=None, **query_parameters*)

ServiceUnregister.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reregister_service(*headers=None, **query_parameters*)
ServiceReregister.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

authorization(*headers=None, **query_parameters*)
Authorization.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

psn_node_details_with_radius_service**class PsnNodeDetailsWithRadiusService**

Identity Services Engine PsnNodeDetailsWithRadiusService API (version: 3.1.0).

Wraps the Identity Services Engine PsnNodeDetailsWithRadiusService API and exposes the API as native Python methods that return native Python objects.

get_session_service_node_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a PSN node details by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_session_service_node_by_name*

get_session_service_node_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a PSN node details by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_session_service_node_by_id*

get_session_service_node(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the PSN node details.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_session_service_node*

get_session_service_node_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the PSN node details.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_session_service_node_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the PSN node.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

pull_deployment_info

class PullDeploymentInfo

Identity Services Engine PullDeploymentInfo API (version: 3.1.0).

Wraps the Identity Services Engine PullDeploymentInfo API and exposes the API as native Python methods that return native Python objects.

get_deployment_info(*timeout=None, headers=None, **query_parameters*)

This API allows the client to pull the deployment information.

Parameters

- **`timeout (float, tuple)`** – How long to wait for the server to send data before giving up.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_all(*timeout=None, headers=None, **query_parameters*)

Alias for *get_deployment_info*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the pull deployment info.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

px_grid_settings**class PxGridSettings**

Identity Services Engine PxGridSettings API (version: 3.1.0).

Wraps the Identity Services Engine PxGridSettings API and exposes the API as native Python methods that return native Python objects.

autoapprove_px_grid_settings(*allow_password_based_accounts=None*,
auto_approve_cert_based_accounts=None, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to auto approve the pxGrid settings.

Parameters

- **allow_password_based_accounts** (*boolean*) – Allow password based accounts when true, property of the request body.
- **auto_approve_cert_based_accounts** (*boolean*) – Auto approve certificate based accounts when true, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`autoapprove`(*allow_password_based_accounts=None, auto_approve_cert_based_accounts=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *autoapprove_px_grid_settings*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the pxGrid settings.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

radius_failure

class RadiusFailure

Identity Services Engine RADIUS Failure API (version: 3.1.0).

Wraps the Identity Services Engine RADIUS Failure API and exposes the API as native Python methods that return native Python objects.

`get_failures`(*headers=None, **query_parameters*)
getFailures.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

radius_server_sequence

class RadiusServerSequence

Identity Services Engine RADIUSServerSequence API (version: 3.1.0).

Wraps the Identity Services Engine RADIUSServerSequence API and exposes the API as native Python methods that return native Python objects.

get_radius_server_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a RADIUS server sequence by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_radius_server_sequence_by_id*

update_radius_server_sequence_by_id(*id*, *before_accept_attr_manipulators_list=None*,
continue_authorz_policy=None, *description=None*,
local_accounting=None, *name=None*,
on_request_attr_manipulator_list=None,
prefix_separator=None, *radius_server_list=None*,
remote_accounting=None, *strip_prefix=None*,
strip_suffix=None, *suffix_separator=None*,
use_attr_set_before_acc=None,
use_attr_set_on_request=None, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to update a RADIUS server sequence.

Parameters

- **before_accept_attr_manipulators_list** (*list*) – The beforeAcceptAttrManipulators is required only if useAttrSetBeforeAcc is true, property of the request body (list of objects).
- **on_request_attr_manipulator_list** (*list*) – The onRequestAttrManipulators is required only if useAttrSetOnRequest is true, property of the request body (list of objects).
- **radius_server_list** (*list*) – RadiusServerList, property of the request body (list of strings).
- **continue_authorz_policy** (*boolean*) – continueAuthorzPolicy, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_separator** (*string*) – The prefixSeparator is required only if stripPrefix is true. The maximum length is 1 character, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **strip_prefix** (*boolean*) – stripPrefix, property of the request body.
- **strip_suffix** (*boolean*) – stripSuffix, property of the request body.
- **suffix_separator** (*string*) – The suffixSeparator is required only if stripSuffix is true. The maximum length is 1 character, property of the request body.
- **use_attr_set_before_acc** (*boolean*) – useAttrSetBeforeAcc, property of the request body.
- **use_attr_set_on_request** (*boolean*) – useAttrSetOnRequest, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *before_accept_attr_manipulators_list=None*, *continue_authorz_policy=None*, *description=None*, *local_accounting=None*, *name=None*, *on_request_attr_manipulator_list=None*, *prefix_separator=None*, *radius_server_list=None*, *remote_accounting=None*, *strip_prefix=None*, *strip_suffix=None*, *suffix_separator=None*, *use_attr_set_before_acc=None*, *use_attr_set_on_request=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_radius_server_sequence_by_id*

delete_radius_server_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a RADIUS server sequence.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_radius_server_sequence_by_id*

get_radius_server_sequence(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the RADIUS server sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_radius_server_sequence*

get_radius_server_sequence_generator(*page=None*, *size=None*, *headers=None*,
***query_parameters*)

This API allows the client to get all the RADIUS server sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_radius_server_sequence_generator*

create_radius_server_sequence(*before_accept_attr_manipulators_list=None, continue_authorz_policy=None, description=None, local_accounting=None, name=None, on_request_attr_manipulator_list=None, prefix_separator=None, radius_server_list=None, remote_accounting=None, strip_prefix=None, strip_suffix=None, suffix_separator=None, use_attr_set_before_acc=None, use_attr_set_on_request=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a RADIUS server sequence.

Parameters

- **before_accept_attr_manipulators_list** (*list*) – The beforeAcceptAttrManipulators is required only if useAttrSetBeforeAcc is true, property of the request body (list of objects).
- **on_request_attr_manipulator_list** (*list*) – The onRequestAttrManipulators is required only if useAttrSetOnRequest is true, property of the request body (list of objects).
- **radius_server_list** (*list*) – RadiusServerList, property of the request body (list of strings).
- **continue_authorz_policy** (*boolean*) – continueAuthorzPolicy, property of the request body.
- **description** (*string*) – description, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_separator** (*string*) – The prefixSeparator is required only if stripPrefix is true. The maximum length is 1 character, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **strip_prefix** (*boolean*) – stripPrefix, property of the request body.
- **strip_suffix** (*boolean*) – stripSuffix, property of the request body.
- **suffix_separator** (*string*) – The suffixSeparator is required only if stripSuffix is true. The maximum length is 1 character, property of the request body.

- **use_attr_set_before_acc** (*boolean*) – useAttrSetBeforeAcc, property of the request body.
- **use_attr_set_on_request** (*boolean*) – useAttrSetOnRequest, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*before_accept_attr_manipulators_list=None, continue_authorz_policy=None, description=None, local_accounting=None, name=None, on_request_attr_manipulator_list=None, prefix_separator=None, radius_server_list=None, remote_accounting=None, strip_prefix=None, strip_suffix=None, suffix_separator=None, use_attr_set_before_acc=None, use_attr_set_on_request=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_radius_server_sequence*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the RADIUS server sequence.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

restid_store

class RestidStore

Identity Services Engine RESTIDStore API (version: 3.1.0).

Wraps the Identity Services Engine RESTIDStore API and exposes the API as native Python methods that return native Python objects.

get_rest_id_store_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a REST ID store by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_rest_id_store_by_name*

update_rest_id_store_by_name(*name*, *description=None*, *ers_rest_idstore_attributes=None*, *id=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a REST ID store by name.

Parameters

- **`description`** (*string*) – description, property of the request body.

- **ers_rest_idstore_attributes** (*object*) – ersRestIDStoreAttributes, property of the request body.
- **id** (*string*) – id, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *description=None*, *ers_rest_idstore_attributes=None*, *id=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_rest_id_store_by_name*

delete_rest_id_store_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes a REST ID store by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_rest_id_store_by_name*

get_rest_id_store_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a REST ID store by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_rest_id_store_by_id*

update_rest_id_store_by_id(*id*, *description=None*, *ers_rest_idstore_attributes=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a REST ID store.

Parameters

- **description** (*string*) – description, property of the request body.
- **ers_rest_idstore_attributes** (*object*) – ersRestIDStoreAttributes, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **id** – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *ers_rest_idstore_attributes=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_rest_id_store_by_id*

delete_rest_id_store_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a REST ID store.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_rest_id_store_by_id*

get_rest_id_store(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the REST ID stores. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_rest_id_store*

get_rest_id_store_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the REST ID stores. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type

 Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_rest_id_store_generator*

create_rest_id_store(*description=None, ers_rest_idstore_attributes=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a REST ID store.

Parameters

- **description** (*string*) – description, property of the request body.
- **ers_rest_idstore_attributes** (*object*) – ersRestIDStoreAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, ers_rest_idstore_attributes=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_rest_id_store*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the REST ID store.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

replication_status

class ReplicationStatus

Identity Services Engine Replication Status API (version: 3.1.0).

Wraps the Identity Services Engine Replication Status API and exposes the API as native Python methods that return native Python objects.

`get_node_replication_status`(*node*, *headers=None*, ***query_parameters*)

Retrives replication status of a node.

Parameters

- **`node`** (*basestring*) – node path parameter. ID of the existing node.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

repository

class Repository

Identity Services Engine Repository API (version: 3.1.0).

Wraps the Identity Services Engine Repository API and exposes the API as native Python methods that return native Python objects.

get_repositories(*headers=None, **query_parameters*)

This will get the full list of repository definitions on the system. .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_repositories*

create_repository(*enable_pki=None, name=None, password=None, path=None, protocol=None, server_name=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Create a new repository in the system. The name provided for the repository must be unique. .

Parameters

- **enable_pki** (*boolean*) – enablePki, property of the request body.
- **name** (*string*) – Repository name should be less than 80 characters and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body.
- **password** (*string*) – Password can contain alphanumeric and/or special characters., property of the request body.
- **path** (*string*) – Path should always start with “/” and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body.
- **protocol** (*string*) – protocol, property of the request body. Available values are ‘CDROM’, ‘DISK’, ‘FTP’, ‘HTTP’, ‘HTTPS’, ‘NFS’, ‘SFTP’ and ‘TFTP’.
- **server_name** (*string*) – serverName, property of the request body.

- **user_name** (*string*) – Username may contain alphanumeric and `_./@$` characters., property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*enable_pki=None, name=None, password=None, path=None, protocol=None, server_name=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_repository*

get_repository(*name, headers=None, **query_parameters*)
Get a specific repository identified by the name passed in the URL. .

Parameters

- **name** (*basestring*) – name path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_repository*

update_repository(*name*, *enable_pki=None*, *password=None*, *path=None*, *protocol=None*, *server_name=None*, *user_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Update the definition of a specific repository, providing ALL parameters for the repository. .

Parameters

- **enable_pki** (*boolean*) – enablePki, property of the request body.
- **name** (*basestring*) – Repository name should be less than 80 characters and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body.
- **password** (*string*) – Password can contain alphanumeric and/or special characters., property of the request body.
- **path** (*string*) – Path should always start with “/” and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body.
- **protocol** (*string*) – protocol, property of the request body. Available values are ‘CDROM’, ‘DISK’, ‘FTP’, ‘HTTP’, ‘HTTPS’, ‘NFS’, ‘SFTP’ and ‘TFTP’.
- **server_name** (*string*) – serverName, property of the request body.
- **user_name** (*string*) – Username may contain alphanumeric and _./@\$ characters., property of the request body.
- **name** – name path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *enable_pki=None*, *password=None*, *path=None*, *protocol=None*,
server_name=None, *user_name=None*, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Alias for *update_repository*

delete_repository(*name*, *headers=None*, ***query_parameters*)

Long description TBD .

Parameters

- **name** (*basestring*) – name path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_repository*

get_repository_files(*name*, *headers=None*, ***query_parameters*)

This will get the full list of files present in the named repository. .

Parameters

- **name** (*basestring*) – name path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_files(*name*, *headers=None*, ***query_parameters*)

Alias for *get_repository_files*

sms_provider

class SmsProvider

Identity Services Engine SMSProvider API (version: 3.1.0).

Wraps the Identity Services Engine SMSProvider API and exposes the API as native Python methods that return native Python objects.

get_sms_provider(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the SMS providers. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_sms_provider*

`get_sms_provider_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SMS providers. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_sms_provider_generator`

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the SMS provider.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

sxp_connections

class `SxpConnections`

Identity Services Engine SXPConnections API (version: 3.1.0).

Wraps the Identity Services Engine SXPConnections API and exposes the API as native Python methods that return native Python objects.

`get_sxp_connections_by_id`(*id, headers=None, **query_parameters*)

This API allows the client to get a SXP connection by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sxp_connections_by_id*

update_sxp_connections_by_id(*id*, *description=None*, *enabled=None*, *ip_address=None*,
sxp_mode=None, *sxp_node=None*, *sxp_peer=None*, *sxp_version=None*,
sxp_vpn=None, *headers=None*, *payload=None*, *active_validation=True*,
***query_parameters*)

This API allows the client to update a SXP connection.

Parameters

- **description** (*string*) – description, property of the request body.
- **enabled** (*boolean*) – enabled, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **ip_address** (*string*) – ipAddress, property of the request body.
- **sxp_mode** (*string*) – sxpMode, property of the request body.
- **sxp_node** (*string*) – sxpNode, property of the request body.
- **sxp_peer** (*string*) – sxpPeer, property of the request body.
- **sxp_version** (*string*) – sxpVersion, property of the request body.
- **sxp_vpn** (*string*) – sxpVpn, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *enabled=None*, *ip_address=None*, *sxp_mode=None*, *sxp_node=None*, *sxp_peer=None*, *sxp_version=None*, *sxp_vpn=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sxp_connections_by_id*

delete_sxp_connections_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a SXP connection.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sxp_connections_by_id*

```
get_sxp_connections(filter=None, filter_type=None, page=None, size=None, sortasc=None,
                    sortdsc=None, headers=None, **query_parameters)
```

This API allows the client to get all the SXP connections. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
        headers=None, **query_parameters)
```

Alias for *get_sxp_connections*

get_sxp_connections_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SXP connections. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_connections_generator*

```
create_sxp_connections(description=None, enabled=None, ip_address=None, sxp_mode=None,
                        sxp_node=None, sxp_peer=None, sxp_version=None, sxp_vpn=None,
                        headers=None, payload=None, active_validation=True, **query_parameters)
```

This API creates a SXP connection.

Parameters

- **description** (*string*) – description, property of the request body.
- **enabled** (*boolean*) – enabled, property of the request body.
- **ip_address** (*string*) – ipAddress, property of the request body.
- **sxp_mode** (*string*) – sxpMode, property of the request body.
- **sxp_node** (*string*) – sxpNode, property of the request body.
- **sxp_peer** (*string*) – sxpPeer, property of the request body.
- **sxp_version** (*string*) – sxpVersion, property of the request body.
- **sxp_vpn** (*string*) – sxpVpn, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(description=None, enabled=None, ip_address=None, sxp_mode=None, sxp_node=None,
        sxp_peer=None, sxp_version=None, sxp_vpn=None, headers=None, payload=None,
        active_validation=True, **query_parameters)
```

Alias for *create_sxp_connections*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the SXP connections.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_sxp_connections(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type (string)** – operationType, property of the request body.
- **resource_media_type (string)** – resourceMediaType, property of the request body.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_sxp_connections*

monitor_bulk_status_sxp_connections(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_sxp_connections*

sxp_local_bindings

class SxpLocalBindings

Identity Services Engine SXPLocalBindings API (version: 3.1.0).

Wraps the Identity Services Engine SXPLocalBindings API and exposes the API as native Python methods that return native Python objects.

get_sxp_local_bindings_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a SXP local binding by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_sxp_local_bindings_by_id`

`update_sxp_local_bindings_by_id(id, binding_name=None, description=None, ip_address_or_host=None, sgt=None, sxp_vpn=None, vns=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a SXP local binding.

Parameters

- **`binding_name (string)`** – This field is deprecated from Cisco ISE 3.0, property of the request body.
- **`description (string)`** – description, property of the request body.
- **`id (basestring)`** – id, property of the request body.
- **`ip_address_or_host (string)`** – IP address for static mapping (hostname is not supported), property of the request body.
- **`sgt (string)`** – SGT name or ID, property of the request body.
- **`sxp_vpn (string)`** – List of SXP Domains, separated with comma. At least one of: `sxpVpn` or `vns` should be defined, property of the request body.
- **`vns (string)`** – List of Virtual Networks, separated with comma. At least one of: `sxpVpn` or `vns` should be defined, property of the request body.
- **`id`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *binding_name=None*, *description=None*, *ip_address_or_host=None*, *sgt=None*, *sxp_vpn=None*, *vns=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sxp_local_bindings_by_id*

delete_sxp_local_bindings_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a SXP local binding.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sxp_local_bindings_by_id*

get_sxp_local_bindings(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the SXP local bindings. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_local_bindings*

get_sxp_local_bindings_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SXP local bindings. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.

- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_local_bindings_generator*

create_sxp_local_bindings(*binding_name=None, description=None, id=None, ip_address_or_host=None, sgt=None, sxp_vpn=None, vns=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a SXP local binding.

Parameters

- **binding_name** (*string*) – This field is deprecated from Cisco ISE 3.0, property of the request body.
- **description** (*string*) – description, property of the request body.

- **id** (*string*) – id, property of the request body.
- **ip_address_or_host** (*string*) – IP address for static mapping (hostname is not supported), property of the request body.
- **sgt** (*string*) – SGT name or ID, property of the request body.
- **sxp_vpn** (*string*) – List of SXP Domains, separated with comma. At least one of: sxpVpn or vns should be defined, property of the request body.
- **vns** (*string*) – List of Virtual Networks, separated with comma. At least one of: sxpVpn or vns should be defined, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*binding_name=None, description=None, id=None, ip_address_or_host=None, sgt=None, sxp_vpn=None, vns=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sxp_local_bindings*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the SXP local bindings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request_for_sxp_local_bindings(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type`** (*string*) – `operationType`, property of the request body.
- **`resource_media_type`** (*string*) – `resourceMediaType`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_sxp_local_bindings*

monitor_bulk_status_sxp_local_bindings(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **`bulkid`** (*basestring*) – `bulkid` path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_sxp_local_bindings*

sxp_vpns**class SxpVpns**

Identity Services Engine SXPVPNs API (version: 3.1.0).

Wraps the Identity Services Engine SXPVPNs API and exposes the API as native Python methods that return native Python objects.

get_sxp_vpn_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a SXP VPN by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sxp_vpn_by_id*

delete_sxp_vpn_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a SXP VPN.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sxp_vpn_by_id*

get_sxp_vpns(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the SXP VPNs. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_vpns*

get_sxp_vpns_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SXP VPNs. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW:

Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_vpns_generator*

create_sxp_vpn(*sxp_vpn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a SXP VPN.

Parameters

- **sxp_vpn_name** (*string*) – sxpVpnName, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create(sxp_vpn_name=None, headers=None, payload=None, active_validation=True, **query_parameters)`
Alias for *`create_sxp_vpn`*

`get_version(headers=None, **query_parameters)`

This API helps to retrieve the version information related to the SXP VPNs.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_for_sxp_vpns(operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to submit the bulk request.

Parameters

- **`operation_type(string)`** – operationType, property of the request body.
- **`resource_media_type(string)`** – resourceMediaType, property of the request body.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload(dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation(bool)`** – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_sxp_vpns*

monitor_bulk_status_sxp_vpns(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_sxp_vpns*

security_group_to_virtual_network

class SecurityGroupToVirtualNetwork

Identity Services Engine SecurityGroupToVirtualNetwork API (version: 3.1.0).

Wraps the Identity Services Engine SecurityGroupToVirtualNetwork API and exposes the API as native Python methods that return native Python objects.

get_security_groups_to_vn_to_vlan_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a security group to virtual network by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_security_groups_to_vn_to_vlan_by_id*

update_security_groups_to_vn_to_vlan_by_id(*id*, *description=None*, *name=None*, *sgt_id=None*, *virtualnetworklist=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a security group to virtual network.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt_id** (*string*) – sgtId, property of the request body.
- **virtualnetworklist** (*list*) – virtualnetworklist, property of the request body (list of objects).
- **id** – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *sgt_id=None*, *virtualnetworklist=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_security_groups_to_vn_to_vlan_by_id*

delete_security_groups_to_vn_to_vlan_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a security group ACL to virtual network.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)
Alias for *delete_security_groups_to_vn_to_vlan_by_id*

get_security_groups_to_vn_to_vlan(*filter=None*, *filter_type=None*, *page=None*, *size=None*,
headers=None, ***query_parameters*)

This API allows the client to get all the security group ACL to virtual networks. Filter: [sgtId] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *headers=None*, ***query_parameters*)
Alias for *get_security_groups_to_vn_to_vlan*

get_security_groups_to_vn_to_vlan_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the security group ACL to virtual networks. Filter: [sgtId] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for *get_security_groups_to_vn_to_vlan_generator*


```
create_security_groups_to_vn_to_vlan(description=None, id=None, name=None, sgt_id=None,
                                     virtualnetworklist=None, headers=None, payload=None,
                                     active_validation=True, **query_parameters)
```

This API creates a security group to virtual network.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt_id** (*string*) – sgtId, property of the request body.
- **virtualnetworklist** (*list*) – virtualnetworklist, property of the request body (list of objects).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(description=None, id=None, name=None, sgt_id=None, virtualnetworklist=None, headers=None,
       payload=None, active_validation=True, **query_parameters)
```

Alias for *create_security_groups_to_vn_to_vlan*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the security group to virtual network.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_for_security_groups_to_vn_to_vlan`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type`** (*string*) – `operationType`, property of the request body.
- **`resource_media_type`** (*string*) – `resourceMediaType`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_request_for_security_groups_to_vn_to_vlan`*

monitor_bulk_status_security_groups_to_vn_to_vlan(*bulkid*, *headers=None*, ***query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_security_groups_to_vn_to_vlan*

security_groups

class SecurityGroups

Identity Services Engine SecurityGroups API (version: 3.1.0).

Wraps the Identity Services Engine SecurityGroups API and exposes the API as native Python methods that return native Python objects.

get_security_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a security group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_security_group_by_id`

`update_security_group_by_id(id, default_sgacIs=None, description=None, generation_id=None, is_read_only=None, name=None, propagate_to_apic=None, value=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a security group.

Parameters

- **`default_sgacIs`** (*list*) – defaultSGACLs, property of the request body (list of objects).
- **`description`** (*string*) – description, property of the request body.
- **`generation_id`** (*string*) – generationId, property of the request body.
- **`id`** (*basestring*) – id, property of the request body.
- **`is_read_only`** (*boolean*) – isReadOnly, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`propagate_to_apic`** (*boolean*) – propagateToApic, property of the request body.
- **`value`** (*integer*) – Value range: 2 or 65519 or -1 to auto- generate, property of the request body.
- **`id`** – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *default_sgacIs=None*, *description=None*, *generation_id=None*, *is_read_only=None*, *name=None*, *propagate_to_apic=None*, *value=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_security_group_by_id*

delete_security_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a security group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_security_group_by_id*

get_security_groups(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the security groups. Filter: [propagateToApic, name, description, value] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description, value].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_security_groups*

get_security_groups_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the security groups. Filter: [propagateToApic, name, description, value] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description, value].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter

is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_security_groups_generator*

create_security_group(*default_sgacIs=None, description=None, generation_id=None, is_read_only=None, name=None, propogate_to_apic=None, value=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a security group.

Parameters

- **default_sgacIs** (*list*) – defaultSGACLs, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.
- **name** (*string*) – name, property of the request body.
- **propogate_to_apic** (*boolean*) – propogateToApic, property of the request body.
- **value** (*integer*) – Value range: 2 ot 65519 or -1 to auto- generate, property of the request body.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*default_sgacIs=None, description=None, generation_id=None, is_read_only=None, name=None, propagate_to_apic=None, value=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_security_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the security groups.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_security_group(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_security_group*

monitor_bulk_status_security_group(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`monitor_bulk_status`(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_security_group*

security_groups_acls

class SecurityGroupsAcls

Identity Services Engine SecurityGroupsACLs API (version: 3.1.0).

Wraps the Identity Services Engine SecurityGroupsACLs API and exposes the API as native Python methods that return native Python objects.

`get_security_groups_acl_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a security group ACL by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *get_security_groups_acl_by_id*

```
update_security_groups_acl_by_id(id, aclcontent=None, description=None, generation_id=None,
                                ip_version=None, is_read_only=None, modelled_content=None,
                                name=None, headers=None, payload=None,
                                active_validation=True, **query_parameters)
```

This API allows the client to update a security group ACL.

Parameters

- **aclcontent** (*string*) – aclcontent, property of the request body.
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **ip_version** (*string*) – Allowed values: IPV4, IPV6, IP_AGNOSTIC, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.
- **modelled_content** (*object*) – Modelled content of contract, property of the request body.
- **name** (*string*) – name, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, aclcontent=None, description=None, generation_id=None, ip_version=None,
             is_read_only=None, modelled_content=None, name=None, headers=None, payload=None,
             active_validation=True, **query_parameters)
```

Alias for *update_security_groups_acl_by_id*

```
delete_security_groups_acl_by_id(id, headers=None, **query_parameters)
```

This API deletes a security group ACL.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_security_groups_acl_by_id*

get_security_groups_acl(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the security group ACLs. Filter: [ipVersion, name, description] To search guest users by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [ipVersion, name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_security_groups_acl*

get_security_groups_acl_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the security group ACLs. Filter: [ipVersion, name, description] To search guest users by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [ipVersion, name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_security_groups_acl_generator*

create_security_groups_acl(*aclcontent=None, description=None, generation_id=None, ip_version=None, is_read_only=None, modelled_content=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a security group ACL.

Parameters

- **aclcontent** (*string*) – aclcontent, property of the request body.
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **ip_version** (*string*) – Allowed values: IPV4, IPV6, IP_AGNOSTIC, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.
- **modelled_content** (*object*) – Modelled content of contract, property of the request body.
- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*aclcontent=None, description=None, generation_id=None, ip_version=None, is_read_only=None, modelled_content=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_security_groups_acl*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the security group ACLs.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_for_security_groups_acl`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type (string)`** – `operationType`, property of the request body.
- **`resource_media_type (string)`** – `resourceMediaType`, property of the request body.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_security_groups_acl*

monitor_bulk_status_security_groups_acl(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_security_groups_acl*

self_registered_portal

class SelfRegisteredPortal

Identity Services Engine SelfRegisteredPortal API (version: 3.1.0).

Wraps the Identity Services Engine SelfRegisteredPortal API and exposes the API as native Python methods that return native Python objects.

get_self_registered_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a self registered portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_self_registered_portal_by_id*

update_self_registered_portal_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a self registered portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.

- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDGUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_self_registered_portal_by_id*

delete_self_registered_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a self registered portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for `delete_self_registered_portal_by_id`

`get_self_registered_portals(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the self registered portals. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_self_registered_portals*

get_self_registered_portals_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the self registered portals. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *`get_self_registered_portals_generator`*

`create_self_registered_portal`(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a self registered portal.

Parameters

- **`customizations (object)`** – Defines all of the Portal Customizations available, property of the request body.
- **`description (string)`** – description, property of the request body.
- **`name (string)`** – name, property of the request body.
- **`portal_test_url (string)`** – URL to bring up a test page for this portal, property of the request body.
- **`portal_type (string)`** – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **`settings (object)`** – Defines all of the settings groups available for a portal, property of the request body.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *`RestResponse`*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_self_registered_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the self registered portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

session_directory

class SessionDirectory

Identity Services Engine Session Directory API (version: 3.1.0).

Wraps the Identity Services Engine Session Directory API and exposes the API as native Python methods that return native Python objects.

get_sessions(*headers=None, **query_parameters*)
getSessions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_sessions_for_recovery`(*headers=None, **query_parameters*)
`getSessionsForRecovery.`

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_session_by_ip_address`(*headers=None, **query_parameters*)
`getSessionByIpAddress.`

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_session_by_mac_address(headers=None, **query_parameters)`
`getSessionByMacAddress.`

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_user_groups(headers=None, **query_parameters)`
`getUserGroups.`

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_user_group_by_user_name(*headers=None, **query_parameters*)
 getUserGroupByUserName.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*headers=None, **query_parameters*)
 Alias for *get_user_group_by_user_name*

sponsor_group

class SponsorGroup

Identity Services Engine SponsorGroup API (version: 3.1.0).

Wraps the Identity Services Engine SponsorGroup API and exposes the API as native Python methods that return native Python objects.

get_sponsor_group_by_id(*id, headers=None, **query_parameters*)
 This API allows the client to get a sponsor group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_sponsor_group_by_id`*

`update_sponsor_group_by_id(id, auto_notification=None, create_permissions=None, description=None, guest_types=None, is_default_group=None, is_enabled=None, locations=None, manage_permission=None, member_groups=None, name=None, other_permissions=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a sponsor group by ID.

Parameters

- **`auto_notification`** (*boolean*) – `autoNotification`, property of the request body.
- **`create_permissions`** (*object*) – `createPermissions`, property of the request body.
- **`description`** (*string*) – `description`, property of the request body.
- **`guest_types`** (*list*) – `guestTypes`, property of the request body (list of strings).
- **`id`** (*basestring*) – `id`, property of the request body.
- **`is_default_group`** (*boolean*) – `isDefaultGroup`, property of the request body.
- **`is_enabled`** (*boolean*) – `isEnabled`, property of the request body.
- **`locations`** (*list*) – `locations`, property of the request body (list of strings).
- **`manage_permission`** (*string*) – `managePermission`, property of the request body.
- **`member_groups`** (*list*) – `memberGroups`, property of the request body (list of strings).
- **`name`** (*string*) – `name`, property of the request body.
- **`other_permissions`** (*object*) – `otherPermissions`, property of the request body.
- **`id`** – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *auto_notification=None*, *create_permissions=None*, *description=None*, *guest_types=None*, *is_default_group=None*, *is_enabled=None*, *locations=None*, *manage_permission=None*, *member_groups=None*, *name=None*, *other_permissions=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sponsor_group_by_id*

delete_sponsor_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a sponsor group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sponsor_group_by_id*

get_sponsor_group(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor groups. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group*

get_sponsor_group_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor groups. Filter: [name]
 To search resources by using toDate column, follow the format: DD-MON-YY
 (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group_generator*

```
create_sponsor_group(auto_notification=None, create_permissions=None, description=None,
                      guest_types=None, is_default_group=None, is_enabled=None, locations=None,
                      manage_permission=None, member_groups=None, name=None,
                      other_permissions=None, headers=None, payload=None, active_validation=True,
                      **query_parameters)
```

This API creates a sponsor group.

Parameters

- **auto_notification** (*boolean*) – autoNotification, property of the request body.
- **create_permissions** (*object*) – createPermissions, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_types** (*list*) – guestTypes, property of the request body (list of strings).
- **is_default_group** (*boolean*) – isDefaultGroup, property of the request body.
- **is_enabled** (*boolean*) – isEnabled, property of the request body.
- **locations** (*list*) – locations, property of the request body (list of strings).
- **manage_permission** (*string*) – managePermission, property of the request body.
- **member_groups** (*list*) – memberGroups, property of the request body (list of strings).
- **name** (*string*) – name, property of the request body.
- **other_permissions** (*object*) – otherPermissions, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(auto_notification=None, create_permissions=None, description=None, guest_types=None,
        is_default_group=None, is_enabled=None, locations=None, manage_permission=None,
        member_groups=None, name=None, other_permissions=None, headers=None, payload=None,
        active_validation=True, **query_parameters)
```

Alias for *create_sponsor_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsor group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sponsor_group_member

class SponsorGroupMember

Identity Services Engine SponsorGroupMember API (version: 3.1.0).

Wraps the Identity Services Engine SponsorGroupMember API and exposes the API as native Python methods that return native Python objects.

get_sponsor_group_member(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor group members. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group_member*

get_sponsor_group_member_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor group members. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group_member_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsor group member.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sponsor_portal

class SponsorPortal

Identity Services Engine SponsorPortal API (version: 3.1.0).

Wraps the Identity Services Engine SponsorPortal API and exposes the API as native Python methods that return native Python objects.

get_sponsor_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a sponsor portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sponsor_portal_by_id*

update_sponsor_portal_by_id(*id*, *customizations=None*, *description=None*, *name=None*,
portal_test_url=None, *portal_type=None*, *settings=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to update a sponsor portal by ID.

Parameters

- **customizations** (*object*) – customizations, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.

- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sponsor_portal_by_id*

delete_sponsor_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a sponsor portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_sponsor_portal_by_id`*

`get_sponsor_portal(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the sponsor portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_portal*

get_sponsor_portal_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_portal_generator*

create_sponsor_portal(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a sponsor portal.

Parameters

- **customizations** (*object*) – customizations, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)
 Alias for *create_sponsor_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsor portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sponsored_guest_portal

class SponsoredGuestPortal

Identity Services Engine SponsoredGuestPortal API (version: 3.1.0).

Wraps the Identity Services Engine SponsoredGuestPortal API and exposes the API as native Python methods that return native Python objects.

get_sponsored_guest_portal_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a sponsored guest portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_sponsored_guest_portal_by_id`*

`update_sponsored_guest_portal_by_id(id, customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a sponsored guest portal by ID.

Parameters

- **`customizations(object)`** – Defines all of the Portal Customizations available, property of the request body.
- **`description(string)`** – description, property of the request body.
- **`id(basestring)`** – id, property of the request body.
- **`name(string)`** – name, property of the request body.
- **`portal_test_url(string)`** – URL to bring up a test page for this portal, property of the request body.
- **`portal_type(string)`** – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **`settings(object)`** – Defines all of the settings groups available for a portal, property of the request body.
- **`id`** – id path parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload(dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation(bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sponsored_guest_portal_by_id*

delete_sponsored_guest_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a sponsored guest portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sponsored_guest_portal_by_id*

get_sponsored_guest_portals(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the sponsored guest portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.

- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsored_guest_portals*

get_sponsored_guest_portals_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsored guest portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_sponsored_guest_portals_generator*

create_sponsored_guest_portal(*customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API creates a sponsored guest portal.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.

- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sponsored_guest_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsored guest portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

support_bundle_download

class SupportBundleDownload

Identity Services Engine SupportBundleDownload API (version: 3.1.0).

Wraps the Identity Services Engine SupportBundleDownload API and exposes the API as native Python methods that return native Python objects.

download_support_bundle(*file_name=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to upload a support bundle.

Parameters

- **file_name** (*string*) – fileName, property of the request body.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to os.getcwd().
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type urllib3.response.HTTPResponse

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

download(*file_name=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *download_support_bundle*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the support bundle download.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

support_bundle_status**class SupportBundleStatus**

Identity Services Engine SupportBundleStatus API (version: 3.1.0).

Wraps the Identity Services Engine SupportBundleStatus API and exposes the API as native Python methods that return native Python objects.

`get_support_bundle_status_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a support bundle status by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_support_bundle_status_by_id*

get_support_bundle_status(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the support bundle status.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_support_bundle_status*

get_support_bundle_status_generator(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the support bundle status.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for `get_support_bundle_status_generator`

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the support bundle status.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

support_bundle_trigger_configuration

class `SupportBundleTriggerConfiguration`

Identity Services Engine SupportBundleTriggerConfiguration API (version: 3.1.0).

Wraps the Identity Services Engine SupportBundleTriggerConfiguration API and exposes the API as native Python methods that return native Python objects.

`create_support_bundle`(*description=None, host_name=None, name=None, support_bundle_include_options=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create a support bundle trigger configuration.

Parameters

- **`description`** (*string*) – description, property of the request body.

- **host_name** (*string*) – This parameter is hostName only, xxxx of xxxx.yyy.zz, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **support_bundle_include_options** (*object*) – supportBundleIncludeOptions, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, host_name=None, name=None, support_bundle_include_options=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_support_bundle*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the support bundle trigger configuration.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sync_ise_node**class SyncIseNode**

Identity Services Engine Sync ISE Node API (version: 3.1.0).

Wraps the Identity Services Engine Sync ISE Node API and exposes the API as native Python methods that return native Python objects.

sync_node(hostname=None, headers=None, payload=None, active_validation=True, **query_parameters)

Performing a manual sync will involve a reload of the target node, but not the primary PAN. There might be situations where if the node has been out of sync for a long time, it may not be possible to recover via a manual sync.

Parameters

- **hostname** (*string*) – hostname, property of the request body. Constraints: maxLength set to 64 and minLength set to 1.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

system_health

class SystemHealth

Identity Services Engine System Health API (version: 3.1.0).

Wraps the Identity Services Engine System Health API and exposes the API as native Python methods that return native Python objects.

get_healths(headers=None, **query_parameters)
getHealths.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_performances(headers=None, **query_parameters)
getPerformances.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

system_certificate

class SystemCertificate

Identity Services Engine SystemCertificate API (version: 3.1.0).

Wraps the Identity Services Engine SystemCertificate API and exposes the API as native Python methods that return native Python objects.

create_system_certificate(*ers_local_cert_stub=None, node_id=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create a system certificate.

Parameters

- **ers_local_cert_stub** (*object*) – Inputs for certificate creation, property of the request body.
- **node_id** (*string*) – NodeId of Cisco ISE application, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*ers_local_cert_stub=None, node_id=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_system_certificate*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the system certificate.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

tacacs_command_sets

class TacacsCommandSets

Identity Services Engine TACACSCCommandSets API (version: 3.1.0).

Wraps the Identity Services Engine TACACSCCommandSets API and exposes the API as native Python methods that return native Python objects.

get_tacacs_command_sets_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS command sets by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_command_sets_by_name*

get_tacacs_command_sets_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS command sets by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_command_sets_by_id*

update_tacacs_command_sets_by_id(*id*, *commands=None*, *description=None*, *name=None*,
permit_unmatched=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API allows the client to update TACACS command sets.

Parameters

- **commands** (*object*) – commands, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **permit_unmatched** (*boolean*) – permitUnmatched, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *commands=None*, *description=None*, *name=None*, *permit_unmatched=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_tacacs_command_sets_by_id*

delete_tacacs_command_sets_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes TACACS command sets.

Parameters

- **id (basestring)** – id path parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_tacacs_command_sets_by_id*

get_tacacs_command_sets(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the TACACS command sets.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_command_sets*

get_tacacs_command_sets_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the TACACS command sets.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_command_sets_generator*

create_tacacs_command_sets(*commands=None, description=None, name=None, permit_unmatched=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates TACACS command sets.

Parameters

- **commands** (*object*) – commands, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **permit_unmatched** (*boolean*) – permitUnmatched, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*commands=None, description=None, name=None, permit_unmatched=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_command_sets*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS command sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

tacacs_external_servers**class TacacsExternalServers**

Identity Services Engine TACACSExternalServers API (version: 3.1.0).

Wraps the Identity Services Engine TACACSExternalServers API and exposes the API as native Python methods that return native Python objects.

get_tacacs_external_servers_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS external servers by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_external_servers_by_name*

get_tacacs_external_servers_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS external servers by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_external_servers_by_id*

update_tacacs_external_servers_by_id(*id*, *connection_port=None*, *description=None*, *host_ip=None*, *name=None*, *shared_secret=None*, *single_connect=None*, *timeout=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update TACACS external servers.

Parameters

- **connection_port** (*integer*) – The port to connect the server, property of the request body.
- **description** (*string*) – description, property of the request body.
- **host_ip** (*string*) – The server IPV4 address, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **shared_secret** (*string*) – The server shared secret, property of the request body.
- **single_connect** (*boolean*) – Define the use of single connection, property of the request body.

- **timeout** (*integer*) – The server timeout, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *connection_port=None*, *description=None*, *host_ip=None*, *name=None*, *shared_secret=None*, *single_connect=None*, *timeout=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_tacacs_external_servers_by_id*

delete_tacacs_external_servers_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes TACACS external servers.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_tacacs_external_servers_by_id*

get_tacacs_external_servers(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the TACACS external servers.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_external_servers*

get_tacacs_external_servers_generator(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the TACACS external servers.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(page=None, size=None, headers=None, **query_parameters)

Alias for *get_tacacs_external_servers_generator*

create_tacacs_external_servers(connection_port=None, description=None, host_ip=None, name=None, shared_secret=None, single_connect=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters)

This API creates TACACS external servers.

Parameters

- **connection_port** (*integer*) – The port to connect the server, property of the request body.
- **description** (*string*) – description, property of the request body.
- **host_ip** (*string*) – The server IPV4 address, property of the request body.
- **name** (*string*) – name, property of the request body.
- **shared_secret** (*string*) – The server shared secret, property of the request body.
- **single_connect** (*boolean*) – Define the use of single connection, property of the request body.
- **timeout** (*integer*) – The server timeout, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*connection_port=None, description=None, host_ip=None, name=None, shared_secret=None, single_connect=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_external_servers*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS external servers.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

tacacs_profile

class TacacsProfile

Identity Services Engine TACACSProfile API (version: 3.1.0).

Wraps the Identity Services Engine TACACSProfile API and exposes the API as native Python methods that return native Python objects.

get_tacacs_profile_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get a TACACS profile by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(name, headers=None, **query_parameters)

Alias for *get_tacacs_profile_by_name*

get_tacacs_profile_by_id(id, headers=None, **query_parameters)

This API allows the client to get a TACACS profile by ID.

Parameters

- **id (basestring)** – id path parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(id, headers=None, **query_parameters)

Alias for *get_tacacs_profile_by_id*


```
update_tacacs_profile_by_id(id, description=None, name=None, session_attributes=None,
                             headers=None, payload=None, active_validation=True,
                             **query_parameters)
```

This API allows the client to update a TACACS profile.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **session_attributes** (*object*) – Holds list of session attributes. View type for GUI is Shell by default, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, description=None, name=None, session_attributes=None, headers=None, payload=None,
              active_validation=True, **query_parameters)
```

Alias for *update_tacacs_profile_by_id*

```
delete_tacacs_profile_by_id(id, headers=None, **query_parameters)
```

This API deletes a TACACS profile.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_tacacs_profile_by_id`*

`get_tacacs_profile(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the TACACS profiles.

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(page=None, size=None, headers=None, **query_parameters)`

Alias for *`get_tacacs_profile`*

`get_tacacs_profile_generator(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the TACACS profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_profile_generator*

create_tacacs_profile(*description=None, name=None, session_attributes=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a TACACS profile.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **session_attributes** (*object*) – Holds list of session attributes. View type for GUI is Shell by default, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, session_attributes=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_profile*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS profile.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

tacacs_server_sequence

class TacacsServerSequence

Identity Services Engine TacacsServerSequence API (version: 3.1.0).

Wraps the Identity Services Engine TacacsServerSequence API and exposes the API as native Python methods that return native Python objects.

get_tacacs_server_sequence_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get a TACACS server sequence by name.

Parameters

- **`name (basestring)`** – name path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_server_sequence_by_name*

get_tacacs_server_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a TACACS server sequence by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_server_sequence_by_id*

```
update_tacacs_server_sequence_by_id(id, description=None, local_accounting=None, name=None,
                                     prefix_delimiter=None, prefix_strip=None,
                                     remote_accounting=None, server_list=None,
                                     suffix_delimiter=None, suffix_strip=None, headers=None,
                                     payload=None, active_validation=True, **query_parameters)
```

This API allows the client to update a TACACS server sequence.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_delimiter** (*string*) – The delimiter that will be used for prefix strip, property of the request body.
- **prefix_strip** (*boolean*) – Define if a delimiter will be used for prefix strip, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **server_list** (*string*) – The names of Tacacs external servers separated by commas. The order of the names in the string is the order of servers that will be used during authentication, property of the request body.
- **suffix_delimiter** (*string*) – The delimiter that will be used for suffix strip, property of the request body.
- **suffix_strip** (*boolean*) – Define if a delimiter will be used for suffix strip, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *local_accounting=None*, *name=None*, *prefix_delimiter=None*, *prefix_strip=None*, *remote_accounting=None*, *server_list=None*, *suffix_delimiter=None*, *suffix_strip=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_tacacs_server_sequence_by_id*

delete_tacacs_server_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a TACACS server sequence.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_tacacs_server_sequence_by_id*

get_tacacs_server_sequence(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the TACACS server sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_server_sequence*

`get_tacacs_server_sequence_generator`(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the TACACS server sequences.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_server_sequence_generator*

`create_tacacs_server_sequence`(*description=None, local_accounting=None, name=None, prefix_delimiter=None, prefix_strip=None, remote_accounting=None, server_list=None, suffix_delimiter=None, suffix_strip=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a TACACS server sequence.

Parameters

- **description** (*string*) – description, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_delimiter** (*string*) – The delimiter that will be used for prefix strip, property of the request body.
- **prefix_strip** (*boolean*) – Define if a delimiter will be used for prefix strip, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **server_list** (*string*) – The names of Tacacs external servers separated by commas. The order of the names in the string is the order of servers that will be used during authentication, property of the request body.
- **suffix_delimiter** (*string*) – The delimiter that will be used for suffix strip, property of the request body.
- **suffix_strip** (*boolean*) – Define if a delimiter will be used for suffix strip, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, local_accounting=None, name=None, prefix_delimiter=None, prefix_strip=None, remote_accounting=None, server_list=None, suffix_delimiter=None, suffix_strip=None, headers=None, payload=None, active_validation=True, **query_parameters*)
 Alias for *create_tacacs_server_sequence*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS server sequence.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

telemetry_information

class TelemetryInformation

Identity Services Engine TelemetryInformation API (version: 3.1.0).

Wraps the Identity Services Engine TelemetryInformation API and exposes the API as native Python methods that return native Python objects.

get_telemetry_info_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get telemetry information by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_telemetry_info_by_id*

get_telemetry_information(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the telemetry information. Filter: [deploymentId] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_telemetry_information*

```
get_telemetry_information_generator(filter=None, filter_type=None, page=None, size=None,  
                                     headers=None, **query_parameters)
```

This API allows the client to get all the telemetry information. Filter: [deploymentId] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all_generator(filter=None, filter_type=None, page=None, size=None, headers=None,  
                  **query_parameters)
```

Alias for `get_telemetry_information_generator`

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the telemetry information.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

trust_sec_configuration

class TrustSecConfiguration

Identity Services Engine TrustSec Configuration API (version: 3.1.0).

Wraps the Identity Services Engine TrustSec Configuration API and exposes the API as native Python methods that return native Python objects.

get_security_groups(*headers=None, **query_parameters*)
getSecurityGroups.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_security_groups*

get_security_group_acls(*headers=None, **query_parameters*)

getSecurityGroupAcls.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_egress_policies(*headers=None, **query_parameters*)

getEgressPolicies.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_egress_matrices(*headers=None, **query_parameters*)
getEgressMatrices.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

trust_sec_sxp

class TrustSecSxp

Identity Services Engine TrustSec SXP API (version: 3.1.0).

Wraps the Identity Services Engine TrustSec SXP API and exposes the API as native Python methods that return native Python objects.

get_bindings(*headers=None, **query_parameters*)
getBindings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

version_and_patch

class VersionAndPatch

Identity Services Engine VersionAndPatch API (version: 3.1.0).

Wraps the Identity Services Engine VersionAndPatch API and exposes the API as native Python methods that return native Python objects.

get_ise_version_and_patch(*headers=None, **query_parameters*)

This API allows the client to get Cisco ISE version and patch information.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_ise_version_and_patch*

version_info

class VersionInfo

Identity Services Engine VersionInfo API (version: 3.1.0).

Wraps the Identity Services Engine VersionInfo API and exposes the API as native Python methods that return native Python objects.

get_version_info(*resource*, *headers=None*, ***query_parameters*)

Get all VersionInfo.

Parameters

- **resource** (*basestring*) – resource path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

endpoint

class Endpoint

Identity Services Engine endpoint API (version: 3.1.0).

Wraps the Identity Services Engine endpoint API and exposes the API as native Python methods that return native Python objects.

release_rejected_endpoint(*id*, *headers=None*, ***query_parameters*)

This API allows the client to release a rejected endpoint.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`release_rejected(id, headers=None, **query_parameters)`

Alias for *`release_rejected_endpoint`*

`deregister_endpoint(id, headers=None, **query_parameters)`

This API allows the client to de-register an endpoint.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`deregister(id, headers=None, **query_parameters)`

Alias for *`deregister_endpoint`*

`get_rejected_endpoints(headers=None, **query_parameters)`

This API allows the client to get the rejected endpoints.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_rejected(*headers=None, **query_parameters*)

Alias for *get_rejected_endpoints*

get_endpoint_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get an endpoint by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name, headers=None, **query_parameters*)

Alias for *get_endpoint_by_name*

get_endpoint_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an endpoint by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_by_id*

update_endpoint_by_id(*id*, *custom_attributes=None*, *description=None*, *group_id=None*, *identity_store=None*, *identity_store_id=None*, *mac=None*, *mdm_attributes=None*, *name=None*, *portal_user=None*, *profile_id=None*, *static_group_assignment=None*, *static_profile_assignment=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an endpoint.

Parameters

- **custom_attributes** (*object*) – customAttributes, property of the request body.
- **description** (*string*) – description, property of the request body.
- **group_id** (*string*) – groupId, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **identity_store** (*string*) – identityStore, property of the request body.
- **identity_store_id** (*string*) – identityStoreId, property of the request body.
- **mac** (*string*) – mac, property of the request body.
- **mdm_attributes** (*object*) – mdmAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_user** (*string*) – portalUser, property of the request body.
- **profile_id** (*string*) – profileId, property of the request body.

- **static_group_assignment** (*boolean*) – staticGroupAssignment, property of the request body.
- **static_profile_assignment** (*boolean*) – staticProfileAssignment, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *custom_attributes=None*, *description=None*, *group_id=None*, *identity_store=None*, *identity_store_id=None*, *mac=None*, *mdm_attributes=None*, *name=None*, *portal_user=None*, *profile_id=None*, *static_group_assignment=None*, *static_profile_assignment=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_endpoint_by_id*

delete_endpoint_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an endpoint.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_endpoint_by_id*

register_endpoint(*custom_attributes=None*, *description=None*, *group_id=None*, *id=None*,
identity_store=None, *identity_store_id=None*, *mac=None*, *mdm_attributes=None*,
name=None, *portal_user=None*, *profile_id=None*, *static_group_assignment=None*,
static_profile_assignment=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API allows the client to register an endpoint.

Parameters

- **custom_attributes** (*object*) – customAttributes, property of the request body.
- **description** (*string*) – description, property of the request body.
- **group_id** (*string*) – groupId, property of the request body.
- **id** (*string*) – id, property of the request body.
- **identity_store** (*string*) – identityStore, property of the request body.
- **identity_store_id** (*string*) – identityStoreId, property of the request body.
- **mac** (*string*) – mac, property of the request body.
- **mdm_attributes** (*object*) – mdmAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_user** (*string*) – portalUser, property of the request body.
- **profile_id** (*string*) – profileId, property of the request body.
- **static_group_assignment** (*boolean*) – staticGroupAssignment, property of the request body.
- **static_profile_assignment** (*boolean*) – staticProfileAssignment, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

register(*custom_attributes=None, description=None, group_id=None, id=None, identity_store=None, identity_store_id=None, mac=None, mdm_attributes=None, name=None, portal_user=None, profile_id=None, static_group_assignment=None, static_profile_assignment=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *register_endpoint*

get_endpoints(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the endpoints. Filter: Filters can be used to filter out Endpoints based on a set of attributes. This API currently provides the following filters: [logicalProfileName, portalUser, staticProfileAssignment, profileId, profile, groupId, staticGroupAssignment, mac] Example 1: The logicalProfileName filter can be used to get Endpoints that belong to a specific Logical Profile. The supported operator for logicalProfileName filter is EQ (equal to). The syntax to invoke the API with this filter: `/ers/config/endpoint?filter={filter name}.{operator}.{logical profile name}` Example: [https://19060/ers/config/endpoint?filter=logical ProfileName.EQ.LP_Apple](https://19060/ers/config/endpoint?filter=logical%20ProfileName.EQ.LP_Apple) Example 2: To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET `/ers/config/guestuser/?filter=toDate.CONTAINS.13` Month: GET `/ers/config/guestuser/?filter=toDate.CONTAINS.SEP` Date: GET `/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18` Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_endpoints*

get_endpoints_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the endpoints. Filter: Filters can be used to filter out Endpoints based on a set of attributes. This API currently provides the following filters: [logicalProfileName, portalUser, staticProfileAssignment, profileId, profile, groupId, staticGroupAssignment, mac] Example 1: The logicalProfileName filter can be used to get Endpoints that belong to a specific Logical Profile. The supported operator for logicalProfileNamefilter is EQ (equal to). The syntax to invoke the API with this filter: /ers/config/endpoint?filter={filter name}.{operator}.{logical profile name} Example: [https://{ise-ip}:9060/ers/config/endpoint?filter=logical ProfileName.EQ.LP_Apple](https://{ise-ip}:9060/ers/config/endpoint?filter=logical%20ProfileName.EQ.LP_Apple) Example 2: To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page (int)** – page query parameter. Page number.
- **size (int)** – size query parameter. Number of objects returned per page.
- **sortasc (basestring)** – sortasc query parameter. sort asc.
- **sortdsc (basestring)** – sortdsc query parameter. sort desc.
- **filter (basestring, list, set, tuple)** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_endpoints_generator*

create_endpoint(*custom_attributes=None, description=None, group_id=None, identity_store=None, identity_store_id=None, mac=None, mdm_attributes=None, name=None, portal_user=None, profile_id=None, static_group_assignment=None, static_profile_assignment=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an endpoint.

Parameters

- **custom_attributes** (*object*) – customAttributes, property of the request body.
- **description** (*string*) – description, property of the request body.
- **group_id** (*string*) – groupId, property of the request body.
- **identity_store** (*string*) – identityStore, property of the request body.
- **identity_store_id** (*string*) – identityStoreId, property of the request body.
- **mac** (*string*) – mac, property of the request body.
- **mdm_attributes** (*object*) – mdmAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_user** (*string*) – portalUser, property of the request body.
- **profile_id** (*string*) – profileId, property of the request body.
- **static_group_assignment** (*boolean*) – staticGroupAssignment, property of the request body.

- **static_profile_assignment** (*boolean*) – staticProfileAssignment, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*custom_attributes=None, description=None, group_id=None, identity_store=None, identity_store_id=None, mac=None, mdm_attributes=None, name=None, portal_user=None, profile_id=None, static_group_assignment=None, static_profile_assignment=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_endpoint*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the endpoint.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_endpoint(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_endpoint*

monitor_bulk_status_endpoint(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`monitor_bulk_status`(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_endpoint*

nbar_app

class NbarApp

Identity Services Engine nbarApp API (version: 3.1.0).

Wraps the Identity Services Engine nbarApp API and exposes the API as native Python methods that return native Python objects.

`get_nbar_apps`(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sort=None*, *sort_by=None*, *headers=None*, ***query_parameters*)

Get all NBAR Applications.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sort`** (*basestring*) – sort query parameter. sort type asc or desc.
- **`sort_by`** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **`filter`** (*basestring*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_nbar_apps*

`get_nbar_apps_generator`(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all NBAR Applications.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sort`** (*basestring*) – sort query parameter. sort type asc or desc.
- **`sort_by`** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **`filter`** (*basestring*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_nbar_apps_generator*

create_nbar_app(*description=None, id=None, name=None, network_identities=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Create NBAR application.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **network_identities** (*list*) – Array of NIs, property of the request body (list of objects).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, id=None, name=None, network_identities=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for [create_nbar_app](#)

get_nbar_app_by_id(*id, headers=None, **query_parameters*)

Get NBAR Application by id.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for [get_nbar_app_by_id](#)

update_nbar_app_by_id(*id, description=None, name=None, network_identities=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Update NBAR Application.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **network_identities** (*list*) – Array of NIs, property of the request body (list of objects).
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *network_identities=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_nbar_app_by_id*

delete_nbar_app_by_id(*id*, *headers=None*, ***query_parameters*)

Delete NBAR Application.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_nbar_app_by_id*

portal

class Portal

Identity Services Engine portal API (version: 3.1.0).

Wraps the Identity Services Engine portal API and exposes the API as native Python methods that return native Python objects.

get_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_portal_by_id*

get_portals(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the portals. Filter: [name, description]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_portals*

get_portals_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the portals. Filter: [name, description]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter

is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portals_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information realted to the portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

px_grid_node

class PxGridNode

Identity Services Engine pxGridNode API (version: 3.1.0).

Wraps the Identity Services Engine pxGridNode API and exposes the API as native Python methods that return native Python objects.

approve_px_grid_node(*name*, *headers=None*, ***query_parameters*)

This API allows the client to approve a pxGrid node. Only pending pxGrid nodes can be approved.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

approve(*name*, *headers=None*, ***query_parameters*)

Alias for *approve_px_grid_node*

get_px_grid_node_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a pxGrid node by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_px_grid_node_by_name*

delete_px_grid_node_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes a pxGrid node by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_px_grid_node_by_name*

get_px_grid_node_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a pxGrid node by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_px_grid_node_by_id*

get_px_grid_node(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the npxGrid nodes.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_px_grid_node*

get_px_grid_node_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the npxGrid nodes.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_px_grid_node_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the pxGrid node.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sg_vn_mapping

class SgVnMapping

Identity Services Engine sgVnMapping API (version: 3.1.0).

Wraps the Identity Services Engine sgVnMapping API and exposes the API as native Python methods that return native Python objects.

get_sg_vn_mappings(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all Security Group and Virtual Network mappings.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_sg_vn_mappings*

get_sg_vn_mappings_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all Security Group and Virtual Network mappings.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type *Generator*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_sg_vn_mappings_generator*

create_sg_vn_mapping(*id=None, last_update=None, sg_name=None, sgt_id=None, vn_id=None, vn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Create Security Group and Virtual Network mapping.

Parameters

- **id** (*string*) – Identifier of the SG-VN mapping, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the SG-VN mapping, property of the request body.
- **sg_name** (*string*) – Name of the associated Security Group to be used for identity if id is not provided, property of the request body.
- **sgt_id** (*string*) – Identifier of the associated Security Group which is required unless its name is provided, property of the request body.
- **vn_id** (*string*) – Identifier for the associated Virtual Network which is required unless its name is provided, property of the request body.
- **vn_name** (*string*) – Name of the associated Virtual Network to be used for identity if id is not provided, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*id=None, last_update=None, sg_name=None, sgt_id=None, vn_id=None, vn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
 Alias for [create_sg_vn_mapping](#)

bulk_create_sg_vn_mappings(*headers=None, payload=None, active_validation=True, **query_parameters*)

Create SG-VN Mappings in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_create(*headers=None, payload=None, active_validation=True, **query_parameters*)
 Alias for [bulk_create_sg_vn_mappings](#)

bulk_delete_sg_vn_mappings(*headers=None, payload=None, active_validation=True, **query_parameters*)

Delete SG-VN Mappings in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_delete`(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_delete_sg_vn_mappings`*

`bulk_update_sg_vn_mappings`(*headers=None, payload=None, active_validation=True, **query_parameters*)

Update SG-VN Mappings in bulk.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_update`(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_update_sg_vn_mappings`*

`get_sg_vn_mapping_by_id`(*id, headers=None, **query_parameters*)

Get Security Group and Virtual Network mapping by id.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sg_vn_mapping_by_id*

update_sg_vn_mapping_by_id(*id*, *last_update=None*, *sg_name=None*, *sgt_id=None*, *vn_id=None*, *vn_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Update Security Group and Virtual Network mapping.

Parameters

- **id** (*basestring*) – Identifier of the SG-VN mapping, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the SG-VN mapping, property of the request body.
- **sg_name** (*string*) – Name of the associated Security Group to be used for identity if id is not provided, property of the request body.
- **sgt_id** (*string*) – Identifier of the associated Security Group which is required unless its name is provided, property of the request body.
- **vn_id** (*string*) – Identifier for the associated Virtual Network which is required unless its name is provided, property of the request body.
- **vn_name** (*string*) – Name of the associated Virtual Network to be used for identity if id is not provided, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id*, *last_update=None*, *sg_name=None*, *sgt_id=None*, *vn_id=None*, *vn_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sg_vn_mapping_by_id*

`delete_sg_vn_mapping_by_id`(*id*, *headers=None*, ***query_parameters*)

Delete Security Group and Virtual Network mapping.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sg_vn_mapping_by_id*

tasks

class Tasks

Identity Services Engine tasks API (version: 3.1.0).

Wraps the Identity Services Engine tasks API and exposes the API as native Python methods that return native Python objects.

get_task_status(*headers=None, **query_parameters*)
get all task status.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_task_status_by_id(*task_id, headers=None, **query_parameters*)
Monitor task status.

Parameters

- **task_id** (*basestring*) – taskId path parameter. The id of the task executed before.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

virtual_network**class VirtualNetwork**

Identity Services Engine virtualNetwork API (version: 3.1.0).

Wraps the Identity Services Engine virtualNetwork API and exposes the API as native Python methods that return native Python objects.

get_virtual_networks(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all Virtual Networks.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_virtual_networks*

get_virtual_networks_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all Virtual Networks.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_virtual_networks_generator*

create_virtual_network(*additional_attributes=None, id=None, last_update=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Create Virtual Network.

Parameters

- **additional_attributes** (*string*) – JSON String of additional attributes for the Virtual Network, property of the request body.
- **id** (*string*) – Identifier of the Virtual Network, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the Virtual Network, property of the request body.
- **name** (*string*) – Name of the Virtual Network, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*additional_attributes=None, id=None, last_update=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_virtual_network*

bulk_create_virtual_networks(*headers=None, payload=None, active_validation=True, **query_parameters*)

Create Virtual Network in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_create(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_create_virtual_networks*

bulk_delete_virtual_networks(*headers=None, payload=None, active_validation=True, **query_parameters*)

Delete Virtual Network in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_delete(*headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *bulk_delete_virtual_networks*

bulk_update_virtual_networks(*headers=None, payload=None, active_validation=True, **query_parameters*)

Update Virtual Network in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_update(*headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *bulk_update_virtual_networks*

get_virtual_network_by_id(*id, headers=None, **query_parameters*)
Get Virtual Network by id.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_virtual_network_by_id*

update_virtual_network_by_id(*id*, *additional_attributes=None*, *last_update=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Update Virtual Network.

Parameters

- **additional_attributes** (*string*) – JSON String of additional attributes for the Virtual Network, property of the request body.
- **id** (*basestring*) – Identifier of the Virtual Network, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the Virtual Network, property of the request body.
- **name** (*string*) – Name of the Virtual Network, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *additional_attributes=None*, *last_update=None*, *name=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

Alias for *update_virtual_network_by_id*

delete_virtual_network_by_id(*id*, *headers=None*, ***query_parameters*)

Delete Virtual Network.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_virtual_network_by_id*

vn_vlan_mapping

class VnVlanMapping

Identity Services Engine vnVlanMapping API (version: 3.1.0).

Wraps the Identity Services Engine vnVlanMapping API and exposes the API as native Python methods that return native Python objects.

get_vn_vlan_mappings(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sort=None*, *sort_by=None*,
headers=None, ***query_parameters*)

Get all VN-Vlan Mappings.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.

- **filter** (*basestring*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_vn_vlan_mappings*

get_vn_vlan_mappings_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all VN-Vlan Mappings.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the

“filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_vn_vlan_mappings_generator*

create_vn_vlan_mapping(*id=None, is_data=None, is_default_vlan=None, last_update=None, max_value=None, name=None, vn_id=None, vn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Create VN-Vlan Mapping.

Parameters

- **id** (*string*) – Identifier of the VN-Vlan Mapping, property of the request body.
- **is_data** (*boolean*) – Flag which indicates whether the Vlan is data or voice type, property of the request body.
- **is_default_vlan** (*boolean*) – Flag which indicates if the Vlan is default, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the VN-Vlan Mapping, property of the request body.
- **max_value** (*integer*) – Max value, property of the request body.
- **name** (*string*) – Name of the Vlan, property of the request body.

- **vn_id** (*string*) – Identifier for the associated Virtual Network which is required unless its name is provided, property of the request body.
- **vn_name** (*string*) – Name of the associated Virtual Network to be used for identity if id is not provided, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*id=None, is_data=None, is_default_vlan=None, last_update=None, max_value=None, name=None, vn_id=None, vn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_vn_vlan_mapping*

bulk_create_vn_vlan_mappings(*headers=None, payload=None, active_validation=True, **query_parameters*)

Create VN-Vlan Mappings in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_create`(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_create_vn_vlan_mappings`*

`bulk_delete_vn_vlan_mappings`(*headers=None, payload=None, active_validation=True, **query_parameters*)

Delete VN-Vlan Mappings in bulk.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_delete`(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_delete_vn_vlan_mappings`*

`bulk_update_vn_vlan_mappings`(*headers=None, payload=None, active_validation=True, **query_parameters*)

Update VN-Vlan Mappings in bulk.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_update(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_update_vn_vlan_mappings*

get_vn_vlan_mapping_by_id(*id, headers=None, **query_parameters*)

Get VN-Vlan Mapping by id.

Parameters

- **id (basestring)** – id path parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_vn_vlan_mapping_by_id*

```
update_vn_vlan_mapping_by_id(id, is_data=None, is_default_vlan=None, last_update=None,
                             max_value=None, name=None, vn_id=None, vn_name=None,
                             headers=None, payload=None, active_validation=True,
                             **query_parameters)
```

Update VN-Vlan Mapping.

Parameters

- **id** (*basestring*) – Identifier of the VN-Vlan Mapping, property of the request body.
- **is_data** (*boolean*) – Flag which indicates whether the Vlan is data or voice type, property of the request body.
- **is_default_vlan** (*boolean*) – Flag which indicates if the Vlan is default, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the VN-Vlan Mapping, property of the request body.
- **max_value** (*integer*) – Max value, property of the request body.
- **name** (*string*) – Name of the Vlan, property of the request body.
- **vn_id** (*string*) – Identifier for the associated Virtual Network which is required unless its name is provided, property of the request body.
- **vn_name** (*string*) – Name of the associated Virtual Network to be used for identity if id is not provided, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
delete_vn_vlan_mapping_by_id(id, headers=None, **query_parameters)
```

Delete VN-Vlan Mapping.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

IdentityServicesEngineAPI v3.1.1

aci_bindings

class AciBindings

Identity Services Engine ACIBindings API (version: 3.1.1).

Wraps the Identity Services Engine ACIBindings API and exposes the API as native Python methods that return native Python objects.

get_aci_bindings(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API allows clients to retrieve all the bindings that were sent to Cisco ISE by ACI or received on ACI from Cisco ISE. The binding information will be identical to the information on ACI bindings page in the Cisco ISE UI. Filtering will be based on one attribute only, such as ip/sgt/vn/psn/learnedFrom/learnedBy with CONTAINS mode of search.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter_by** (*basestring, list, set, tuple*) – filterBy query parameter.
- **filter_value** (*basestring, list, set, tuple*) – filterValue query parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_aci_bindings*

get_aci_bindings_generator(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API allows clients to retrieve all the bindings that were sent to Cisco ISE by ACI or received on ACI from Cisco ISE. The binding information will be identical to the information on ACI bindings page in the Cisco ISE UI. Filtering will be based on one attribute only, such as `ip/sgt/vn/psn/learnedFrom/learnedBy` with CONTAINS mode of search.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter_by** (*basestring, list, set, tuple*) – filterBy query parameter.
- **filter_value** (*basestring, list, set, tuple*) – filterValue query parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter_by=None, filter_value=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *`get_aci_bindings_generator`*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the Cisco ACI bindings.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

aci_settings

class AciSettings

Identity Services Engine ACISettings API (version: 3.1.1).

Wraps the Identity Services Engine ACISettings API and exposes the API as native Python methods that return native Python objects.

`get_aci_settings`(*headers=None, **query_parameters*)

This API allows the client to get ACI Settings.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_aci_settings*

test_aci_connectivity(*headers=None, **query_parameters*)

This API allows the client to test ACI Domain Manager connection.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.


```
update_aci_settings_by_id(id, aci50=None, aci51=None, aciipaddress=None, acipassword=None,
    aciuser_name=None, admin_name=None, admin_password=None,
    all_sxp_domain=None, default_sgt_name=None, enable_aci=None,
    enable_data_plane=None, enable_elements_limit=None,
    ip_address_host_name=None, l3_route_network=None,
    max_num_iepg_from_aci=None, max_num_sgt_to_aci=None,
    specific_sxp_domain=None, specifix_sxp_domain_list=None,
    suffix_to_epg=None, suffix_to_sgt=None, tenant_name=None,
    untagged_packet_iepg_name=None, headers=None, payload=None,
    active_validation=True, **query_parameters)
```

This API allows the client to update ACI settings.

Parameters

- **aci50** (*boolean*) – Enable 5.0 ACI Version, property of the request body.
- **aci51** (*boolean*) – Enable 5.1 ACI Version, property of the request body.
- **aciipaddress** (*string*) – ACI Domain manager Ip Address., property of the request body.
- **acipassword** (*string*) – ACI Domain manager Password., property of the request body.
- **aciuser_name** (*string*) – ACI Domain manager Username., property of the request body.
- **admin_name** (*string*) – ACI Cluster Admin name, property of the request body.
- **admin_password** (*string*) – ACI Cluster Admin password, property of the request body.
- **all_sxp_domain** (*boolean*) – allSxpDomain, property of the request body.
- **default_sgt_name** (*string*) – defaultSgtName, property of the request body.
- **enable_aci** (*boolean*) – Enable ACI Integration, property of the request body.
- **enable_data_plane** (*boolean*) – enableDataPlane, property of the request body.
- **enable_elements_limit** (*boolean*) – enableElementsLimit, property of the request body.
- **id** (*basestring*) – Resource UUID value, property of the request body.
- **ip_address_host_name** (*string*) – ACI Cluster IP Address / Host name, property of the request body.
- **l3_route_network** (*string*) – l3RouteNetwork, property of the request body.
- **max_num_iepg_from_aci** (*integer*) – maxNumIepgFromAci, property of the request body.
- **max_num_sgt_to_aci** (*integer*) – maxNumSgtToAci, property of the request body.
- **specific_sxp_domain** (*boolean*) – specificSxpDomain, property of the request body.
- **specifix_sxp_domain_list** (*list*) – specifixSxpDomainList, property of the request body (list of strings).
- **suffix_to_epg** (*string*) – suffixToEpg, property of the request body.
- **suffix_to_sgt** (*string*) – suffixToSgt, property of the request body.
- **tenant_name** (*string*) – tenantName, property of the request body.
- **untagged_packet_iepg_name** (*string*) – untaggedPacketIepgName, property of the request body.

- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *aci50=None*, *aci51=None*, *aciipaddress=None*, *acipassword=None*, *aciuser_name=None*, *admin_name=None*, *admin_password=None*, *all_sxp_domain=None*, *default_sgt_name=None*, *enable_aci=None*, *enable_data_plane=None*, *enable_elements_limit=None*, *ip_address_host_name=None*, *l3_route_network=None*, *max_num_iepg_from_aci=None*, *max_num_sgt_to_aci=None*, *specific_sxp_domain=None*, *specifix_sxp_domain_list=None*, *suffix_to_epg=None*, *suffix_to_sgt=None*, *tenant_name=None*, *untagged_packet_iepg_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_aci_settings_by_id*

get_version(*headers=None*, ***query_parameters*)

This API helps to retrieve the version information related to the Cisco ACI settings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

anc_endpoint

class AncEndpoint

Identity Services Engine ANCEndpoint API (version: 3.1.1).

Wraps the Identity Services Engine ANCEndpoint API and exposes the API as native Python methods that return native Python objects.

get_anc_endpoint_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an ANC endpoint by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_anc_endpoint_by_id*

clear_anc_endpoint(*additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to clear the required configuration.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

clear(*additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *clear_anc_endpoint*

get_anc_endpoint(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the ANC endpoints. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_endpoint*

get_anc_endpoint_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the ANC endpoints. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page (int)** – page query parameter. Page number.
- **size (int)** – size query parameter. Number of objects returned per page.
- **sortasc (basestring)** – sortasc query parameter. sort asc.
- **sortdsc (basestring)** – sortdsc query parameter. sort desc.
- **filter (basestring, list, set, tuple)** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type (basestring)** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_endpoint_generator*

apply_anc_endpoint(*additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to apply the required configuration.

Parameters

- **additional_data (list)** – additionalData, property of the request body (list of objects).
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

apply(*additional_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)
 Alias for [apply_anc_endpoint](#)

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the ANC Endpoint.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_anc_endpoint(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_anc_endpoint*

monitor_bulk_status_anc_endpoint(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_anc_endpoint*

active_directory**class ActiveDirectory**

Identity Services Engine ActiveDirectory API (version: 3.1.1).

Wraps the Identity Services Engine ActiveDirectory API and exposes the API as native Python methods that return native Python objects.

get_active_directory_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get Active Directory by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_active_directory_by_name*

get_user_groups(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to get groups of which a given user is a member.

Parameters

- **additional_data (list)** – additionalData, property of the request body (list of objects).
- **id (basestring)** – id path parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

```
load_groups_from_domain(id, ad_attributes=None, ad_scopes_names=None, adgroups=None,
                        advanced_settings=None, description=None, domain=None,
                        enable_domain_white_list=None, name=None, headers=None, payload=None,
                        active_validation=True, **query_parameters)
```

This API loads domain groups configuration from Active Directory into Cisco ISE.

Parameters

- **ad_attributes** (*object*) – Holds list of AD Attributes, property of the request body.
- **ad_scopes_names** (*string*) – String that contains the names of the scopes that the active directory belongs to. Names are separated by comma. Alphanumeric, underscore (_) characters are allowed, property of the request body.
- **adgroups** (*object*) – Holds list of AD Groups, property of the request body.
- **advanced_settings** (*object*) – advancedSettings, property of the request body.
- **description** (*string*) – No character restriction, property of the request body.
- **domain** (*string*) – The AD domain. Alphanumeric, hyphen (-) and dot (.) characters are allowed, property of the request body.
- **enable_domain_white_list** (*boolean*) – enableDomainWhiteList, property of the request body.
- **id** (*basestring*) – Resource UUID value, property of the request body.
- **name** (*string*) – Resource Name. Maximum 32 characters allowed. Allowed characters are alphanumeric and .-/characters, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

leave_domain(*id*, *additional_data*=None, *headers*=None, *payload*=None, *active_validation*=True, ***query_parameters*)

This API makes a Cisco ISE node to leave an Active Directory domain.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

is_user_member_of_groups(*id*, *additional_data*=None, *headers*=None, *payload*=None, *active_validation*=True, ***query_parameters*)

This API verifies if the user is a member of the given groups.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_trusted_domains`(*id*, *headers=None*, ***query_parameters*)

This API gets the list of domains that are accessible through the given join point via trust relationships.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`join_domain_with_all_nodes`(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API joins all Cisco ISE Nodes to an Active Directory domain.

Parameters

- **`additional_data`** (*list*) – additionalData, property of the request body (list of objects).
- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

leave_domain_with_all_nodes(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API joins makes all Cisco ISE nodes leave an Active Directory domain.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_groups_by_domain(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API lists the groups of the given domain.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_active_directory_by_id(*id*, *headers=None*, ***query_parameters*)

This API fetchs the join point details by ID. The ID can be retrieved with the Get All operation.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_active_directory_by_id*

delete_active_directory_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an AD join point from Cisco ISE.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_active_directory_by_id*

join_domain(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API joins a Cisco ISE node to an Active Directory domain.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_active_directory`(*page=None, size=None, headers=None, **query_parameters*)

This API lists all the join points for Active Directory domains in Cisco ISE.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_active_directory`*

`get_active_directory_generator`(*page=None, size=None, headers=None, **query_parameters*)

This API lists all the join points for Active Directory domains in Cisco ISE.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_active_directory_generator*

create_active_directory(*ad_attributes=None, ad_scopes_names=None, adgroups=None, advanced_settings=None, description=None, domain=None, enable_domain_white_list=None, id=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an AD join point in Cisco ISE.

Parameters

- **ad_attributes** (*object*) – Holds list of AD Attributes, property of the request body.
- **ad_scopes_names** (*string*) – String that contains the names of the scopes that the active directory belongs to. Names are separated by comma. Alphanumeric, underscore (_) characters are allowed, property of the request body.
- **adgroups** (*object*) – Holds list of AD Groups, property of the request body.
- **advanced_settings** (*object*) – advancedSettings, property of the request body.
- **description** (*string*) – No character restriction, property of the request body.
- **domain** (*string*) – The AD domain. Alphanumeric, hyphen (-) and dot (.) characters are allowed, property of the request body.
- **enable_domain_white_list** (*boolean*) – enableDomainWhiteList, property of the request body.
- **id** (*string*) – Resource UUID value, property of the request body.
- **name** (*string*) – Resource Name. Maximum 32 characters allowed. Allowed characters are alphanumeric and .-/characters, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*ad_attributes=None, ad_scopes_names=None, adgroups=None, advanced_settings=None, description=None, domain=None, enable_domain_white_list=None, id=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_active_directory*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the active directory.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

admin_user

class AdminUser

Identity Services Engine AdminUser API (version: 3.1.1).

Wraps the Identity Services Engine AdminUser API and exposes the API as native Python methods that return native Python objects.

get_admin_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an admin user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_admin_user_by_id*

get_admin_users(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the admin users. Filter: [firstName, lastName, adminGroups, name, description, inactiveAccountNeverDisabled, includeSystemAlarmsInEmail, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_admin_users*

get_admin_users_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the admin users. Filter: [firstName, lastName, adminGroups, name, description, inactiveAccountNeverDisabled, includeSystemAlarmsInEmail, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_admin_users_generator*

get_version(*headers=None*, ***query_parameters*)

This API helps to retrieve the version information related to the admin user.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`allowed_protocols`

class `AllowedProtocols`

Identity Services Engine AllowedProtocols API (version: 3.1.1).

Wraps the Identity Services Engine AllowedProtocols API and exposes the API as native Python methods that return native Python objects.

`get_allowed_protocol_by_name`(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an allowed protocol by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for `get_allowed_protocol_by_name`

`get_allowed_protocol_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an allowed protocol by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_allowed_protocol_by_id*

update_allowed_protocol_by_id(*id*, *allow_chap=None*, *allow_eap_fast=None*, *allow_eap_md5=None*, *allow_eap_tls=None*, *allow_eap_ttls=None*, *allow_leap=None*, *allow_ms_chap_v1=None*, *allow_ms_chap_v2=None*, *allow_pap_ascii=None*, *allow_peap=None*, *allow_preferred_eap_protocol=None*, *allow_teap=None*, *allow_weak_ciphers_for_eap=None*, *description=None*, *eap_fast=None*, *eap_tls=None*, *eap_tls_l_bit=None*, *eap_ttls=None*, *name=None*, *peap=None*, *preferred_eap_protocol=None*, *process_host_lookup=None*, *require_message_auth=None*, *teap=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an allowed protocol.

Parameters

- **allow_chap** (*boolean*) – allowChap, property of the request body.
- **allow_eap_fast** (*boolean*) – allowEapFast, property of the request body.
- **allow_eap_md5** (*boolean*) – allowEapMd5, property of the request body.
- **allow_eap_tls** (*boolean*) – allowEapTls, property of the request body.
- **allow_eap_ttls** (*boolean*) – allowEapTtls, property of the request body.
- **allow_leap** (*boolean*) – allowLeap, property of the request body.
- **allow_ms_chap_v1** (*boolean*) – allowMsChapV1, property of the request body.
- **allow_ms_chap_v2** (*boolean*) – allowMsChapV2, property of the request body.
- **allow_pap_ascii** (*boolean*) – allowPapAscii, property of the request body.
- **allow_peap** (*boolean*) – allowPeap, property of the request body.

- **allow_preferred_eap_protocol** (*boolean*) – allowPreferredEapProtocol, property of the request body.
- **allow_teap** (*boolean*) – allowTeap, property of the request body.
- **allow_weak_ciphers_for_eap** (*boolean*) – allowWeakCiphersForEap, property of the request body.
- **description** (*string*) – description, property of the request body.
- **eap_fast** (*object*) – The eapFast is required only if allowEapFast is true, otherwise it must be ignored. The object eapFast contains the settings for EAP FAST protocol, property of the request body.
- **eap_tls** (*object*) – The eapTls is required only if allowEapTls is true, otherwise it must be ignored. The object eapTls contains the settings for EAP TLS protocol, property of the request body.
- **eap_tls_l_bit** (*boolean*) – eapTlsLBit, property of the request body.
- **eap_ttls** (*object*) – The eapTtls is required only if allowEapTtls is true, otherwise it must be ignored. The object eapTtls contains the settings for EAP TTLS protocol, property of the request body.
- **id** (*basestring*) – Resource UUID, Mandatory for update, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **peap** (*object*) – peap, property of the request body.
- **preferred_eap_protocol** (*string*) – The preferredEapProtocol is required only if allowPreferredEapProtocol is true, otherwise it must be ignored. Allowed Values: EAP_FAST, PEAP, LEAP, EAP_MD5, EAP_TLS, EAP_TTLS, TEAP, property of the request body.
- **process_host_lookup** (*boolean*) – processHostLookup, property of the request body.
- **require_message_auth** (*boolean*) – requireMessageAuth, property of the request body.
- **teap** (*object*) – The teap is required only if allowTeap is true, otherwise it must be ignored. The object teap contains the settings for TEAP protocol, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *allow_chap=None*, *allow_eap_fast=None*, *allow_eap_md5=None*, *allow_eap_tls=None*, *allow_eap_ttls=None*, *allow_leap=None*, *allow_ms_chap_v1=None*, *allow_ms_chap_v2=None*, *allow_pap_ascii=None*, *allow_peap=None*, *allow_preferred_eap_protocol=None*, *allow_teap=None*, *allow_weak_ciphers_for_eap=None*, *description=None*, *eap_fast=None*, *eap_tls=None*, *eap_ttls_l_bit=None*, *eap_ttls=None*, *name=None*, *peap=None*, *preferred_eap_protocol=None*, *process_host_lookup=None*, *require_message_auth=None*, *teap=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_allowed_protocol_by_id*

delete_allowed_protocol_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an allowed protocol.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_allowed_protocol_by_id*

get_allowed_protocols(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the allowed protocols.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_allowed_protocols*

get_allowed_protocols_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the allowed protocols.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_allowed_protocols_generator*

create_allowed_protocol(*allow_chap=None, allow_eap_fast=None, allow_eap_md5=None, allow_eap_tls=None, allow_eap_ttls=None, allow_leap=None, allow_ms_chap_v1=None, allow_ms_chap_v2=None, allow_pap_ascii=None, allow_peap=None, allow_preferred_eap_protocol=None, allow_teap=None, allow_weak_ciphers_for_eap=None, description=None, eap_fast=None, eap_tls=None, eap_tls_l_bit=None, eap_ttls=None, name=None, peap=None, preferred_eap_protocol=None, process_host_lookup=None, require_message_auth=None, teap=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an allowed protocol.

Parameters

- **allow_chap** (*boolean*) – allowChap, property of the request body.
- **allow_eap_fast** (*boolean*) – allowEapFast, property of the request body.
- **allow_eap_md5** (*boolean*) – allowEapMd5, property of the request body.
- **allow_eap_tls** (*boolean*) – allowEapTls, property of the request body.
- **allow_eap_ttls** (*boolean*) – allowEapTtls, property of the request body.
- **allow_leap** (*boolean*) – allowLeap, property of the request body.
- **allow_ms_chap_v1** (*boolean*) – allowMsChapV1, property of the request body.
- **allow_ms_chap_v2** (*boolean*) – allowMsChapV2, property of the request body.
- **allow_pap_ascii** (*boolean*) – allowPapAscii, property of the request body.
- **allow_peap** (*boolean*) – allowPeap, property of the request body.
- **allow_preferred_eap_protocol** (*boolean*) – allowPreferredEapProtocol, property of the request body.
- **allow_teap** (*boolean*) – allowTeap, property of the request body.
- **allow_weak_ciphers_for_eap** (*boolean*) – allowWeakCiphersForEap, property of the request body.
- **description** (*string*) – description, property of the request body.
- **eap_fast** (*object*) – The eapFast is required only if allowEapFast is true, otherwise it must be ignored. The object eapFast contains the settings for EAP FAST protocol, property of the request body.
- **eap_tls** (*object*) – The eapTls is required only if allowEapTls is true, otherwise it must be ignored. The object eapTls contains the settings for EAP TLS protocol, property of the request body.
- **eap_tls_l_bit** (*boolean*) – eapTlsLBit, property of the request body.
- **eap_ttls** (*object*) – The eapTtls is required only if allowEapTtls is true, otherwise it must be ignored. The object eapTtls contains the settings for EAP TTLS protocol, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **peap** (*object*) – peap, property of the request body.

- **preferred_eap_protocol** (*string*) – The preferredEapProtocol is required only if allowPreferredEapProtocol is true, otherwise it must be ignored. Allowed Values: EAP_FAST, PEAP, LEAP, EAP_MD5, EAP_TLS, EAP_TTLS, TEAP, property of the request body.
- **process_host_lookup** (*boolean*) – processHostLookup, property of the request body.
- **require_message_auth** (*boolean*) – requireMessageAuth, property of the request body.
- **teap** (*object*) – The teap is required only if allowTeap is true, otherwise it must be ignored. The object teap contains the settings for TEAP protocol, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(allow_chap=None, allow_eap_fast=None, allow_eap_md5=None, allow_eap_tls=None,
allow_eap_ttls=None, allow_leap=None, allow_ms_chap_v1=None, allow_ms_chap_v2=None,
allow_pap_ascii=None, allow_peap=None, allow_preferred_eap_protocol=None, allow_teap=None,
allow_weak_ciphers_for_eap=None, description=None, eap_fast=None, eap_tls=None,
eap_tls_l_bit=None, eap_ttls=None, name=None, peap=None, preferred_eap_protocol=None,
process_host_lookup=None, require_message_auth=None, teap=None, headers=None,
payload=None, active_validation=True, **query_parameters)
```

Alias for *create_allowed_protocol*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the allowed protocols.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

anc_policy**class AncPolicy**

Identity Services Engine AncPolicy API (version: 3.1.1).

Wraps the Identity Services Engine AncPolicy API and exposes the API as native Python methods that return native Python objects.

`get_anc_policy_by_name`(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an ANC policy by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_anc_policy_by_name*

get_anc_policy_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an ANC policy by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_anc_policy_by_id*

update_anc_policy_by_id(*id*, *actions=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an ANC policy.

Parameters

- **actions** (*list*) – QUARANTINE: Allows you to use Exception policies (authorization policies) to limit or deny an endpoint access to the network. PORTBOUNCE: Resets the port on the network device to which the endpoint is connected. SHUTDOWN : Shuts down the port on the network device to which the endpoint is connected. RE_AUTHENTICATE: Re-authenticates the session from the endpoint., property of the request body (list of strings. Available values are 'QUARANTINE', 'PORTBOUNCE', 'SHUTDOWN' and 'RE_AUTHENTICATE').
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *actions=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ****query_parameters**)

Alias for *update_anc_policy_by_id*

delete_anc_policy_by_id(*id*, *headers=None*, ****query_parameters**)

This API allows the client to delete an ANC policy.

Parameters

- **id (basestring)** – id path parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ****query_parameters**)

Alias for *delete_anc_policy_by_id*

get_anc_policy(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the ANC policies. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_policy*

get_anc_policy_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the ANC policies. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_anc_policy_generator*

create_anc_policy(actions=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters)

This API allows the client to create an ANC policy.

Parameters

- **actions** (*list*) – QUARANTINE: Allows you to use Exception policies (authorization policies) to limit or deny an endpoint access to the network. PORTBOUNCE: Resets the port on the network device to which the endpoint is connected. SHUTDOWN : Shuts down the port on the network device to which the endpoint is connected. RE_AUTHENTICATE: Re-authenticates the session from the endpoint., property of the request body (list of strings. Available values are ‘QUARANTINE’, ‘PORTBOUNCE’, ‘SHUTDOWN’ and ‘RE_AUTHENTICATE’).
- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(actions=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters)

Alias for *create_anc_policy*

get_version(headers=None, **query_parameters)

This API helps to retrieve the version information related to the ANC policy.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_for_anc_policy`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type`** (*string*) – `operationType`, property of the request body.
- **`resource_media_type`** (*string*) – `resourceMediaType`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_request_for_anc_policy`*

`monitor_bulk_status_anc_policy`(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **`bulkid`** (*basestring*) – `bulkid` path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_anc_policy*

authorization_profile

class AuthorizationProfile

Identity Services Engine AuthorizationProfile API (version: 3.1.1).

Wraps the Identity Services Engine AuthorizationProfile API and exposes the API as native Python methods that return native Python objects.

get_authorization_profile_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an authorization profile by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_authorization_profile_by_name*

get_authorization_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an authorization profile by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_authorization_profile_by_id*

update_authorization_profile_by_id(*id*, *access_type=None*, *acl=None*, *advanced_attributes=None*, *agentless_posture=None*, *airespace_acl=None*, *airespace_ipv6_acl=None*, *asa_vpn=None*, *authz_profile_type=None*, *auto_smart_port=None*, *avc_profile=None*, *dacl_name=None*, *description=None*, *easywired_session_candidate=None*, *interface_template=None*, *ipv6_acl_filter=None*, *ipv6_dacl_name=None*, *mac_sec_policy=None*, *name=None*, *neat=None*, *profile_name=None*, *reauth=None*, *service_template=None*, *track_movement=None*, *vlan=None*, *voice_domain_permission=None*, *web_auth=None*, *web_redirection=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an authorization profile.

Parameters

- **access_type** (*string*) – Allowed Values: ACCESS_ACCEPT, ACCESS_REJECT, property of the request body.
- **acl** (*string*) – acl, property of the request body.
- **advanced_attributes** (*list*) – advancedAttributes, property of the request body (list of objects).
- **agentless_posture** (*boolean*) – agentlessPosture, property of the request body.
- **airespace_acl** (*string*) – airespaceACL, property of the request body.
- **airespace_ipv6_acl** (*string*) – airespaceIPv6ACL, property of the request body.
- **asa_vpn** (*string*) – asaVpn, property of the request body.
- **authz_profile_type** (*string*) – Allowed Values: SWITCH, TRUSTSEC, TACACS SWITCH is used for Standard Authorization Profiles, property of the request body.
- **auto_smart_port** (*string*) – autoSmartPort, property of the request body.
- **avc_profile** (*string*) – avcProfile, property of the request body.
- **dacl_name** (*string*) – daclName, property of the request body.
- **description** (*string*) – description, property of the request body.
- **easywired_session_candidate** (*boolean*) – easywiredSessionCandidate, property of the request body.
- **id** (*basestring*) – Resource UUID value, property of the request body.
- **interface_template** (*string*) – interfaceTemplate, property of the request body.
- **ipv6_acl_filter** (*string*) – ipv6ACLFILTER, property of the request body.
- **ipv6_dacl_name** (*string*) – ipv6DaclName, property of the request body.
- **mac_sec_policy** (*string*) – Allowed Values: MUST_SECURE, MUST_NOT_SECURE, SHOULD_SECURE, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **neat** (*boolean*) – neat, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **reauth** (*object*) – reauth, property of the request body.
- **service_template** (*boolean*) – serviceTemplate, property of the request body.
- **track_movement** (*boolean*) – trackMovement, property of the request body.
- **vlan** (*object*) – vlan, property of the request body.
- **voice_domain_permission** (*boolean*) – voiceDomainPermission, property of the request body.
- **web_auth** (*boolean*) – webAuth, property of the request body.
- **web_redirection** (*object*) – webRedirection, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *access_type=None*, *acl=None*, *advanced_attributes=None*, *agentless_posture=None*, *airespace_acl=None*, *airespace_ipv6_acl=None*, *asa_vpn=None*, *authz_profile_type=None*, *auto_smart_port=None*, *avc_profile=None*, *dacl_name=None*, *description=None*, *easywired_session_candidate=None*, *interface_template=None*, *ipv6_acl_filter=None*, *ipv6_dacl_name=None*, *mac_sec_policy=None*, *name=None*, *neat=None*, *profile_name=None*, *reauth=None*, *service_template=None*, *track_movement=None*, *vlan=None*, *voice_domain_permission=None*, *web_auth=None*, *web_redirection=None*, *headers=None*, *payload=None*, *active_validation=True*, ****query_parameters**)

Alias for *update_authorization_profile_by_id*

delete_authorization_profile_by_id(*id*, *headers=None*, ****query_parameters**)

This API deletes an authorization profile.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_authorization_profile_by_id*

get_authorization_profiles(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all authorization profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_authorization_profiles*

get_authorization_profiles_generator(*page=None*, *size=None*, *headers=None*,
***query_parameters*)

This API allows the client to get all authorization profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for `get_authorization_profiles_generator`

`create_authorization_profile`(*access_type=None, acl=None, advanced_attributes=None, agentless_posture=None, airespace_acl=None, airespace_ipv6_acl=None, asa_vpn=None, authz_profile_type=None, auto_smart_port=None, avc_profile=None, dacl_name=None, description=None, easywired_session_candidate=None, id=None, interface_template=None, ipv6_acl_filter=None, ipv6_dacl_name=None, mac_sec_policy=None, name=None, neat=None, profile_name=None, reauth=None, service_template=None, track_movement=None, vlan=None, voice_domain_permission=None, web_auth=None, web_redirection=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an authorization profile.

Parameters

- **`access_type`** (*string*) – Allowed Values: ACCESS_ACCEPT, ACCESS_REJECT, property of the request body.
- **`acl`** (*string*) – acl, property of the request body.
- **`advanced_attributes`** (*list*) – advancedAttributes, property of the request body (list of objects).
- **`agentless_posture`** (*boolean*) – agentlessPosture, property of the request body.
- **`airespace_acl`** (*string*) – airespaceACL, property of the request body.
- **`airespace_ipv6_acl`** (*string*) – airespaceIPv6ACL, property of the request body.
- **`asa_vpn`** (*string*) – asaVpn, property of the request body.
- **`authz_profile_type`** (*string*) – Allowed Values: SWITCH, TRUSTSEC, TACACS SWITCH is used for Standard Authorization Profiles, property of the request body.
- **`auto_smart_port`** (*string*) – autoSmartPort, property of the request body.
- **`avc_profile`** (*string*) – avcProfile, property of the request body.
- **`dacl_name`** (*string*) – daclName, property of the request body.
- **`description`** (*string*) – description, property of the request body.
- **`easywired_session_candidate`** (*boolean*) – easywiredSessionCandidate, property of the request body.
- **`id`** (*string*) – Resource UUID value, property of the request body.

- **interface_template** (*string*) – interfaceTemplate, property of the request body.
- **ipv6_acl_filter** (*string*) – ipv6ACLFILTER, property of the request body.
- **ipv6_dacl_name** (*string*) – ipv6DaclName, property of the request body.
- **mac_sec_policy** (*string*) – Allowed Values: MUST_SECURE, MUST_NOT_SECURE, SHOULD_SECURE, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **neat** (*boolean*) – neat, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **reauth** (*object*) – reauth, property of the request body.
- **service_template** (*boolean*) – serviceTemplate, property of the request body.
- **track_movement** (*boolean*) – trackMovement, property of the request body.
- **vlan** (*object*) – vlan, property of the request body.
- **voice_domain_permission** (*boolean*) – voiceDomainPermission, property of the request body.
- **web_auth** (*boolean*) – webAuth, property of the request body.
- **web_redirection** (*object*) – webRedirection, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(access_type=None, acl=None, advanced_attributes=None, agentless_posture=None,
        airespace_acl=None, airespace_ipv6_acl=None, asa_vpn=None, authz_profile_type=None,
        auto_smart_port=None, avc_profile=None, dacl_name=None, description=None,
        easywired_session_candidate=None, id=None, interface_template=None, ipv6_acl_filter=None,
        ipv6_dacl_name=None, mac_sec_policy=None, name=None, neat=None, profile_name=None,
        reauth=None, service_template=None, track_movement=None, vlan=None,
        voice_domain_permission=None, web_auth=None, web_redirection=None, headers=None,
        payload=None, active_validation=True, **query_parameters)
```

Alias for [create_authorization_profile](#)

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the authorization profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

byod_portal

class ByodPortal

Identity Services Engine BYODPortal API (version: 3.1.1).

Wraps the Identity Services Engine BYODPortal API and exposes the API as native Python methods that return native Python objects.

```
get_byod_portal_by_id(id, headers=None, **query_parameters)
```

This API allows the client to get a BYOD portal by ID.

Parameters

- **id** (*basestring*) – id path parameter. Portal id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_byod_portal_by_id`

`update_byod_portal_by_id(id, customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a BYOD portal by ID.

Parameters

- **`customizations (object)`** – Defines all of the Portal Customizations available for a BYOD, property of the request body.
- **`description (string)`** – description, property of the request body.
- **`id (basestring)`** – Resource UUID, mandatory for update, property of the request body.
- **`name (string)`** – Resource Name, property of the request body.
- **`portal_test_url (string)`** – URL to bring up a test page for this portal, property of the request body.
- **`portal_type (string)`** – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **`settings (object)`** – Defines all of the settings groups available for a BYOD, property of the request body.
- **`id`** – id path parameter. Portal id.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_byod_portal_by_id*

delete_byod_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a BYOD portal by ID.

Parameters

- **`id (basestring)`** – id path parameter. Portal id.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_byod_portal_by_id*

get_byod_portal(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdesc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the BYOD portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_byod_portal*

get_byod_portal_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the BYOD portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_byod_portal_generator*

create_byod_portal(*customizations=None, description=None, id=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a BYOD portal.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available for a BYOD, property of the request body.
- **description** (*string*) – description, property of the request body.

- **id** (*string*) – Resource UUID, mandatory for update, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a BYOD, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, id=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_byod_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the BYOD portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- ***TypeError*** – If the parameter types are incorrect.
- ***MalformedRequest*** – If the request body created is invalid.
- ***ApiError*** – If the Identity Services Engine cloud returns an error.

backup_and_restore

class BackupAndRestore

Identity Services Engine Backup And Restore API (version: 3.1.1).

Wraps the Identity Services Engine Backup And Restore API and exposes the API as native Python methods that return native Python objects.

config_backup(*backup_encryption_key=None, backup_name=None, repository_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Triggers on demand configuration backup on the ISE node. The API returns the task ID. Use the Task Service status API to get the status of the backup job.

Parameters

- **backup_encryption_key** (*string*) – The encryption key for the backed up file. Encryption key must satisfy the following criteria Contains at least one uppercase letter [A-Z], Contains at least one lowercase letter [a-z], Contains at least one digit [0-9], Contain only [A-Z][a-z][0-9]_#, Has at least 8 characters, Has not more than 15 characters, Must not contain 'CcllSsCco', Must not begin with, property of the request body.
- **backup_name** (*string*) – The backup file will get saved with this name., property of the request body.
- **repository_name** (*string*) – Name of the configured repository where the generated backup file will get copied., property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

config(*backup_encryption_key=None, backup_name=None, repository_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *config_backup*

cancel_backup(*headers=None, **query_parameters*)

Cancels the backup job running on the node.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

cancel(*headers=None, **query_parameters*)

Alias for *cancel_backup*

get_last_config_backup_status(*headers=None, **query_parameters*)

Gives the last backup status.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_last_status`(*headers=None, **query_parameters*)

Alias for `get_last_config_backup_status`

`restore_config_backup`(*backup_encryption_key=None, repository_name=None, restore_file=None, restore_include_adeos=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Triggers a configuration DB restore job on the ISE node. The API returns the task ID. Use the Task Service status API to get the status of the backup job.

Parameters

- **`backup_encryption_key`** (*string*) – The encryption key which was provided at the time of taking backup., property of the request body.
- **`repository_name`** (*string*) – Name of the configured repository where the backup file exists., property of the request body.
- **`restore_file`** (*string*) – Name of the backup file to be restored on ISE node., property of the request body.
- **`restore_include_adeos`** (*string*) – Determines whether the ADE-OS configure is restored. Possible values true, false, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

```
restore(backup_encryption_key=None, repository_name=None, restore_file=None,  
        restore_include_adeos=None, headers=None, payload=None, active_validation=True,  
        **query_parameters)
```

Alias for `restore_config_backup`

```
update_scheduled_config_backup(backup_description=None, backup_encryption_key=None,  
                                backup_name=None, end_date=None, frequency=None,  
                                month_day=None, repository_name=None, start_date=None,  
                                status=None, time=None, week_day=None, headers=None,  
                                payload=None, active_validation=True, **query_parameters)
```

Update the Schedule of the configuration backup on the ISE node as per the input parameters. This API only helps in editing the schedule.

Parameters

- **backup_description** (*string*) – Description of the backup., property of the request body.
- **backup_encryption_key** (*string*) – The encryption key for the backed up file. Encryption key must satisfy the following criteria Contains at least one uppercase letter [A-Z], Contains at least one lowercase letter [a-z], Contains at least one digit [0-9], Contain only [A-Z][a-z][0-9]_#, Has at least 8 characters, Has not more than 15 characters, Must not contain 'CcliSsCco', Must not begin with, property of the request body.
- **backup_name** (*string*) – The backup file will get saved with this name., property of the request body.
- **end_date** (*string*) – End date of the scheduled backup job. Allowed format MM/DD/YYYY. End date is not required in case of ONE_TIME frequency., property of the request body.
- **frequency** (*string*) – frequency, property of the request body. Available values are 'DAILY', 'MONTHLY', 'ONCE' and 'WEEKLY'.
- **month_day** (*string*) – Day of month you want backup to be performed on when scheduled frequency is MONTHLY. Allowed values from 1 to 28., property of the request body.
- **repository_name** (*string*) – Name of the configured repository where the generated backup file will get copied., property of the request body.
- **start_date** (*string*) – Start date for scheduling the backup job. Allowed format MM/DD/YYYY., property of the request body.
- **status** (*string*) – status, property of the request body. Available values are 'DISABLE' and 'ENABLE'.
- **time** (*string*) – Time at which backup job get scheduled. example 12:00 AM, property of the request body.
- **week_day** (*string*) – weekDay, property of the request body. Available values are 'FRI', 'MON', 'SAT', 'SUN', 'THU', 'TUE' and 'WED'.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update(*backup_description=None, backup_encryption_key=None, backup_name=None, end_date=None, frequency=None, month_day=None, repository_name=None, start_date=None, status=None, time=None, week_day=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_scheduled_config_backup*

create_scheduled_config_backup(*backup_description=None, backup_encryption_key=None, backup_name=None, end_date=None, frequency=None, month_day=None, repository_name=None, start_date=None, status=None, time=None, week_day=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Schedules the configuration backup on the ISE node as per the input parameters. This API helps in creating the schedule for the first time.

Parameters

- **backup_description** (*string*) – Description of the backup., property of the request body.
- **backup_encryption_key** (*string*) – The encryption key for the backed up file. Encryption key must satisfy the following criteria Contains at least one uppercase letter [A-Z], Contains at least one lowercase letter [a-z], Contains at least one digit [0-9], Contain only [A-Z][a-z][0-9]_#, Has at least 8 characters, Has not more than 15 characters, Must not contain 'CcliSsCco', Must not begin with, property of the request body.
- **backup_name** (*string*) – The backup file will get saved with this name., property of the request body.
- **end_date** (*string*) – End date of the scheduled backup job. Allowed format MM/DD/YYYY. End date is not required in case of ONE_TIME frequency., property of the request body.
- **frequency** (*string*) – frequency, property of the request body. Available values are 'DAILY', 'MONTHLY', 'ONCE' and 'WEEKLY'.
- **month_day** (*string*) – Day of month you want backup to be performed on when scheduled frequency is MONTHLY. Allowed values from 1 to 28., property of the request body.
- **repository_name** (*string*) – Name of the configured repository where the generated backup file will get copied., property of the request body.
- **start_date** (*string*) – Start date for scheduling the backup job. Allowed format MM/DD/YYYY., property of the request body.

- **status** (*string*) – status, property of the request body. Available values are ‘DISABLE’ and ‘ENABLE’.
- **time** (*string*) – Time at which backup job get scheduled. example 12:00 AM, property of the request body.
- **week_day** (*string*) – weekDay, property of the request body. Available values are ‘FRI’, ‘MON’, ‘SAT’, ‘SUN’, ‘THU’, ‘TUE’ and ‘WED’.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(backup_description=None, backup_encryption_key=None, backup_name=None, end_date=None,
        frequency=None, month_day=None, repository_name=None, start_date=None, status=None,
        time=None, week_day=None, headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Alias for *create_scheduled_config_backup*

certificate_profile

class CertificateProfile

Identity Services Engine CertificateProfile API (version: 3.1.1).

Wraps the Identity Services Engine CertificateProfile API and exposes the API as native Python methods that return native Python objects.

```
get_certificate_profile_by_name(name, headers=None, **query_parameters)
```

This API allows the client to get a certificate profile by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_certificate_profile_by_name*

get_certificate_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a certificate profile by ID.

Parameters

- **id (basestring)** – id path parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_certificate_profile_by_id*

```
update_certificate_profile_by_id(id, allowed_as_user_name=None,  
                                certificate_attribute_name=None, description=None,  
                                external_identity_store_name=None, match_mode=None,  
                                name=None, username_from=None, headers=None,  
                                payload=None, active_validation=True, **query_parameters)
```

This API allows the client to update a certificate profile.

Parameters

- **allowed_as_user_name** (*boolean*) – allowedAsUserName, property of the request body.
- **certificate_attribute_name** (*string*) – Attribute name of the Certificate Profile used only when CERTIFICATE is chosen in usernameFrom. Allowed values: SUBJECT_COMMON_NAME SUBJECT_ALTERNATIVE_NAME SUBJECT_SERIAL_NUMBER SUBJECT SUBJECT_ALTERNATIVE_NAME_OTHER_NAME SUBJECT_ALTERNATIVE_NAME_EMAIL SUBJECT_ALTERNATIVE_NAME_DNS. Additional internal value ALL_SUBJECT_AND_ALTERNATIVE_NAMES is used automatically when usernameFrom=UPN, property of the request body.
- **description** (*string*) – description, property of the request body.
- **external_identity_store_name** (*string*) – Referred IDStore name for the Certificate Profile or [not applicable] in case no identity store is chosen, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **match_mode** (*string*) – Match mode of the Certificate Profile. Allowed values: NEVER RESOLVE_IDENTITY_AMBIGUITY BINARY_COMPARISON, property of the request body.
- **name** (*string*) – name, property of the request body.
- **username_from** (*string*) – The attribute in the certificate where the user name should be taken from. Allowed values: CERTIFICATE (for a specific attribute as defined in certificateAttributeName) UPN (for using any Subject or Alternative Name Attributes in the Certificate an option only in AD), property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *allowed_as_user_name=None*, *certificate_attribute_name=None*, *description=None*, *external_identity_store_name=None*, *match_mode=None*, *name=None*, *username_from=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_certificate_profile_by_id*

get_certificate_profile(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the certificate profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_certificate_profile*

get_certificate_profile_generator(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the certificate profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_certificate_profile_generator*

create_certificate_profile(*allowed_as_user_name=None, certificate_attribute_name=None, description=None, external_identity_store_name=None, id=None, match_mode=None, name=None, username_from=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create a certificate profile.

Parameters

- **allowed_as_user_name** (*boolean*) – allowedAsUserName, property of the request body.
- **certificate_attribute_name** (*string*) – Attribute name of the Certificate Profile used only when CERTIFICATE is chosen in usernameFrom. Allowed values: SUBJECT_COMMON_NAME SUBJECT_ALTERNATIVE_NAME SUBJECT_SERIAL_NUMBER SUBJECT SUBJECT_ALTERNATIVE_NAME_OTHER_NAME SUBJECT_ALTERNATIVE_NAME_EMAIL SUBJECT_ALTERNATIVE_NAME_DNS. Additional internal value ALL_SUBJECT_AND_ALTERNATIVE_NAMES is used automatically when usernameFrom=UPN, property of the request body.
- **description** (*string*) – description, property of the request body.
- **external_identity_store_name** (*string*) – Referred IDStore name for the Certificate Profile or [not applicable] in case no identity store is chosen, property of the request body.
- **id** (*string*) – id, property of the request body.
- **match_mode** (*string*) – Match mode of the Certificate Profile. Allowed values: NEVER RESOLVE_IDENTITY_AMBIGUITY BINARY_COMPARISON, property of the request body.
- **name** (*string*) – name, property of the request body.
- **username_from** (*string*) – The attribute in the certificate where the user name should be taken from. Allowed values: CERTIFICATE (for a specific attribute as defined in certificateAttributeName) UPN (for using any Subject or Alternative Name Attributes in the Certificate an option only in AD), property of the request body.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*allowed_as_user_name=None, certificate_attribute_name=None, description=None, external_identity_store_name=None, id=None, match_mode=None, name=None, username_from=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_certificate_profile*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the certificate profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

certificate_template

class CertificateTemplate

Identity Services Engine CertificateTemplate API (version: 3.1.1).

Wraps the Identity Services Engine CertificateTemplate API and exposes the API as native Python methods that return native Python objects.

get_certificate_template_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a certificate template by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_certificate_template_by_name*

get_certificate_template_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a certificate template by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_certificate_template_by_id`

`get_certificate_template(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get aall the certificate templates.

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(page=None, size=None, headers=None, **query_parameters)`

Alias for `get_certificate_template`

`get_certificate_template_generator(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get aall the certificate templates.

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_certificate_template_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the certificate template.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

certificates

class Certificates

Identity Services Engine Certificates API (version: 3.1.1).

Wraps the Identity Services Engine Certificates API and exposes the API as native Python methods that return native Python objects.

get_csrs(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName subject timeStamp Supported Date Format: yyyy-MM-dd HH:mm:ss.SSS Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_csrs_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName subject timeStamp Supported Date Format: yyyy-MM-dd HH:mm:ss.SSS Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.


```
generate_csr(allow_wild_card_cert=None, certificate_policies=None, digest_type=None,
             hostnames=None, key_length=None, key_type=None, portal_group_tag=None,
             san_dir=None, san_dns=None, san_ip=None, san_uri=None, subject_city=None,
             subject_common_name=None, subject_country=None, subject_org=None,
             subject_org_unit=None, subject_state=None, used_for=None, headers=None,
             payload=None, active_validation=True, **query_parameters)
```

Generate a certificate signing request for Multi-Use, Admin, EAP Authentication, RADIUS DTLS, Px-Grid, SAML, Portal and IMS Services. Following parameters are present in POST request body

PARAMETER DESCRIPTION EXAMPLE

hostnames List of Cisco ISE node hostnames for which CSRs should be generated “hostnames”: [“ise-host1”, “ise-host2”]

allowWildCardCert Allow use of WildCards in certificates “allowWildCardCert”: false

keyLength * required Length of the key used for CSR generation (required). “keyLength”: “512”

keyType * required Type of key used for CSR generation either RSA or ECDSA (required). “keyType”: “RSA”

digestType * required Hash algorithm used for signing CSR (required). “digestType”: “SHA-256”

usedFor * required Certificate usage (required). “usedFor”: “MULTI-USE”

certificatePolicies Certificate policy OID or list of OIDs that the certificate should conform to. Use comma or space to separate the OIDs. “certificatePolicies”: “Certificate Policies”

subjectCommonName * required Certificate common name (CN) (required). “subjectCommonName”: “\$FQDN\$”

subjectOrgUnit Certificate organizational unit (OU). “subjectOrgUnit”: “Engineering”

subjectOrg Certificate organization (O). “subjectOrg”: “Cisco”

subjectCity Certificate city or locality (L). “subjectCity”: “San Jose”

subjectState Certificate state (ST). “subjectState”: “California”

subjectCountry Certificate country (C). “subjectCountry”: “US”

sanDNS Array of SAN (Subject Alternative Name) DNS entries (optional). “sanDNS”: [“ise.example.com”]

sanIP Array of SAN IP entries (optional). “sanIP”: [“1.1.1.1”]

sanURI Array of SAN URI entries (optional). “sanURI”: [“https://1.1.1.1”]

sanDir Array of SAN DIR entries (optional). “sanDir”: [“CN=AAA,DC=COM,C=IL”]

portalGroupTag Portal Group Tag when using certificate for PORTAL service “portalGroupTag”: “Default Portal Certificate Group”

NOTE: For allowWildCardCert to be false, the below mentioned parameter is mandatory: hostnames

When certificate is selected to be used for Portal Service, the below mentioned parameter is mandatory: portalGroupTag .

Parameters

- **allow_wild_card_cert** (*boolean*) – allowWildCardCert, property of the request body.
- **certificate_policies** (*string*) – certificatePolicies, property of the request body.
- **digest_type** (*string*) – digestType, property of the request body. Available values are ‘SHA-256’, ‘SHA-384’ and ‘SHA-512’.
- **hostnames** (*list*) – hostnames, property of the request body (list of strings).
- **key_length** (*string*) – keyLength, property of the request body. Available values are ‘1024’, ‘2048’, ‘4096’ and ‘512’.
- **key_type** (*string*) – keyType, property of the request body. Available values are ‘ECDSA’ and ‘RSA’.
- **portal_group_tag** (*string*) – portalGroupTag, property of the request body.
- **san_dns** (*list*) – sanDNS, property of the request body (list of strings).
- **san_dir** (*list*) – sanDir, property of the request body (list of strings).
- **san_ip** (*list*) – sanIP, property of the request body (list of strings).
- **san_uri** (*list*) – sanURI, property of the request body (list of strings).
- **subject_city** (*string*) – subjectCity, property of the request body.
- **subject_common_name** (*string*) – subjectCommonName, property of the request body.
- **subject_country** (*string*) – subjectCountry, property of the request body.
- **subject_org** (*string*) – subjectOrg, property of the request body.

- **subject_org_unit** (*string*) – subjectOrgUnit, property of the request body.
- **subject_state** (*string*) – subjectState, property of the request body.
- **used_for** (*string*) – usedFor, property of the request body. Available values are ‘ADMIN’, ‘DTLS- AUTH’, ‘EAP-AUTH’, ‘IMS’, ‘MULTI-USE’, ‘PORTAL’, ‘PXGRID’ and ‘SAML’.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

export_csr(*hostname, id, dirpath=None, save_file=None, headers=None, **query_parameters*)

Response of this API carries a CSR corresponding to the requested ID.

Parameters

- **hostname** (*basestring*) – hostname path parameter. Hostname to which the CSR belongs.
- **id** (*basestring*) – id path parameter. ID of the CSR to be exported.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to os.getcwd().
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type `urllib3.response.HTTPResponse`

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

generate_intermediate_ca_csr(*headers=None, **query_parameters*)
CSR Generation for Intermediate Certificates.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_csr_by_id(*host_name, id, headers=None, **query_parameters*)

This API displays details of a Certificate Signing Request of a particular node for given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which CSR's should be returned.
- **id** (*basestring*) – id path parameter. ID of the Certificate Signing Request returned.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_csr_by_id(*host_name, id, headers=None, **query_parameters*)

This API deletes a Certificate Signing Request of a particular node based on given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which CSR's should be deleted.
- **id** (*basestring*) – id path parameter. ID of the Certificate Signing Request to be deleted.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

regenerate_ise_root_ca(*remove_existing_ise_intermediate_csr=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API initiates regeneration of Cisco ISE root CA certificate chain. Response contains ID which can be used to track the status. Setting “removeExistingISEIntermediateCSR” to true removes existing Cisco ISE Intermediate CSR.

Parameters

- **remove_existing_ise_intermediate_csr** (*boolean*) – Setting this attribute to true removes existing Cisco ISE Intermediate CSR, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

renew_certificates(*cert_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API initiates regeneration of certificates. Response contains ID which can be used to track the status.

Parameters

- **`cert_type`** (*string*) – certType, property of the request body. Available values are 'IMS' and 'OCSP'.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

```
bind_csr(admin=None, allow_extended_validity=None, allow_out_of_date_cert=None,
allow_replacement_of_certificates=None, allow_replacement_of_portal_group_tag=None,
data=None, eap=None, host_name=None, id=None, ims=None, name=None, portal=None,
portal_group_tag=None, pxgrid=None, radius=None, saml=None,
validate_certificate_extensions=None, headers=None, payload=None, active_validation=True,
**query_parameters)
```

Bind CA Signed Certificate. **NOTE: This API requires an** existing Certificate Signing Request, and the root certificate must already be trusted. **NOTE:** The certificate may have a validity period longer than 398 days. It may be untrusted by many browsers. **NOTE:** Request parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following parameters are used in POST body
PARAMETER DESCRIPTION EXAMPLE name Friendly name of the certificate. “name”: “CA Signed Certificate” data * required Plain-text contents of the certificate file. Every space needs to be replaced with newline escape sequence (

) (required). Use awk ‘NF {sub(/

/, “”); printf “%sn”, \$0;}’ <<your .pem file>> to extract data from certificate file. “data”: “Plain-text contents of the certificate file.” allowExtendedValidity * required Allow the certificates greater than validity of 398 days (required). “allowExtendedValidity”: true allowOutOfDateCert * required Allow out of date certificates (required). SECURITY ALERT: It is recommended to use “allowOutOfDateCert”: false to avoid binding of expired certificates (not Secure). “allowOutOfDateCert”: true allowReplacementOfCertificates * required Allow Replacement of certificates (required). “allowReplacementOfCertificates”: true allowReplacementOfPortalGroupTag * required Allow Replacement of Portal Group Tag (required). “allowReplacementOfPortalGroupTag”: true admin Use certificate to authenticate the Cisco ISE Admin Portal “admin”: false eap Use certificate for EAP protocols that use SSL/TLS tunneling “eap”: false radius Use certificate for RADSec server “radius”: false pxgrid Use certificate for the pxGrid Controller “pxgrid”: false ims Use certificate for the Cisco ISE Messaging Service “ims”: false saml Use certificate for SAML Signing “saml”: false portal Use certificate for portal “portal”: false portalGroupTag Portal Group Tag for using certificate with portal role “portalGroupTag”: “Default Portal Certificate Group” validateCertificateExtensions Validate Certificate Extensions “validateCertificateExtensions”: false Following roles can be used in any combinations
ROLE DEFAULT WARNING Admin False Enabling Admin role for this certificate causes an application server restart on the selected node. Note: Make sure required Certificate Chain is imported under Trusted Certificates EAP Authentication False Only one system certificate can be used for EAP. Assigning EAP to this certificate removes the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates RADIUS DTLS False Only one system certificate can be used for DTLS. Assigning DTLS to this certificate removes the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates SAML False SAML cannot be used with other Usage. Enabling SAML unchecks all other Usage. Note: Make sure required Certificate Chain is imported under Trusted Certificates .

Args:

admin(boolean): Use certificate to authenticate the Cisco ISE Admin Portal, property of the request body.

allow_extended_validity(boolean): Allow import of certificates with validity greater than 398 days (required), property of the request body.

allow_out_of_date_cert(boolean): Allow out of date certificates (required), property of the request body.

allow_replacement_of_certificates(boolean): Allow Replacement of certificates (required), property of the request body.

allow_replacement_of_portal_group_tag(boolean): Allow Replacement of Portal Group Tag

(required), property of the request body.

data(string): Signed certificate data (required), property of the request body.

eap(boolean): Use certificate for EAP protocols that use SSL/TLS tunneling, property of the request body.

host_name(string): Name of Host whose CSR ID has been provided (required), property of the request body.

id(string): ID of the generated CSR (required), property of the request body.

ims(boolean): Use certificate for the Cisco ISE Messaging Service, property of the request body.

name(string): Friendly Name of the certificate, property of the request body.

portal(boolean): Use for portal, property of the request body.

portal_group_tag(string): Set Group tag, property of the request body.

pxgrid(boolean): Use certificate for the pxGrid Controller, property of the request body.

radius(boolean): Use certificate for the RADSec server, property of the request body.

saml(boolean): Use certificate for SAML Signing, property of the request body.

validate_certificate_extensions(boolean): Validate Certificate Extensions, property of the request body.

headers(dict): Dictionary of HTTP Headers to send with the Request .

payload(dict): A JSON serializable Python object to send in the body of the Request.

active_validation(bool): Enable/Disable payload validation. Defaults to True.

****query_parameters: Additional query parameters (provides support for parameters that may be added in the future).**

Returns:

RestResponse: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Raises: TypeError: If the parameter types are incorrect. MalformedRequest: If the request body created is invalid. ApiError: If the Identity Services Engine cloud returns an error.

export_system_certificate(*export=None, id=None, password=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Export System Certificate. Following parameters are used in POST body
PARAMETER DESCRIPTION EXAMPLE
id * required ID of a System Certificate (required). "id": "CERT-ID"
export One of the below option is required "CERTIFICATE" : Export only certificate without private key "CERTIFICATE_WITH_PRIVATE_KEY" : Export both certificate and private key ("certificatePassword" is required). "export": "CERTIFICATE_WITH_PRIVATE_KEY" password * required Certificate password (required if "export" : CERTIFICATE_WITH_PRIVATE_KEY). Password constraints: Alphanumeric Minimum of 8 Characters Maximum of 100 Characters "password": "certificate password" **NOTE:** The

response of this API carries a ZIP file containing the certificate and private key if “export” : “CERTIFICATE_WITH_PRIVATE_KEY” in the request. If “export” : “CERTIFICATE” in request body, the response carries a ZIP file containing only the certificate. WARNING: Exporting a private key is not a secure operation. It could lead to possible exposure of the private key. .

Parameters

- **export** (*string*) – export, property of the request body. Available values are ‘CERTIFICATE’ and ‘CERTIFICATE_WITH_PRIVATE_KEY’.
- **id** (*string*) – id, property of the request body.
- **password** (*string*) – password, property of the request body.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to `os.getcwd()`.
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type `urllib3.response.HTTPResponse`

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

```
generate_self_signed_certificate(admin=None, allow_extended_validity=None,
                                allow_portal_tag_transfer_for_same_subject=None,
                                allow_replacement_of_certificates=None,
                                allow_replacement_of_portal_group_tag=None,
                                allow_role_transfer_for_same_subject=None,
                                allow_san_dns_bad_name=None,
                                allow_san_dns_non_resolvable=None,
                                allow_wild_card_certificates=None, certificate_policies=None,
                                digest_type=None, eap=None, expiration_ttl=None,
                                expiration_ttl_unit=None, host_name=None, key_length=None,
                                key_type=None, name=None, portal=None,
                                portal_group_tag=None, pxgrid=None, radius=None, saml=None,
                                san_dns=None, san_ip=None, san_uri=None, subject_city=None,
                                subject_common_name=None, subject_country=None,
                                subject_org=None, subject_org_unit=None, subject_state=None,
                                headers=None, payload=None, active_validation=True,
                                **query_parameters)
```

Generate Self-signed Certificate NOTE: The certificate may have a validity period longer than 398 days. It may be untrusted by many browsers. NOTE: Request parameters accepting True and False as input

can be replaced by 1 and 0 respectively. NOTE: Wildcard certificate and SAML certificate can be generated only on PPA or Standalone Following parameters are used in POST body PARAMETER DESCRIPTION EXAMPLE `hostName` * required Hostname or FQDN of the node in which certificate needs to be created (required). `hostName`: `"ise-node-001"` name Friendly name of the certificate. `name`: `"Self-signed System Certificate"` `subjectCommonName` Certificate common name (CN) NOTE: 1. CN is Mandatory if SAN not configured. 2. Subject can contain a multi- valued CN. For multi-valued RDNs, follow the format `"CN=value1, CN=value2"` `subjectCommonName`: `"$FQDN$"` `subjectOrgUnit` Certificate organizational unit (OU) NOTE: Subject can contain a multi-valued OU. For multi- valued RDNs, follow the format `"OU=value1, OU=value2"` `subjectOrgUnit`: `"Engineering"` `subjectOrg` Certificate organization (O) NOTE: Subject can contain a multi-valued O fields. For multi-valued RDNs, follow the format `"O=value1, O=value2"` `subjectOrg`: `"Cisco"` `subjectCity` Certificate city or locality (L) `subjectCity`: `"San Jose"` `subjectState` Certificate state (ST) `subjectState`: `"California"` `subjectCountry` Certificate country (C) `subjectCountry`: `"US"` `sanDNS` Array of SAN (Subject Alternative Name) DNS entries `sanDNS`: `["ise.example.com"]` `sanIP` Array of SAN IP entries `sanIP`: `["1.1.1.1"]` `sanURI` Array of SAN URI entries `sanURI`: `["https://1.1.1.1"]` `keyType` * required Algorithm to use for certificate public key creation (required). `keyType`: `"RSA"` `keyLength` * required Bit size of the public key (required). `keyLength`: `"4096"` `digestType` * required Digest to sign with (required). `digestType`: `"SHA-384"` `certificatePolicies` Certificate policy OID or list of OIDs that the certificate should conform to. Use comma or space to separate the OIDs. `certificatePolicies`: `"Certificate Policies"` `expirationTTL` * required Certificate expiration value (required). NOTE: Expiration TTL should be within Unix time limit `expirationTTL`: 2 `expirationTTLUnit` * required Certificate expiration unit (required). `expirationTTLUnit`: `"years"` `admin` Use certificate to authenticate the Cisco ISE Admin Portal `admin`: false `eap` Use certificate for EAP protocols that use SSL/TLS tunneling `eap`: false `radius` Use certificate for RADSec server `radius`: false `pxgrid` Use certificate for the pxGrid Controller `pxgrid`: false `saml` Use certificate for SAML Signing `saml`: false `portal` Use certificate for portal `portal`: false `portalGroupTag` Portal Group Tag for using certificate with portal role `portalGroupTag`: `"Default Portal Certificate Group"` `allowReplacementOfPortalGroupTag` * required Allow Replacement of Portal Group Tag (required). `allowReplacementOfPortalGroupTag`: true `allowWildcardCertificates` Allow use of WildCards in certificates `allowWildcardCertificates`: false `allowReplacementOfCertificates` * required Allow replacement of certificates (required). `allowReplacementOfCertificates`: true `allowExtendedValidity` * required Allow generation of self-signed certificate with validity greater than 398 days (required). `allowExtendedValidity`: true `allowRoleTransferForSameSubject` * required Allow the transfer of roles to certificates with same subject (required). If the matching certificate on Cisco ISE has either admin or portal role and if request has admin or portal role selected along with `allowRoleTransferForSameSubject` parameter as true, self- signed certificate would be generated with both admin and portal role enabled `allowRoleTransferForSameSubject`: true `allowPortalTagTransferForSameSubject` * required Acquire the group tag of the matching certificate (required). If the request portal group tag is different from the group tag of matching certificate (If matching certificate in Cisco ISE has portal role enabled), self- signed certificate would be generated by acquiring the group tag of matching certificate if `allowPortalTagTransferForSameSubject` parameter is true `allowPortalTagTransferForSameSubject`: true `allowSanDnsBadName` * required Allow generation of self-signed certificate with bad Common Name & SAN Values [like `"example.org."`, `"invalid."`, `"test."`, `"localhost"`, etc.] (required). SECURITY ALERT: It is recommended to use `allowSanDnsBadName`: false to avoid generation of certificates with bad Common Name & SAN Values which are not secure `allowSanDnsBadName`: true `allowSanDnsNonResolvable` * required Allow generation of self-signed certificate with non resolvable Common Name or SAN Values (required). `allowSanDnsNonResolvable`: true **ROLE DEFAULT WARNING** Admin False Enabling Admin role for this certificate causes an application server restart on the selected node. EAP Authentication False Only one system certificate can be used for EAP. Assigning EAP to this certificate removes the assignment from another certificate. RADIUS DTLS False Only one system certificate can be used for DTLS. Assigning DTLS to this certificate removes the assignment from another certificate. SAML False SAML cannot be used with other Usage. .

Parameters

- **admin** (*boolean*) – Use certificate to authenticate the Cisco ISE Admin Portal, property of the request body.

- **allow_extended_validity** (*boolean*) – Allow generation of self-signed certificate with validity greater than 398 days, property of the request body.
- **allow_portal_tag_transfer_for_same_subject** (*boolean*) – Allow overwriting the portal tag from matching certificate of same subject, property of the request body.
- **allow_replacement_of_certificates** (*boolean*) – Allow Replacement of certificates, property of the request body.
- **allow_replacement_of_portal_group_tag** (*boolean*) – Allow Replacement of Portal Group Tag, property of the request body.
- **allow_role_transfer_for_same_subject** (*boolean*) – Allow transfer of roles for certificate with matching subject, property of the request body.
- **allow_san_dns_bad_name** (*boolean*) – Allow usage of SAN DNS Bad name, property of the request body.
- **allow_san_dns_non_resolvable** (*boolean*) – Allow use of non resolvable Common Name or SAN Values, property of the request body.
- **allow_wild_card_certificates** (*boolean*) – Allow Wildcard Certificates, property of the request body.
- **certificate_policies** (*string*) – Certificate Policies, property of the request body.
- **digest_type** (*string*) – Digest to sign with, property of the request body. Available values are ‘SHA-256’, ‘SHA-384’ and ‘SHA-512’.
- **eap** (*boolean*) – Use certificate for EAP protocols that use SSL/TLS tunneling, property of the request body.
- **expiration_ttl** (*integer*) – Certificate expiration value, property of the request body.
- **expiration_ttl_unit** (*string*) – Certificate expiration unit, property of the request body. Available values are ‘days’, ‘months’, ‘weeks’ and ‘years’.
- **host_name** (*string*) – Hostname of the Cisco ISE node in which self-signed certificate should be generated., property of the request body.
- **key_length** (*string*) – Bit size of public key, property of the request body. Available values are ‘1024’, ‘2048’, ‘4096’ and ‘512’.
- **key_type** (*string*) – Algorithm to use for certificate public key creation, property of the request body. Available values are ‘ECDSA’ and ‘RSA’.
- **name** (*string*) – Friendly name of the certificate., property of the request body.
- **portal** (*boolean*) – Use for portal, property of the request body.
- **portal_group_tag** (*string*) – Set Group tag, property of the request body.
- **pxgrid** (*boolean*) – Use certificate for the pxGrid Controller, property of the request body.
- **radius** (*boolean*) – Use certificate for the RADSec server, property of the request body.
- **saml** (*boolean*) – Use certificate for SAML Signing, property of the request body.
- **san_dns** (*list*) – Array of SAN (Subject Alternative Name) DNS entries, property of the request body (list of strings).
- **san_ip** (*list*) – Array of SAN IP entries, property of the request body (list of strings).
- **san_uri** (*list*) – Array of SAN URI entries, property of the request body (list of strings).

- **subject_city** (*string*) – Certificate city or locality (L), property of the request body.
- **subject_common_name** (*string*) – Certificate common name (CN), property of the request body.
- **subject_country** (*string*) – Certificate country (C), property of the request body.
- **subject_org** (*string*) – Certificate organization (O), property of the request body.
- **subject_org_unit** (*string*) – Certificate organizational unit (OU), property of the request body.
- **subject_state** (*string*) – Certificate state (ST), property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
import_system_certificate(admin=None, allow_extended_validity=None,
                        allow_out_of_date_cert=None,
                        allow_portal_tag_transfer_for_same_subject=None,
                        allow_replacement_of_certificates=None,
                        allow_replacement_of_portal_group_tag=None,
                        allow_role_transfer_for_same_subject=None,
                        allow_sha1_certificates=None, allow_wild_card_certificates=None,
                        data=None, eap=None, ims=None, name=None, password=None,
                        portal=None, portal_group_tag=None, private_key_data=None,
                        pxgrid=None, radius=None, saml=None,
                        validate_certificate_extensions=None, headers=None, payload=None,
                        active_validation=True, **query_parameters)
```

Import an X509 certificate as a system certificate. NOTE: The certificate may have a validity period longer than 398 days. It may be untrusted by many browsers. NOTE: Request parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following parameters are used in POST body
 PARAMETER DESCRIPTION EXAMPLE name Friendly name of the certificate. "name":

“System certificate” password * required Password of the certificate to be imported (required). “password”: “certificate password” data * required Plain-text contents of the certificate file. Every space needs to be replaced with newline escape sequence (

) (required). Use awk ‘NF {sub(/

/, “”); printf “%sn”, \$0;}’ <<your .pem file>> to extract data from certificate file. “data”: “Plain-text contents of the certificate file.” privateKeyData * required Plain-text contents of the private key file. Every space needs to be replaced with newline escape sequence (

) (required). Use awk ‘NF {sub(/

/, “”); printf “%sn”, \$0;}’ <<your .pem file>> to extract privateKeyData from private key file. “data”: “Plain-text contents of the private key file.” allowOutOfDateCert * required Allow out of date certificates (required). SECURITY ALERT: It is recommended to use “allowOutOfDateCert”: false to avoid import of expired certificates (not Secure). “allowOutOfDateCert”: true allowSHA1certificates * required Allow import of certificate with signature that uses the SHA-1 hashing algorithm and is considered less secure (required). SECURITY ALERT: It is recommended to use “allowSHA1certificates”: false to avoid import of SHA1 based certificates (less secure). “allowSHA1certificates”: true allowExtendedValidity * required Allow the certificates greater than validity of 398 days (required). “allowExtendedValidity”: true allowRoleTransferForSameSubject Allow the transfer of roles to certificates with same subject “allowRoleTransferForSameSubject”: true allowPortalTagTransferForSameSubject Acquire the group tag of the matching certificate “allowPortalTagTransferForSameSubject”: true admin Use certificate to authenticate the Cisco ISE Admin Portal “admin”: false eap Use certificate for EAP protocols that use SSL/TLS tunneling “eap”: false radius Use certificate for RADSec server “radius”: false pxgrid Use certificate for the pxGrid Controller “pxgrid”: false ims Use certificate for the Cisco ISE Messaging Service “ims”: false saml Use certificate for SAML Signing “saml”: false portal Use certificate for portal “portal”: false portalGroupTag Portal Group Tag for using certificate with portal role “portalGroupTag”: “Default Portal certificate Group” allowReplacementOfPortalGroupTag * required Allow Replacement of Portal Group Tag (required). “allowReplacementOfPortalGroupTag”: true allowWildCardcertificates Allow use of WildCards in certificates “allowWildCardcertificates”: false validatecertificateExtensions Validate certificate extensions “validatecertificateExtensions”: false Following roles can be used in any combinations ROLE DEFAULT WARNING Admin False Enabling Admin role for this certificate causes an application server restart on the selected node. Note: Make sure required Certificate Chain is imported under Trusted Certificates EAP Authentication False Only one system certificate can be used for EAP. Assigning EAP to this certificate removes the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates RADIUS DTLS False Only one system certificate can be used for DTLS. Assigning DTLS to this certificate removes the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates SAML False SAML cannot be used with other Usage. Enabling SAML unchecks all other Usage. Note: Make sure required Certificate Chain is imported under Trusted Certificates .

Args:

admin(boolean): Use certificate to authenticate the Cisco ISE Admin Portal, property of the request body.

allow_extended_validity(boolean): Allow import of certificates with validity greater than 398 days (required), property of the request body.

allow_out_of_date_cert(boolean): Allow out of date certificates (required), property of the request body.

allow_portal_tag_transfer_for_same_subject(boolean): Allow overwriting the portal tag from matching certificate of same subject, property of the request body.

allow_replacement_of_certificates(boolean): Allow Replacement of certificates (required), property of the request body.

allow_replacement_of_portal_group_tag(boolean): Allow Replacement of Portal Group Tag (required), property of the request body.

allow_role_transfer_for_same_subject(boolean): Allow transfer of roles for certificate with matching subject, property of the request body.

allow_sha1_certificates(boolean): Allow SHA1 based certificates (required), property of the request body.

allow_wild_card_certificates(boolean): Allow Wildcard certificates, property of the request body.

data(string): Certificate Content (required), property of the request body.

eap(boolean): Use certificate for EAP protocols that use SSL/TLS tunneling, property of the request body.

ims(boolean): Use certificate for the Cisco ISE Messaging Service, property of the request body.

name(string): Name of the certificate, property of the request body.

password(string): Certificate Password (required), property of the request body.

portal(boolean): Use for portal, property of the request body.

portal_group_tag(string): Set Group tag, property of the request body.

private_key_data(string): Private Key data (required), property of the request body.

pxgrid(boolean): Use certificate for the pxGrid Controller, property of the request body.

radius(boolean): Use certificate for the RADSec server, property of the request body.

saml(boolean): Use certificate for SAML Signing, property of the request body.

validate_certificate_extensions(boolean): Validate certificate extensions, property of the request body.

headers(dict): Dictionary of HTTP Headers to send with the Request .

payload(dict): A JSON serializable Python object to send in the body of the Request.

active_validation(bool): Enable/Disable payload validation. Defaults to True.

****query_parameters:** Additional query parameters (provides support for parameters that may be added in the future).

Returns:

RestResponse: REST response with following properties:

- **headers(MyDict):** response headers.
- **response(MyDict):** response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes):** representation of the request's response
- **text(str):** representation of the request's response

Raises: TypeError: If the parameter types are incorrect. MalformedRequest: If the request body created is invalid. ApiError: If the Identity Services Engine cloud returns an error.

get_system_certificates(*host_name*, *filter=None*, *filter_type=None*, *page=None*, *size=None*, *sort=None*, *sort_by=None*, *headers=None*, ***query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName issuedTo issuedBy validFrom Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which system certificates should be returned.
- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_system_certificates_generator(host_name, filter=None, filter_type=None, page=None,
                                   size=None, sort=None, sort_by=None, headers=None,
                                   **query_parameters)
```

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName issuedTo issuedBy validFrom Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT .

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which system certificates should be returned.
- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_system_certificate_by_id(*host_name*, *id*, *headers=None*, ***query_parameters*)

This API provides details of a System Certificate of a particular node based on given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host of which system certificates should be returned.
- **id** (*basestring*) – id path parameter. ID of the system certificate.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_system_certificate(*host_name*, *id*, *admin=None*,
 allow_portal_tag_transfer_for_same_subject=None,
 allow_replacement_of_portal_group_tag=None,
 allow_role_transfer_for_same_subject=None, *description=None*,
 eap=None, *expiration_ttl_period=None*, *expiration_ttl_units=None*,
 ims=None, *name=None*, *portal=None*, *portal_group_tag=None*,
 pxgrid=None, *radius=None*, *renew_self_signed_certificate=None*,
 saml=None, *headers=None*, *payload=None*, *active_validation=True*,
 ***query_parameters*)

Update a System Certificate. NOTE: Renewing a certificate causes an application server restart on the selected node. NOTE: Request parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following parameters are used in POST body
PARAMETER DESCRIPTION EXAMPLE
name Friendly name of the certificate. “name”: “System Certificate”
description Description of the certificate “description”: “Description of certificate”
admin Use certificate to authenticate the Cisco ISE Admin Portal “admin”: false
eap Use certificate for EAP protocols that use SSL/TLS tunneling “eap”: false
radius Use certificate for RADSec server “radius”: false
pxgrid Use certificate for the pxGrid Controller “pxgrid”: false
ims Use certificate for the Cisco ISE Messaging Service “ims”: false
saml Use certificate for SAML Signing “saml”: false
portal Use certificate for portal “portal”: false
portalGroupTag Portal Group Tag for using certificate with portal role “portalGroupTag”: “Default Portal Certificate Group”
allowReplacementOfPortalGroupTag * required Allow Replacement of Portal Group Tag (required). “allowReplacementOfPortalGroupTag”: true
allowRoleTransferForSameSubject * required t Allow transfer of roles to certificates with same subject (required). “allowRoleTransferForSameSubject”: true
allowPortalTagTransferForSameSubject * required Acquire group tag of the matching certificate (required). “allowPortalTagTransferForSameSubject”: true
renewSelfSignedCertificate Renew Self- signed Certificate

“renewSelfSignedCertificate”: false expirationTTLPeriod Expiration Period “expirationTTLPeriod”: 365 expirationTTLUnits Expiration Units in one of the below formats days / weeks / months / years “expirationTTLUnits”: “days” Following roles can be used in any combinations ROLE DEFAULT WARNING Admin False Enabling Admin role for this certificate causes an application server restart on the selected node. Note: Make sure required Certificate Chain is imported under Trusted Certificates EAP Authentication False Only one system certificate can be used for EAP. Assigning EAP to this certificate removes the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates RADIUS DTLS False Only one system certificate can be used for DTLS. Assigning DTLS to this certificate removes the assignment from another certificate. Note: Make sure required Certificate Chain is imported under Trusted Certificates SAML False SAML cannot be used with other Usage. Enabling SAML unchecks all other Usage. Note: Make sure required Certificate Chain is imported under Trusted Certificates .

Parameters

- **admin** (*boolean*) – Use certificate to authenticate the Cisco ISE Admin Portal, property of the request body.
- **allow_portal_tag_transfer_for_same_subject** (*boolean*) – Allow overwriting the portal tag from matching certificate of same subject, property of the request body.
- **allow_replacement_of_portal_group_tag** (*boolean*) – Allow Replacement of Portal Group Tag (required), property of the request body.
- **allow_role_transfer_for_same_subject** (*boolean*) – Allow transfer of roles for certificate with matching subject , property of the request body.
- **description** (*string*) – Description of System Certificate, property of the request body.
- **eap** (*boolean*) – Use certificate for EAP protocols that use SSL/TLS tunneling, property of the request body.
- **expiration_ttl_period** (*integer*) – expirationTTLPeriod, property of the request body.
- **expiration_ttl_units** (*string*) – expirationTTLUnits, property of the request body. Available values are ‘days’, ‘months’, ‘weeks’ and ‘years’.
- **ims** (*boolean*) – Use certificate for the Cisco ISE Messaging Service, property of the request body.
- **name** (*string*) – Name of the certificate, property of the request body.
- **portal** (*boolean*) – Use for portal, property of the request body.
- **portal_group_tag** (*string*) – Set Group tag, property of the request body.
- **pxgrid** (*boolean*) – Use certificate for the pxGrid Controller, property of the request body.
- **radius** (*boolean*) – Use certificate for the RADSec server, property of the request body.
- **renew_self_signed_certificate** (*boolean*) – Renew Self- signed Certificate, property of the request body.
- **saml** (*boolean*) – Use certificate for SAML Signing, property of the request body.
- **id** (*basestring*) – id path parameter. ID of the System Certificate to be updated.
- **host_name** (*basestring*) – hostName path parameter. Name of Host whose certificate needs to be updated.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_system_certificate_by_id(*host_name*, *id*, *headers=None*, ***query_parameters*)

This API deletes a System Certificate of a particular node based on given HostName and ID.

Parameters

- **host_name** (*basestring*) – hostName path parameter. Name of the host from which System Certificate needs to be deleted.
- **id** (*basestring*) – id path parameter. ID of the System Certificate to be deleted.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_trusted_certificates(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned attributes: friendlyName subject issuedTo issuedBy validFrom Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT status Allowed values: enabled, disabled Supported Operators: EQ, NEQ .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_trusted_certificates_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

This API supports Filtering, Sorting and Pagination. Filtering and Sorting supported on below mentioned

attributes: friendlyName subject issuedTo issuedBy validFrom Supported Date Format: yyyy-MM- dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT expirationDate Supported Date Format: yyyy-MM-dd HH:mm:ss Supported Operators: EQ, NEQ, GT and LT status Allowed values: enabled, disabled Supported Operators: EQ, NEQ .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

export_trusted_certificate(*id*, *dirpath=None*, *save_file=None*, *headers=None*, ***query_parameters*)

The response of this API carries a trusted certificate file mapped to the requested ID.

Parameters

- **id** (*basestring*) – id path parameter. ID of the Trusted Certificate to be exported.

- **dirpath** (*basestring*) – Directory absolute path. Defaults to `os.getcwd()`.
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type `urllib3.response.HTTPResponse`

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

```
import_trust_certificate(allow_basic_constraint_cafalse=None, allow_out_of_date_cert=None,
                        allow_sha1_certificates=None, data=None, description=None, name=None,
                        trust_for_certificate_based_admin_auth=None,
                        trust_for_cisco_services_auth=None, trust_for_client_auth=None,
                        trust_for_ise_auth=None, validate_certificate_extensions=None,
                        headers=None, payload=None, active_validation=True,
                        **query_parameters)
```

Import an X509 certificate as a trust certificate. NOTE: Request parameters accepting True and False as input can be replaced by 1 and 0 respectively. Following parameters are used in POST body PARAMETER DESCRIPTION EXAMPLE name Friendly name of the certificate “name”: “Trust Certificate” description Description of the certificate “description”: “Imported Trust Certificate” data * required Plain-text contents of the certificate file. Every space needs to be replaced with newline escape sequence (

) (required). Use `awk 'NF {sub(/\n/, "");`

```
printf “%sn”, $0;}' <<your .pem file>>
```

to extract data from certificate file. “data”: “Plain-text contents of the certificate file.” allowOutOfDateCert * required Allow out of date certificates (required). SECURITY ALERT: It is recommended to use “allowOutOfDateCert”: false to avoid import of expired certificates (not Secure). “allowOutOfDateCert”: true allowSHA1Certificates * required Allow import of certificate with signature that uses SHA-1 hashing algorithm and is considered less secure (required). SECURITY ALERT: It is recommended to use “allowSHA1Certificates”: false to avoid import of SHA1 based certificates (less secure). “allowSHA1Certificates”: true allowBasicConstraintCAFalse * required Allow certificates with Basic Constraints CA Field as False (required). SECURITY ALERT: It is recommended to use “allowBasicConstraintCAFalse”: false to avoid import of certificates with Basic Constraints CA Field as False (not Secure). “allowBasicConstraintCAFalse”: true trustForIseAuth Trust for authentication within Cisco ISE “trustForIseAuth”: false trustForClientAuth Trust for client authentication and Syslog “trustForClientAuth”: false trustForCertificateBasedAdminAuth Trust for certificate based Admin authentication “trustForCertificateBasedAdminAuth”: false trustForCiscoServicesAuth Trust for authentication of Cisco Services “trustForCiscoServicesAuth”: false validateCertificateExtensions Validate extensions for trust certificate “validateCertificateExtensions”: false NOTE: If name is not set, a default name with the following format is used: common-

name#issuer#nnnnn where “nnnnn” is a unique number. You can always change the friendly name later by editing the certificate. You must choose how this certificate is trusted in Cisco ISE. The objective here is to distinguish between certificates that are used for trust within an Cisco ISE deployment and public certificates that are used to trust Cisco services. Typically, you do not want to use a given certificate for both purposes. Trusted For Usage Authentication within Cisco ISE Use “trustForIseAuth”:true if the certificate is used for trust within Cisco ISE, such as for secure communication between Cisco ISE nodes Client authentication and Syslog Use “trustForClientAuth”:true if the certificate is to be used for authentication of endpoints that contact Cisco ISE over the EAP protocol. Also check this box if certificate is used to trust a Syslog server. Make sure to have keyCertSign bit asserted under KeyUsage extension for this certificate. Note: “” can be set true only if the “trustForIseAuth” has been set true. Certificate based admin authentication Use “trustForCertificateBasedAdminAuth”:true if the certificate is used for trust within Cisco ISE, such as for secure communication between Cisco ISE nodes Note: “trustForCertificateBasedAdminAuth” can be set true only if “trustForIseAuth” and “trustForClientAuth” are true. Authentication of Cisco Services Use “trustForCiscoServicesAuth”:true if the certificate is to be used for trusting external Cisco services, such as Feed Service. .

Args:

allow_basic_constraint_cafalse(boolean): Allow certificates with Basic Constraints CA Field as False (required), property of the request body.

allow_out_of_date_cert(boolean): Allow out of date certificates (required), property of the request body.

allow_sha1_certificates(boolean): Allow SHA1 based certificates (required), property of the request body.

data(string): Certificate content (required), property of the request body.

description(string): Description of the certificate, property of the request body.

name(string): Name of the certificate, property of the request body.

trust_for_certificate_based_admin_auth(boolean): Trust for Certificate based Admin authentication, property of the request body.

trust_for_cisco_services_auth(boolean): Trust for authentication of Cisco Services, property of the request body.

trust_for_client_auth(boolean): Trust for client authentication and Syslog, property of the request body.

trust_for_ise_auth(boolean): Trust for authentication within Cisco ISE, property of the request body.

validate_certificate_extensions(boolean): Validate trust certificate extension, property of the request body.

headers(dict): Dictionary of HTTP Headers to send with the Request .

payload(dict): A JSON serializable Python object to send in the body of the Request.

active_validation(bool): Enable/Disable payload validation. Defaults to True.

****query_parameters:** Additional query parameters (provides support for parameters that may be added in the future).

Returns:

RestResponse: REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Raises: `TypeError`: If the parameter types are incorrect. `MalformedRequest`: If the request body created is invalid. `ApiError`: If the Identity Services Engine cloud returns an error.

`get_trusted_certificate_by_id(id, headers=None, **query_parameters)`

This API can displays details of a Trust Certificate based on a given ID.

Parameters

- **`id`** (*basestring*) – id path parameter. ID of the trust certificate.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_trusted_certificate(id, authenticate_before_crl_received=None, automatic_crl_update=None, automatic_crl_update_period=None, automatic_crl_update_units=None, crl_distribution_url=None, crl_download_failure_retries=None, crl_download_failure_retries_units=None, description=None, download_crl=None, enable_ocsp_validation=None, enable_server_identity_check=None, ignore_crl_expiration=None, name=None, non_automatic_crl_update_period=None, non_automatic_crl_update_units=None, reject_if_no_status_from_ocs_p=None, reject_if_unreachable_from_ocs_p=None, selected_ocsp_service=None, status=None, trust_for_certificate_based_admin_auth=None, trust_for_cisco_services_auth=None, trust_for_client_auth=None, trust_for_ise_auth=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Update a trusted certificate present in Cisco ISE trust store. Following parameters are used in PUT request body
 PARAMETER DESCRIPTION EXAMPLE name * required Friendly name of the certificate (required). "name": "Trust Certificate" status Status of the certificate "status": "Enabled" description Description of the certificate "description": "Certificate for secure connection to cisco.com" trust-

ForIseAuth Trust for authentication within Cisco ISE “trustForIseAuth”: false trustForClientAuth Trust for client authentication and Syslog “trustForClientAuth”: false trustForCertificateBasedAdminAuth Trust for certificate based Admin authentication “trustForCertificateBasedAdminAuth”: false trustForCiscoServicesAuth Trust for authentication of Cisco Services “trustForCiscoServicesAuth”: false enableOCSPValidation Switch to enable or disable OCSP Validation “enableOCSPValidation”: false selectedOCSPService Name of selected OCSP Service “selectedOCSPService”: “INTERNAL_OCSP_SERVICE” rejectIfNoStatusFromOCSP Switch to reject certificate if there is no status from OCSP “rejectIfNoStatusFromOCSP”: false rejectIfUnreachableFromOCSP Switch to reject certificate if unreachable from OCSP “rejectIfUnreachableFromOCSP”: false downloadCRL Switch to enable or disable download of CRL “downloadCRL”: false crlDistributionUrl Certificate Revocation List Distribution URL “crlDistributionUrl”: “CRL distribution URL” automaticCRLUpdate Switch to enable or disable automatic CRL update “automaticCRLUpdate”: false automaticCRLUpdatePeriod Automatic CRL update period “automaticCRLUpdatePeriod”: 5 automaticCRLUpdateUnits Unit of time for automatic CRL update “automaticCRLUpdateUnits”: “Minutes” nonAutomaticCRLUpdatePeriod Non automatic CRL update period “nonAutomaticCRLUpdatePeriod”: 1 nonAutomaticCRLUpdateUnits Unit of time of non automatic CRL update “nonAutomaticCRLUpdateUnits”: “Hours” crlDownloadFailureRetries If CRL download fails, wait time before retry “crlDownloadFailureRetries”: 10 crlDownloadFailureRetriesUnits Unit of time before retry if CRL download fails “crlDownloadFailureRetriesUnits”: “Minutes” enableServerIdentityCheck Switch to enable or disable verification if HTTPS or LDAP server certificate name fits the configured server URL “enableServerIdentityCheck”: false authenticateBeforeCRLReceived Switch to enable or disable CRL Verification if CRL is not Received “authenticateBeforeCRLReceived”: false ignoreCRLExpiration Switch to enable or disable ignore CRL Expiration “ignoreCRLExpiration”: false Trusted For Usage Authentication within Cisco ISE Use “trustForIseAuth”:true if the certificate is used for trust within Cisco ISE, such as for secure communication between Cisco ISE nodes Client authentication and Syslog Use “trustForClientAuth”:true if the certificate is to be used for authentication of endpoints that contact Cisco ISE over the EAP protocol. Also check this box if certificate is used to trust a Syslog server. Make sure to have keyCertSign bit asserted under KeyUsage extension for this certificate. Note: “trustForClientAuth” can be set true only if the “trustForIseAuth” has been set true. Certificate based admin authentication Use “trustForCertificateBasedAdminAuth”:true if the certificate is used for trust within Cisco ISE, such as for secure communication between Cisco ISE nodes Note: “trustForCertificateBasedAdminAuth” can be set true only if “trustForIseAuth” and “trustForClientAuth” are true. Authentication of Cisco Services Use “trustForCiscoServicesAuth”:true if the certificate is to be used for trusting external Cisco services, such as Feed Service. OCSP Configuration Usage Validation against OCSP service Use “enableOCSPValidation”:true to validate the certificate against OCSP service mentioned in the field selectedOCSPService OCSP Service name Use “selectedOCSPService”:“Name of OCSP Service” Name of the OCSP service against which the certificate should be validated Note: “selectedOCSPService” value is used if “enableOCSPValidation” has been set true. Reject the request if OCSP returns UNKNOWN status Use “rejectIfNoStatusFromOCSP”:true to reject the certificate if the OCSP service returns UNKNOWN status Note: “rejectIfNoStatusFromOCSP:true” can be used only if “enableOCSPValidation” has been set true. Reject the request if OCSP Responder is unreachable Use “rejectIfUnreachableFromOCSP”:true to reject the certificate if the OCSP service is unreachable. Note: “rejectIfUnreachableFromOCSP:true” can be used only if “enableOCSPValidation” has been set true. Certificate Revocation List Configuration Usage Validation against CRL Use “downloadCRL”:true to validate the certificate against CRL downloaded from URL mentioned in the field crlDistributionUrl CRL distribution url Use “crlDistributionUrl” to specify the URL from where the CRL should be downloaded Note: “crlDistributionUrl” value is used if “downloadCRL” has been set true. Retrieve CRL time Use “automaticCRLUpdate”:true and automaticCRLUpdatePeriod, automaticCRLUpdatePeriod to set the time before which CRL is automatically retrieved prior to expiration Use “nonAutomaticCRLUpdatePeriod, nonAutomaticCRLUpdateUnits to set the time period for CRL retrieval in loop. Note: All the above fields can be used only if “downloadCRL” has been set true. If download fails Use “crlDownloadFailureRetries” and “crlDownloadFailureRetriesUnits” to set retry time period if CRL download fails Note: “crlDownloadFailureRetries” and “crlDownloadFailureRetriesUnits” can be used only if “downloadCRL” has been set true. Enable Server Identity Check Use “enableServerIdentityCheck”:true to verify that HTTPS or LDAPS server certificate name fits the configured server URL Note: “enableServerIdentityCheck:true” can be used only if “downloadCRL” has been set true. Bypass CRL Verification if CRL is not Received Use

“authenticateBeforeCRLReceived”:true to bypass CRL Verification if CRL is not Received Note: “authenticateBeforeCRLReceived:true” can be used only if “downloadCRL” has been set true. Ignore that CRL is not yet valid or has expired Use “ignoreCRLExpiration”:true to ignore if CRL is not yet valid or expired Note: “ignoreCRLExpiration:true” can be used only if “downloadCRL” has been set true. Note: boolean properties accept integers values as well, with 0 considered as false and other values being considered as true .

Parameters

- **authenticate_before_crl_received** (*boolean*) – Switch to enable or disable CRL verification if CRL is not received, property of the request body.
- **automatic_crl_update** (*boolean*) – Switch to enable or disable automatic CRL update, property of the request body.
- **automatic_crl_update_period** (*integer*) – Automatic CRL update period, property of the request body.
- **automatic_crl_update_units** (*string*) – Unit of time for automatic CRL update, property of the request body. Available values are ‘Days’, ‘Hours’, ‘Minutes’ and ‘Weeks’.
- **crl_distribution_url** (*string*) – CRL Distribution URL, property of the request body.
- **crl_download_failure_retries** (*integer*) – If CRL download fails, wait time before retry, property of the request body.
- **crl_download_failure_retries_units** (*string*) – Unit of time before retry if CRL download fails, property of the request body. Available values are ‘Days’, ‘Hours’, ‘Minutes’ and ‘Weeks’.
- **description** (*string*) – Description for trust certificate, property of the request body.
- **download_crl** (*boolean*) – Switch to enable or disable download of CRL, property of the request body.
- **enable_ocsp_validation** (*boolean*) – Switch to enable or disable OCSP Validation, property of the request body.
- **enable_server_identity_check** (*boolean*) – Switch to enable or disable verification if HTTPS or LDAP server certificate name fits the configured server URL, property of the request body.
- **ignore_crl_expiration** (*boolean*) – Switch to enable or disable ignore CRL expiration, property of the request body.
- **name** (*string*) – Friendly name of the certificate, property of the request body.
- **non_automatic_crl_update_period** (*integer*) – Non automatic CRL update period, property of the request body.
- **non_automatic_crl_update_units** (*string*) – Unit of time of non automatic CRL update, property of the request body. Available values are ‘Days’, ‘Hours’, ‘Minutes’ and ‘Weeks’.
- **reject_if_no_status_from_ocs_p** (*boolean*) – Switch to reject certificate if there is no status from OCSP, property of the request body.
- **reject_if_unreachable_from_ocs_p** (*boolean*) – Switch to reject certificate if unreachable from OCSP, property of the request body.
- **selected_ocsp_service** (*string*) – Name of selected OCSP Service, property of the request body.

- **status** (*string*) – status, property of the request body. Available values are ‘Disabled’ and ‘Enabled’.
- **trust_for_certificate_based_admin_auth** (*boolean*) – Trust for Certificate based Admin authentication, property of the request body.
- **trust_for_cisco_services_auth** (*boolean*) – Trust for authentication of Cisco Services, property of the request body.
- **trust_for_client_auth** (*boolean*) – Trust for client authentication and Syslog, property of the request body.
- **trust_for_ise_auth** (*boolean*) – Trust for authentication within Cisco ISE, property of the request body.
- **id** (*basestring*) – id path parameter. ID of the trust certificate.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_trusted_certificate_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a Trust Certificate from Trusted Certificate Store based on a given ID.

Parameters

- **id** (*basestring*) – id path parameter. ID of the Trusted Certificate to be deleted.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

clear_threats_and_vulnerabilities

class ClearThreatsAndVulnerabilities

Identity Services Engine ClearThreatsAndVulnerabilities API (version: 3.1.1).

Wraps the Identity Services Engine ClearThreatsAndVulnerabilities API and exposes the API as native Python methods that return native Python objects.

clear_threats_and_vulnerabilities(*mac_addresses=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to delete the ThreatContext and Threat events that are associated with the given MAC Address.

Parameters

- **`mac_addresses`** (*string*) – `macAddresses`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

clear(*mac_addresses=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for [clear_threats_and_vulnerabilities](#)

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the clear threats and vulnerabilities.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

consumer

class Consumer

Identity Services Engine Consumer API (version: 3.1.1).

Wraps the Identity Services Engine Consumer API and exposes the API as native Python methods that return native Python objects.

create_account(*node_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

AccountCreate.

Parameters

- **node_name** (*string*) – nodeName, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*node_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_account*

`activate_account`(*description=None, headers=None, payload=None, active_validation=True, **query_parameters*)
AccountActivate.

Parameters

- **`description`** (*string*) – description, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`lookup_service`(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
ServiceLookup.

Parameters

- **`name`** (*string*) – name, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

access_secret(*peer_node_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

AccessSecret.

Parameters

- **peer_node_name** (*string*) – peerNodeName, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

device_administration_authentication_rules

class DeviceAdministrationAuthenticationRules

Identity Services Engine Device Administration - Authentication Rules API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Authentication Rules API and exposes the API as native Python methods that return native Python objects.

get_device_admin_authentication_rules(*policy_id*, *headers=None*, ***query_parameters*)

Device Admin Get authentication rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_authentication_rules*

create_device_admin_authentication_rule(*policy_id*, *identity_source_name=None*,
if_auth_fail=None, *if_process_fail=None*,
if_user_not_found=None, *link=None*, *rule=None*,
headers=None, *payload=None*, *active_validation=True*,
***query_parameters*)

Device Admin Create authentication rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authentication policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.

- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *identity_source_name=None*, *if_auth_fail=None*, *if_process_fail=None*, *if_user_not_found=None*, *link=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *create_device_admin_authentication_rule*

reset_hit_counts_device_admin_authentication_rules(*policy_id*, *headers=None*, ***query_parameters*)

Device Admin Reset HitCount for Authentication Rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`reset_hit_counts_by_id(policy_id, headers=None, **query_parameters)`

Alias for *`reset_hit_counts_device_admin_authentication_rules`*

`get_device_admin_authentication_rule_by_id(id, policy_id, headers=None, **query_parameters)`

Device Admin Get rule attributes.

Parameters

- **`policy_id (basestring)`** – policyId path parameter. Policy id.
- **`id (basestring)`** – id path parameter. Rule id.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, policy_id, headers=None, **query_parameters)`

Alias for *`get_device_admin_authentication_rule_by_id`*

`update_device_admin_authentication_rule_by_id(id, policy_id, identity_source_name=None, if_auth_fail=None, if_process_fail=None, if_user_not_found=None, link=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Device Admin Update rule.

Parameters

- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *policy_id*, *identity_source_name=None*, *if_auth_fail=None*, *if_process_fail=None*, *if_user_not_found=None*, *link=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_authentication_rule_by_id*

delete_device_admin_authentication_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Device Admin Delete rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)
Alias for *delete_device_admin_authentication_rule_by_id*

device_administration_authorization_exception_rules

class DeviceAdministrationAuthorizationExceptionRules

Identity Services Engine Device Administration - Authorization Exception Rules API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Authorization Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_device_admin_local_exception_rules(*policy_id*, *headers=None*, ***query_parameters*)
Device Admin Get local exception rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_local_exception_rules*

create_device_admin_local_exception_rule(*policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Create local authorization exception rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [*create_device_admin_local_exception_rule*](#)

reset_hit_counts_device_admin_local_exceptions(*policy_id*, *headers=None*, ***query_parameters*)

Device Admin Reset HitCount for local exceptions.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)

Alias for [*reset_hit_counts_device_admin_local_exceptions*](#)

get_device_admin_local_exception_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Device Admin Get local exception rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_local_exception_rule_by_id*

update_device_admin_local_exception_rule_by_id(*id*, *policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Update local exception rule.

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [update_device_admin_local_exception_rule_by_id](#)

delete_device_admin_local_exception_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Device Admin Delete local exception rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for [delete_device_admin_local_exception_rule_by_id](#)

device_administration_authorization_global_exception_rules

class DeviceAdministrationAuthorizationGlobalExceptionRules

Identity Services Engine Device Administration - Authorization Global Exception Rules API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Authorization Global Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_device_admin_policy_set_global_exception_rules(*headers=None*, ***query_parameters*)

Device Admin Get global exception rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)

Alias for *get_device_admin_policy_set_global_exception_rules*

`create_device_admin_policy_set_global_exception`(*commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Create global exception authorization rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model `ConditionReference` or dynamically built conditions which are not stored in the conditions Library, using models `ConditionAttributes`, `ConditionAndBlock`, `ConditionOrBlock` . .

Parameters

- **`commands`** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **`link`** (*object*) – link, property of the request body.
- **`profile`** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **`rule`** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_device_admin_policy_set_global_exception*

reset_hit_counts_device_admin_global_exceptions(*headers=None, **query_parameters*)

Device Admin Reset HitCount for Global Exceptions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts(*headers=None, **query_parameters*)

Alias for *reset_hit_counts_device_admin_global_exceptions*

get_device_admin_policy_set_global_exception_by_rule_id(*id, headers=None, **query_parameters*)

Device Admin Get global exception rule attribute.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_device_admin_policy_set_global_exception_by_rule_id`

`update_device_admin_policy_set_global_exception_by_rule_id(id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Device Admin Update global exception authorization rule.

Parameters

- **`commands (list)`** – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **`link (object)`** – link, property of the request body.
- **`profile (string)`** – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **`rule (object)`** – Common attributes in rule authentication/authorization, property of the request body.
- **`id (basestring)`** – id path parameter. Rule id.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_policy_set_global_exception_by_rule_id*

delete_device_admin_policy_set_global_exception_by_rule_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete global exception authorization rule.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_policy_set_global_exception_by_rule_id*

device_administration_authorization_rules**class DeviceAdministrationAuthorizationRules**

Identity Services Engine Device Administration - Authorization Rules API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Authorization Rules API and exposes the API as native Python methods that return native Python objects.

get_device_admin_authorization_rules(*policy_id*, *headers=None*, ***query_parameters*)

Device Admin Get authorization rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_authorization_rules*

create_device_admin_authorization_rule(*policy_id*, *commands=None*, *link=None*, *profile=None*, *rule=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Create authorization rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create(policy_id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Alias for *`create_device_admin_authorization_rule`*

`reset_hit_counts_device_admin_authorization_rules(policy_id, headers=None, **query_parameters)`

Device Admin Reset HitCount for Authorization Rules.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`reset_hit_counts_by_id(policy_id, headers=None, **query_parameters)`

Alias for *`reset_hit_counts_device_admin_authorization_rules`*

`get_device_admin_authorization_rule_by_id(id, policy_id, headers=None, **query_parameters)`

Device Admin Get authorization rule attributes.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, policy_id, headers=None, **query_parameters*)

Alias for *get_device_admin_authorization_rule_by_id*

update_device_admin_authorization_rule_by_id(*id, policy_id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Update authorization rule.

Parameters

- **commands** (*list*) – Command sets enforce the specified list of commands that can be executed by a device administrator, property of the request body (list of strings).
- **link** (*object*) – link, property of the request body.
- **profile** (*string*) – Device admin profiles control the initial login session of the device administrator, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id, policy_id, commands=None, link=None, profile=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`update_device_admin_authorization_rule_by_id`*

`delete_device_admin_authorization_rule_by_id`(*id, policy_id, headers=None, **query_parameters*)

Device Admin Delete authorization rule.

Parameters

- **`policy_id`** (*basestring*) – `policyId` path parameter. Policy id.
- **`id`** (*basestring*) – `id` path parameter. Rule id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id, policy_id, headers=None, **query_parameters*)

Alias for *`delete_device_admin_authorization_rule_by_id`*

device_administration_command_set

class DeviceAdministrationCommandSet

Identity Services Engine Device Administration - Command Set API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Command Set API and exposes the API as native Python methods that return native Python objects.

get_device_admin_command_sets(*headers=None, **query_parameters*)

Device Admin Return list of command sets. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_device_admin_command_sets*

device_administration_conditions

class DeviceAdministrationConditions

Identity Services Engine Device Administration - Conditions API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Conditions API and exposes the API as native Python methods that return native Python objects.

get_device_admin_conditions(*headers=None, **query_parameters*)

Device Admin Returns list of library conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)

Alias for *get_device_admin_conditions*

`create_device_admin_condition`(*attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Creates a library condition: Library Condition has hierarchical structure which define a set of condition for which authentication and authorization policy rules could be match. Condition can be compose from single dictionary attribute name and value using model `LibraryConditionAttributes` , or from combination of dictionary attributes with logical operation of AND/OR between them, using models: `LibraryConditionAndBlock` or `LibraryConditionOrBlock` . When using AND/OR blocks, the condition will include inner layers inside these blocks, these layers are built using the inner condition models: `ConditionAttributes` , `ConditionAndBlock` , `ConditionOrBlock` , that represent dynamically built Conditions which are not stored in the conditions Library, or using `ConditionReference` , which includes an ID to existing stored condition in the library. The `LibraryCondition` models can only be used in the outer-most layer (root of the condition) and must always include the condition name. When using one of the 3 inner condition models (`ConditionAttributes`, `ConditionAndBlock`, `ConditionOrBlock`), condition name cannot be included in the request, since these will not be stored in the conditions library, and used only as inner members of the root condition. When using `ConditionReference` model in inner layers, the condition name is not required. `ConditionReference` objects can also include a reference ID to a condition of type `TimeAndDate`

..

Parameters

- **`attribute_name`** (*string*) – Dictionary attribute name, property of the request body.
- **`attribute_value`** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **`children`** (*list*) – In case type is `andBlock` or `orBlock` additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **`condition_type`** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children

field, property of the request body. Available values are 'ConditionAndBlock', 'ConditionAttributes', 'ConditionOrBlock', 'ConditionReference', 'LibraryConditionAndBlock', 'LibraryConditionAttributes', 'LibraryConditionOrBlock' and 'TimeAndDateCondition'.

- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'notContains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_device_admin_condition*

get_device_admin_conditions_for_authentication_rules(*headers=None, **query_parameters*)

Device Admin Returns list of library conditions for authentication rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authentication_rules(*headers=None, **query_parameters*)

Alias for *get_device_admin_conditions_for_authentication_rules*

get_device_admin_conditions_for_authorization_rules(*headers=None, **query_parameters*)

Device Admin Returns list of library conditions for authorization rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authorization_rules(*headers=None, **query_parameters*)

Alias for *get_device_admin_conditions_for_authorization_rules*

get_device_admin_condition_by_name(*name, headers=None, **query_parameters*)

Device Admin Returns a library condition.

Parameters

- **name** (*basestring*) – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_condition_by_name*

update_device_admin_condition_by_name(*name*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *id=None*, *is_negate=None*, *link=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Update library condition using condition name.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.

- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*basestring*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'not-Contains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **name** – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_name(name, attribute_name=None, attribute_value=None, children=None,
                condition_type=None, dates_range=None, dates_range_exception=None,
                description=None, dictionary_name=None, dictionary_value=None, hours_range=None,
                hours_range_exception=None, id=None, is_negate=None, link=None, operator=None,
                week_days=None, week_days_exception=None, headers=None, payload=None,
                active_validation=True, **query_parameters)
```

Alias for *update_device_admin_condition_by_name*

delete_device_admin_condition_by_name(*name*, *headers=None*, ***query_parameters*)

NDevice Admin Delete a library condition using condition Name.

Parameters

- **name** (*basestring*) – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_condition_by_name*

get_device_admin_conditions_for_policy_sets(*headers=None*, ***query_parameters*)

Device Admin Returns list of library conditions for policy sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_for_policy_sets(*headers=None, **query_parameters*)

Alias for *get_device_admin_conditions_for_policy_sets*

get_device_admin_condition_by_id(*id, headers=None, **query_parameters*)

Device Admin Returns a library condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_device_admin_condition_by_id*

update_device_admin_condition_by_id(*id, attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Update library condition.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).

- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘contains’, ‘endsWith’, ‘equals’, ‘greaterOrEquals’, ‘greaterThan’, ‘in’, ‘ipEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipNotEquals’, ‘lessOrEquals’, ‘lessThan’, ‘matches’, ‘notContains’, ‘notEndsWith’, ‘notEquals’, ‘notIn’, ‘notStartsWith’ and ‘startsWith’.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_condition_by_id*

delete_device_admin_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete a library condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_condition_by_id*

device_administration_dictionary_attributes_list

class DeviceAdministrationDictionaryAttributesList

Identity Services Engine Device Administration - Dictionary Attributes List API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Dictionary Attributes List API and exposes the API as native Python methods that return native Python objects.

get_device_admin_dictionaries_authentication(*headers=None*, ***query_parameters*)

Network Access Returns list of dictionary attributes for authentication.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authentication(*headers=None*, ***query_parameters*)

Alias for *get_device_admin_dictionaries_authentication*

get_device_admin_dictionaries_authorization(*headers=None*, ***query_parameters*)

Network Access Returns list of dictionary attributes for authorization.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_authorization(headers=None, **query_parameters)`

Alias for *`get_device_admin_dictionaries_authorization`*

`get_device_admin_dictionaries_policy_set(headers=None, **query_parameters)`

Network Access Returns list of dictionary attributes for policyset.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_policy_set(headers=None, **query_parameters)`

Alias for *`get_device_admin_dictionaries_policy_set`*

device_administration_identity_stores

class DeviceAdministrationIdentityStores

Identity Services Engine Device Administration - Identity Stores API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Identity Stores API and exposes the API as native Python methods that return native Python objects.

get_device_admin_identity_stores(*headers=None, **query_parameters*)

Device Admin Return list of identity stores for authentication. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_device_admin_identity_stores*

device_administration_network_conditions

class DeviceAdministrationNetworkConditions

Identity Services Engine Device Administration - Network Conditions API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Network Conditions API and exposes the API as native Python methods that return native Python objects.

get_device_admin_network_conditions(*headers=None, **query_parameters*)

Device Admin Returns a list of network conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)

Alias for *get_device_admin_network_conditions*

`create_device_admin_network_condition`(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device AdminCreates network condition.

Parameters

- **`condition_type`** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are 'DeviceCondition', 'DevicePortCondition' and 'EndstationCondition'.
- **`conditions`** (*list*) – conditions, property of the request body (list of objects).
- **`description`** (*string*) – description, property of the request body.
- **`id`** (*string*) – id, property of the request body.
- **`link`** (*object*) – link, property of the request body.
- **`name`** (*string*) – Network Condition name, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_device_admin_network_condition*

get_device_admin_network_condition_by_id(*id, headers=None, **query_parameters*)
Device Admin Returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)
Alias for *get_device_admin_network_condition_by_id*

update_device_admin_network_condition_by_id(*id, condition_type=None, conditions=None, description=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Update network condition.

Parameters

- **condition_type** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are 'DeviceCondition', 'DevicePortCondition' and 'EndstationCondition'.
- **conditions** (*list*) – conditions, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.

- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Network Condition name, property of the request body.
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *condition_type=None*, *conditions=None*, *description=None*, *link=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_network_condition_by_id*

delete_device_admin_network_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_network_condition_by_id*

device_administration_policy_set**class DeviceAdministrationPolicySet**

Identity Services Engine Device Administration - Policy Set API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Policy Set API and exposes the API as native Python methods that return native Python objects.

get_device_admin_policy_sets(*headers=None*, ***query_parameters*)

Device Admin List of policy sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None*, ***query_parameters*)

Alias for *get_device_admin_policy_sets*

create_device_admin_policy_set(*condition=None*, *default=None*, *description=None*, *hit_counts=None*, *id=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Create a new policy set: Policy must include name , service identifier (either server sequence or allowed protocol) and a condition. Condition has hierarchical structure which define a set of condition for which policy could be match. Condition can be either reference to a stored Library condition, using model ConditionReference , or, dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **condition** (*object*) – condition, property of the request body.
- **default** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **description** (*string*) – The description for the policy set, property of the request body.
- **hit_counts** (*integer*) – The amount of times the policy was matched, property of the request body.
- **id** (*string*) – Identifier for the policy set, property of the request body.
- **is_proxy** (*boolean*) – Flag which indicates if the policy set service is of type ‘Proxy Sequence’ or ‘Allowed Protocols’, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Given name for the policy set, [Valid characters are alphanumerics, underscore, hyphen, space, period, parentheses], property of the request body.
- **rank** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **service_name** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.
- **state** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are ‘disabled’, ‘enabled’ and ‘monitor’.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)
 Alias for [create_device_admin_policy_set](#)

reset_hit_counts_device_admin_policy_sets(*headers=None, **query_parameters*)
 Device Admin Reset HitCount for PolicySets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts(*headers=None, **query_parameters*)
 Alias for [reset_hit_counts_device_admin_policy_sets](#)

get_device_admin_policy_set_by_id(*id, headers=None, **query_parameters*)
 Device Admin Get policy set attributes.

Parameters

- **id** (*basestring*) – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_policy_set_by_id*

update_device_admin_policy_set_by_id(*id*, *condition=None*, *default=None*, *description=None*, *hit_counts=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Update a policy set.

Parameters

- **condition** (*object*) – condition, property of the request body.
- **default** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **description** (*string*) – The description for the policy set, property of the request body.
- **hit_counts** (*integer*) – The amount of times the policy was matched, property of the request body.
- **id** (*basestring*) – Identifier for the policy set, property of the request body.
- **is_proxy** (*boolean*) – Flag which indicates if the policy set service is of type ‘Proxy Sequence’ or ‘Allowed Protocols’, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Given name for the policy set, [Valid characters are alphanumerics, underscore, hyphen, space, period, parentheses], property of the request body.
- **rank** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **service_name** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.
- **state** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are ‘disabled’, ‘enabled’ and ‘monitor’.
- **id** – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id*, *condition=None*, *default=None*, *description=None*, *hit_counts=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *`update_device_admin_policy_set_by_id`*

`delete_device_admin_policy_set_by_id`(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete a policy set.

Parameters

- **`id`** (*basestring*) – id path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *`delete_device_admin_policy_set_by_id`*

device_administration_profiles

class DeviceAdministrationProfiles

Identity Services Engine Device Administration - Profiles API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Profiles API and exposes the API as native Python methods that return native Python objects.

get_device_admin_profiles(*headers=None, **query_parameters*)

Device Admin Returns list of shell profiles. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_device_admin_profiles*

device_administration_service_names

class DeviceAdministrationServiceNames

Identity Services Engine Device Administration - Service Names API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Service Names API and exposes the API as native Python methods that return native Python objects.

get_device_admin_service_names(*headers=None, **query_parameters*)

Returns list of Allowed Protocols and Server Sequences for Device Admin Policy Set results. 'isLocalAuthorization' property is available only for Network Access Policy Set results of type Server Sequence. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)
Alias for *get_device_admin_service_names*

device_administration_time_date_conditions**class DeviceAdministrationTimeDateConditions**

Identity Services Engine Device Administration - Time/Date Conditions API (version: 3.1.1).

Wraps the Identity Services Engine Device Administration - Time/Date Conditions API and exposes the API as native Python methods that return native Python objects.

`get_device_admin_time_conditions`(*headers=None, **query_parameters*)
Device Admin Returns a list of time and date conditions.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for [*get_device_admin_time_conditions*](#)

create_device_admin_time_condition(*attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Device Admin Creates time/date condition.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.

- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'notContains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(attribute_name=None, attribute_value=None, children=None, condition_type=None,
      dates_range=None, dates_range_exception=None, description=None, dictionary_name=None,
      dictionary_value=None, hours_range=None, hours_range_exception=None, id=None,
      is_negate=None, link=None, name=None, operator=None, week_days=None,
      week_days_exception=None, headers=None, payload=None, active_validation=True,
      **query_parameters)
```

Alias for *create_device_admin_time_condition*

```
get_device_admin_time_condition_by_id(id, headers=None, **query_parameters)
```

Device Admin Returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_device_admin_time_condition_by_id*

update_device_admin_time_condition_by_id(*id*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Device Admin Update network condition.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end

date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.

- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'not-Contains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_device_admin_time_condition_by_id*

`delete_device_admin_time_condition_by_id`(*id*, *headers=None*, ***query_parameters*)

Device Admin Delete Time/Date condition.

Parameters

- **`id`** (*basestring*) – id path parameter. Condition id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_device_admin_time_condition_by_id*

downloadable_acl

class DownloadableAcl

Identity Services Engine DownloadableACL API (version: 3.1.1).

Wraps the Identity Services Engine DownloadableACL API and exposes the API as native Python methods that return native Python objects.

get_downloadable_acl_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a downloadable ACL by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_downloadable_acl_by_id*

update_downloadable_acl_by_id(*id*, *dac1=None*, *dac1_type=None*, *description=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a downloadable ACL.

Parameters

- **dac1** (*string*) – The DACL Content. Use the string n for a newline, property of the request body.
- **dac1_type** (*string*) – Allowed values: IPV4, IPV6, IP_AGNOSTIC, property of the request body.
- **description** (*string*) – Use the string n for a newline, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters [_.-], property of the request body.
- **id** – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *dacl=None*, *dacl_type=None*, *description=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_downloadable_acl_by_id*

delete_downloadable_acl_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a downloadable ACL.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_downloadable_acl_by_id*

get_downloadable_acl(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all downloadable ACLs.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_downloadable_acl*

get_downloadable_acl_generator(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all downloadable ACLs.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_downloadable_acl_generator`*

`create_downloadable_acl`(*dac1=None, dac1_type=None, description=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a downloadable ACL.

Parameters

- **`dac1`** (*string*) – The DACL Content. Use the string `n` for a newline, property of the request body.
- **`dac1_type`** (*string*) – Allowed values: `IPV4`, `IPV6`, `IP_AGNOSTIC`, property of the request body.
- **`description`** (*string*) – Use the string `n` for a newline, property of the request body.
- **`name`** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters `[_.-]`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to `True`.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *`RestResponse`*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*acl=None, acl_type=None, description=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
 Alias for [create_downloadable_acl](#)

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the downloadable ACL.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

egress_matrix_cell

class EgressMatrixCell

Identity Services Engine EgressMatrixCell API (version: 3.1.1).

Wraps the Identity Services Engine EgressMatrixCell API and exposes the API as native Python methods that return native Python objects.

clear_all_matrix_cells(*headers=None, **query_parameters*)

This API allows the client to clear all the egress matrix cells.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

clear(*headers=None, **query_parameters*)

Alias for *clear_all_matrix_cells*

set_all_cells_status(*status, headers=None, **query_parameters*)

This API allows the client to set status of all the egress matrix cells.

Parameters

- **status** (*basestring*) – status path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

set_status(*status, headers=None, **query_parameters*)

Alias for *set_all_cells_status*

clone_matrix_cell(*dst_sgt_id, id, src_sgt_id, headers=None, **query_parameters*)

This API allows the client to clone an egress matrix cell.

Parameters

- **id** (*basestring*) – id path parameter.
- **src_sgt_id** (*basestring*) – srcSgtId path parameter.
- **dst_sgt_id** (*basestring*) – dstSgtId path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`clone(dst_sgt_id, id, src_sgt_id, headers=None, **query_parameters)`

Alias for *`clone_matrix_cell`*

`get_egress_matrix_cell_by_id(id, headers=None, **query_parameters)`

This API allows the client to get an egress matrix cell by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_egress_matrix_cell_by_id`*

```
update_egress_matrix_cell_by_id(id, default_rule=None, description=None, destination_sgt_id=None,
                                matrix_cell_status=None, name=None, sgacIs=None,
                                source_sgt_id=None, headers=None, payload=None,
                                active_validation=True, **query_parameters)
```

This API allows the client to update an egress matrix cell.

Parameters

- **default_rule** (*string*) – Allowed values: NONE, DENY_IP, PERMIT_IP, property of the request body.
- **description** (*string*) – description, property of the request body.
- **destination_sgt_id** (*string*) – destinationSgtId, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **matrix_cell_status** (*string*) – Allowed values: DISABLED, ENABLED, MONITOR, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgacIs** (*list*) – sgacIs, property of the request body (list of strings).
- **source_sgt_id** (*string*) – sourceSgtId, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, default_rule=None, description=None, destination_sgt_id=None,
              matrix_cell_status=None, name=None, sgacIs=None, source_sgt_id=None, headers=None,
              payload=None, active_validation=True, **query_parameters)
```

Alias for *update_egress_matrix_cell_by_id*

```
delete_egress_matrix_cell_by_id(id, headers=None, **query_parameters)
```

This API deletes an egress matrix cell.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_egress_matrix_cell_by_id*

get_egress_matrix_cell(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the egress matrix cell. Filter: [sgtSrc-Value, matrixStatus, description, sgtSrcName, sgtDstName, sgtDstValue] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [description, sgtSrcName, sgtDst-Name, sgtDstValue].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_egress_matrix_cell*

get_egress_matrix_cell_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the egress matrix cell. Filter: [sgtSrc-Value, matrixStatus, description, sgtSrcName, sgtDstName, sgtDstValue] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [description, sgtSrcName, sgtDstName, sgtDstValue].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW:

Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_egress_matrix_cell_generator*

create_egress_matrix_cell(*default_rule=None, description=None, destination_sgt_id=None, matrix_cell_status=None, name=None, sgacIs=None, source_sgt_id=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an egress matrix cell.

Parameters

- **default_rule** (*string*) – Allowed values: NONE, DENY_IP, PERMIT_IP, property of the request body.
- **description** (*string*) – description, property of the request body.
- **destination_sgt_id** (*string*) – destinationSgtId, property of the request body.
- **matrix_cell_status** (*string*) – Allowed values: DISABLED, ENABLED, MONITOR, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgacIs** (*list*) – sgacIs, property of the request body (list of strings).
- **source_sgt_id** (*string*) – sourceSgtId, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*default_rule=None, description=None, destination_sgt_id=None, matrix_cell_status=None, name=None, sgacs=None, source_sgt_id=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_egress_matrix_cell*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the egress matrix cell.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_egress_matrix_cell(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_egress_matrix_cell*

monitor_bulk_status_egress_matrix_cell(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`monitor_bulk_status`(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_egress_matrix_cell*

endpoint_certificate

class EndpointCertificate

Identity Services Engine EndpointCertificate API (version: 3.1.1).

Wraps the Identity Services Engine EndpointCertificate API and exposes the API as native Python methods that return native Python objects.

`create_endpoint_certificate`(*cert_template_name=None*, *certificate_request=None*, *format=None*, *password=None*, *dirpath=None*, *save_file=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to create an endpoint certificate.

Parameters

- **`cert_template_name`** (*string*) – Name of an Internal CA template, property of the request body.
- **`certificate_request`** (*object*) – Key value map. Must have CN and SAN entries, property of the request body.
- **`format`** (*string*) – Allowed values: PKCS12, PKCS12_CHAIN, PKCS8, PKCS8_CHAIN, property of the request body.
- **`password`** (*string*) – Protects the private key. Must have more than 8 characters, less than 15 characters, at least one upper case letter, at least one lower case letter, at least one digit, and can only contain [A-Z][a-z][0-9]_#, property of the request body.
- **`dirpath`** (*basestring*) – Directory absolute path. Defaults to `os.getcwd()`.
- **`save_file`** (*bool*) – Enable or disable automatic file creation of raw response.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type `urllib3.response.HTTPResponse`

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

create(*cert_template_name=None, certificate_request=None, format=None, password=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_endpoint_certificate*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the endpoint certificate.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

endpoint_identity_group

class EndpointIdentityGroup

Identity Services Engine EndpointIdentityGroup API (version: 3.1.1).

Wraps the Identity Services Engine EndpointIdentityGroup API and exposes the API as native Python methods that return native Python objects.

get_endpoint_group_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get an endpoint identity group by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_group_by_name*

get_endpoint_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an endpoint identity group by ID.

Parameters

- **id (basestring)** – id path parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_group_by_id*

```
update_endpoint_group_by_id(id, description=None, name=None, system_defined=None,
                           headers=None, payload=None, active_validation=True,
                           **query_parameters)
```

This API allows the client to update an endpoint identity group.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **system_defined** (*boolean*) – systemDefined, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, description=None, name=None, system_defined=None, headers=None, payload=None,
            active_validation=True, **query_parameters)
```

Alias for *update_endpoint_group_by_id*

```
delete_endpoint_group_by_id(id, headers=None, **query_parameters)
```

This API deletes an endpoint identity group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_endpoint_group_by_id`*

`get_endpoint_groups(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the endpoint identity groups. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_endpoint_groups*

`get_endpoint_groups_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the endpoint identity groups. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_endpoint_groups_generator`

`create_endpoint_group`(*description=None, name=None, system_defined=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an endpoint identity group.

Parameters

- **`description`** (*string*) – description, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`system_defined`** (*boolean*) – `systemDefined`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to `True`.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*description=None, name=None, system_defined=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for `create_endpoint_group`

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the endpoint identity group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

external_radius_server

class ExternalRadiusServer

Identity Services Engine ExternalRADIUSServer API (version: 3.1.1).

Wraps the Identity Services Engine ExternalRADIUSServer API and exposes the API as native Python methods that return native Python objects.

get_external_radius_server_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get an external RADIUS server by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_external_radius_server_by_name*

get_external_radius_server_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an external RADIUS server by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_external_radius_server_by_id*

update_external_radius_server_by_id(*id*, *accounting_port=None*, *authentication_port=None*, *authenticator_key=None*, *description=None*, *enable_key_wrap=None*, *encryption_key=None*, *host_ip=None*, *key_input_format=None*, *name=None*, *proxy_timeout=None*, *retries=None*, *shared_secret=None*, *timeout=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an external RADIUS server.

Parameters

- **accounting_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authentication_port** (*integer*) – Valid Range 1 to 65535, property of the request body.

- **authenticator_key** (*string*) – The authenticatorKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 20 ASCII characters or 40 HEXADECEMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **description** (*string*) – description, property of the request body.
- **enable_key_wrap** (*boolean*) – KeyWrap may only be enabled if it is supported on the device. When running in FIPS mode this option should be enabled for such devices, property of the request body.
- **encryption_key** (*string*) – The encryptionKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 16 ASCII characters or 32 HEXADECEMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **host_ip** (*string*) – The IP of the host must be a valid IPV4 address, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **key_input_format** (*string*) – Specifies the format of the input for fields 'encryption-Key' and 'authenticatorKey'. Allowed Values: ASCII HEXADECEMAL, property of the request body.
- **name** (*string*) – Resource Name. Allowed charactera are alphanumeric and _ (underscore)., property of the request body.
- **proxy_timeout** (*integer*) – Valid Range 1 to 600, property of the request body.
- **retries** (*integer*) – Valid Range 1 to 9, property of the request body.
- **shared_secret** (*string*) – Shared secret maximum length is 128 characters, property of the request body.
- **timeout** (*integer*) – Valid Range 1 to 120, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *accounting_port*=None, *authentication_port*=None, *authenticator_key*=None, *description*=None, *enable_key_wrap*=None, *encryption_key*=None, *host_ip*=None, *key_input_format*=None, *name*=None, *proxy_timeout*=None, *retries*=None, *shared_secret*=None, *timeout*=None, *headers*=None, *payload*=None, *active_validation*=True, ***query_parameters*)

Alias for *update_external_radius_server_by_id*

delete_external_radius_server_by_id(*id*, *headers*=None, ***query_parameters*)

This API deletes an external RADIUS server.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers*=None, ***query_parameters*)

Alias for *delete_external_radius_server_by_id*

get_external_radius_server(*page*=None, *size*=None, *headers*=None, ***query_parameters*)

This API allows the client to get all the external RADIUS servers.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_external_radius_server*

`get_external_radius_server_generator`(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the external RADIUS servers.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type Generator

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_external_radius_server_generator*

```
create_external_radius_server(accounting_port=None, authentication_port=None,  
                               authenticator_key=None, description=None, enable_key_wrap=None,  
                               encryption_key=None, host_ip=None, key_input_format=None,  
                               name=None, proxy_timeout=None, retries=None,  
                               shared_secret=None, timeout=None, headers=None, payload=None,  
                               active_validation=True, **query_parameters)
```

This API creates an external RADIUS server.

Parameters

- **accounting_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authentication_port** (*integer*) – Valid Range 1 to 65535, property of the request body.
- **authenticator_key** (*string*) – The authenticatorKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 20 ASCII characters or 40 HEXADECIMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **description** (*string*) – description, property of the request body.
- **enable_key_wrap** (*boolean*) – KeyWrap may only be enabled if it is supported on the device. When running in FIPS mode this option should be enabled for such devices, property of the request body.
- **encryption_key** (*string*) – The encryptionKey is required only if enableKeyWrap is true, otherwise it must be ignored or empty. The maximum length is 16 ASCII characters or 32 HEXADECIMAL characters (depend on selection in field 'keyInputFormat'), property of the request body.
- **host_ip** (*string*) – The IP of the host must be a valid IPV4 address, property of the request body.
- **key_input_format** (*string*) – Specifies the format of the input for fields 'encryption-Key' and 'authenticatorKey'. Allowed Values: ASCII HEXADECIMAL, property of the request body.
- **name** (*string*) – Resource Name. Allowed characters are alphanumeric and _ (underscore), property of the request body.
- **proxy_timeout** (*integer*) – Valid Range 1 to 600, property of the request body.
- **retries** (*integer*) – Valid Range 1 to 9, property of the request body.
- **shared_secret** (*string*) – Shared secret maximum length is 128 characters, property of the request body.
- **timeout** (*integer*) – Valid Range 1 to 120, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*accounting_port=None, authentication_port=None, authenticator_key=None, description=None, enable_key_wrap=None, encryption_key=None, host_ip=None, key_input_format=None, name=None, proxy_timeout=None, retries=None, shared_secret=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_external_radius_server*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the external RADIUS server.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

filter_policy

class FilterPolicy

Identity Services Engine FilterPolicy API (version: 3.1.1).

Wraps the Identity Services Engine FilterPolicy API and exposes the API as native Python methods that return native Python objects.

get_filter_policy_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a filter policy by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_filter_policy_by_id*

update_filter_policy_by_id(*id*, *domains=None*, *sgt=None*, *subnet=None*, *vn=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a filter policy.

Parameters

- **domains** (*string*) – List of SXP Domains, separated with comma, property of the request body.
- **sgt** (*string*) – SGT name or ID. At least one of subnet or sgt or vn should be defined, property of the request body.
- **subnet** (*string*) – Subnet for filter policy (hostname is not supported). At least one of subnet or sgt or vn should be defined, property of the request body.
- **vn** (*string*) – Virtual Network. At least one of subnet or sgt or vn should be defined, property of the request body.
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *domains=None*, *sgt=None*, *subnet=None*, *vn=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_filter_policy_by_id*

delete_filter_policy_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a filter policy.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [*delete_filter_policy_by_id*](#)

get_filter_policy(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the filter policies.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for [*get_filter_policy*](#)

get_filter_policy_generator(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the filter policies.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for `get_filter_policy_generator`

`create_filter_policy`(*domains=None, sgt=None, subnet=None, vn=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a filter policy.

Parameters

- **`domains`** (*string*) – List of SXP Domains, separated with comma, property of the request body.
- **`sgt`** (*string*) – SGT name or ID. At least one of subnet or sgt or vn should be defined, property of the request body.
- **`subnet`** (*string*) – Subnet for filter policy (hostname is not supported). At least one of subnet or sgt or vn should be defined, property of the request body.
- **`vn`** (*string*) – Virtual Network. At least one of subnet or sgt or vn should be defined, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*domains=None, sgt=None, subnet=None, vn=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for `create_filter_policy`

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the filter policy.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

guest_location

class GuestLocation

Identity Services Engine GuestLocation API (version: 3.1.1).

Wraps the Identity Services Engine GuestLocation API and exposes the API as native Python methods that return native Python objects.

get_guest_location_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a guest location by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_location_by_id*

get_guest_location(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the guest locations. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_location*

get_guest_location_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest locations. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_location_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the guest location.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

guest_smtp_notification_configuration

class GuestSmtpNotificationConfiguration

Identity Services Engine GuestSMTPNotificationConfiguration API (version: 3.1.1).

Wraps the Identity Services Engine GuestSMTPNotificationConfiguration API and exposes the API as native Python methods that return native Python objects.

get_guest_smtp_notification_settings_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a guest SMTP notification configuration by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_guest_smtp_notification_settings_by_id`

`update_guest_smtp_notification_settings_by_id(id, connection_timeout=None, default_from_address=None, notification_enabled=None, password=None, smtp_port=None, smtp_server=None, use_default_from_address=None, use_password_authentication=None, use_tlssor_ssl_encryption=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a SMTP configuration setting.

Parameters

- **`connection_timeout (string)`** – Interval in seconds for all the SMTP client connections, property of the request body.
- **`default_from_address (string)`** – The default from email address to be used to send emails from, property of the request body.
- **`id (basestring)`** – id, property of the request body.
- **`notification_enabled (boolean)`** – Indicates if the email notification service is to be enabled, property of the request body.
- **`password (string)`** – Password of Secure SMTP server, property of the request body.
- **`smtp_port (string)`** – Port at which SMTP Secure Server is listening, property of the request body.
- **`smtp_server (string)`** – The SMTP server ip address or fqdn such as out-bound.mycompany.com, property of the request body.
- **`use_default_from_address (boolean)`** – If the default from address should be used rather than using a sponsor user email address, property of the request body.
- **`use_password_authentication (boolean)`** – If configured to true, SMTP server authentication will happen using username/password, property of the request body.
- **`use_tlssor_ssl_encryption (boolean)`** – If configured to true, SMTP server authentication will happen using TLS/SSL, property of the request body.
- **`user_name (string)`** – Username of Secure SMTP server, property of the request body.

- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *connection_timeout=None*, *default_from_address=None*, *notification_enabled=None*, *password=None*, *smtp_port=None*, *smtp_server=None*, *use_default_from_address=None*, *use_password_authentication=None*, *use_tlsor_ssl_encryption=None*, *user_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_smtp_notification_settings_by_id*

get_guest_smtp_notification_settings(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the guest SMTP notification configurations. Filter: [name] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_smtp_notification_settings*

get_guest_smtp_notification_settings_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest SMTP notification configurations. Filter: [name] To search guest users by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_smtp_notification_settings_generator*

create_guest_smtp_notification_settings(*connection_timeout=None, default_from_address=None, notification_enabled=None, password=None, smtp_port=None, smtp_server=None, use_default_from_address=None, use_password_authentication=None, use_tlsor_ssl_encryption=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a guest SMTP notification configuration.

Parameters

- **connection_timeout** (*string*) – Interval in seconds for all the SMTP client connections, property of the request body.
- **default_from_address** (*string*) – The default from email address to be used to send emails from, property of the request body.
- **notification_enabled** (*boolean*) – Indicates if the email notification service is to be enabled, property of the request body.
- **password** (*string*) – Password of Secure SMTP server, property of the request body.

- **smtp_port** (*string*) – Port at which SMTP Secure Server is listening, property of the request body.
- **smtp_server** (*string*) – The SMTP server ip address or fqdn such as out-bound.mycompany.com, property of the request body.
- **use_default_from_address** (*boolean*) – If the default from address should be used rather than using a sponsor user email address, property of the request body.
- **use_password_authentication** (*boolean*) – If configured to true, SMTP server authentication will happen using username/password, property of the request body.
- **use_tlslor_ssl_encryption** (*boolean*) – If configured to true, SMTP server authentication will happen using TLS/SSL, property of the request body.
- **user_name** (*string*) – Username of Secure SMTP server, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(connection_timeout=None, default_from_address=None, notification_enabled=None,  
        password=None, smtp_port=None, smtp_server=None, use_default_from_address=None,  
        use_password_authentication=None, use_tlslor_ssl_encryption=None, user_name=None,  
        headers=None, payload=None, active_validation=True, **query_parameters)  
Alias for create_guest_smtp_notification_settings
```

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the guest smtp notification configuration.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

guest_ssid**class GuestSsid**

Identity Services Engine GuestSSID API (version: 3.1.1).

Wraps the Identity Services Engine GuestSSID API and exposes the API as native Python methods that return native Python objects.

`get_guest_ssid_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a guest SSID by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_ssid_by_id*

update_guest_ssid_by_id(*id*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest SSID by ID.

Parameters

- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters [_.-], property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_ssid_by_id*

delete_guest_ssid_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a guest SSID by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_guest_ssid_by_id*

get_guest_ssid(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the guest SSIDs. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_guest_ssid*

`get_guest_ssid_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest SSIDs. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_guest_ssid_generator`

`create_guest_ssid`(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a guest SSID.

Parameters

- **`name`** (*string*) – Resource Name. Name may contain alphanumeric or any of the following characters [`_.-`], property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to `True`.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for `create_guest_ssid`

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the guest SSID.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

guest_type**class GuestType**

Identity Services Engine GuestType API (version: 3.1.1).

Wraps the Identity Services Engine GuestType API and exposes the API as native Python methods that return native Python objects.

update_guest_type_email (*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest type email by ID.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_email(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*,
 ***query_parameters*)

Alias for *update_guest_type_email*

update_guest_type_sms(*id*, *additional_data=None*, *headers=None*, *payload=None*,
 active_validation=True, ***query_parameters*)

This API allows the client to update a guest type sms by ID.

Parameters

- **`additional_data (list)`** – `additionalData`, property of the request body (list of objects).
- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_sms(*id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*,
 ***query_parameters*)

Alias for *update_guest_type_sms*

get_guest_type_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a guest type by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_type_by_id*

update_guest_type_by_id(*id*, *access_time=None*, *description=None*, *expiration_notification=None*, *is_default_type=None*, *login_options=None*, *name=None*, *sponsor_groups=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest type.

Parameters

- **access_time** (*object*) – accessTime, property of the request body.
- **description** (*string*) – description, property of the request body.
- **expiration_notification** (*object*) – Expiration Notification Settings, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_default_type** (*boolean*) – isDefaultType, property of the request body.
- **login_options** (*object*) – loginOptions, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sponsor_groups** (*list*) – sponsorGroups, property of the request body (list of strings).
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *access_time=None*, *description=None*, *expiration_notification=None*, *is_default_type=None*, *login_options=None*, *name=None*, *sponsor_groups=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_type_by_id*

delete_guest_type_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a guest type.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_guest_type_by_id*

```
get_guest_type(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
               headers=None, **query_parameters)
```

This API allows the client to get all the guest types. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
        headers=None, **query_parameters)
```

Alias for *get_guest_type*

get_guest_type_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the guest types. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_type_generator*

```
create_guest_type(access_time=None, description=None, expiration_notification=None,  
                  is_default_type=None, login_options=None, name=None, sponsor_groups=None,  
                  headers=None, payload=None, active_validation=True, **query_parameters)
```

This API creates a guest type.

Parameters

- **access_time** (*object*) – accessTime, property of the request body.
- **description** (*string*) – description, property of the request body.
- **expiration_notification** (*object*) – Expiration Notification Settings, property of the request body.
- **is_default_type** (*boolean*) – isDefaultType, property of the request body.
- **login_options** (*object*) – loginOptions, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sponsor_groups** (*list*) – sponsorGroups, property of the request body (list of strings).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(access_time=None, description=None, expiration_notification=None, is_default_type=None,  
       login_options=None, name=None, sponsor_groups=None, headers=None, payload=None,  
       active_validation=True, **query_parameters)
```

Alias for *create_guest_type*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the guest type.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

guest_user**class GuestUser**

Identity Services Engine GuestUser API (version: 3.1.1).

Wraps the Identity Services Engine GuestUser API and exposes the API as native Python methods that return native Python objects.

`approve_guest_user_by_id(id, headers=None, **query_parameters)`

This API allows the client to approve a guest user by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

approve_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *approve_guest_user_by_id*

change_sponsor_password(*portal_id*, *additional_data=None*, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API allows the client to change the sponsor password.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **portal_id** (*basestring*) – portalId path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

suspend_guest_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to suspend a guest user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

suspend_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *suspend_guest_user_by_name*

reinstate_guest_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to reinstate a guest user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reinstate_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *reinstate_guest_user_by_name*

get_guest_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a guest user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *get_guest_user_by_name*

`update_guest_user_by_name`(*name*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *id=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest user by name.

Parameters

- **`custom_fields`** (*object*) – Key value map, property of the request body.
- **`description`** (*string*) – description, property of the request body.
- **`guest_access_info`** (*object*) – `guestAccessInfo`, property of the request body.
- **`guest_info`** (*object*) – `guestInfo`, property of the request body.
- **`guest_type`** (*string*) – `guestType`, property of the request body.
- **`id`** (*string*) – id, property of the request body.
- **`name`** (*basestring*) – name, property of the request body.
- **`portal_id`** (*string*) – `portalId`, property of the request body.
- **`reason_for_visit`** (*string*) – `reasonForVisit`, property of the request body.
- **`sponsor_user_id`** (*string*) – `sponsorUserId`, property of the request body.
- **`sponsor_user_name`** (*string*) – `sponsorUserName`, property of the request body.
- **`status`** (*string*) – status, property of the request body.
- **`status_reason`** (*string*) – `statusReason`, property of the request body.
- **`name`** – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_name`(*name*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *id=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_user_by_name*

`delete_guest_user_by_name`(*name*, *headers=None*, ***query_parameters*)

This API deletes a guest user.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_guest_user_by_name*

`reset_guest_user_password_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to reset the guest user password.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_password_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *reset_guest_user_password_by_id*

reinstate_guest_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to reinstate a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reinstate_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *reinstate_guest_user_by_id*

update_guest_user_email(*id*, *portal_id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest user email by ID.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **portal_id** (*basestring*) – portalId path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_email(*id*, *portal_id*, *additional_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_user_email*

update_guest_user_sms(*id*, *portal_id*, *headers=None*, ***query_parameters*)

This API allows the client to update a guest user sms by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **portal_id** (*basestring*) – portalId path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_sms(id, portal_id, headers=None, **query_parameters)`

Alias for *`update_guest_user_sms`*

`deny_guest_user_by_id(id, headers=None, **query_parameters)`

This API allows the client to deny a guest user by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`deny_by_id(id, headers=None, **query_parameters)`

Alias for *`deny_guest_user_by_id`*

`get_guest_user_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a guest user by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_guest_user_by_id*

update_guest_user_by_id(*id*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *name=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a guest user by ID.

Parameters

- **custom_fields** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_access_info** (*object*) – guestAccessInfo, property of the request body.
- **guest_info** (*object*) – guestInfo, property of the request body.
- **guest_type** (*string*) – guestType, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_id** (*string*) – portalId, property of the request body.
- **reason_for_visit** (*string*) – reasonForVisit, property of the request body.
- **sponsor_user_id** (*string*) – sponsorUserId, property of the request body.
- **sponsor_user_name** (*string*) – sponsorUserName, property of the request body.
- **status** (*string*) – status, property of the request body.
- **status_reason** (*string*) – statusReason, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *custom_fields=None*, *description=None*, *guest_access_info=None*, *guest_info=None*, *guest_type=None*, *name=None*, *portal_id=None*, *reason_for_visit=None*, *sponsor_user_id=None*, *sponsor_user_name=None*, *status=None*, *status_reason=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_guest_user_by_id*

delete_guest_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a guest user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [delete_guest_user_by_id](#)

get_guest_users(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the guest users. Filter: [lastName, sponsor, creationTime, personBeingVisited, toDate, userName, firstName, emailAddress, phoneNumber, groupTag, name, company, guestType, status] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [firstName, lastName, emailAddress, name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,  
        headers=None, **query_parameters)  
Alias for get_guest_users
```

```
get_guest_users_generator(filter=None, filter_type=None, page=None, size=None, sortasc=None,  
                           sortdsc=None, headers=None, **query_parameters)
```

This API allows the client to get all the guest users. Filter: [lastName, sponsor, creationTime, personBeingVisited, toDate, userName, firstName, emailAddress, phoneNumber, groupTag, name, company, guestType, status] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [firstName, lastName, emailAddress, name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_guest_users_generator*

create_guest_user(*custom_fields=None, description=None, guest_access_info=None, guest_info=None, guest_type=None, name=None, portal_id=None, reason_for_visit=None, sponsor_user_id=None, sponsor_user_name=None, status=None, status_reason=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a guest user.

Parameters

- **custom_fields** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_access_info** (*object*) – guestAccessInfo, property of the request body.
- **guest_info** (*object*) – guestInfo, property of the request body.
- **guest_type** (*string*) – guestType, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_id** (*string*) – portalId, property of the request body.
- **reason_for_visit** (*string*) – reasonForVisit, property of the request body.
- **sponsor_user_id** (*string*) – sponsorUserId, property of the request body.
- **sponsor_user_name** (*string*) – sponsorUserName, property of the request body.
- **status** (*string*) – status, property of the request body.
- **status_reason** (*string*) – statusReason, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(custom_fields=None, description=None, guest_access_info=None, guest_info=None,
        guest_type=None, name=None, portal_id=None, reason_for_visit=None, sponsor_user_id=None,
        sponsor_user_name=None, status=None, status_reason=None, headers=None, payload=None,
        active_validation=True, **query_parameters)
```

Alias for `create_guest_user`

```
suspend_guest_user_by_id(id, additional_data=None, headers=None, payload=None,
                           active_validation=True, **query_parameters)
```

This API allows the client to suspend a guest user by ID.

Parameters

- **additional_data** (*list*) – additionalData, property of the request body (list of objects).
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
suspend_by_id(id, additional_data=None, headers=None, payload=None, active_validation=True,
                **query_parameters)
```

Alias for `suspend_guest_user_by_id`

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the guest user.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_for_guest_user`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type`** (*string*) – `operationType`, property of the request body.
- **`resource_media_type`** (*string*) – `resourceMediaType`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_request_for_guest_user`*

`monitor_bulk_status_guest_user`(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_guest_user*

hotspot_portal

class HotspotPortal

Identity Services Engine HotspotPortal API (version: 3.1.1).

Wraps the Identity Services Engine HotspotPortal API and exposes the API as native Python methods that return native Python objects.

get_hotspot_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a hotspot portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_hotspot_portal_by_id*

update_hotspot_portal_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a hotspot portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a BYOD, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_hotspot_portal_by_id*

delete_hotspot_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a hotspot portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_hotspot_portal_by_id*

get_hotspot_portal(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the hotspot portals. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_hotspot_portal*

get_hotspot_portal_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the hotspot portals. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter

is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_hotspot_portal_generator*

create_hotspot_portal(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a hotspot portal.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDGUEST, property of the request body.

- **settings** (*object*) – Defines all of the settings groups available for a BYOD, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_hotspot_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the hotspot portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

ip_to_sgt_mapping

class IpToSgtMapping

Identity Services Engine IPToSGTMMapping API (version: 3.1.1).

Wraps the Identity Services Engine IPToSGTMMapping API and exposes the API as native Python methods that return native Python objects.

deploy_ip_to_sgt_mapping_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to deploy an IP to SGT mapping by ID. Only one Deploy process can run at any given time.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

deploy_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *deploy_ip_to_sgt_mapping_by_id*

deploy_all_ip_to_sgt_mapping(*headers=None*, ***query_parameters*)

This API allows the client to deploy all the IP to SGT mappings. Only one Deploy process can run at any given time.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`deploy_all(headers=None, **query_parameters)`

Alias for *`deploy_all_ip_to_sgt_mapping`*

`get_deploy_status_ip_to_sgt_mapping(headers=None, **query_parameters)`

This API allows the client to get the IP to SGT mapping deployment status. Deploy Status will show last Deploy command output. The information will be saved until the next Deploy command.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_deploy_status(headers=None, **query_parameters)`

Alias for *`get_deploy_status_ip_to_sgt_mapping`*

`get_ip_to_sgt_mapping_by_id(id, headers=None, **query_parameters)`

This API allows the client to get an IP to SGT mapping by ID.

Parameters

- **`id(basestring)`** – id path parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_ip_to_sgt_mapping_by_id*

update_ip_to_sgt_mapping_by_id(*id*, *deploy_to=None*, *deploy_type=None*, *host_ip=None*,
host_name=None, *mapping_group=None*, *name=None*, *sgt=None*,
headers=None, *payload=None*, *active_validation=True*,
***query_parameters*)

This API allows the client to update an IP to SGT mapping by ID.

Parameters

- **deploy_to** (*string*) – Mandatory unless mappingGroup is set or unless deployType=ALL, property of the request body.
- **deploy_type** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **host_ip** (*string*) – Mandatory if hostName is empty -valid IP, property of the request body.
- **host_name** (*string*) – Mandatory if hostIp is empty, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **mapping_group** (*string*) – Mapping Group Id. Mandatory unless sgt and deployTo and deployType are set, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt** (*string*) – Mandatory unless mappingGroup is set, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id*, *deploy_to=None*, *deploy_type=None*, *host_ip=None*, *host_name=None*, *mapping_group=None*, *name=None*, *sgt=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *`update_ip_to_sgt_mapping_by_id`*

`delete_ip_to_sgt_mapping_by_id`(*id*, *headers=None*, ***query_parameters*)

This API deletes an IP to SGT mapping.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *`delete_ip_to_sgt_mapping_by_id`*

`get_ip_to_sgt_mapping`(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the IP to SGT mappings. Filter: [hostName, groupName, ip, sgtName] To search guest users by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13

Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [hostName, groupName, ip, sgtName].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_ip_to_sgt_mapping*

get_ip_to_sgt_mapping_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the IP to SGT mappings. Filter: [hostName, groupName, ip, sgtName] To search guest users by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET

/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [hostName, groupName, ip, sgtName].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_ip_to_sgt_mapping_generator*

create_ip_to_sgt_mapping(*deploy_to=None, deploy_type=None, host_ip=None, host_name=None, mapping_group=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an IP to SGT mapping.

Parameters

- **deploy_to** (*string*) – Mandatory unless mappingGroup is set or unless deployType=ALL, property of the request body.
- **deploy_type** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **host_ip** (*string*) – Mandatory if hostName is empty -valid IP, property of the request body.
- **host_name** (*string*) – Mandatory if hostIp is empty, property of the request body.
- **mapping_group** (*string*) – Mapping Group Id. Mandatory unless sgt and deployTo and deployType are set, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt** (*string*) – Mandatory unless mappingGroup is set, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*deploy_to=None, deploy_type=None, host_ip=None, host_name=None, mapping_group=None, name=None, sgt=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_ip_to_sgt_mapping*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to IP to SGT mapping.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_for_ip_to_sgt_mapping`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type`** (*string*) – `operationType`, property of the request body.
- **`resource_media_type`** (*string*) – `resourceMediaType`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_request_for_ip_to_sgt_mapping`*

`monitor_bulk_status_ip_to_sgt_mapping`(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_ip_to_sgt_mapping*

ip_to_sgt_mapping_group**class IpToSgtMappingGroup**

Identity Services Engine IPToSGTMappingGroup API (version: 3.1.1).

Wraps the Identity Services Engine IPToSGTMappingGroup API and exposes the API as native Python methods that return native Python objects.

deploy_ip_to_sgt_mapping_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to deploy an IP to SGT mapping group by ID. Only one Deploy process can run at any given time.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`deploy_all_ip_to_sgt_mapping_group`(*headers=None, **query_parameters*)

This API allows the client to deploy all the IP to SGT mapping groups. Only one Deploy process can run at any given time.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_deploy_status_ip_to_sgt_mapping_group`(*headers=None, **query_parameters*)

This API allows the client to get the IP to SGT mapping group deployment status. Deploy Status will show last Deploy command output. The information will be saved until the next Deploy command.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_ip_to_sgt_mapping_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an IP to SGT mapping group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_ip_to_sgt_mapping_group_by_id*

update_ip_to_sgt_mapping_group_by_id(*id*, *deploy_to=None*, *deploy_type=None*, *name=None*, *sgt=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an IP to SGT mapping group by ID.

Parameters

- **deploy_to** (*string*) – Mandatory unless mappingGroup is set or unless deploy-Type=ALL, property of the request body.
- **deploy_type** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt** (*string*) – Mandatory unless mappingGroup is set, property of the request body.
- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *deploy_to=None*, *deploy_type=None*, *name=None*, *sgt=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_ip_to_sgt_mapping_group_by_id*

delete_ip_to_sgt_mapping_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an IP to SGT mapping group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_ip_to_sgt_mapping_group_by_id*

```
get_ip_to_sgt_mapping_group(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)
```

This API allows the client to get all the IP to SGT mapping groups. Filter: [name, sgt-Name] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, sgtName].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)
```

Alias for *get_ip_to_sgt_mapping_group*

```
get_ip_to_sgt_mapping_group_generator(filter=None, filter_type=None, page=None, size=None,
                                       sortasc=None, sortdsc=None, headers=None,
                                       **query_parameters)
```

This API allows the client to get all the IP to SGT mapping groups. Filter: [name, sgt-Name] To search guest users by using toDate column, follow the format: DD- MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, sgtName].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_all_generator(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
                  headers=None, **query_parameters)
```

Alias for `get_ip_to_sgt_mapping_group_generator`

```
create_ip_to_sgt_mapping_group(deploy_to=None, deploy_type=None, name=None, sgt=None,  
                                headers=None, payload=None, active_validation=True,  
                                **query_parameters)
```

This API creates an IP to SGT mapping group.

Parameters

- **deploy_to** (*string*) – Mandatory unless mappingGroup is set or unless deploy-Type=ALL, property of the request body.
- **deploy_type** (*string*) – Allowed values: ALL, ND, NDG, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt** (*string*) – Mandatory unless mappingGroup is set, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(deploy_to=None, deploy_type=None, name=None, sgt=None, headers=None, payload=None,  
        active_validation=True, **query_parameters)
```

Alias for *create_ip_to_sgt_mapping_group*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the IP to SGT mapping group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_for_ip_to_sgt_mapping_group`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type`** (*string*) – `operationType`, property of the request body.
- **`resource_media_type`** (*string*) – `resourceMediaType`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for `bulk_request_for_ip_to_sgt_mapping_group`

`monitor_bulk_status_ip_to_sgt_mapping_group`(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_ip_to_sgt_mapping_group*

identity_groups

class IdentityGroups

Identity Services Engine IdentityGroups API (version: 3.1.1).

Wraps the Identity Services Engine IdentityGroups API and exposes the API as native Python methods that return native Python objects.

get_identity_group_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an identity group by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_identity_group_by_name*

get_identity_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an identity group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_identity_group_by_id*

update_identity_group_by_id(*id*, *description=None*, *name=None*, *parent=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an identity group.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *parent=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_identity_group_by_id*

get_identity_groups(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the identity groups. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_identity_groups*

get_identity_groups_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the identity groups. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for `get_identity_groups_generator`

`create_identity_group`(*description=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an identity group.

Parameters

- **`description`** (*string*) – description, property of the request body.
- **`name`** (*string*) – name, property of the request body.
- **`parent`** (*string*) – parent, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_identity_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to identity group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

identity_sequence

class IdentitySequence

Identity Services Engine IdentitySequence API (version: 3.1.1).

Wraps the Identity Services Engine IdentitySequence API and exposes the API as native Python methods that return native Python objects.

get_identity_sequence_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get an identity sequence by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name(name, headers=None, **query_parameters)`

Alias for *`get_identity_sequence_by_name`*

`get_identity_sequence_by_id(id, headers=None, **query_parameters)`

This API allows the client to get an identity sequence by ID.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_identity_sequence_by_id`*

`update_identity_sequence_by_id(id, break_on_store_fail=None, certificate_authentication_profile=None, description=None, id_seq_item=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update an identity sequence. Partial update is not supported.

Parameters

- **break_on_store_fail** (*boolean*) – breakOnStoreFail, property of the request body.
- **certificate_authentication_profile** (*string*) – certificateAuthenticationProfile, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **id_seq_item** (*list*) – idSeqItem, property of the request body (list of objects).
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *break_on_store_fail=None*, *certificate_authentication_profile=None*, *description=None*, *id_seq_item=None*, *name=None*, *parent=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_identity_sequence_by_id*

delete_identity_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an identity sequence.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_identity_sequence_by_id`*

`get_identity_sequence(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the identity sequences.

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(page=None, size=None, headers=None, **query_parameters)`

Alias for *`get_identity_sequence`*

`get_identity_sequence_generator(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the identity sequences.

Parameters

- **`page(int)`** – page query parameter. Page number.

- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_identity_sequence_generator*

create_identity_sequence(*break_on_store_fail=None, certificate_authentication_profile=None, description=None, id_seq_item=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an identity sequence.

Parameters

- **break_on_store_fail** (*boolean*) – breakOnStoreFail, property of the request body.
- **certificate_authentication_profile** (*string*) – certificateAuthenticationProfile, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id_seq_item** (*list*) – idSeqItem, property of the request body (list of objects).
- **name** (*string*) – name, property of the request body.
- **parent** (*string*) – parent, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`create`(*break_on_store_fail=None, certificate_authentication_profile=None, description=None, id_seq_item=None, name=None, parent=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_identity_sequence*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the identity sequence.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

internal_user

class InternalUser

Identity Services Engine InternalUser API (version: 3.1.1).

Wraps the Identity Services Engine InternalUser API and exposes the API as native Python methods that return native Python objects.

get_internal_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get an internal user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_internal_user_by_name*

update_internal_user_by_name(*name*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *id=None*, *identity_groups=None*, *last_name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an internal user by name.

Parameters

- **change_password** (*boolean*) – changePassword, property of the request body.
- **custom_attributes** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **email** (*string*) – email, property of the request body.
- **enable_password** (*string*) – enablePassword, property of the request body.

- **enabled** (*boolean*) – Whether the user is enabled/disabled. To use it as filter, the values should be ‘Enabled’ or ‘Disabled’. The values are case sensitive. For example, ‘[ERSObjectURL]?filter=enabled.EQ.Enabled’, property of the request body.
- **expiry_date** (*string*) – To store the internal user’s expiry date information. It’s format is = ‘YYYY-MM-DD’, property of the request body.
- **expiry_date_enabled** (*boolean*) – expiryDateEnabled, property of the request body.
- **first_name** (*string*) – firstName, property of the request body.
- **id** (*string*) – id, property of the request body.
- **identity_groups** (*string*) – CSV of identity group IDs, property of the request body.
- **last_name** (*string*) – lastName, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **password** (*string*) – password, property of the request body.
- **password_idstore** (*string*) – The id store where the internal user’s password is kept, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *id=None*, *identity_groups=None*, *last_name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_internal_user_by_name*

delete_internal_user_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes an internal user by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_internal_user_by_name*

get_internal_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an internal user by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
get_by_id(id, headers=None, **query_parameters)
```

Alias for `get_internal_user_by_id`

```
update_internal_user_by_id(id, change_password=None, custom_attributes=None, description=None,
                           email=None, enable_password=None, enabled=None, expiry_date=None,
                           expiry_date_enabled=None, first_name=None, identity_groups=None,
                           last_name=None, name=None, password=None, password_idstore=None,
                           headers=None, payload=None, active_validation=True,
                           **query_parameters)
```

This API allows the client to update an internal user by ID.

Parameters

- **change_password** (*boolean*) – changePassword, property of the request body.
- **custom_attributes** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **email** (*string*) – email, property of the request body.
- **enable_password** (*string*) – enablePassword, property of the request body.
- **enabled** (*boolean*) – Whether the user is enabled/disabled. To use it as filter, the values should be 'Enabled' or 'Disabled'. The values are case sensitive. For example, '[ERSObjectURL]?filter=enabled.EQ.Enabled', property of the request body.
- **expiry_date** (*string*) – To store the internal user's expiry date information. It's format is 'YYYY-MM-DD', property of the request body.
- **expiry_date_enabled** (*boolean*) – expiryDateEnabled, property of the request body.
- **first_name** (*string*) – firstName, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **identity_groups** (*string*) – CSV of identity group IDs, property of the request body.
- **last_name** (*string*) – lastName, property of the request body.
- **name** (*string*) – name, property of the request body.
- **password** (*string*) – password, property of the request body.
- **password_idstore** (*string*) – The id store where the internal user's password is kept, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *change_password=None*, *custom_attributes=None*, *description=None*, *email=None*, *enable_password=None*, *enabled=None*, *expiry_date=None*, *expiry_date_enabled=None*, *first_name=None*, *identity_groups=None*, *last_name=None*, *name=None*, *password=None*, *password_idstore=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_internal_user_by_id*

delete_internal_user_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an internal user by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_internal_user_by_id*

get_internal_user(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the internal users. Filter: [firstName, lastName, identityGroup, name, description, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_internal_user*

get_internal_user_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the internal users. Filter: [firstName, lastName, identityGroup, name, description, email, enabled] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_internal_user_generator*

create_internal_user(*change_password=None, custom_attributes=None, description=None, email=None, enable_password=None, enabled=None, expiry_date=None, expiry_date_enabled=None, first_name=None, identity_groups=None, last_name=None, name=None, password=None, password_idstore=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an internal user.

Parameters

- **change_password** (*boolean*) – changePassword, property of the request body.

- **custom_attributes** (*object*) – Key value map, property of the request body.
- **description** (*string*) – description, property of the request body.
- **email** (*string*) – email, property of the request body.
- **enable_password** (*string*) – enablePassword, property of the request body.
- **enabled** (*boolean*) – Whether the user is enabled/disabled. To use it as filter, the values should be 'Enabled' or 'Disabled'. The values are case sensitive. For example, '[ERSObjectURL]?filter=enabled.EQ.Enabled', property of the request body.
- **expiry_date** (*string*) – To store the internal user's expiry date information. It's format is = 'YYYY-MM-DD', property of the request body.
- **expiry_date_enabled** (*boolean*) – expiryDateEnabled, property of the request body.
- **first_name** (*string*) – firstName, property of the request body.
- **identity_groups** (*string*) – CSV of identity group IDs, property of the request body.
- **last_name** (*string*) – lastName, property of the request body.
- **name** (*string*) – name, property of the request body.
- **password** (*string*) – password, property of the request body.
- **password_idstore** (*string*) – The id store where the internal user's password is kept, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(change_password=None, custom_attributes=None, description=None, email=None,
       enable_password=None, enabled=None, expiry_date=None, expiry_date_enabled=None,
       first_name=None, identity_groups=None, last_name=None, name=None, password=None,
       password_idstore=None, headers=None, payload=None, active_validation=True,
       **query_parameters)
```

Alias for *create_internal_user*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the internal user.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

licensing

class Licensing

Identity Services Engine Licensing API (version: 3.1.1).

Wraps the Identity Services Engine Licensing API and exposes the API as native Python methods that return native Python objects.

get_connection_type(*headers=None, **query_parameters*)

Get connection type.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_eval_license_info(*headers=None, **query_parameters*)

Get registration information.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_feature_to_tier_mapping(*headers=None, **query_parameters*)

Get feature to tier mapping.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_registration_info(*headers=None, **query_parameters*)

Get registration information.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create_registration_info(*connection_type=None, registration_type=None, ssm_on_prem_server=None, tier=None, token=None, headers=None, payload=None, active_validation=True, **query_parameters*)

License Configure registration information.

Parameters

- **connection_type** (*string*) – connectionType, property of the request body. Available values are 'HTTP_DIRECT', 'PROXY', 'SSM_ONPREM_SERVER' and 'TRANSPORT_GATEWAY'.
- **registration_type** (*string*) – registrationType, property of the request body. Available values are 'DEREGISTER', 'REGISTER', 'RENEW' and 'UPDATE'.
- **ssm_on_prem_server** (*string*) – If connection type is selected as SSM_ONPREM_SERVER, then IP address or the hostname (or FQDN) of the SSM On-Prem server Host., property of the request body.
- **tier** (*list*) – tier, property of the request body (list of strings. Available values are 'ADVANTAGE', 'DEVICEADMIN', 'ESSENTIAL', 'PREMIER' and 'VM').
- **token** (*string*) – token, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(list)**: A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_smart_state(*headers=None, **query_parameters*)

Get smart license information.

Parameters

- **headers(dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

configure_smart_state(*headers=None, **query_parameters*)

License Configure smart state information.

Parameters

- **headers(dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_tier_state_info(headers=None, **query_parameters)`

Get tier state information.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_tier_state_info(headers=None, payload=None, active_validation=True, **query_parameters)`

Applicable values for name & status parameters: name: ESSENTIAL, ADVANTAGE, PREMIER, DE-VICEADMIN status: ENABLED, DISABLED .

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload (list)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation (bool)`** – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

mdm**class Mdm**

Identity Services Engine MDM API (version: 3.1.1).

Wraps the Identity Services Engine MDM API and exposes the API as native Python methods that return native Python objects.

get_endpoints(*headers=None, **query_parameters*)
getEndpoints.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_endpoints*

get_endpoint_by_mac_address(*headers=None, **query_parameters*)

getEndpointByMacAddress.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_endpoints_by_type(*headers=None, **query_parameters*)

getEndpointsByType.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_endpoints_by_os_type(*headers=None, **query_parameters*)
getEndpointsByOsType.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

misc

class Misc

Identity Services Engine Misc API (version: 3.1.1).

Wraps the Identity Services Engine Misc API and exposes the API as native Python methods that return native Python objects.

get_active_count(*headers=None, **query_parameters*)
ActiveCount.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_active_list(*headers=None, **query_parameters*)
ActiveList.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_session_auth_list(*headers=None, **query_parameters*)
Session/AuthList.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- ***MalformedRequest*** – If the request body created is invalid.
- ***ApiError*** – If the Identity Services Engine cloud returns an error.

get_posture_count(*headers=None, **query_parameters*)
PostureCount.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- ***TypeError*** – If the parameter types are incorrect.
- ***MalformedRequest*** – If the request body created is invalid.
- ***ApiError*** – If the Identity Services Engine cloud returns an error.

get_profiler_count(*headers=None, **query_parameters*)
ProfilerCount.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- ***TypeError*** – If the parameter types are incorrect.
- ***MalformedRequest*** – If the request body created is invalid.
- ***ApiError*** – If the Identity Services Engine cloud returns an error.

get_sessions_by_mac(*mac*, *headers=None*, ***query_parameters*)

Sessions by MAC.

Parameters

- **mac** (*basestring*) – mac path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_username(*username*, *headers=None*, ***query_parameters*)

Sessions by Username.

Parameters

- **username** (*basestring*) – username path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_nas_ip(*nas_ipv4*, *headers=None*, ***query_parameters*)

Sessions by NAS IP.

Parameters

- **nas_ipv4** (*basestring*) – nas_ipv4 path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_endpoint_ip(*endpoint_ipv4*, *headers=None*, ***query_parameters*)

Sessions by Endpoint IP.

Parameters

- **endpoint_ipv4** (*basestring*) – endpoint_ipv4 path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sessions_by_session_id(*session_id*, *headers=None*, ***query_parameters*)

Sessions by SessionID.

Parameters

- **session_id** (*basestring*) – session_id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_all_sessions(*headers=None*, ***query_parameters*)

Delete All Sessions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_mnt_version(*headers=None, **query_parameters*)
MNT Version.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_failure_reasons(*headers=None, **query_parameters*)
FailureReasons.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_authentication_status_by_mac(*mac, rec_ord_s, sec_ond_s, headers=None, **query_parameters*)
AuthenticationStatus by MAC.

Parameters

- **mac** (*basestring*) – MAC path parameter.
- **sec_ond_s** (*basestring*) – SECONDS path parameter.
- **rec_ord_s** (*basestring*) – RECORDS path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse***Raises**

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

session_reauthentication_by_mac(*end_poi_ntm_ac*, *psn_nam_e*, *rea_uth_typ_e*, *headers=None*, ***query_parameters*)

Session Reauthentication by MAC.

Parameters

- **psn_nam_e** (*basestring*) – PSN_NAME path parameter.
- **end_poi_ntm_ac** (*basestring*) – ENDPOINT_MAC path parameter.
- **rea_uth_typ_e** (*basestring*) – REAUTH_TYPE path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse***Raises**

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

session_disconnect(*dis_con_nec_tty_pe*, *end_poi_nti_p*, *mac*, *nas_ipv4*, *psn_name*, *headers=None*,
 ***query_parameters*)

Session Disconnect.

Parameters

- **end_poi_nti_p** (*basestring*) – ENDPOINT_IP path parameter.
- **psn_name** (*basestring*) – PSN_NAME path parameter.
- **mac** (*basestring*) – MAC path parameter.
- **dis_con_nec_tty_pe** (*basestring*) – DISCONNECT_TYPE path parameter.
- **nas_ipv4** (*basestring*) – NAS_IPV4 path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_account_status_by_mac(*duration*, *mac*, *headers=None*, ***query_parameters*)

AccountStatus by MAC.

Parameters

- **mac** (*basestring*) – mac path parameter.
- **duration** (*basestring*) – duration path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`my_device_portal`

class `MyDevicePortal`

Identity Services Engine `MyDevicePortal` API (version: 3.1.1).

Wraps the Identity Services Engine `MyDevicePortal` API and exposes the API as native Python methods that return native Python objects.

`get_my_device_portal_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a my device portal by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for `get_my_device_portal_by_id`

```
update_my_device_portal_by_id(id, customizations=None, description=None, name=None,
                             portal_test_url=None, portal_type=None, settings=None,
                             headers=None, payload=None, active_validation=True,
                             **query_parameters)
```

This API allows the client to update a my device portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a Mydevice portal, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, customizations=None, description=None, name=None, portal_test_url=None,
             portal_type=None, settings=None, headers=None, payload=None, active_validation=True,
             **query_parameters)
```

Alias for *update_my_device_portal_by_id*

```
delete_my_device_portal_by_id(id, headers=None, **query_parameters)
```

This API deletes a my device portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse***Raises**

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_my_device_portal_by_id*

get_my_device_portal(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the my device portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_my_device_portal*

get_my_device_portal_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the my device portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_my_device_portal_generator*

create_my_device_portal(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a my device portal.

Parameters

- **customizations (object)** – Defines all of the Portal Customizations available, property of the request body.
- **description (string)** – description, property of the request body.
- **name (string)** – name, property of the request body.
- **portal_test_url (string)** – URL to bring up a test page for this portal, property of the request body.
- **portal_type (string)** – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings (object)** – Defines all of the settings groups available for a Mydevice portal, property of the request body.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_my_device_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the my device portal.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

native_suppliant_profile

class NativeSuppliantProfile

Identity Services Engine NativeSuppliantProfile API (version: 3.1.1).

Wraps the Identity Services Engine NativeSuppliantProfile API and exposes the API as native Python methods that return native Python objects.

get_native_suppliant_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a native suppliant profile by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_native_suppliant_profile_by_id*

update_native_suppliant_profile_by_id(*id*, *description=None*, *name=None*,
wireless_profiles=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API allows the client to update a native suppliant profile.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **wireless_profiles** (*list*) – wirelessProfiles, property of the request body (list of objects).
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *wireless_profiles=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_native_suppllicant_profile_by_id*

delete_native_suppllicant_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a native supplicant profile.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_native_suppllicant_profile_by_id*

get_native_suppllicant_profile(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the native suppllicant profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_native_suppllicant_profile*

get_native_suppllicant_profile_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the native suppllicant profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_native_suppllicant_profile_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the native supplicant profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

network_access_authentication_rules

class NetworkAccessAuthenticationRules

Identity Services Engine Network Access - Authentication Rules API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Authentication Rules API and exposes the API as native Python methods that return native Python objects.

get_network_access_authentication_rules(*policy_id, headers=None, **query_parameters*)

Network Access Get authentication rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_authentication_rules*

create_network_access_authentication_rule(*policy_id*, *identity_source_name=None*,
if_auth_fail=None, *if_process_fail=None*,
if_user_not_found=None, *link=None*, *rule=None*,
headers=None, *payload=None*,
active_validation=True, ***query_parameters*)

Network Access Create authentication rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authentication policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id, identity_source_name=None, if_auth_fail=None, if_process_fail=None, if_user_not_found=None, link=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_authentication_rule*

reset_hit_counts_network_access_authentication_rules(*policy_id, headers=None, **query_parameters*)

Network Access Reset HitCount for Authentication Rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id, headers=None, **query_parameters*)

Alias for *reset_hit_counts_network_access_authentication_rules*

get_network_access_authentication_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)
Network Access Get rule attributes.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_authentication_rule_by_id*

update_network_access_authentication_rule_by_id(*id*, *policy_id*, *identity_source_name=None*,
if_auth_fail=None, *if_process_fail=None*,
if_user_not_found=None, *link=None*,
rule=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Network Access Update rule.

Parameters

- **identity_source_name** (*string*) – Identity source name from the identity stores, property of the request body.
- **if_auth_fail** (*string*) – Action to perform when authentication fails such as Bad credentials, disabled user and so on, property of the request body.
- **if_process_fail** (*string*) – Action to perform when ISE is unable to access the identity database, property of the request body.
- **if_user_not_found** (*string*) – Action to perform when user is not found in any of identity stores, property of the request body.
- **link** (*object*) – link, property of the request body.
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id, policy_id, identity_source_name=None, if_auth_fail=None, if_process_fail=None, if_user_not_found=None, link=None, rule=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_network_access_authentication_rule_by_id*

delete_network_access_authentication_rule_by_id(*id, policy_id, headers=None, **query_parameters*)

Network Access Delete rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id, policy_id, headers=None, **query_parameters*)

Alias for *delete_network_access_authentication_rule_by_id*

network_access_authorization_exception_rules**class NetworkAccessAuthorizationExceptionRules**

Identity Services Engine Network Access - Authorization Exception Rules API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Authorization Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_network_access_local_exception_rules(*policy_id, headers=None, **query_parameters*)

Network Access Get local exception rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*policy_id, headers=None, **query_parameters*)

Alias for *get_network_access_local_exception_rules*

create_network_access_local_exception_rule(*policy_id, link=None, profile=None, rule=None, security_group=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Create local authorization exception rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference

or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *create_network_access_local_exception_rule*

reset_hit_counts_network_access_local_exceptions(*policy_id*, *headers=None*, ***query_parameters*)

Network Access Reset HitCount for local exceptions.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`reset_hit_counts_by_id(policy_id, headers=None, **query_parameters)`

Alias for *`reset_hit_counts_network_access_local_exceptions`*

`get_network_access_local_exception_rule_by_id(id, policy_id, headers=None, **query_parameters)`

Network Access Get local exception rule attributes.

Parameters

- **`policy_id (basestring)`** – policyId path parameter. Policy id.
- **`id (basestring)`** – id path parameter. Rule id.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, policy_id, headers=None, **query_parameters)`

Alias for *`get_network_access_local_exception_rule_by_id`*

```
update_network_access_local_exception_rule_by_id(id, policy_id, link=None, profile=None,
                                                rule=None, security_group=None,
                                                headers=None, payload=None,
                                                active_validation=True, **query_parameters)
```

Network Access Update local exception rule.

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, policy_id, link=None, profile=None, rule=None, security_group=None, headers=None,
            payload=None, active_validation=True, **query_parameters)
```

Alias for *update_network_access_local_exception_rule_by_id*

```
delete_network_access_local_exception_rule_by_id(id, policy_id, headers=None,
                                                **query_parameters)
```

Network Access Delete local exception rule.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **id** (*basestring*) – id path parameter. Rule id.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id, policy_id, headers=None, **query_parameters*)
Alias for *delete_network_access_local_exception_rule_by_id*

network_access_authorization_global_exception_rules**class NetworkAccessAuthorizationGlobalExceptionRules**

Identity Services Engine Network Access - Authorization Global Exception Rules API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Authorization Global Exception Rules API and exposes the API as native Python methods that return native Python objects.

get_network_access_policy_set_global_exception_rules(*headers=None, **query_parameters*)
Network Access Get global exception rules.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_policy_set_global_exception_rules*

create_network_access_policy_set_global_exception_rule(*link=None, profile=None, rule=None, security_group=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Create global exception authorization rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model ConditionReference or dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*link=None, profile=None, rule=None, security_group=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_policy_set_global_exception_rule*

reset_hit_counts_network_access_global_exceptions(*headers=None, **query_parameters*)

Network Access Reset HitCount for Global Exceptions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts(*headers=None, **query_parameters*)

Alias for *reset_hit_counts_network_access_global_exceptions*

get_network_access_policy_set_global_exception_rule_by_id(*id, headers=None, **query_parameters*)

Network Access Get global exception rule attributes.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_policy_set_global_exception_rule_by_id*

update_network_access_policy_set_global_exception_rule_by_id(*id*, *link=None*, *profile=None*,
rule=None,
security_group=None,
headers=None,
payload=None,
active_validation=True,
***query_parameters*)

Network Access Update global exception authorization rule.

Parameters

- **link** (*object*) – link, property of the request body.
- **profile** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **rule** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **security_group** (*string*) – Security group used in authorization policies, property of the request body.
- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_policy_set_global_exception_rule_by_id*

delete_network_access_policy_set_global_exception_rule_by_id(*id*, *headers=None*,
***query_parameters*)

Network Access Delete global exception authorization rule.

Parameters

- **id** (*basestring*) – id path parameter. Rule id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_access_policy_set_global_exception_rule_by_id*

network_access_authorization_rules

class NetworkAccessAuthorizationRules

Identity Services Engine Network Access - Authorization Rules API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Authorization Rules API and exposes the API as native Python methods that return native Python objects.

get_network_access_authorization_rules(*policy_id*, *headers=None*, ***query_parameters*)

Network Access Get authorization rules.

Parameters

- **policy_id** (*basestring*) – policyId path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*policy_id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_authorization_rules*

`create_network_access_authorization_rule`(*policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Create authorization rule: Rule must include name and condition. Condition has hierarchical structure which define a set of conditions for which authorization policy rule could be match. Condition can be either reference to a stored Library condition, using model `ConditionReference` or dynamically built conditions which are not stored in the conditions Library, using models `ConditionAttributes`, `ConditionAndBlock`, `ConditionOrBlock` . .

Parameters

- **`link`** (*object*) – link, property of the request body.
- **`profile`** (*list*) – The authorization profile/s, property of the request body (list of strings).
- **`rule`** (*object*) – Common attributes in rule authentication/authorization, property of the request body.
- **`security_group`** (*string*) – Security group used in authorization policies, property of the request body.
- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*policy_id*, *link=None*, *profile=None*, *rule=None*, *security_group=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)
Alias for *create_network_access_authorization_rule*

reset_hit_counts_network_access_authorization_rules(*policy_id*, *headers=None*, ***query_parameters*)

Network Access Reset HitCount for Authorization Rules.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

reset_hit_counts_by_id(*policy_id*, *headers=None*, ***query_parameters*)
Alias for *reset_hit_counts_network_access_authorization_rules*

get_network_access_authorization_rule_by_id(*id*, *policy_id*, *headers=None*, ***query_parameters*)
Network Access Get authorization rule attributes.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`id`** (*basestring*) – id path parameter. Rule id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, policy_id, headers=None, **query_parameters*)

Alias for *get_network_access_authorization_rule_by_id*

update_network_access_authorization_rule_by_id(*id, policy_id, link=None, profile=None, rule=None, security_group=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Update authorization rule.

Parameters

- **link (object)** – link, property of the request body.
- **profile (list)** – The authorization profile/s, property of the request body (list of strings).
- **rule (object)** – Common attributes in rule authentication/authorization, property of the request body.
- **security_group (string)** – Security group used in authorization policies, property of the request body.
- **policy_id (basestring)** – policyId path parameter. Policy id.
- **id (basestring)** – id path parameter. Rule id.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id, policy_id, link=None, profile=None, rule=None, security_group=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_network_access_authorization_rule_by_id*

delete_network_access_authorization_rule_by_id(*id, policy_id, headers=None, **query_parameters*)

Network Access Delete authorization rule.

Parameters

- **`policy_id`** (*basestring*) – policyId path parameter. Policy id.
- **`id`** (*basestring*) – id path parameter. Rule id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id, policy_id, headers=None, **query_parameters*)

Alias for *delete_network_access_authorization_rule_by_id*

network_access_conditions

class NetworkAccessConditions

Identity Services Engine Network Access - Conditions API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Conditions API and exposes the API as native Python methods that return native Python objects.

get_network_access_conditions(*headers=None, **query_parameters*)

Network Access Returns all library conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_conditions*

create_network_access_condition(*attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Creates a library condition: Library Condition has hierarchical structure which define a set of condition for which authentication and authorization policy rules could be match. Condition can be compose from single dictionary attribute name and value using model LibraryConditionAttributes , or from combination of dictionary attributes with logical operation of AND/OR between them, using models: LibraryConditionAndBlock or LibraryConditionOrBlock . When using AND/OR blocks, the condition will include inner layers inside these blocks, these layers are built using the inner condition models: ConditionAttributes , ConditionAndBlock , ConditionOrBlock , that represent dynamically built Conditions which are not stored in the conditions Library, or using ConditionReference , which includes an ID to existing stored condition in the library. The LibraryCondition models can only be used in the outer-most layer (root of the condition) and must always include the condition name. When using one of the 3 inner condition models (ConditionAttributes, ConditionAndBlock, ConditionOrBlock), condition name cannot be

included in the request, since these will not be stored in the conditions library, and used only as inner members of the root condition. When using ConditionReference model in inner layers, the condition name is not required. ConditionReference objects can also include a reference ID to a condition of type TimeAndDate

..

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates that “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘contains’, ‘endsWith’, ‘equals’, ‘greaterOrEquals’, ‘greaterThan’, ‘in’, ‘ipEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipNotEquals’, ‘lessOrEquals’, ‘lessThan’, ‘matches’, ‘notContains’, ‘notEndsWith’, ‘notEquals’, ‘notIn’, ‘notStartsWith’ and ‘startsWith’.

- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(attribute_name=None, attribute_value=None, children=None, condition_type=None,
        dates_range=None, dates_range_exception=None, description=None, dictionary_name=None,
        dictionary_value=None, hours_range=None, hours_range_exception=None, id=None,
        is_negate=None, link=None, name=None, operator=None, week_days=None,
        week_days_exception=None, headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Alias for *create_network_access_condition*

```
get_network_access_conditions_for_authentication_rules(headers=None, **query_parameters)
```

Network Access Returns list of library conditions for Authentication rules scope.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_network_access_conditions_for_authorization_rules`(*headers=None, **query_parameters*)
Network Access Returns list of library conditions for Authorization rules scope.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_network_access_condition_by_name`(*name, headers=None, **query_parameters*)
Network Access Returns a library condition.

Parameters

- **`name`** (*basestring*) – name path parameter. Condition name.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *`get_network_access_condition_by_name`*

`update_network_access_condition_by_name`(*name*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *id=None*, *is_negate=None*, *link=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update library condition using condition name.

Parameters

- **`attribute_name`** (*string*) – Dictionary attribute name, property of the request body.
- **`attribute_value`** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **`children`** (*list*) – In case type is `andBlock` or `orBlock` additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **`condition_type`** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **`dates_range`** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **`dates_range_exception`** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.

- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*basestring*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'notContains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **name** – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *id=None*, *is_negate=None*, *link=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [*update_network_access_condition_by_name*](#)

delete_network_access_condition_by_name(*name*, *headers=None*, ***query_parameters*)

Network Access Delete a library condition using condition Name.

Parameters

- **name** (*basestring*) – name path parameter. Condition name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for [*delete_network_access_condition_by_name*](#)

get_network_access_conditions_for_policy_sets(*headers=None*, ***query_parameters*)

Network Access Returns list of library conditions for PolicySet scope.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_for_policy_sets`(*headers=None, **query_parameters*)

Alias for *get_network_access_conditions_for_policy_sets*

`get_network_access_condition_by_id`(*id, headers=None, **query_parameters*)

Network Access Returns a library condition.

Parameters

- **`id`** (*basestring*) – id path parameter. Condition id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id, headers=None, **query_parameters*)

Alias for *get_network_access_condition_by_id*

```
update_network_access_condition_by_id(id, attribute_name=None, attribute_value=None,
                                     children=None, condition_type=None, dates_range=None,
                                     dates_range_exception=None, description=None,
                                     dictionary_name=None, dictionary_value=None,
                                     hours_range=None, hours_range_exception=None,
                                     is_negate=None, link=None, name=None, operator=None,
                                     week_days=None, week_days_exception=None,
                                     headers=None, payload=None, active_validation=True,
                                     **query_parameters)
```

Network Access Update library condition.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.

- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'not-Contains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, attribute_name=None, attribute_value=None, children=None, condition_type=None,
             dates_range=None, dates_range_exception=None, description=None,
             dictionary_name=None, dictionary_value=None, hours_range=None,
             hours_range_exception=None, is_negate=None, link=None, name=None, operator=None,
             week_days=None, week_days_exception=None, headers=None, payload=None,
             active_validation=True, **query_parameters)
```

Alias for *update_network_access_condition_by_id*

```
delete_network_access_condition_by_id(id, headers=None, **query_parameters)
```

Network Access Delete a library condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)
Alias for *delete_network_access_condition_by_id*

network_access_dictionary**class NetworkAccessDictionary**

Identity Services Engine Network Access - Dictionary API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Dictionary API and exposes the API as native Python methods that return native Python objects.

get_network_access_dictionaries(*headers=None*, ***query_parameters*)
Get all Dictionaries.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_dictionaries*

create_network_access_dictionaries(*description=None, dictionary_attr_type=None, id=None, link=None, name=None, version=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Create a new Dictionary.

Parameters

- **description** (*string*) – The description of the Dictionary, property of the request body.
- **dictionary_attr_type** (*string*) – The dictionary attribute type, property of the request body. Available values are 'ENTITY_ATTR', 'MSG_ATTR' and 'PIP_ATTR'.
- **id** (*string*) – Identifier for the dictionary, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – The dictionary name, property of the request body.
- **version** (*string*) – The dictionary version, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, dictionary_attr_type=None, id=None, link=None, name=None, version=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_dictionaries*

get_network_access_dictionary_by_name(*name, headers=None, **query_parameters*)

GET a dictionary by name.

Parameters

- **name** (*basestring*) – name path parameter. the dictionary name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_dictionary_by_name*

update_network_access_dictionary_by_name(*name*, *description=None*, *dictionary_attr_type=None*,
id=None, *link=None*, *version=None*, *headers=None*,
payload=None, *active_validation=True*,
***query_parameters*)

Network Access Update a Dictionary.

Parameters

- **description** (*string*) – The description of the Dictionary, property of the request body.
- **dictionary_attr_type** (*string*) – The dictionary attribute type, property of the request body. Available values are 'ENTITY_ATTR', 'MSG_ATTR' and 'PIP_ATTR'.
- **id** (*string*) – Identifier for the dictionary, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*basestring*) – The dictionary name, property of the request body.
- **version** (*string*) – The dictionary version, property of the request body.
- **name** – name path parameter. the dictionary name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name, description=None, dictionary_attr_type=None, id=None, link=None, version=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_network_access_dictionary_by_name*

delete_network_access_dictionary_by_name(*name, headers=None, **query_parameters*)

Network Access Delete a Dictionary.

Parameters

- **name** (*basestring*) – name path parameter. the dictionary name.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name, headers=None, **query_parameters*)

Alias for *delete_network_access_dictionary_by_name*

network_access_dictionary_attribute

class NetworkAccessDictionaryAttribute

Identity Services Engine Network Access - Dictionary Attribute API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Dictionary Attribute API and exposes the API as native Python methods that return native Python objects.

get_network_access_dictionary_attributes_by_dictionary_name(*dictionary_name*,
headers=None,
***query_parameters*)

Returns a list of Dictionary Attributes for an existing Dictionary.

Parameters

- **dictionary_name** (*basestring*) – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*dictionary_name*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_dictionary_attributes_by_dictionary_name*

create_network_access_dictionary_attribute(*dictionary_name*, *allowed_values=None*,
data_type=None, *description=None*,
direction_type=None, *id=None*, *internal_name=None*,
name=None, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

Create a new Dictionary Attribute for an existing Dictionary.

Parameters

- **allowed_values** (*list*) – all of the allowed values for the dictionary attribute, property of the request body (list of objects).
- **data_type** (*string*) – the data type for the dictionary attribute, property of the request body. Available values are 'BOOLEAN', 'DATE', 'FLOAT', 'INT', 'IP', 'IPV4', 'IPV6', 'IPV6INTERFACE', 'IPV6PREFIX', 'LONG', 'OCTET_STRING', 'STRING', 'UINT64' and 'UNIT32'.

- **description** (*string*) – The description of the Dictionary attribute, property of the request body.
- **dictionary_name** (*basestring*) – the name of the dictionary which the dictionary attribute belongs to, property of the request body.
- **direction_type** (*string*) – the direction for the usage of the dictionary attribute, property of the request body. Available values are 'BOTH', 'IN', 'NONE' and 'OUT'.
- **id** (*string*) – Identifier for the dictionary attribute, property of the request body.
- **internal_name** (*string*) – the internal name of the dictionary attribute, property of the request body.
- **name** (*string*) – The dictionary attribute's name, property of the request body.
- **dictionary_name** – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*dictionary_name*, *allowed_values=None*, *data_type=None*, *description=None*, *direction_type=None*, *id=None*, *internal_name=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *create_network_access_dictionary_attribute*

get_network_access_dictionary_attribute_by_name(*dictionary_name*, *name*, *headers=None*, ***query_parameters*)

Get a Dictionary Attribute.

Parameters

- **name** (*basestring*) – name path parameter. the dictionary attribute name.
- **dictionary_name** (*basestring*) – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*dictionary_name, name, headers=None, **query_parameters*)

Alias for *get_network_access_dictionary_attribute_by_name*

update_network_access_dictionary_attribute_by_name(*dictionary_name, name, allowed_values=None, data_type=None, description=None, direction_type=None, id=None, internal_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Update a Dictionary Attribute.

Parameters

- **allowed_values** (*list*) – all of the allowed values for the dictionary attribute, property of the request body (list of objects).
- **data_type** (*string*) – the data type for the dictionary attribute, property of the request body. Available values are 'BOOLEAN', 'DATE', 'FLOAT', 'INT', 'IP', 'IPV4', 'IPV6', 'IPV6INTERFACE', 'IPV6PREFIX', 'LONG', 'OCTET_STRING', 'STRING', 'UINT64' and 'UNIT32'.
- **description** (*string*) – The description of the Dictionary attribute, property of the request body.
- **dictionary_name** (*basestring*) – the name of the dictionary which the dictionary attribute belongs to, property of the request body.
- **direction_type** (*string*) – the direction for the usage of the dictionary attribute, property of the request body. Available values are 'BOTH', 'IN', 'NONE' and 'OUT'.
- **id** (*string*) – Identifier for the dictionary attribute, property of the request body.
- **internal_name** (*string*) – the internal name of the dictionary attribute, property of the request body.
- **name** (*basestring*) – The dictionary attribute's name, property of the request body.

- **name** – name path parameter. the dictionary attribute name.
- **dictionary_name** – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*dictionary_name, name, allowed_values=None, data_type=None, description=None, direction_type=None, id=None, internal_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_network_access_dictionary_attribute_by_name*

delete_network_access_dictionary_attribute_by_name(*dictionary_name, name, headers=None, **query_parameters*)

Delete a Dictionary Attribute.

Parameters

- **name** (*basestring*) – name path parameter. the dictionary attribute name.
- **dictionary_name** (*basestring*) – dictionaryName path parameter. the name of the dictionary the dictionary attribute belongs to.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_name(dictionary_name, name, headers=None, **query_parameters)`

Alias for *`delete_network_access_dictionary_attribute_by_name`*

`network_access_dictionary_attributes_list`

`class NetworkAccessDictionaryAttributesList`

Identity Services Engine Network Access - Dictionary Attributes List API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Dictionary Attributes List API and exposes the API as native Python methods that return native Python objects.

`get_network_access_dictionaries_authentication(headers=None, **query_parameters)`

Network Access Returns list of dictionary attributes for authentication.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_authentication(headers=None, **query_parameters)`

Alias for *`get_network_access_dictionaries_authentication`*

`get_network_access_dictionaries_authorization(headers=None, **query_parameters)`

Network Access Returns list of dictionary attributes for authorization.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_authorization(headers=None, **query_parameters)

Alias for *get_network_access_dictionaries_authorization*

get_network_access_dictionaries_policy_set(headers=None, **query_parameters)

Network Access Returns list of dictionary attributes for policyset.

Parameters

- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_policy_set(headers=None, **query_parameters)

Alias for *get_network_access_dictionaries_policy_set*

network_access_identity_stores

class NetworkAccessIdentityStores

Identity Services Engine Network Access - Identity Stores API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Identity Stores API and exposes the API as native Python methods that return native Python objects.

get_network_access_identity_stores(*headers=None, **query_parameters*)

Network Access Return list of identity stores for authentication policy definition. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_identity_stores*

network_access_network_conditions

class NetworkAccessNetworkConditions

Identity Services Engine Network Access - Network Conditions API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Network Conditions API and exposes the API as native Python methods that return native Python objects.

get_network_access_network_conditions(*headers=None, **query_parameters*)

Network Access Returns a list of network conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_network_conditions*

create_network_access_network_condition(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Creates network condition.

Parameters

- **condition_type** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are 'DeviceCondition', 'DevicePortCondition' and 'EndstationCondition'.
- **conditions** (*list*) – conditions, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Network Condition name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*condition_type=None, conditions=None, description=None, id=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_network_condition*

get_network_access_network_condition_by_id(*id, headers=None, **query_parameters*)

Network Access Returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_network_access_network_condition_by_id*

update_network_access_network_condition_by_id(*id, condition_type=None, conditions=None, description=None, link=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Update network condition.

Parameters

- **condition_type** (*string*) – This field determines the content of the conditions field, property of the request body. Available values are 'DeviceCondition', 'DevicePortCondition' and 'EndstationCondition'.
- **conditions** (*list*) – conditions, property of the request body (list of objects).

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Network Condition name, property of the request body.
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *condition_type=None*, *conditions=None*, *description=None*, *link=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_access_network_condition_by_id*

delete_network_access_network_condition_by_id(*id*, *headers=None*, ***query_parameters*)

Network Access Delete network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_network_access_network_condition_by_id`*

`network_access_policy_set`

`class NetworkAccessPolicySet`

Identity Services Engine Network Access - Policy Set API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Policy Set API and exposes the API as native Python methods that return native Python objects.

`get_network_access_policy_sets(headers=None, **query_parameters)`

Get all network access policy sets.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(headers=None, **query_parameters)`

Alias for *`get_network_access_policy_sets`*

`create_network_access_policy_set(condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters)`

Network Access Create a new policy set: Policy must include name , service identifier (either server se-

quence or allowed protocol) and a condition. Condition has hierarchical structure which define a set of condition for which policy could be match. Condition can be either reference to a stored Library condition, using model ConditionReference , or, dynamically built conditions which are not stored in the conditions Library, using models ConditionAttributes, ConditionAndBlock, ConditionOrBlock . .

Parameters

- **condition** (*object*) – condition, property of the request body.
- **default** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **description** (*string*) – The description for the policy set, property of the request body.
- **hit_counts** (*integer*) – The amount of times the policy was matched, property of the request body.
- **id** (*string*) – Identifier for the policy set, property of the request body.
- **is_proxy** (*boolean*) – Flag which indicates if the policy set service is of type ‘Proxy Sequence’ or ‘Allowed Protocols’, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Given name for the policy set, [Valid characters are alphanumeric, underscore, hyphen, space, period, parentheses], property of the request body.
- **rank** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **service_name** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.
- **state** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are ‘disabled’, ‘enabled’ and ‘monitor’.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*condition=None, default=None, description=None, hit_counts=None, id=None, is_proxy=None, link=None, name=None, rank=None, service_name=None, state=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_access_policy_set*

reset_hit_counts_network_access_policy_sets(*headers=None, **query_parameters*)

Network Access Reset HitCount for PolicySets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reset_hit_counts(*headers=None, **query_parameters*)

Alias for *reset_hit_counts_network_access_policy_sets*

get_network_access_policy_set_by_id(*id, headers=None, **query_parameters*)

Network Access Get policy set attributes.

Parameters

- **id** (*basestring*) – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_policy_set_by_id*

update_network_access_policy_set_by_id(*id*, *condition=None*, *default=None*, *description=None*, *hit_counts=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update a policy set.

Parameters

- **condition** (*object*) – condition, property of the request body.
- **default** (*boolean*) – Flag which indicates if this policy set is the default one, property of the request body.
- **description** (*string*) – The description for the policy set, property of the request body.
- **hit_counts** (*integer*) – The amount of times the policy was matched, property of the request body.
- **id** (*basestring*) – Identifier for the policy set, property of the request body.
- **is_proxy** (*boolean*) – Flag which indicates if the policy set service is of type ‘Proxy Sequence’ or ‘Allowed Protocols’, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Given name for the policy set, [Valid characters are alphanumeric, underscore, hyphen, space, period, parentheses], property of the request body.
- **rank** (*integer*) – The rank(priority) in relation to other policy set. Lower rank is higher priority., property of the request body.
- **service_name** (*string*) – Policy set service identifier Allowed Protocols,Server Sequence..., property of the request body.
- **state** (*string*) – The state that the policy set is in. A disabled policy set cannot be matched., property of the request body. Available values are ‘disabled’, ‘enabled’ and ‘monitor’.
- **id** – id path parameter. Policy id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`update_by_id`(*id*, *condition=None*, *default=None*, *description=None*, *hit_counts=None*, *is_proxy=None*, *link=None*, *name=None*, *rank=None*, *service_name=None*, *state=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *`update_network_access_policy_set_by_id`*

`delete_network_access_policy_set_by_id`(*id*, *headers=None*, ***query_parameters*)

Network Access Delete a policy set.

Parameters

- **`id`** (*basestring*) – id path parameter. Policy id.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *`delete_network_access_policy_set_by_id`*

network_access_profiles

class NetworkAccessProfiles

Identity Services Engine Network Access - Profiles API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Profiles API and exposes the API as native Python methods that return native Python objects.

get_network_access_profiles(*headers=None, **query_parameters*)

Network Access Returns list of authorization profiles. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_network_access_profiles*

network_access_security_groups

class NetworkAccessSecurityGroups

Identity Services Engine Network Access - Security Groups API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Security Groups API and exposes the API as native Python methods that return native Python objects.

get_network_access_security_groups(*headers=None, **query_parameters*)

Network Access Return list of available security groups for authorization policy definition. (Other CRUD APIs available through ERS).

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of `MyDict` objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)
Alias for *get_network_access_security_groups*

network_access_service_names**class NetworkAccessServiceNames**

Identity Services Engine Network Access - Service Names API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Service Names API and exposes the API as native Python methods that return native Python objects.

`get_network_access_service_names`(*headers=None, **query_parameters*)
Returns list of Allowed Protocols and Server Sequences for Network Access Policy Set results. 'isLocalAuthorization' property is available only for Network Access Policy Set results of type Server Sequence. (Other CRUD APIs available through ERS).

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(list)`: A list of `MyDict` objects. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_network_access_service_names*

network_access_time_date_conditions

class NetworkAccessTimeDateConditions

Identity Services Engine Network Access - Time/Date Conditions API (version: 3.1.1).

Wraps the Identity Services Engine Network Access - Time/Date Conditions API and exposes the API as native Python methods that return native Python objects.

get_network_access_time_conditions(*headers=None, **query_parameters*)
Network Access Returns a list of time and date conditions.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)
Alias for *get_network_access_time_conditions*

create_network_access_time_condition(*attribute_name=None, attribute_value=None, children=None, condition_type=None, dates_range=None, dates_range_exception=None, description=None, dictionary_name=None, dictionary_value=None, hours_range=None, hours_range_exception=None, id=None, is_negate=None, link=None, name=None, operator=None, week_days=None, week_days_exception=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Network Access Creates time/date condition.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.

- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates that “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.
- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*string*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are ‘contains’, ‘endsWith’, ‘equals’, ‘greaterOrEquals’, ‘greaterThan’, ‘in’, ‘ipEquals’, ‘ipGreaterThan’, ‘ipLessThan’, ‘ipNotEquals’, ‘lessOrEquals’, ‘lessThan’, ‘matches’, ‘not-Contains’, ‘notEndsWith’, ‘notEquals’, ‘notIn’, ‘notStartsWith’ and ‘startsWith’.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are ‘Friday’, ‘Monday’, ‘Saturday’, ‘Sunday’, ‘Thursday’, ‘Tuesday’ and ‘Wednesday’).
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the re-

quest body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(attribute_name=None, attribute_value=None, children=None, condition_type=None,
        dates_range=None, dates_range_exception=None, description=None, dictionary_name=None,
        dictionary_value=None, hours_range=None, hours_range_exception=None, id=None,
        is_negate=None, link=None, name=None, operator=None, week_days=None,
        week_days_exception=None, headers=None, payload=None, active_validation=True,
        **query_parameters)
```

Alias for *create_network_access_time_condition*

```
get_network_access_time_condition_by_id(id, headers=None, **query_parameters)
```

Network Access returns a network condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_access_time_condition_by_id*

update_network_access_time_condition_by_id(*id*, *attribute_name=None*, *attribute_value=None*, *children=None*, *condition_type=None*, *dates_range=None*, *dates_range_exception=None*, *description=None*, *dictionary_name=None*, *dictionary_value=None*, *hours_range=None*, *hours_range_exception=None*, *is_negate=None*, *link=None*, *name=None*, *operator=None*, *week_days=None*, *week_days_exception=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Network Access Update network condition.

Parameters

- **attribute_name** (*string*) – Dictionary attribute name, property of the request body.
- **attribute_value** (*string*) – Attribute value for condition Value type is specified in dictionary object if multiple values allowed is specified in dictionary object, property of the request body.
- **children** (*list*) – In case type is andBlock or orBlock additional conditions will be aggregated under this logical (OR/AND) condition, property of the request body (list of objects).
- **condition_type** (*string*) – Indicates whether the record is the condition itself(data) or a logical(or,and) aggregation Data type enum(reference,single) indicates than “conditionId” OR “ConditionAttrs” fields should contain condition data but not both Logical aggregation(and,or) enum indicates that additional conditions are present under the children field, property of the request body. Available values are ‘ConditionAndBlock’, ‘ConditionAttributes’, ‘ConditionOrBlock’, ‘ConditionReference’, ‘LibraryConditionAndBlock’, ‘LibraryConditionAttributes’, ‘LibraryConditionOrBlock’ and ‘TimeAndDateCondition’.
- **dates_range** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **dates_range_exception** (*object*) – Defines for which date/s TimeAndDate condition will be matched Options are Date range, for specific date, the same date should be used for start/end date Default no specific dates In order to reset the dates to have no specific dates Date format yyyy- mm-dd (MM = month, dd = day, yyyy = year), property of the request body.
- **description** (*string*) – Condition description, property of the request body.
- **dictionary_name** (*string*) – Dictionary name, property of the request body.
- **dictionary_value** (*string*) – Dictionary value, property of the request body.

- **hours_range** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **hours_range_exception** (*object*) – Defines for which hours a TimeAndDate condition will be matched Time format hh:mm (h = hour , mm = minutes) Default All Day , property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_negate** (*boolean*) – Indicates whereas this condition is in negate mode, property of the request body.
- **link** (*object*) – link, property of the request body.
- **name** (*string*) – Condition name, property of the request body.
- **operator** (*string*) – Equality operator, property of the request body. Available values are 'contains', 'endsWith', 'equals', 'greaterOrEquals', 'greaterThan', 'in', 'ipEquals', 'ipGreaterThan', 'ipLessThan', 'ipNotEquals', 'lessOrEquals', 'lessThan', 'matches', 'not-Contains', 'notEndsWith', 'notEquals', 'notIn', 'notStartsWith' and 'startsWith'.
- **week_days** (*list*) – Defines for which days this condition will be matched Days format Arrays of WeekDay enums Default List of All week days, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **week_days_exception** (*list*) – Defines for which days this condition will NOT be matched Days format Arrays of WeekDay enums Default Not enabled, property of the request body (list of strings. Available values are 'Friday', 'Monday', 'Saturday', 'Sunday', 'Thursday', 'Tuesday' and 'Wednesday').
- **id** – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, attribute_name=None, attribute_value=None, children=None, condition_type=None,
              dates_range=None, dates_range_exception=None, description=None,
              dictionary_name=None, dictionary_value=None, hours_range=None,
              hours_range_exception=None, is_negate=None, link=None, name=None, operator=None,
              week_days=None, week_days_exception=None, headers=None, payload=None,
              active_validation=True, **query_parameters)
```

Alias for [update_network_access_time_condition_by_id](#)

```
delete_network_access_time_condition_by_id(id, headers=None, **query_parameters)
```

Network Access Delete Time/Date condition.

Parameters

- **id** (*basestring*) – id path parameter. Condition id.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
delete_by_id(id, headers=None, **query_parameters)
```

Alias for [delete_network_access_time_condition_by_id](#)

network_device

class NetworkDevice

Identity Services Engine NetworkDevice API (version: 3.1.1).

Wraps the Identity Services Engine NetworkDevice API and exposes the API as native Python methods that return native Python objects.

```
get_network_device_by_name(name, headers=None, **query_parameters)
```

This API allows the client to get a network device by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_network_device_by_name*

update_network_device_by_name(*name*, *authentication_settings=None*, *coa_port=None*, *description=None*, *dtls_dns_name=None*, *id=None*, *model_name=None*, *network_device_group_list=None*, *network_device_ip_list=None*, *profile_name=None*, *snmpsettings=None*, *software_version=None*, *tacacs_settings=None*, *trustsecsettings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a network device by name.

Parameters

- **network_device_group_list** (*list*) – List of Network Device Group names for this node, property of the request body (list of strings).
- **network_device_ip_list** (*list*) – List of IP Subnets for this node, property of the request body (list of objects).
- **authentication_settings** (*object*) – authenticationSettings, property of the request body.
- **coa_port** (*integer*) – coaPort, property of the request body.
- **description** (*string*) – description, property of the request body.
- **dtls_dns_name** (*string*) – This value is used to verify the client identity contained in the X.509 RADIUS/DTLS client certificate, property of the request body.
- **id** (*string*) – id, property of the request body.
- **model_name** (*string*) – modelName, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **snmpsettings** (*object*) – snmpsettings, property of the request body.
- **software_version** (*string*) – softwareVersion, property of the request body.

- **tacacs_settings** (*object*) – tacacsSettings, property of the request body.
- **trustsecsettings** (*object*) – trustsecsettings, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *authentication_settings=None*, *coa_port=None*, *description=None*, *dtls_dns_name=None*, *id=None*, *model_name=None*, *network_device_group_list=None*, *network_device_ip_list=None*, *profile_name=None*, *snmpsettings=None*, *software_version=None*, *tacacs_settings=None*, *trustsecsettings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_device_by_name*

delete_network_device_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes a network device by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_network_device_by_name*

get_network_device_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a network device by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_device_by_id*

update_network_device_by_id(*id*, *authentication_settings=None*, *coa_port=None*, *description=None*, *dtls_dns_name=None*, *model_name=None*, *name=None*, *network_device_group_list=None*, *network_device_iplist=None*, *profile_name=None*, *snmpsettings=None*, *software_version=None*, *tacacs_settings=None*, *trustsecsettings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a network device by ID.

Parameters

- **network_device_group_list** (*list*) – List of Network Device Group names for this node, property of the request body (list of strings).

- **network_device_iplist** (*list*) – List of IP Subnets for this node, property of the request body (list of objects).
- **authentication_settings** (*object*) – authenticationSettings, property of the request body.
- **coa_port** (*integer*) – coaPort, property of the request body.
- **description** (*string*) – description, property of the request body.
- **dtls_dns_name** (*string*) – This value is used to verify the client identity contained in the X.509 RADIUS/DTLS client certificate, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **model_name** (*string*) – modelName, property of the request body.
- **name** (*string*) – name, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **snmpsettings** (*object*) – snmpsettings, property of the request body.
- **software_version** (*string*) – softwareVersion, property of the request body.
- **tacacs_settings** (*object*) – tacacsSettings, property of the request body.
- **trustsecsettings** (*object*) – trustsecsettings, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, authentication_settings=None, coa_port=None, description=None, dtls_dns_name=None,
              model_name=None, name=None, network_device_group_list=None,
              network_device_ip_list=None, profile_name=None, snmpsettings=None,
              software_version=None, tacacs_settings=None, trustsecsettings=None, headers=None,
              payload=None, active_validation=True, **query_parameters)
```

Alias for [update_network_device_by_id](#)

```
delete_network_device_by_id(id, headers=None, **query_parameters)
```

This API deletes a network device by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
delete_by_id(id, headers=None, **query_parameters)
```

Alias for [delete_network_device_by_id](#)

```
get_network_device(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None,
                    headers=None, **query_parameters)
```

This API allows the client to get all the network devices. Filter: [ipaddress, name, description, location, type] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be

sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_network_device*

get_network_device_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the network devices. Filter: [ipaddress, name, description, location, type] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_network_device_generator*

create_network_device(*authentication_settings=None, coa_port=None, description=None, dtls_dns_name=None, model_name=None, name=None, network_device_group_list=None, network_device_ip_list=None, profile_name=None, snmpsettings=None, software_version=None, tacacs_settings=None, trustsecsettings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a network device.

Parameters

- **network_device_group_list** (*list*) – List of Network Device Group names for this node, property of the request body (list of strings).
- **network_device_ip_list** (*list*) – List of IP Subnets for this node, property of the request body (list of objects).
- **authentication_settings** (*object*) – authenticationSettings, property of the request body.
- **coa_port** (*integer*) – coaPort, property of the request body.
- **description** (*string*) – description, property of the request body.

- **dtls_dns_name** (*string*) – This value is used to verify the client identity contained in the X.509 RADIUS/DTLS client certificate, property of the request body.
- **model_name** (*string*) – modelName, property of the request body.
- **name** (*string*) – name, property of the request body.
- **profile_name** (*string*) – profileName, property of the request body.
- **snmpsettings** (*object*) – snmpsettings, property of the request body.
- **software_version** (*string*) – softwareVersion, property of the request body.
- **tacacs_settings** (*object*) – tacacsSettings, property of the request body.
- **trustsecsettings** (*object*) – trustsecsettings, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(authentication_settings=None, coa_port=None, description=None, dtls_dns_name=None,  
        model_name=None, name=None, network_device_group_list=None, network_device_ip_list=None,  
        profile_name=None, snmpsettings=None, software_version=None, tacacs_settings=None,  
        trustsecsettings=None, headers=None, payload=None, active_validation=True,  
        **query_parameters)
```

Alias for *create_network_device*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the network device.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_network_device(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_network_device*

monitor_bulk_status_network_device(*bulkid*, *headers=None*, ***query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_network_device*

network_device_group

class NetworkDeviceGroup

Identity Services Engine NetworkDeviceGroup API (version: 3.1.1).

Wraps the Identity Services Engine NetworkDeviceGroup API and exposes the API as native Python methods that return native Python objects.

get_network_device_group_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a network device group by name.

Parameters

- **name** (*basestring*) – name path parameter. colon is used as a separator instead of (#) in the NDG name. For example, if the name is a#b#c it should appear in the request URL as a:b:c.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *get_network_device_group_by_name*

`get_network_device_group_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a network device group by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id*, *headers=None*, ***query_parameters*)

Alias for *get_network_device_group_by_id*

`update_network_device_group_by_id`(*id*, *description=None*, *name=None*, *othername=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a network device group.

Parameters

- **`description`** (*string*) – description, property of the request body.
- **`id`** (*basestring*) – id, property of the request body.

- **name** (*string*) – name, property of the request body.
- **othername** (*string*) – othername, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *othername=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_network_device_group_by_id*

delete_network_device_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a network device group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_network_device_group_by_id*

get_network_device_group(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the network device groups. Filter: [name, description, type] To search guest users by using toDate column, follow the format: DD- MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_network_device_group*

get_network_device_group_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the network device groups. Filter: [name, description, type] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_network_device_group_generator*

create_network_device_group(*description=None, name=None, othername=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a network device group.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **othername** (*string*) – othername, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, othername=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_network_device_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the network device group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

node_deployment**class NodeDeployment**

Identity Services Engine Node Deployment API (version: 3.1.1).

Wraps the Identity Services Engine Node Deployment API and exposes the API as native Python methods that return native Python objects.

`get_nodes`(*filter=None, filter_type=None, headers=None, **query_parameters*)

The API lists all the nodes that are deployed in the cluster. Returns basic information about each of the deployed nodes in the cluster like hostname, status, roles, and services. Supports filtering on FQDN, host-name, IP address, roles, services and node status. .

Parameters

- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering is available through the filter query string parameter. The structure of a filter is a triplet of field operator and value, separated by dots. More than one filter can be sent. The logical operator common to all filter criteria is AND by default, and can be changed by using the “filter-Type=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to all filter criteria is AND by default, and can be changed by using this parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

register_node(*allow_cert_import=None, fqdn=None, password=None, roles=None, services=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API registers a Cisco ISE node to form a multi-node deployment. Approximate execution time 300 seconds. .

Parameters

- **`allow_cert_import`** (*boolean*) – Consent to import the self- signed certificate of the registering node. , property of the request body.
- **`fqdn`** (*string*) – fqdn, property of the request body.
- **`password`** (*string*) – password, property of the request body.
- **`roles`** (*list*) – Roles can be empty or have many values for a node. , property of the request body (list of strings. Available values are 'PrimaryAdmin', 'PrimaryDedicatedMonitoring', 'PrimaryMonitoring', 'SecondaryAdmin', 'SecondaryDedicatedMonitoring', 'SecondaryMonitoring' and 'Standalone').
- **`services`** (*list*) – Services can be empty or have many values for a node. , property of the request body (list of strings. Available values are 'DeviceAdmin', 'PassiveIdentity', 'Profiler', 'SXP', 'Session', 'TC-NAC', 'pxGrid' and 'pxGridCloud').
- **`user_name`** (*string*) – userName, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_node_details(*hostname*, *headers=None*, ***query_parameters*)

This API retrieves detailed information of the deployed node. .

Parameters

- **hostname** (*basestring*) – hostname path parameter. Hostname of the deployed node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*hostname*, *headers=None*, ***query_parameters*)

Alias for *get_node_details*

update_node(*hostname*, *roles=None*, *services=None*, *headers=None*, *payload=None*,
active_validation=True, ***query_parameters*)

This API updates the configuration of the Cisco ISE node with the configuration provided. Approximate execution time 300 seconds. .

Parameters

- **roles** (*list*) – Roles can be empty or have many values for a node. , property of the request body (list of strings. Available values are 'PrimaryAdmin', 'PrimaryDedicatedMonitoring', 'PrimaryMonitoring', 'SecondaryAdmin', 'SecondaryDedicatedMonitoring', 'SecondaryMonitoring' and 'Standalone').
- **services** (*list*) – Services can be empty or have many values for a node. , property of the request body (list of strings. Available values are 'DeviceAdmin', 'PassiveIdentity', 'Profiler', 'SXP', 'Session', 'TC-NAC', 'pxGrid' and 'pxGridCloud').
- **hostname** (*basestring*) – hostname path parameter. Hostname of the deployed node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_node(hostname, headers=None, **query_parameters)

The deregistered node becomes a standalone Cisco ISE node. It retains the last configuration that it received from the primary PAN and assumes the default roles and services of a standalone node. Approximate execution time 300 seconds. .

Parameters

- **hostname (basestring)** – hostname path parameter. The hostname of the node in the deployment to be deregistered.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

make_primary(headers=None, **query_parameters)

This API promotes the standalone node on which the API is invoked to the primary Policy Administration node (PAN). .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

promote_node(*headers=None, **query_parameters*)

Execute this API in the secondary PAN in the cluster to promote the node to primary PAN. Ensure that the API Gateway setting is enabled in the secondary PAN. Approximate execution time 300 seconds. .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

make_standalone(*headers=None, **query_parameters*)

This API changes the primary PAN in a single node cluster on which the API is invoked, to a standalone node. .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sync_node(*hostname*, *headers=None*, ***query_parameters*)

Performing a manual synchronization involves a reload of the target node, but not the primary PAN. Approximate execution time 300 seconds.

Parameters

- **hostname** (*basestring*) – hostname path parameter. Hostname of the node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

node_group

class NodeGroup

Identity Services Engine Node Group API (version: 3.1.1).

Wraps the Identity Services Engine Node Group API and exposes the API as native Python methods that return native Python objects.

get_node_groups(*headers=None, **query_parameters*)

This API retrieves the details of all the node groups in the cluster. Each node group retrieved consists of name, description and MAR cache details like query-attempts, query-timeout, replication-attempts, replication- timeout. .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create_node_group(*description=None, mar_cache=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a node group in the cluster. A node group is a group of PSNs, where the PSNs maintain a heartbeat with each other. It is used primarily to terminate or transfer posture-pending sessions when a PSN in a local node group fails. Node group members can communicate over TCP/7800. The following parameters are used in the request body of the API: **PARAMETER DESCRIPTION EXAMPLE** **name** * required Name of the node group(valid-range: 1-100 characters) {"name": "site1"} **description** Description of the node group (valid-range: 0-256 characters) {"name": "site2", "description": "sample"} **query-attempts** The number of times Cisco ISE attempts to perform the cache entry query. (valid-range: 0 5, default-value: 1) {"name": "site3", "marCache": {"query-attempts": 1}} **query-timeout** The time, in seconds, after which a cache entry query times out. (valid-range: 1 10, default-value: 2) second(s) {"name": "site4", "marCache": {"query-timeout": 2}} **replication-attempts** The number of times Cisco ISE attempts to perform MAR cache entry replication. (valid-range: 0 5, default-value: 2) {"name": "site5", "marCache": {"replication-attempts": 2}} **replication-timeout** The time, in seconds, after which the cache entry replication times out. (valid-range: 1 10, default-value: 5) second(s) {"name": "site6", "marCache": {"replication-timeout": 5}} **NOTE 1:** : Node group name and description cannot contain any of the following characters: ! % ^ : ; , . ~ @ # & [{ (|) }] ` > < / " ' + = ? **NOTE 2:** : Parameter marCache stands for Machine Access Restriction (MAR) cache that provides an additional means of controlling authorization for Active Directory- authentication users. We can enable the marCache for a

nodegroup by providing key “marCache” in json request. Additionally we may also provide any combination of parameters query-attempts, query-timeout, replication-attempts, replication-timeout in marCache object. If no value is specified for a particular parameter its default value will be recorded. If no marCache object is given, marCache will be considered as disabled. .

Parameters

- **description** (*string*) – description, property of the request body.
- **mar_cache** (*object*) – marCache, property of the request body.
- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_node_group(*node_group_name*, *headers=None*, ***query_parameters*)

This API retrieves the details of a node group in the cluster using a node group name.

Parameters

- **node_group_name** (*basestring*) – nodeGroupName path parameter. Name of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_node_group(*node_group_name, description=None, mar_cache=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Purpose of this API is to update an existing node group. The following parameters are used in the request body of the API: **PARAMETER DESCRIPTION EXAMPLE** **name** * required Name of the node group existing in ISE(valid-range: 1-100 characters) **NOTE** : name of an existing node group cannot be modified. **"name"** parameter should be identical to the node group name(`nodeGroupName`) provided in the path `{"name": "site1"}` **description** Description of the node group (valid-range: 0-256 characters) `{"name": "site2", "description": "sample"}` **query-attempts** The number of times Cisco ISE attempts to perform the cache entry query. (valid-range: 0 5, default-value: 1) `{"name": "site3", "marCache": {"query-attempts": 1}}` **query-timeout** The time, in seconds, after which a cache entry query times out. (valid-range: 1 10, default-value: 2) `second(s) {"name": "site4", "marCache": {"query-timeout": 2}}` **replication-attempts** The number of times Cisco ISE attempts to perform MAR cache entry replication. (valid-range: 0 5, default-value: 2) `{"name": "site5", "marCache": {"replication-attempts": 2}}` **replication-timeout** The time, in seconds, after which the cache entry replication times out. (valid-range: 1 10, default-value: 5) `second(s) {"name": "site6", "marCache": {"replication-timeout": 5}}` **NOTE 1**: Node group name and description cannot contain any of the following characters: `! % ^ : ; , . ~ @ # & [{ (|) }] ` > < / " ' + = ?` **NOTE 2**: Parameter `marCache` stands for Machine Access Restriction (MAR) cache that provides an additional means of controlling authorization for Active Directory-authentication users. We can enable the `marCache` for a nodegroup by providing key `"marCache"` in json request. Additionally we may also provide any combination of parameters `query-attempts`, `query-timeout`, `replication-attempts`, `replication-timeout` in `marCache` object. If no value is specified for a particular parameter its default value will be recorded. If no `marCache` object is given, `marCache` will be disabled. .

Parameters

- **description** (*string*) – description, property of the request body.
- **mar_cache** (*object*) – `marCache`, property of the request body.
- **name** (*string*) – name, property of the request body.
- **node_group_name** (*basestring*) – `nodeGroupName` path parameter. Name of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_node_group`(*force_delete*, *node_group_name*, *headers=None*, ***query_parameters*)

Delete an existing node group in the cluster. Deleting the node group does not delete the nodes, but failover is no longer carried out among the nodes.

Parameters

- **`node_group_name`** (*basestring*) – `nodeGroupName` path parameter. Name of the existing node group.
- **`force_delete`** (*bool*) – `forceDelete` query parameter. Force delete the group even if the node group contains one or more nodes.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`add_node`(*node_group_name*, *hostname=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API adds a node to the node group in the cluster. When a node that belongs to a node group fails, another node in the same node group issues a Change of Authorization (CoA) for all the URL-redirceted sessions on the failed node. The following parameters are used in the request body of the API: PARAMETER DESCRIPTION EXAMPLE `hostname` * required Name of the host name {"hostname": "isnode"}

Parameters

- **`hostname`** (*string*) – `hostname`, property of the request body.

- **node_group_name** (*basestring*) – nodeGroupName path parameter. Name of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_nodes(*node_group_name*, *headers=None*, ***query_parameters*)

This API retrieves the list of nodes associated with a node group in the cluster with a given node group name.

Parameters

- **node_group_name** (*basestring*) – nodeGroupName path parameter. Name of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

remove_node(*node_group_name*, *hostname=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Purpose of this API is to remove a node from a node group in the cluster. Removing node from the node group does not delete the node, but failover is no longer carried out if the node is not part any node group. The following parameters are used in the request body of the API: PARAMETER DESCRIPTION EXAMPLE hostname * required Name of the host name {"hostname": "isenode"} .

Parameters

- **hostname** (*string*) – hostname, property of the request body.
- **node_group_name** (*basestring*) – nodeGroupName path parameter. Name of the existing node group.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

node_services

class NodeServices

Identity Services Engine Node Services API (version: 3.1.1).

Wraps the Identity Services Engine Node Services API and exposes the API as native Python methods that return native Python objects.

get_interfaces(*hostname*, *headers=None*, ***query_parameters*)

This API retrieves the list of interfaces on a node in a cluster. .

Parameters

- **hostname** (*basestring*) – hostname path parameter. Hostname of the node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_sxp_interface(hostname, headers=None, **query_parameters)

This API retrieves the SXP interface. .

Parameters

- **hostname (basestring)** – hostname path parameter. Hostname of the node.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

set_sxp_interface(hostname, interface=None, headers=None, payload=None, active_validation=True, **query_parameters)

This API configures the SXP interface. .

Parameters

- **interface (string)** – interface, property of the request body.

- **hostname** (*basestring*) – hostname path parameter. Hostname of the node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_profiler_probe_config(*hostname*, *headers=None*, ***query_parameters*)

This API retrieves the profiler probe configuration of a PSN. .

Parameters

- **hostname** (*basestring*) – hostname path parameter. Hostname of the node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
set_profiler_probe_config(hostname, active_directory=None, dhcp=None, dhcp_span=None,
                           dns=None, http=None, netflow=None, nmap=None, pxgrid=None,
                           radius=None, snmp_query=None, snmp_trap=None, headers=None,
                           payload=None, active_validation=True, **query_parameters)
```

This API updates the profiler probe configuration of a PSN. Set probe value as null to disable probe. Ex: Below payload will disable NMAP, PxGrid and SNMPTRAP probes { "activeDirectory": { "daysBeforeRescan": 1 }, "dhcp": { "interfaces": "[{"interface": "GigabitEthernet 0"}]", "port": 0 }, "dhcpSpan": { "interfaces": "[{"interface": "GigabitEthernet 0"}]" }, "dns": { "timeout": 2 }, "http": { "interfaces": "[{"interface": "GigabitEthernet 0"}]" }, "netflow": { "interfaces": "[{"interface": "GigabitEthernet 0"}]", "port": 0 }, "nmap": null , "pxgrid": null , "radius": [], "snmpQuery": { "eventTimeout": 30, "retries": 2, "timeout": 1000 }, "snmpTrap": null } .

Parameters

- **active_directory** (*object*) – The Active Directory probe queries the Active Directory for Windows information., property of the request body.
- **dhcp** (*object*) – The DHCP probe listens for DHCP packets from IP helpers., property of the request body.
- **dhcp_span** (*object*) – The DHCP SPAN probe collects DHCP packets., property of the request body.
- **dns** (*object*) – The DNS probe performs a DNS lookup for the FQDN., property of the request body.
- **http** (*object*) – The HTTP probe receives and parses HTTP packets., property of the request body.
- **netflow** (*object*) – The NetFlow probe collects the NetFlow packets that are sent to it from routers., property of the request body.
- **nmap** (*list*) – The NMAP probe scans endpoints for open ports and OS., property of the request body (list of objects).
- **pxgrid** (*list*) – The pxGrid probe fetches attributes of MAC address or IP address as a subscriber from the pxGrid queue., property of the request body (list of objects).
- **radius** (*list*) – The RADIUS probe collects RADIUS session attributes as well as CDP, LLDP, DHCP, HTTP, and MDM attributes from IOS Sensors., property of the request body (list of objects).
- **snmp_query** (*object*) – The SNMP query probe collects details from network devices such as interface, CDP, LLDP, and ARP., property of the request body.
- **snmp_trap** (*object*) – The SNMP trap probe receives linkup, linkdown, and MAC notification traps from network devices., property of the request body.
- **hostname** (*basestring*) – hostname path parameter. Hostname of the node.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

node_details

class NodeDetails

Identity Services Engine NodeDetails API (version: 3.1.1).

Wraps the Identity Services Engine NodeDetails API and exposes the API as native Python methods that return native Python objects.

`get_node_detail_by_name`(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get node details by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*name*, *headers=None*, ***query_parameters*)

Alias for *`get_node_detail_by_name`*

`get_node_detail_by_id`(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get node details by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_node_detail_by_id*

get_node_details(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the node details. Filter: [nodeservice-types] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for *get_node_details*

get_node_details_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the node details. Filter: [nodeservice-types] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page (int)** – page query parameter. Page number.
- **size (int)** – size query parameter. Number of objects returned per page.
- **filter (basestring, list, set, tuple)** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type (basestring)** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- `TypeError` – If the parameter types are incorrect.
- `MalformedRequest` – If the request body created is invalid.
- `ApiError` – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for `get_node_details_generator`

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the node details.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- `TypeError` – If the parameter types are incorrect.
- `MalformedRequest` – If the request body created is invalid.
- `ApiError` – If the Identity Services Engine cloud returns an error.

pan_ha

class PanHa

Identity Services Engine PAN HA API (version: 3.1.1).

Wraps the Identity Services Engine PAN HA API and exposes the API as native Python methods that return native Python objects.

get_pan_ha_status(*headers=None, **query_parameters*)

In a high availability configuration, the primary PAN is in active state. The secondary PAN (backup PAN) is in standby state, which means that it receives all the configuration updates from the primary PAN, but is not active in the Cisco ISE cluster. You can configure Cisco ISE to automatically promote the secondary PAN when the primary PAN becomes unavailable.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_pan_ha(*failed_attempts=None, is_enabled=None, polling_interval=None, primary_health_check_node=None, secondary_health_check_node=None, headers=None, payload=None, active_validation=True, **query_parameters*)

To deploy the auto-failover feature, you must have at least three nodes, where two of the nodes assume the Administration persona, and one node acts as the health check node. A health check node is a non-administration node and can be a Policy Service, Monitoring, or pxGrid node, or any combination of these. If the PANs are in different data centers, you must have a health check node for each PAN. All the fields are mandatory to enable PanHA. Values of failedAttempts, pollingInterval, primaryHealthCheckNode, and secondaryHealthCheckNode are not considered when the isEnabled value is “false” in the request body.

Parameters

- **failed_attempts** (*integer*) – Failover occurs if the primary PAN is down for the specified number of failure polls. Count (2 60). The default value is 5. , property of the request body.
- **is_enabled** (*boolean*) – isEnabled, property of the request body.
- **polling_interval** (*integer*) – Administration nodes are checked after each interval. Seconds (30 300) The default value is 120. , property of the request body.

- **primary_health_check_node** (*object*) – primaryHealthCheckNode, property of the request body.
- **secondary_health_check_node** (*object*) – secondaryHealthCheckNode, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

patching

class Patching

Identity Services Engine Patching API (version: 3.1.1).

Wraps the Identity Services Engine Patching API and exposes the API as native Python methods that return native Python objects.

list_installed_hotpatches(*headers=None, **query_parameters*)

List all the installed hot patches in the system. .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

install_hotpatch(*hotpatch_name=None, repository_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Triggers hot patch installation on the Cisco ISE node. A task ID is returned which can be used to monitor the progress of the hot patch installation process. As hot patch installation triggers the Cisco ISE to restart, the task API becomes unavailable for a certain period of time. .

Parameters

- **`hotpatch_name`** (*string*) – hotpatchName, property of the request body.
- **`repository_name`** (*string*) – repositoryName, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

rollback_hotpatch(*hotpatch_name=None, repository_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Triggers hot patch rollback on the Cisco ISE node. A task ID is returned which can be used to monitor the progress of the hot patch rollback process. As hot patch rollback triggers the Cisco ISE to restart, the task API becomes unavailable for a certain period of time. .

Parameters

- **`hotpatch_name`** (*string*) – hotpatchName, property of the request body.
- **`repository_name`** (*string*) – repositoryName, property of the request body.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

list_installed_patches(*headers=None, **query_parameters*)

List all the installed patches in the system, with the patch number for rollback. .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

install_patch(*patch_name=None, repository_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Triggers patch installation on the Cisco ISE node. A task ID is returned which can be used to monitor the progress of the patch installation process. As the patch installation triggers the Cisco ISE to restart, the task API becomes unavailable for a certain period of time. .

Parameters

- **patch_name** (*string*) – patchName, property of the request body.
- **repository_name** (*string*) – repositoryName, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

rollback_patch(*patch_number=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Triggers patch rollback on the Cisco ISE node. A task ID is returned which can be used to monitor the progress of the patch rollback process. As the patch rollback triggers the Cisco ISE to restart, the task API becomes unavailable for a certain period of time. .

Parameters

- **patch_number** (*integer*) – patchNumber, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

portal_global_setting

class PortalGlobalSetting

Identity Services Engine PortalGlobalSetting API (version: 3.1.1).

Wraps the Identity Services Engine PortalGlobalSetting API and exposes the API as native Python methods that return native Python objects.

`get_portal_global_setting_by_id(id, headers=None, **query_parameters)`

This API allows the client to get the portal global settings by id.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_portal_global_setting_by_id`*

`update_portal_global_setting_by_id(id, customization=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update the portal global settings by id.

Parameters

- **customization** (*string*) – Allowed values: HTML, HTMLANDJAVASCRIPT, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customization=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_portal_global_setting_by_id*

get_portal_global_settings(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the portal global settings. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and

can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portal_global_settings*

get_portal_global_settings_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the portal global settings. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request's response
 - text(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portal_global_settings_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the portal global setting .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

portal_theme

class PortalTheme

Identity Services Engine PortalTheme API (version: 3.1.1).

Wraps the Identity Services Engine PortalTheme API and exposes the API as native Python methods that return native Python objects.

get_portal_theme_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a portal theme by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_portal_theme_by_id*

update_portal_theme_by_id(*id*, *description=None*, *name=None*, *theme_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a portal theme by ID.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **theme_data** (*string*) – Portal Theme for all portals, property of the request body.

- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *theme_data=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_portal_theme_by_id*

delete_portal_theme_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a portal theme by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for `delete_portal_theme_by_id`

get_portal_themes(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the portal themes. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
 Alias for *get_portal_themes*

get_portal_themes_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the portal themes. Filter: [name] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for [*get_portal_themes_generator*](#)

create_portal_theme(*description=None, name=None, theme_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a portal theme.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **theme_data** (*string*) – Portal Theme for all portals, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, theme_data=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for [*create_portal_theme*](#)

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the portal theme.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

profiler

class Profiler

Identity Services Engine Profiler API (version: 3.1.1).

Wraps the Identity Services Engine Profiler API and exposes the API as native Python methods that return native Python objects.

`get_profiles(headers=None, **query_parameters)`
getProfiles.

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

profiler_profile

class ProfilerProfile

Identity Services Engine ProfilerProfile API (version: 3.1.1).

Wraps the Identity Services Engine ProfilerProfile API and exposes the API as native Python methods that return native Python objects.

get_profiler_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a profiler profile by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_profiler_profile_by_id*

get_profiler_profiles(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the profiler profiles. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_profiler_profiles*

get_profiler_profiles_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the profiler profiles. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter

is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request’s response
 - text(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_profiler_profiles_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the profiler profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

provider

class Provider

Identity Services Engine Provider API (version: 3.1.1).

Wraps the Identity Services Engine Provider API and exposes the API as native Python methods that return native Python objects.

register_service(*name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

ServiceRegister.

Parameters

- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

unregister_service(*headers=None, **query_parameters*)

ServiceUnregister.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

reregister_service(*headers=None, **query_parameters*)
ServiceReregister.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

authorization(*headers=None, **query_parameters*)
Authorization.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

psn_node_details_with_radius_service**class PsnNodeDetailsWithRadiusService**

Identity Services Engine PsnNodeDetailsWithRadiusService API (version: 3.1.1).

Wraps the Identity Services Engine PsnNodeDetailsWithRadiusService API and exposes the API as native Python methods that return native Python objects.

get_session_service_node_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a PSN node details by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_session_service_node_by_name*

get_session_service_node_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a PSN node details by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_session_service_node_by_id*

get_session_service_node(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the PSN node details.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_session_service_node*

get_session_service_node_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the PSN node details.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator**Raises**

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_session_service_node_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the PSN node.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`pull_deployment_info`

`class PullDeploymentInfo`

Identity Services Engine PullDeploymentInfo API (version: 3.1.1).

Wraps the Identity Services Engine PullDeploymentInfo API and exposes the API as native Python methods that return native Python objects.

`get_deployment_info`(*timeout=None, headers=None, **query_parameters*)

This API allows the client to pull the deployment information.

Parameters

- **`timeout`** (*float, tuple*) – How long to wait for the server to send data before giving up.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*timeout=None, headers=None, **query_parameters*)

Alias for `get_deployment_info`

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the pull deployment info.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

px_grid_settings**class PxGridSettings**

Identity Services Engine PxGridSettings API (version: 3.1.1).

Wraps the Identity Services Engine PxGridSettings API and exposes the API as native Python methods that return native Python objects.

autoapprove_px_grid_settings(*allow_password_based_accounts=None*,
auto_approve_cert_based_accounts=None, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to auto approve the pxGrid settings.

Parameters

- **allow_password_based_accounts** (*boolean*) – Allow password based accounts when true, property of the request body.
- **auto_approve_cert_based_accounts** (*boolean*) – Auto approve certificate based accounts when true, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`autoapprove`(*allow_password_based_accounts=None, auto_approve_cert_based_accounts=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *autoapprove_px_grid_settings*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the pxGrid settings.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

radius_failure

class RadiusFailure

Identity Services Engine RADIUS Failure API (version: 3.1.1).

Wraps the Identity Services Engine RADIUS Failure API and exposes the API as native Python methods that return native Python objects.

`get_failures`(*headers=None, **query_parameters*)
getFailures.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

radius_server_sequence

class RadiusServerSequence

Identity Services Engine RADIUSServerSequence API (version: 3.1.1).

Wraps the Identity Services Engine RADIUSServerSequence API and exposes the API as native Python methods that return native Python objects.

get_radius_server_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a RADIUS server sequence by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_radius_server_sequence_by_id*

update_radius_server_sequence_by_id(*id*, *before_accept_attr_manipulators_list=None*,
continue_authorz_policy=None, *description=None*,
local_accounting=None, *name=None*,
on_request_attr_manipulator_list=None,
prefix_separator=None, *radius_server_list=None*,
remote_accounting=None, *strip_prefix=None*,
strip_suffix=None, *suffix_separator=None*,
use_attr_set_before_acc=None,
use_attr_set_on_request=None, *headers=None*,
payload=None, *active_validation=True*, ***query_parameters*)

This API allows the client to update a RADIUS server sequence.

Parameters

- **before_accept_attr_manipulators_list** (*list*) – The beforeAcceptAttrManipulators is required only if useAttrSetBeforeAcc is true, property of the request body (list of objects).
- **on_request_attr_manipulator_list** (*list*) – The onRequestAttrManipulators is required only if useAttrSetOnRequest is true, property of the request body (list of objects).
- **radius_server_list** (*list*) – RadiusServerList, property of the request body (list of strings).
- **continue_authorz_policy** (*boolean*) – continueAuthorzPolicy, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_separator** (*string*) – The prefixSeparator is required only if stripPrefix is true. The maximum length is 1 character, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **strip_prefix** (*boolean*) – stripPrefix, property of the request body.
- **strip_suffix** (*boolean*) – stripSuffix, property of the request body.
- **suffix_separator** (*string*) – The suffixSeparator is required only if stripSuffix is true. The maximum length is 1 character, property of the request body.
- **use_attr_set_before_acc** (*boolean*) – useAttrSetBeforeAcc, property of the request body.
- **use_attr_set_on_request** (*boolean*) – useAttrSetOnRequest, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.

- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *before_accept_attr_manipulators_list=None*, *continue_authorz_policy=None*, *description=None*, *local_accounting=None*, *name=None*, *on_request_attr_manipulator_list=None*, *prefix_separator=None*, *radius_server_list=None*, *remote_accounting=None*, *strip_prefix=None*, *strip_suffix=None*, *suffix_separator=None*, *use_attr_set_before_acc=None*, *use_attr_set_on_request=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_radius_server_sequence_by_id*

delete_radius_server_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a RADIUS server sequence.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_radius_server_sequence_by_id*

get_radius_server_sequence(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the RADIUS server sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_radius_server_sequence*

get_radius_server_sequence_generator(*page=None*, *size=None*, *headers=None*,
***query_parameters*)

This API allows the client to get all the RADIUS server sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_radius_server_sequence_generator*

create_radius_server_sequence(*before_accept_attr_manipulators_list=None, continue_authorz_policy=None, description=None, local_accounting=None, name=None, on_request_attr_manipulator_list=None, prefix_separator=None, radius_server_list=None, remote_accounting=None, strip_prefix=None, strip_suffix=None, suffix_separator=None, use_attr_set_before_acc=None, use_attr_set_on_request=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a RADIUS server sequence.

Parameters

- **before_accept_attr_manipulators_list** (*list*) – The beforeAcceptAttrManipulators is required only if useAttrSetBeforeAcc is true, property of the request body (list of objects).
- **on_request_attr_manipulator_list** (*list*) – The onRequestAttrManipulators is required only if useAttrSetOnRequest is true, property of the request body (list of objects).
- **radius_server_list** (*list*) – RadiusServerList, property of the request body (list of strings).
- **continue_authorz_policy** (*boolean*) – continueAuthorzPolicy, property of the request body.
- **description** (*string*) – description, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_separator** (*string*) – The prefixSeparator is required only if stripPrefix is true. The maximum length is 1 character, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **strip_prefix** (*boolean*) – stripPrefix, property of the request body.
- **strip_suffix** (*boolean*) – stripSuffix, property of the request body.
- **suffix_separator** (*string*) – The suffixSeparator is required only if stripSuffix is true. The maximum length is 1 character, property of the request body.

- **use_attr_set_before_acc** (*boolean*) – useAttrSetBeforeAcc, property of the request body.
- **use_attr_set_on_request** (*boolean*) – useAttrSetOnRequest, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*before_accept_attr_manipulators_list=None, continue_authorz_policy=None, description=None, local_accounting=None, name=None, on_request_attr_manipulator_list=None, prefix_separator=None, radius_server_list=None, remote_accounting=None, strip_prefix=None, strip_suffix=None, suffix_separator=None, use_attr_set_before_acc=None, use_attr_set_on_request=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_radius_server_sequence*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the RADIUS server sequence.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

restid_store

class RestidStore

Identity Services Engine RESTIDStore API (version: 3.1.1).

Wraps the Identity Services Engine RESTIDStore API and exposes the API as native Python methods that return native Python objects.

get_rest_id_store_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a REST ID store by name.

Parameters

- **`name`** (*basestring*) – name path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_rest_id_store_by_name*

update_rest_id_store_by_name(*name*, *description=None*, *ers_rest_idstore_attributes=None*, *id=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a REST ID store by name.

Parameters

- **`description`** (*string*) – description, property of the request body.

- **ers_rest_idstore_attributes** (*object*) – ersRestIDStoreAttributes, property of the request body.
- **id** (*string*) – id, property of the request body.
- **name** (*basestring*) – name, property of the request body.
- **name** – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*name*, *description=None*, *ers_rest_idstore_attributes=None*, *id=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_rest_id_store_by_name*

delete_rest_id_store_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes a REST ID store by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_rest_id_store_by_name*

get_rest_id_store_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a REST ID store by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_rest_id_store_by_id*

update_rest_id_store_by_id(*id*, *description=None*, *ers_rest_idstore_attributes=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a REST ID store.

Parameters

- **description** (*string*) – description, property of the request body.
- **ers_rest_idstore_attributes** (*object*) – ersRestIDStoreAttributes, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **id** – id path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *ers_rest_idstore_attributes=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_rest_id_store_by_id*

delete_rest_id_store_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a REST ID store.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_rest_id_store_by_id*

get_rest_id_store(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the REST ID stores. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_rest_id_store*

get_rest_id_store_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the REST ID stores. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_rest_id_store_generator*

create_rest_id_store(*description=None, ers_rest_idstore_attributes=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a REST ID store.

Parameters

- **description** (*string*) – description, property of the request body.
- **ers_rest_idstore_attributes** (*object*) – ersRestIDStoreAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, ers_rest_idstore_attributes=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_rest_id_store*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the REST ID store.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

repository

class Repository

Identity Services Engine Repository API (version: 3.1.1).

Wraps the Identity Services Engine Repository API and exposes the API as native Python methods that return native Python objects.

`get_repositories`(*headers=None, **query_parameters*)

This will get the full list of repository definitions on the system. .

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*headers=None, **query_parameters*)

Alias for *get_repositories*

`create_repository`(*enable_pki=None, name=None, password=None, path=None, protocol=None, server_name=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Create a new repository in the system. The name provided for the repository must be unique. .

Parameters

- **enable_pki** (*boolean*) – enablePki, property of the request body.
- **name** (*string*) – Repository name should be less than 80 characters and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body.
- **password** (*string*) – Password can contain alphanumeric and/or special characters., property of the request body.
- **path** (*string*) – Path should always start with “/” and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body.
- **protocol** (*string*) – protocol, property of the request body. Available values are ‘CDROM’, ‘DISK’, ‘FTP’, ‘HTTP’, ‘HTTPS’, ‘NFS’, ‘SFTP’ and ‘TFTP’.
- **server_name** (*string*) – serverName, property of the request body.
- **user_name** (*string*) – Username may contain alphanumeric and _./@\$ characters., property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*enable_pki=None, name=None, password=None, path=None, protocol=None, server_name=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_repository*

get_repository(*repository_name, headers=None, **query_parameters*)

Get a specific repository identified by the name passed in the URL. .

Parameters

- **repository_name** (*basestring*) – repositoryName path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(repository_name, headers=None, **query_parameters)

Alias for *get_repository*

update_repository(repository_name, enable_pki=None, name=None, password=None, path=None, protocol=None, server_name=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters)

Update the definition of a specific repository, providing ALL parameters for the repository. .

Parameters

- **enable_pki (boolean)** – enablePki, property of the request body.
- **name (string)** – Repository name should be less than 80 characters and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body.
- **password (string)** – Password can contain alphanumeric and/or special characters., property of the request body.
- **path (string)** – Path should always start with “/” and can contain alphanumeric, underscore, hyphen and dot characters., property of the request body.
- **protocol (string)** – protocol, property of the request body. Available values are ‘CDROM’, ‘DISK’, ‘FTP’, ‘HTTP’, ‘HTTPS’, ‘NFS’, ‘SFTP’ and ‘TFTP’.
- **server_name (string)** – serverName, property of the request body.
- **user_name (string)** – Username may contain alphanumeric and _-./@\$ characters., property of the request body.
- **repository_name (basestring)** – repositoryName path parameter. Unique name for a repository.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_name(*repository_name, enable_pki=None, name=None, password=None, path=None, protocol=None, server_name=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *update_repository*

delete_repository(*repository_name, headers=None, **query_parameters*)

Long description TBD .

Parameters

- **repository_name** (*basestring*) – repositoryName path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*repository_name, headers=None, **query_parameters*)

Alias for *delete_repository*

get_repository_files(*repository_name*, *headers=None*, ***query_parameters*)

This will get the full list of files present in the named repository. .

Parameters

- **repository_name** (*basestring*) – repositoryName path parameter. Unique name for a repository.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_files(*repository_name*, *headers=None*, ***query_parameters*)

Alias for *get_repository_files*

sms_provider

class SmsProvider

Identity Services Engine SMSProvider API (version: 3.1.1).

Wraps the Identity Services Engine SMSProvider API and exposes the API as native Python methods that return native Python objects.

get_sms_provider(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the SMS providers. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)
Alias for *get_sms_provider*

get_sms_provider_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the SMS providers. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter

is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request’s response
 - text(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sms_provider_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the SMS provider.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sxp_connections

class SxpConnections

Identity Services Engine SXPConnections API (version: 3.1.1).

Wraps the Identity Services Engine SXPConnections API and exposes the API as native Python methods that return native Python objects.

get_sxp_connections_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a SXP connection by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sxp_connections_by_id*

update_sxp_connections_by_id(*id*, *description=None*, *enabled=None*, *ip_address=None*, *sxp_mode=None*, *sxp_node=None*, *sxp_peer=None*, *sxp_version=None*, *sxp_vpn=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a SXP connection.

Parameters

- **description** (*string*) – description, property of the request body.

- **enabled** (*boolean*) – enabled, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **ip_address** (*string*) – ipAddress, property of the request body.
- **sxp_mode** (*string*) – sxpMode, property of the request body.
- **sxp_node** (*string*) – sxpNode, property of the request body.
- **sxp_peer** (*string*) – sxpPeer, property of the request body.
- **sxp_version** (*string*) – sxpVersion, property of the request body.
- **sxp_vpn** (*string*) – sxpVpn, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *enabled=None*, *ip_address=None*, *sxp_mode=None*, *sxp_node=None*, *sxp_peer=None*, *sxp_version=None*, *sxp_vpn=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sxp_connections_by_id*

delete_sxp_connections_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a SXP connection.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_sxp_connections_by_id`*

`get_sxp_connections(filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters)`

This API allows the client to get all the SXP connections. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`sortasc(basestring)`** – sortasc query parameter. sort asc.
- **`sortdsc(basestring)`** – sortdsc query parameter. sort desc.
- **`filter(basestring, list, set, tuple)`** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type(basestring)`** – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *`get_sxp_connections`*

`get_sxp_connections_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SXP connections. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_connections_generator*

create_sxp_connections(*description=None, enabled=None, ip_address=None, sxp_mode=None, sxp_node=None, sxp_peer=None, sxp_version=None, sxp_vpn=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a SXP connection.

Parameters

- **description** (*string*) – description, property of the request body.
- **enabled** (*boolean*) – enabled, property of the request body.
- **ip_address** (*string*) – ipAddress, property of the request body.
- **sxp_mode** (*string*) – sxpMode, property of the request body.
- **sxp_node** (*string*) – sxpNode, property of the request body.
- **sxp_peer** (*string*) – sxpPeer, property of the request body.
- **sxp_version** (*string*) – sxpVersion, property of the request body.
- **sxp_vpn** (*string*) – sxpVpn, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, enabled=None, ip_address=None, sxp_mode=None, sxp_node=None, sxp_peer=None, sxp_version=None, sxp_vpn=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sxp_connections*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the SXP connections.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_sxp_connections(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_sxp_connections*

monitor_bulk_status_sxp_connections(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **`bulkid`** (*basestring*) – bulkid path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_sxp_connections*

sxp_local_bindings

class SxpLocalBindings

Identity Services Engine SXPLocalBindings API (version: 3.1.1).

Wraps the Identity Services Engine SXPLocalBindings API and exposes the API as native Python methods that return native Python objects.

get_sxp_local_bindings_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a SXP local binding by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sxp_local_bindings_by_id*

update_sxp_local_bindings_by_id(*id*, *binding_name=None*, *description=None*,
ip_address_or_host=None, *sgt=None*, *sxp_vpn=None*, *vns=None*,
headers=None, *payload=None*, *active_validation=True*,
***query_parameters*)

This API allows the client to update a SXP local binding.

Parameters

- **binding_name** (*string*) – This field is deprecated from Cisco ISE 3.0, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **ip_address_or_host** (*string*) – IP address for static mapping (hostname is not supported), property of the request body.
- **sgt** (*string*) – SGT name or ID, property of the request body.

- **sxp_vpn** (*string*) – List of SXP Domains, separated with comma. At least one of: sxpVpn or vns should be defined, property of the request body.
- **vns** (*string*) – List of Virtual Networks, separated with comma. At least one of: sxpVpn or vns should be defined, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *binding_name=None*, *description=None*, *ip_address_or_host=None*, *sgt=None*, *sxp_vpn=None*, *vns=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sxp_local_bindings_by_id*

delete_sxp_local_bindings_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a SXP local binding.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sxp_local_bindings_by_id*

get_sxp_local_bindings(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the SXP local bindings. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_local_bindings*

get_sxp_local_bindings_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SXP local bindings. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_local_bindings_generator*

create_sxp_local_bindings(*binding_name=None, description=None, id=None, ip_address_or_host=None, sgt=None, sxp_vpn=None, vns=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a SXP local binding.

Parameters

- **binding_name** (*string*) – This field is deprecated from Cisco ISE 3.0, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **ip_address_or_host** (*string*) – IP address for static mapping (hostname is not supported), property of the request body.
- **sgt** (*string*) – SGT name or ID, property of the request body.
- **sxp_vpn** (*string*) – List of SXP Domains, separated with comma. At least one of: sxpVpn or vns should be defined, property of the request body.
- **vns** (*string*) – List of Virtual Networks, separated with comma. At least one of: sxpVpn or vns should be defined, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*binding_name=None, description=None, id=None, ip_address_or_host=None, sgt=None, sxp_vpn=None, vns=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sxp_local_bindings*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the SXP local bindings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_sxp_local_bindings(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_sxp_local_bindings*

monitor_bulk_status_sxp_local_bindings(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **`bulkid`** (*basestring*) – bulkid path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_sxp_local_bindings*

sxp_vpns

class SxpVpns

Identity Services Engine SXPVPNs API (version: 3.1.1).

Wraps the Identity Services Engine SXPVPNs API and exposes the API as native Python methods that return native Python objects.

get_sxp_vpn_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a SXP VPN by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sxp_vpn_by_id*

delete_sxp_vpn_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a SXP VPN.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sxp_vpn_by_id*

get_sxp_vpns(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the SXP VPNs. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_vpns*

get_sxp_vpns_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the SXP VPNs. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sxp_vpns_generator*

create_sxp_vpn(*sxp_vpn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a SXP VPN.

Parameters

- **sxp_vpn_name** (*string*) – sxpVpnName, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*sxp_vpn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sxp_vpn*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the SXP VPNs.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_for_sxp_vpns`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **`operation_type`** (*string*) – `operationType`, property of the request body.
- **`resource_media_type`** (*string*) – `resourceMediaType`, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request`(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_request_for_sxp_vpns`*

`monitor_bulk_status_sxp_vpns`(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_sxp_vpns*

security_group_to_virtual_network

class SecurityGroupToVirtualNetwork

Identity Services Engine SecurityGroupToVirtualNetwork API (version: 3.1.1).

Wraps the Identity Services Engine SecurityGroupToVirtualNetwork API and exposes the API as native Python methods that return native Python objects.

get_security_groups_to_vn_to_vlan_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a security group to virtual network by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_security_groups_to_vn_to_vlan_by_id*

update_security_groups_to_vn_to_vlan_by_id(*id*, *description=None*, *name=None*, *sgt_id=None*, *virtualnetworklist=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a security group to virtual network.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt_id** (*string*) – sgtId, property of the request body.
- **virtualnetworklist** (*list*) – virtualnetworklist, property of the request body (list of objects).
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *sgt_id=None*, *virtualnetworklist=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [update_security_groups_to_vn_to_vlan_by_id](#)

delete_security_groups_to_vn_to_vlan_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a security group ACL to virtual network.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [delete_security_groups_to_vn_to_vlan_by_id](#)

get_security_groups_to_vn_to_vlan(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the security group ACL to virtual networks. Filter: [sgtId] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for *get_security_groups_to_vn_to_vlan*

get_security_groups_to_vn_to_vlan_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the security group ACL to virtual networks. Filter: [sgId] To search guest users by using toDate column, follow the format: DD- MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for *get_security_groups_to_vn_to_vlan_generator*

create_security_groups_to_vn_to_vlan(*description=None, id=None, name=None, sgt_id=None, virtualnetworklist=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a security group to virtual network.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **sgt_id** (*string*) – sgtId, property of the request body.
- **virtualnetworklist** (*list*) – virtualnetworklist, property of the request body (list of objects).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, id=None, name=None, sgt_id=None, virtualnetworklist=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_security_groups_to_vn_to_vlan*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the security group to virtual network.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_security_groups_to_vn_to_vlan(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_security_groups_to_vn_to_vlan*

monitor_bulk_status_security_groups_to_vn_to_vlan(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **`bulkid`** (*basestring*) – bulkid path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_security_groups_to_vn_to_vlan*

security_groups

class SecurityGroups

Identity Services Engine SecurityGroups API (version: 3.1.1).

Wraps the Identity Services Engine SecurityGroups API and exposes the API as native Python methods that return native Python objects.

get_security_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a security group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_security_group_by_id*

update_security_group_by_id(*id*, *default_sgacIs=None*, *description=None*, *generation_id=None*, *is_read_only=None*, *name=None*, *propagate_to_apic=None*, *value=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a security group.

Parameters

- **default_sgacIs** (*list*) – defaultSGACLs, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.
- **name** (*string*) – name, property of the request body.
- **propagate_to_apic** (*boolean*) – propagateToApic, property of the request body.

- **value** (*integer*) – Value range: 2 to 65519 or -1 to auto-generate, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *default_sgacIs=None*, *description=None*, *generation_id=None*, *is_read_only=None*, *name=None*, *propagate_to_apic=None*, *value=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_security_group_by_id*

delete_security_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a security group.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_security_group_by_id*

get_security_groups(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the security groups. Filter: [propagateToApic, name, description, value] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description, value].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)
Alias for *get_security_groups*

get_security_groups_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the security groups. Filter: [propagateToApic, name, description, value] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description, value].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_security_groups_generator*

create_security_group(*default_sgacIs=None, description=None, generation_id=None, is_read_only=None, name=None, propogate_to_apic=None, value=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a security group.

Parameters

- **default_sgacIs** (*list*) – defaultSGACLs, property of the request body (list of objects).
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.
- **name** (*string*) – name, property of the request body.
- **propogate_to_apic** (*boolean*) – propogateToApic, property of the request body.
- **value** (*integer*) – Value range: 2 ot 65519 or -1 to auto- generate, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*default_sgacIs=None, description=None, generation_id=None, is_read_only=None, name=None, propogate_to_apic=None, value=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_security_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the security groups.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_security_group(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_security_group*

monitor_bulk_status_security_group(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_security_group*

security_groups_acls

class SecurityGroupsAcls

Identity Services Engine SecurityGroupsACLs API (version: 3.1.1).

Wraps the Identity Services Engine SecurityGroupsACLs API and exposes the API as native Python methods that return native Python objects.

get_security_groups_acl_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a security group ACL by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_security_groups_acl_by_id*

update_security_groups_acl_by_id(*id*, *aclcontent=None*, *description=None*, *generation_id=None*, *ip_version=None*, *is_read_only=None*, *modelled_content=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a security group ACL.

Parameters

- **aclcontent** (*string*) – aclcontent, property of the request body.
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **ip_version** (*string*) – Allowed values: IPV4, IPV6, IP_AGNOSTIC, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.
- **modelled_content** (*object*) – Modelled content of contract, property of the request body.
- **name** (*string*) – name, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *aclcontent=None*, *description=None*, *generation_id=None*, *ip_version=None*, *is_read_only=None*, *modelled_content=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_security_groups_acl_by_id*

delete_security_groups_acl_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a security group ACL.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_security_groups_acl_by_id*

get_security_groups_acl(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the security group ACLs. Filter: [ipVersion, name, description] To search guest users by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [ipVersion, name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_security_groups_acl*

get_security_groups_acl_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the security group ACLs. Filter: [ipVersion, name, description] To search guest users by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [ipVersion, name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_security_groups_acl_generator*

```
create_security_groups_acl(aclcontent=None, description=None, generation_id=None,  
                           ip_version=None, is_read_only=None, modelled_content=None,  
                           name=None, headers=None, payload=None, active_validation=True,  
                           **query_parameters)
```

This API creates a security group ACL.

Parameters

- **aclcontent** (*string*) – aclcontent, property of the request body.
- **description** (*string*) – description, property of the request body.
- **generation_id** (*string*) – generationId, property of the request body.
- **ip_version** (*string*) – Allowed values: IPV4, IPV6, IP_AGNOSTIC, property of the request body.
- **is_read_only** (*boolean*) – isReadOnly, property of the request body.
- **modelled_content** (*object*) – Modelled content of contract, property of the request body.
- **name** (*string*) – name, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
create(aclcontent=None, description=None, generation_id=None, ip_version=None, is_read_only=None,  
       modelled_content=None, name=None, headers=None, payload=None, active_validation=True,  
       **query_parameters)
```

Alias for *create_security_groups_acl*

```
get_version(headers=None, **query_parameters)
```

This API helps to retrieve the version information related to the security group ACLs.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_security_groups_acl(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type (string)** – operationType, property of the request body.
- **resource_media_type (string)** – resourceMediaType, property of the request body.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_security_groups_acl*

monitor_bulk_status_security_groups_acl(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

monitor_bulk_status(*bulkid, headers=None, **query_parameters*)

Alias for *monitor_bulk_status_security_groups_acl*

self_registered_portal

class SelfRegisteredPortal

Identity Services Engine SelfRegisteredPortal API (version: 3.1.1).

Wraps the Identity Services Engine SelfRegisteredPortal API and exposes the API as native Python methods that return native Python objects.

get_self_registered_portal_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a self registered portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_self_registered_portal_by_id`*

`update_self_registered_portal_by_id(id, customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a self registered portal by ID.

Parameters

- **`customizations(object)`** – Defines all of the Portal Customizations available, property of the request body.
- **`description(string)`** – description, property of the request body.
- **`id(basestring)`** – id, property of the request body.
- **`name(string)`** – name, property of the request body.
- **`portal_test_url(string)`** – URL to bring up a test page for this portal, property of the request body.
- **`portal_type(string)`** – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **`settings(object)`** – Defines all of the settings groups available for a portal, property of the request body.
- **`id`** – id path parameter.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`payload(dict)`** – A JSON serializable Python object to send in the body of the Request.
- **`active_validation(bool)`** – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_self_registered_portal_by_id*

delete_self_registered_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a self registered portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_self_registered_portal_by_id*

get_self_registered_portals(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the self registered portals. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_self_registered_portals*

get_self_registered_portals_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the self registered portals. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.

- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_self_registered_portals_generator*

create_self_registered_portal(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a self registered portal.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.

- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDGUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_self_registered_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the self registered portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

session_directory

class SessionDirectory

Identity Services Engine Session Directory API (version: 3.1.1).

Wraps the Identity Services Engine Session Directory API and exposes the API as native Python methods that return native Python objects.

get_sessions(*headers=None, **query_parameters*)
`getSessions.`

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

get_sessions_for_recovery(*headers=None, **query_parameters*)
`getSessionsForRecovery.`

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_session_by_ip_address(headers=None, **query_parameters)`
`getSessionByIpAddress.`

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_session_by_mac_address(headers=None, **query_parameters)`
`getSessionByMacAddress.`

Parameters

- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_user_groups`(*headers=None, **query_parameters*)
`getUserGroups`.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_user_group_by_user_name`(*headers=None, **query_parameters*)
`getUserGroupByUserName`.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_name`(*headers=None, **query_parameters*)

Alias for `get_user_group_by_user_name`

sponsor_group

class SponsorGroup

Identity Services Engine SponsorGroup API (version: 3.1.1).

Wraps the Identity Services Engine SponsorGroup API and exposes the API as native Python methods that return native Python objects.

`get_sponsor_group_by_id`(*id, headers=None, **query_parameters*)

This API allows the client to get a sponsor group by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id, headers=None, **query_parameters*)

Alias for `get_sponsor_group_by_id`

```
update_sponsor_group_by_id(id, auto_notification=None, create_permissions=None, description=None,
                           guest_types=None, is_default_group=None, is_enabled=None,
                           locations=None, manage_permission=None, member_groups=None,
                           name=None, other_permissions=None, headers=None, payload=None,
                           active_validation=True, **query_parameters)
```

This API allows the client to update a sponsor group by ID.

Parameters

- **auto_notification** (*boolean*) – autoNotification, property of the request body.
- **create_permissions** (*object*) – createPermissions, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_types** (*list*) – guestTypes, property of the request body (list of strings).
- **id** (*basestring*) – id, property of the request body.
- **is_default_group** (*boolean*) – isDefaultGroup, property of the request body.
- **is_enabled** (*boolean*) – isEnabled, property of the request body.
- **locations** (*list*) – locations, property of the request body (list of strings).
- **manage_permission** (*string*) – managePermission, property of the request body.
- **member_groups** (*list*) – memberGroups, property of the request body (list of strings).
- **name** (*string*) – name, property of the request body.
- **other_permissions** (*object*) – otherPermissions, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request’s response
- **text(str)**: representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *auto_notification=None*, *create_permissions=None*, *description=None*,
guest_types=None, *is_default_group=None*, *is_enabled=None*, *locations=None*,
manage_permission=None, *member_groups=None*, *name=None*, *other_permissions=None*,
headers=None, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [update_sponsor_group_by_id](#)

delete_sponsor_group_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a sponsor group by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [delete_sponsor_group_by_id](#)

get_sponsor_group(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*,
headers=None, ***query_parameters*)

This API allows the client to get all the sponsor groups. Filter: [name]
 To search resources by using toDate column, follow the format: DD-MON-YY
 (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
 /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and

can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group*

get_sponsor_group_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor groups. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data

model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group_generator*

create_sponsor_group(*auto_notification=None, create_permissions=None, description=None, guest_types=None, is_default_group=None, is_enabled=None, locations=None, manage_permission=None, member_groups=None, name=None, other_permissions=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a sponsor group.

Parameters

- **auto_notification** (*boolean*) – autoNotification, property of the request body.
- **create_permissions** (*object*) – createPermissions, property of the request body.
- **description** (*string*) – description, property of the request body.
- **guest_types** (*list*) – guestTypes, property of the request body (list of strings).
- **is_default_group** (*boolean*) – isDefaultGroup, property of the request body.
- **is_enabled** (*boolean*) – isEnabled, property of the request body.
- **locations** (*list*) – locations, property of the request body (list of strings).
- **manage_permission** (*string*) – managePermission, property of the request body.

- **member_groups** (*list*) – memberGroups, property of the request body (list of strings).
- **name** (*string*) – name, property of the request body.
- **other_permissions** (*object*) – otherPermissions, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*auto_notification=None, create_permissions=None, description=None, guest_types=None, is_default_group=None, is_enabled=None, locations=None, manage_permission=None, member_groups=None, name=None, other_permissions=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sponsor_group*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsor group.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sponsor_group_member**class SponsorGroupMember**

Identity Services Engine SponsorGroupMember API (version: 3.1.1).

Wraps the Identity Services Engine SponsorGroupMember API and exposes the API as native Python methods that return native Python objects.

get_sponsor_group_member(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor group members. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group_member*

get_sponsor_group_member_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor group members. Filter: [name]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response

- `text(str)`: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_group_member_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsor group member.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

sponsor_portal

class SponsorPortal

Identity Services Engine SponsorPortal API (version: 3.1.1).

Wraps the Identity Services Engine SponsorPortal API and exposes the API as native Python methods that return native Python objects.

get_sponsor_portal_by_id(*id, headers=None, **query_parameters*)

This API allows the client to get a sponsor portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_sponsor_portal_by_id*

update_sponsor_portal_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update a sponsor portal by ID.

Parameters

- **customizations** (*object*) – customizations, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sponsor_portal_by_id*

delete_sponsor_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a sponsor portal by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sponsor_portal_by_id*

get_sponsor_portal(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the sponsor portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13

Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_portal*

get_sponsor_portal_generator (*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsor portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsor_portal_generator*

create_sponsor_portal(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a sponsor portal.

Parameters

- **customizations** (*object*) – customizations, property of the request body.

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sponsor_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsor portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

sponsored_guest_portal

class SponsoredGuestPortal

Identity Services Engine SponsoredGuestPortal API (version: 3.1.1).

Wraps the Identity Services Engine SponsoredGuestPortal API and exposes the API as native Python methods that return native Python objects.

`get_sponsored_guest_portal_by_id(id, headers=None, **query_parameters)`

This API allows the client to get a sponsored guest portal by ID.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id(id, headers=None, **query_parameters)`

Alias for *`get_sponsored_guest_portal_by_id`*

`update_sponsored_guest_portal_by_id(id, customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters)`

This API allows the client to update a sponsored guest portal by ID.

Parameters

- **customizations** (*object*) – Defines all of the Portal Customizations available, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_test_url** (*string*) – URL to bring up a test page for this portal, property of the request body.
- **portal_type** (*string*) – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDQUEST, property of the request body.
- **settings** (*object*) – Defines all of the settings groups available for a portal, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *customizations=None*, *description=None*, *name=None*, *portal_test_url=None*, *portal_type=None*, *settings=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_sponsored_guest_portal_by_id*

delete_sponsored_guest_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a sponsored guest portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sponsored_guest_portal_by_id*

get_sponsored_guest_portals(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the sponsored guest portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsored_guest_portals*

`get_sponsored_guest_portals_generator`(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the sponsored guest portals. Filter: [name, description] To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sortasc`** (*basestring*) – sortasc query parameter. sort asc.
- **`sortdsc`** (*basestring*) – sortdsc query parameter. sort desc.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request's response
 - **text(str)**: representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_sponsored_guest_portals_generator*

create_sponsored_guest_portal(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a sponsored guest portal.

Parameters

- **customizations (object)** – Defines all of the Portal Customizations available, property of the request body.
- **description (string)** – description, property of the request body.
- **name (string)** – name, property of the request body.
- **portal_test_url (string)** – URL to bring up a test page for this portal, property of the request body.
- **portal_type (string)** – Allowed values: BYOD, HOTSPOTGUEST, MYDEVICE, SELFREGGUEST, SPONSOR, SPONSOREDGUEST, property of the request body.
- **settings (object)** – Defines all of the settings groups available for a portal, property of the request body.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (dict)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*customizations=None, description=None, name=None, portal_test_url=None, portal_type=None, settings=None, headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *create_sponsored_guest_portal*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the sponsored guest portal.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

support_bundle_download

class SupportBundleDownload

Identity Services Engine SupportBundleDownload API (version: 3.1.1).

Wraps the Identity Services Engine SupportBundleDownload API and exposes the API as native Python methods that return native Python objects.

download_support_bundle(*file_name=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to upload a support bundle.

Parameters

- **file_name** (*string*) – fileName, property of the request body.
- **dirpath** (*basestring*) – Directory absolute path. Defaults to `os.getcwd()`.
- **save_file** (*bool*) – Enable or disable automatic file creation of raw response.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

HTTP Response container. For more information check the [urllib3 documentation](#)

Return type `urllib3.response.HTTPResponse`

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.
- **DownloadFailure** – If was not able to download the raw
- **response to a file.** –

download(*file_name=None, dirpath=None, save_file=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for [download_support_bundle](#)

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the support bundle download.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

support_bundle_status

class SupportBundleStatus

Identity Services Engine SupportBundleStatus API (version: 3.1.1).

Wraps the Identity Services Engine SupportBundleStatus API and exposes the API as native Python methods that return native Python objects.

get_support_bundle_status_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a support bundle status by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_support_bundle_status_by_id*

get_support_bundle_status(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the support bundle status.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_support_bundle_status`*

`get_support_bundle_status_generator`(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the support bundle status.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_support_bundle_status_generator`*

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the support bundle status.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

support_bundle_trigger_configuration

class SupportBundleTriggerConfiguration

Identity Services Engine SupportBundleTriggerConfiguration API (version: 3.1.1).

Wraps the Identity Services Engine SupportBundleTriggerConfiguration API and exposes the API as native Python methods that return native Python objects.

```
create_support_bundle(description=None, host_name=None, name=None,  
                        support_bundle_include_options=None, headers=None, payload=None,  
                        active_validation=True, **query_parameters)
```

This API allows the client to create a support bundle trigger configuration.

Parameters

- **description** (*string*) – description, property of the request body.
- **host_name** (*string*) – This parameter is hostName only, xxxx of xxxx.yyy.zz, property of the request body.
- **name** (*string*) – Resource Name, property of the request body.
- **support_bundle_include_options** (*object*) – supportBundleIncludeOptions, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

create(*description=None, host_name=None, name=None, support_bundle_include_options=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_support_bundle*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the support bundle trigger configuration.

Parameters

- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

system_health

class SystemHealth

Identity Services Engine System Health API (version: 3.1.1).

Wraps the Identity Services Engine System Health API and exposes the API as native Python methods that return native Python objects.

get_healths(*headers=None, **query_parameters*)
getHealths.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_performances(*headers=None, **query_parameters*)
getPerformances.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

system_certificate

class SystemCertificate

Identity Services Engine SystemCertificate API (version: 3.1.1).

Wraps the Identity Services Engine SystemCertificate API and exposes the API as native Python methods that return native Python objects.

create_system_certificate(*ers_local_cert_stub=None, node_id=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to create a system certificate.

Parameters

- **ers_local_cert_stub** (*object*) – Inputs for certificate creation, property of the request body.
- **node_id** (*string*) – NodeId of Cisco ISE application, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*ers_local_cert_stub=None, node_id=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_system_certificate*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the system certificate.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

tacacs_command_sets**class TacacsCommandSets**

Identity Services Engine TACACSCCommandSets API (version: 3.1.1).

Wraps the Identity Services Engine TACACSCCommandSets API and exposes the API as native Python methods that return native Python objects.

get_tacacs_command_sets_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS command sets by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_command_sets_by_name*

get_tacacs_command_sets_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS command sets by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_command_sets_by_id*

update_tacacs_command_sets_by_id(*id*, *commands=None*, *description=None*, *name=None*, *permit_unmatched=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update TACACS command sets.

Parameters

- **commands** (*object*) – commands, property of the request body.
- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **permit_unmatched** (*boolean*) – permitUnmatched, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *commands=None*, *description=None*, *name=None*, *permit_unmatched=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_tacacs_command_sets_by_id*

delete_tacacs_command_sets_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes TACACS command sets.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_tacacs_command_sets_by_id*

get_tacacs_command_sets(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the TACACS command sets.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_command_sets*

get_tacacs_command_sets_generator(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the TACACS command sets.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_command_sets_generator*

create_tacacs_command_sets(*commands=None, description=None, name=None, permit_unmatched=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates TACACS command sets.

Parameters

- **commands** (*object*) – commands, property of the request body.
- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **permit_unmatched** (*boolean*) – permitUnmatched, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*commands=None, description=None, name=None, permit_unmatched=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_command_sets*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS command sets.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

tacacs_external_servers

class TacacsExternalServers

Identity Services Engine TACACSExternalServers API (version: 3.1.1).

Wraps the Identity Services Engine TACACSExternalServers API and exposes the API as native Python methods that return native Python objects.

get_tacacs_external_servers_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS external servers by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.

- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_external_servers_by_name*

get_tacacs_external_servers_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get TACACS external servers by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_external_servers_by_id*

update_tacacs_external_servers_by_id(*id*, *connection_port=None*, *description=None*, *host_ip=None*, *name=None*, *shared_secret=None*, *single_connect=None*, *timeout=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update TACACS external servers.

Parameters

- **connection_port** (*integer*) – The port to connect the server, property of the request body.
- **description** (*string*) – description, property of the request body.
- **host_ip** (*string*) – The server IPV4 address, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **shared_secret** (*string*) – The server shared secret, property of the request body.
- **single_connect** (*boolean*) – Define the use of single connection, property of the request body.

- **timeout** (*integer*) – The server timeout, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *connection_port=None*, *description=None*, *host_ip=None*, *name=None*, *shared_secret=None*, *single_connect=None*, *timeout=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_tacacs_external_servers_by_id*

delete_tacacs_external_servers_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes TACACS external servers.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_tacacs_external_servers_by_id*

get_tacacs_external_servers(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the TACACS external servers.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_external_servers*

get_tacacs_external_servers_generator(*page=None*, *size=None*, *headers=None*,
***query_parameters*)

This API allows the client to get all the TACACS external servers.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_external_servers_generator*

create_tacacs_external_servers(*connection_port=None, description=None, host_ip=None, name=None, shared_secret=None, single_connect=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates TACACS external servers.

Parameters

- **connection_port** (*integer*) – The port to connect the server, property of the request body.
- **description** (*string*) – description, property of the request body.
- **host_ip** (*string*) – The server IPV4 address, property of the request body.
- **name** (*string*) – name, property of the request body.
- **shared_secret** (*string*) – The server shared secret, property of the request body.
- **single_connect** (*boolean*) – Define the use of single connection, property of the request body.
- **timeout** (*integer*) – The server timeout, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*connection_port=None, description=None, host_ip=None, name=None, shared_secret=None, single_connect=None, timeout=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_external_servers*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS external servers.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

tacacs_profile

class TacacsProfile

Identity Services Engine TACACSProfile API (version: 3.1.1).

Wraps the Identity Services Engine TACACSProfile API and exposes the API as native Python methods that return native Python objects.

get_tacacs_profile_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get a TACACS profile by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_profile_by_name*

get_tacacs_profile_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a TACACS profile by ID.

Parameters

- **id (basestring)** – id path parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_profile_by_id*

```
update_tacacs_profile_by_id(id, description=None, name=None, session_attributes=None,
                           headers=None, payload=None, active_validation=True,
                           **query_parameters)
```

This API allows the client to update a TACACS profile.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **session_attributes** (*object*) – Holds list of session attributes. View type for GUI is Shell by default, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, description=None, name=None, session_attributes=None, headers=None, payload=None,
             active_validation=True, **query_parameters)
```

Alias for *update_tacacs_profile_by_id*

```
delete_tacacs_profile_by_id(id, headers=None, **query_parameters)
```

This API deletes a TACACS profile.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`delete_by_id(id, headers=None, **query_parameters)`

Alias for *`delete_tacacs_profile_by_id`*

`get_tacacs_profile(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the TACACS profiles.

Parameters

- **`page(int)`** – page query parameter. Page number.
- **`size(int)`** – size query parameter. Number of objects returned per page.
- **`headers(dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all(page=None, size=None, headers=None, **query_parameters)`

Alias for *`get_tacacs_profile`*

`get_tacacs_profile_generator(page=None, size=None, headers=None, **query_parameters)`

This API allows the client to get all the TACACS profiles.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*page=None, size=None, headers=None, **query_parameters*)

Alias for *get_tacacs_profile_generator*

create_tacacs_profile(*description=None, name=None, session_attributes=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a TACACS profile.

Parameters

- **description** (*string*) – description, property of the request body.
- **name** (*string*) – name, property of the request body.
- **session_attributes** (*object*) – Holds list of session attributes. View type for GUI is Shell by default, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, name=None, session_attributes=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_profile*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS profile.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

tacacs_server_sequence

class TacacsServerSequence

Identity Services Engine TacacsServerSequence API (version: 3.1.1).

Wraps the Identity Services Engine TacacsServerSequence API and exposes the API as native Python methods that return native Python objects.

get_tacacs_server_sequence_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get a TACACS server sequence by name.

Parameters

- **name** (*basestring*) – name path parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_server_sequence_by_name*

get_tacacs_server_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a TACACS server sequence by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_tacacs_server_sequence_by_id*

```
update_tacacs_server_sequence_by_id(id, description=None, local_accounting=None, name=None,
                                     prefix_delimiter=None, prefix_strip=None,
                                     remote_accounting=None, server_list=None,
                                     suffix_delimiter=None, suffix_strip=None, headers=None,
                                     payload=None, active_validation=True, **query_parameters)
```

This API allows the client to update a TACACS server sequence.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_delimiter** (*string*) – The delimiter that will be used for prefix strip, property of the request body.
- **prefix_strip** (*boolean*) – Define if a delimiter will be used for prefix strip, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **server_list** (*string*) – The names of Tacacs external servers separated by commas. The order of the names in the string is the order of servers that will be used during authentication, property of the request body.
- **suffix_delimiter** (*string*) – The delimiter that will be used for suffix strip, property of the request body.
- **suffix_strip** (*boolean*) – Define if a delimiter will be used for suffix strip, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *local_accounting=None*, *name=None*, *prefix_delimiter=None*, *prefix_strip=None*, *remote_accounting=None*, *server_list=None*, *suffix_delimiter=None*, *suffix_strip=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for [*update_tacacs_server_sequence_by_id*](#)

delete_tacacs_server_sequence_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes a TACACS server sequence.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [*RestResponse*](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for [*delete_tacacs_server_sequence_by_id*](#)

get_tacacs_server_sequence(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the TACACS server sequences.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_tacacs_server_sequence`*

`get_tacacs_server_sequence_generator`(*page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the TACACS server sequences.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- *RestResponse*: REST response with following properties:
 - `headers(MyDict)`: response headers.
 - `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - `content(bytes)`: representation of the request's response
 - `text(str)`: representation of the request's response

Return type *Generator*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for *`get_tacacs_server_sequence_generator`*

`create_tacacs_server_sequence`(*description=None, local_accounting=None, name=None, prefix_delimiter=None, prefix_strip=None, remote_accounting=None, server_list=None, suffix_delimiter=None, suffix_strip=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates a TACACS server sequence.

Parameters

- **description** (*string*) – description, property of the request body.
- **local_accounting** (*boolean*) – localAccounting, property of the request body.
- **name** (*string*) – name, property of the request body.
- **prefix_delimiter** (*string*) – The delimiter that will be used for prefix strip, property of the request body.
- **prefix_strip** (*boolean*) – Define if a delimiter will be used for prefix strip, property of the request body.
- **remote_accounting** (*boolean*) – remoteAccounting, property of the request body.
- **server_list** (*string*) – The names of Tacacs external servers separated by commas. The order of the names in the string is the order of servers that will be used during authentication, property of the request body.
- **suffix_delimiter** (*string*) – The delimiter that will be used for suffix strip, property of the request body.
- **suffix_strip** (*boolean*) – Define if a delimiter will be used for suffix strip, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, local_accounting=None, name=None, prefix_delimiter=None, prefix_strip=None, remote_accounting=None, server_list=None, suffix_delimiter=None, suffix_strip=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_tacacs_server_sequence*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the TACACS server sequence.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

telemetry_information

class TelemetryInformation

Identity Services Engine TelemetryInformation API (version: 3.1.1).

Wraps the Identity Services Engine TelemetryInformation API and exposes the API as native Python methods that return native Python objects.

get_telemetry_info_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get telemetry information by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_telemetry_info_by_id*

get_telemetry_information(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the telemetry information. Filter: [deploymentId] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_telemetry_information*

get_telemetry_information_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

This API allows the client to get all the telemetry information. Filter: [deploymentId] To search resources by using toDate column, follow the format: DD-MON-YY (Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 .

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request’s response
 - **text**(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, headers=None, **query_parameters*)

Alias for *get_telemetry_information_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the telemetry information.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

trust_sec_configuration**class TrustSecConfiguration**

Identity Services Engine TrustSec Configuration API (version: 3.1.1).

Wraps the Identity Services Engine TrustSec Configuration API and exposes the API as native Python methods that return native Python objects.

get_security_groups(*headers=None, **query_parameters*)
getSecurityGroups.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_security_groups*

get_security_group_acls(*headers=None, **query_parameters*)

getSecurityGroupAcls.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_egress_policies(*headers=None, **query_parameters*)

getEgressPolicies.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.

- ***ApiError*** – If the Identity Services Engine cloud returns an error.

get_egress_matrices(*headers=None, **query_parameters*)
getEgressMatrices.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- ***TypeError*** – If the parameter types are incorrect.
- ***MalformedRequest*** – If the request body created is invalid.
- ***ApiError*** – If the Identity Services Engine cloud returns an error.

trust_sec_sxp

class TrustSecSxp

Identity Services Engine TrustSec SXP API (version: 3.1.1).

Wraps the Identity Services Engine TrustSec SXP API and exposes the API as native Python methods that return native Python objects.

get_bindings(*headers=None, **query_parameters*)
getBindings.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

version_and_patch

class VersionAndPatch

Identity Services Engine VersionAndPatch API (version: 3.1.1).

Wraps the Identity Services Engine VersionAndPatch API and exposes the API as native Python methods that return native Python objects.

get_ise_version_and_patch(*headers=None, **query_parameters*)

This API allows the client to get Cisco ISE version and patch information.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*headers=None, **query_parameters*)

Alias for *get_ise_version_and_patch*

version_info

class VersionInfo

Identity Services Engine VersionInfo API (version: 3.1.1).

Wraps the Identity Services Engine VersionInfo API and exposes the API as native Python methods that return native Python objects.

get_version_info(*resource*, *headers=None*, ***query_parameters*)
Get all VersionInfo.

Parameters

- **resource** (*basestring*) – resource path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

endpoint

class Endpoint

Identity Services Engine endpoint API (version: 3.1.1).

Wraps the Identity Services Engine endpoint API and exposes the API as native Python methods that return native Python objects.

release_rejected_endpoint(*id*, *headers=None*, ***query_parameters*)
This API allows the client to release a rejected endpoint.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`release_rejected(id, headers=None, **query_parameters)`

Alias for *`release_rejected_endpoint`*

`deregister_endpoint(id, headers=None, **query_parameters)`

This API allows the client to de-register an endpoint.

Parameters

- **`id (basestring)`** – id path parameter.
- **`headers (dict)`** – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`deregister(id, headers=None, **query_parameters)`

Alias for *`deregister_endpoint`*

`get_rejected_endpoints(headers=None, **query_parameters)`

This API allows the client to get the rejected endpoints.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_rejected(*headers=None, **query_parameters*)

Alias for *get_rejected_endpoints*

get_endpoint_by_name(*name, headers=None, **query_parameters*)

This API allows the client to get an endpoint by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name, headers=None, **query_parameters*)

Alias for *get_endpoint_by_name*

get_endpoint_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get an endpoint by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_endpoint_by_id*

update_endpoint_by_id(*id*, *custom_attributes=None*, *description=None*, *group_id=None*, *identity_store=None*, *identity_store_id=None*, *mac=None*, *mdm_attributes=None*, *name=None*, *portal_user=None*, *profile_id=None*, *static_group_assignment=None*, *static_profile_assignment=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to update an endpoint.

Parameters

- **custom_attributes** (*object*) – customAttributes, property of the request body.
- **description** (*string*) – description, property of the request body.
- **group_id** (*string*) – groupId, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **identity_store** (*string*) – identityStore, property of the request body.
- **identity_store_id** (*string*) – identityStoreId, property of the request body.
- **mac** (*string*) – mac, property of the request body.
- **mdm_attributes** (*object*) – mdmAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_user** (*string*) – portalUser, property of the request body.
- **profile_id** (*string*) – profileId, property of the request body.

- **static_group_assignment** (*boolean*) – staticGroupAssignment, property of the request body.
- **static_profile_assignment** (*boolean*) – staticProfileAssignment, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *custom_attributes=None*, *description=None*, *group_id=None*, *identity_store=None*, *identity_store_id=None*, *mac=None*, *mdm_attributes=None*, *name=None*, *portal_user=None*, *profile_id=None*, *static_group_assignment=None*, *static_profile_assignment=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_endpoint_by_id*

delete_endpoint_by_id(*id*, *headers=None*, ***query_parameters*)

This API deletes an endpoint.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_endpoint_by_id*

register_endpoint(*custom_attributes=None*, *description=None*, *group_id=None*, *id=None*, *identity_store=None*, *identity_store_id=None*, *mac=None*, *mdm_attributes=None*, *name=None*, *portal_user=None*, *profile_id=None*, *static_group_assignment=None*, *static_profile_assignment=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

This API allows the client to register an endpoint.

Parameters

- **custom_attributes** (*object*) – customAttributes, property of the request body.
- **description** (*string*) – description, property of the request body.
- **group_id** (*string*) – groupId, property of the request body.
- **id** (*string*) – id, property of the request body.
- **identity_store** (*string*) – identityStore, property of the request body.
- **identity_store_id** (*string*) – identityStoreId, property of the request body.
- **mac** (*string*) – mac, property of the request body.
- **mdm_attributes** (*object*) – mdmAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_user** (*string*) – portalUser, property of the request body.
- **profile_id** (*string*) – profileId, property of the request body.
- **static_group_assignment** (*boolean*) – staticGroupAssignment, property of the request body.
- **static_profile_assignment** (*boolean*) – staticProfileAssignment, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

register(*custom_attributes=None, description=None, group_id=None, id=None, identity_store=None, identity_store_id=None, mac=None, mdm_attributes=None, name=None, portal_user=None, profile_id=None, static_group_assignment=None, static_profile_assignment=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *register_endpoint*

get_endpoints(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the endpoints. Filter: Filters can be used to filter out Endpoints based on a set of attributes. This API currently provides the following filters: [logicalProfileName, portalUser, staticProfileAssignment, profileId, profile, groupId, staticGroupAssignment, mac] Example 1: The logicalProfileName filter can be used to get Enpoints that belong to a specific Logical Profile. The supported operator for logicalProfileNamefilter is EQ (equal to). The syntax to invoke the API with this filter: `/ers/config/endpoint?filter={filter name}.{operator}.{logical profile name}` Example: [https://{ise-ip}:9060/ers/config/endpoint?filter=logical ProfileName.EQ.LP_Apple](https://{ise-ip}:9060/ers/config/endpoint?filter=logical%20ProfileName.EQ.LP_Apple) Example 2: To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET `/ers/config/guestuser/?filter=toDate.CONTAINS.13` Month:GET `/ers/config/guestuser/?filter=toDate.CONTAINS.SEP` Date:GET `/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18` Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_endpoints*

get_endpoints_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

This API allows the client to get all the endpoints. Filter: Filters can be used to filter out Endpoints based on a set of attributes. This API currently provides the following filters: [logicalProfileName, portalUser, staticProfileAssignment, profileId, profile, groupId, staticGroupAssignment, mac] Example 1: The logicalProfileName filter can be used to get Endpoints that belong to a specific Logical Profile. The supported operator for logicalProfileNamefilter is EQ (equal to). The syntax to invoke the API with this filter: /ers/config/endpoint?filter={filter name}.{operator}.{logical profile name} Example: [https://{ise-ip}:9060/ers/config/endpoint?filter=logical ProfileName.EQ.LP_Apple](https://{ise-ip}:9060/ers/config/endpoint?filter=logical%20ProfileName.EQ.LP_Apple) Example 2: To search resources by using toDate column, follow the format: DD-MON-YY (Example:13-SEP-18) Day or Year:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13 Month:GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date:GET /ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page (int)** – page query parameter. Page number.
- **size (int)** – size query parameter. Number of objects returned per page.
- **sortasc (basestring)** – sortasc query parameter. sort asc.
- **sortdsc (basestring)** – sortdsc query parameter. sort desc.
- **filter (basestring, list, set, tuple)** – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_endpoints_generator*

create_endpoint(*custom_attributes=None, description=None, group_id=None, identity_store=None, identity_store_id=None, mac=None, mdm_attributes=None, name=None, portal_user=None, profile_id=None, static_group_assignment=None, static_profile_assignment=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API creates an endpoint.

Parameters

- **custom_attributes** (*object*) – customAttributes, property of the request body.
- **description** (*string*) – description, property of the request body.
- **group_id** (*string*) – groupId, property of the request body.
- **identity_store** (*string*) – identityStore, property of the request body.
- **identity_store_id** (*string*) – identityStoreId, property of the request body.
- **mac** (*string*) – mac, property of the request body.
- **mdm_attributes** (*object*) – mdmAttributes, property of the request body.
- **name** (*string*) – name, property of the request body.
- **portal_user** (*string*) – portalUser, property of the request body.
- **profile_id** (*string*) – profileId, property of the request body.
- **static_group_assignment** (*boolean*) – staticGroupAssignment, property of the request body.

- **static_profile_assignment** (*boolean*) – staticProfileAssignment, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*custom_attributes=None, description=None, group_id=None, identity_store=None, identity_store_id=None, mac=None, mdm_attributes=None, name=None, portal_user=None, profile_id=None, static_group_assignment=None, static_profile_assignment=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_endpoint*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the endpoint.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_for_endpoint(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

This API allows the client to submit the bulk request.

Parameters

- **operation_type** (*string*) – operationType, property of the request body.
- **resource_media_type** (*string*) – resourceMediaType, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request(*operation_type=None, resource_media_type=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_request_for_endpoint*

monitor_bulk_status_endpoint(*bulkid, headers=None, **query_parameters*)

This API allows the client to monitor the bulk request.

Parameters

- **bulkid** (*basestring*) – bulkid path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`monitor_bulk_status`(*bulkid*, *headers=None*, ***query_parameters*)

Alias for *monitor_bulk_status_endpoint*

nbar_app

class NbarApp

Identity Services Engine nbarApp API (version: 3.1.1).

Wraps the Identity Services Engine nbarApp API and exposes the API as native Python methods that return native Python objects.

`get_nbar_apps`(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sort=None*, *sort_by=None*, *headers=None*, ***query_parameters*)

Get all NBAR Applications.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sort`** (*basestring*) – sort query parameter. sort type asc or desc.
- **`sort_by`** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **`filter`** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all`(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_nbar_apps*

`get_nbar_apps_generator`(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all NBAR Applications.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.
- **`sort`** (*basestring*) – sort query parameter. sort type asc or desc.
- **`sort_by`** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **`filter`** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **`filter_type`** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- `RestResponse`: REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_nbar_apps_generator*

create_nbar_app(*description=None, id=None, name=None, network_identities=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Create NBAR application.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*string*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **network_identities** (*list*) – Array of NIs, property of the request body (list of objects).
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*description=None, id=None, name=None, network_identities=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for [create_nbar_app](#)

get_nbar_app_by_id(*id, headers=None, **query_parameters*)

Get NBAR Application by id.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type [RestResponse](#)

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for [get_nbar_app_by_id](#)

update_nbar_app_by_id(*id, description=None, name=None, network_identities=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Update NBAR Application.

Parameters

- **description** (*string*) – description, property of the request body.
- **id** (*basestring*) – id, property of the request body.
- **name** (*string*) – name, property of the request body.
- **network_identities** (*list*) – Array of NIs, property of the request body (list of objects).
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *description=None*, *name=None*, *network_identities=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_nbar_app_by_id*

delete_nbar_app_by_id(*id*, *headers=None*, ***query_parameters*)

Delete NBAR Application.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_nbar_app_by_id*

portal

class Portal

Identity Services Engine portal API (version: 3.1.1).

Wraps the Identity Services Engine portal API and exposes the API as native Python methods that return native Python objects.

get_portal_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a portal by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_portal_by_id*

get_portals(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the portals. Filter: [name, description]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

Alias for *get_portals*

get_portals_generator (*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sortasc=None*, *sortdsc=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the portals. Filter: [name, description]
To search resources by using toDate column, follow the format: DD-MON-YY
(Example: 13-SEP-18) Day or Year: GET /ers/config/guestuser/?filter=toDate.CONTAINS.13
Month: GET /ers/config/guestuser/?filter=toDate.CONTAINS.SEP Date: GET
/ers/config/guestuser/?filter=toDate.CONTAINS.13-SEP-18 Sorting: [name, description].

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sortasc** (*basestring*) – sortasc query parameter. sort asc.
- **sortdsc** (*basestring*) – sortdsc query parameter. sort desc.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. **Simple filtering** should be available through the filter query string parameter. The structure of a filter

is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. (Operator: Description), (EQ: Equals), (NEQ: Not Equals), (GT: Greater Than), (LT: Less Than), (STARTSW: Starts With), (NSTARTSW: Not Starts With), (ENDSW: Ends With), (NENDSW: Not Ends With), (CONTAINS: Contains), (NCONTAINS: Not Contains), .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - headers(MyDict): response headers.
 - response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - content(bytes): representation of the request’s response
 - text(str): representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sortasc=None, sortdsc=None, headers=None, **query_parameters*)

Alias for *get_portals_generator*

get_version(*headers=None, **query_parameters*)

This API helps to retrieve the version information realted to the portal.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request’s response
- text(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

proxy

class Proxy

Identity Services Engine proxy API (version: 3.1.1).

Wraps the Identity Services Engine proxy API and exposes the API as native Python methods that return native Python objects.

get_proxy_connection(*headers=None, **query_parameters*)

The following functionalities are impacted by the proxy settings: Partner Mobile Management Endpoint Profiler Feed Service Update Endpoint Posture Update Endpoint Posture Agent Resources Download CRL (Certificate Revocation List) Download SMS Message Transmission Social Login Rest Auth Service Azure AD pxGrid Cloud .

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_proxy_connection(*bypass_hosts=None, fqdn=None, password=None, password_required=None, port=None, user_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

The following functionalities are impacted by the proxy settings: Partner Mobile Management Endpoint Profiler Feed Service Update Endpoint Posture Update Endpoint Posture Agent Resources Download CRL (Certificate Revocation List) Download SMS Message Transmission Social Login Rest Auth Service Azure AD pxGrid Cloud .

Parameters

- **bypass_hosts** (*string*) – Bypass hosts for the proxy connection, property of the request body.
- **fqdn** (*string*) – proxy IP address or DNS-resolvable host name, property of the request body.
- **password** (*string*) – Password for the proxy connection, property of the request body.
- **password_required** (*boolean*) – Indicates whether password configuration is required for Proxy., property of the request body.
- **port** (*integer*) – Port for proxy connection. should be between 1 and 65535, property of the request body.
- **user_name** (*string*) – User name for the proxy connection, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

px_grid_node

class PxGridNode

Identity Services Engine pxGridNode API (version: 3.1.1).

Wraps the Identity Services Engine pxGridNode API and exposes the API as native Python methods that return native Python objects.

approve_px_grid_node(*name*, *headers=None*, ***query_parameters*)

This API allows the client to approve a pxGrid node. Only pending pxGrid nodes can be approved.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

approve(*name*, *headers=None*, ***query_parameters*)

Alias for *approve_px_grid_node*

get_px_grid_node_by_name(*name*, *headers=None*, ***query_parameters*)

This API allows the client to get a pxGrid node by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *get_px_grid_node_by_name*

delete_px_grid_node_by_name(*name*, *headers=None*, ***query_parameters*)

This API deletes a pxGrid node by name.

Parameters

- **name** (*basestring*) – name path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_name(*name*, *headers=None*, ***query_parameters*)

Alias for *delete_px_grid_node_by_name*

get_px_grid_node_by_id(*id*, *headers=None*, ***query_parameters*)

This API allows the client to get a pxGrid node by ID.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- headers(MyDict): response headers.
- response(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- content(bytes): representation of the request's response
- text(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_px_grid_node_by_id*

get_px_grid_node(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the npxGrid nodes.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

Alias for *get_px_grid_node*

get_px_grid_node_generator(*page=None*, *size=None*, *headers=None*, ***query_parameters*)

This API allows the client to get all the npxGrid nodes.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type `Generator`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_all_generator`(*page=None, size=None, headers=None, **query_parameters*)

Alias for `get_px_grid_node_generator`

`get_version`(*headers=None, **query_parameters*)

This API helps to retrieve the version information related to the pxGrid node.

Parameters

- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type `RestResponse`

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

sg_vn_mapping

class `SgVnMapping`

Identity Services Engine sgVnMapping API (version: 3.1.1).

Wraps the Identity Services Engine sgVnMapping API and exposes the API as native Python methods that return native Python objects.

`get_sg_vn_mappings`(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all Security Group and Virtual Network mappings.

Parameters

- **`page`** (*int*) – page query parameter. Page number.
- **`size`** (*int*) – size query parameter. Number of objects returned per page.

- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_sg_vn_mappings*

get_sg_vn_mappings_generator (*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all Security Group and Virtual Network mappings.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.

- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sort=None*, *sort_by=None*, *headers=None*, ***query_parameters*)

Alias for *get_sg_vn_mappings_generator*

create_sg_vn_mapping(*id=None*, *last_update=None*, *sg_name=None*, *sgt_id=None*, *vn_id=None*, *vn_name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Create Security Group and Virtual Network mapping.

Parameters

- **id** (*string*) – Identifier of the SG-VN mapping, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the SG-VN mapping, property of the request body.
- **sg_name** (*string*) – Name of the associated Security Group to be used for identity if id is not provided, property of the request body.
- **sgt_id** (*string*) – Identifier of the associated Security Group which is required unless its name is provided, property of the request body.

- **vn_id** (*string*) – Identifier for the associated Virtual Network which is required unless its name is provided, property of the request body.
- **vn_name** (*string*) – Name of the associated Virtual Network to be used for identity if id is not provided, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*id=None, last_update=None, sg_name=None, sgt_id=None, vn_id=None, vn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_sg_vn_mapping*

bulk_create_sg_vn_mappings(*headers=None, payload=None, active_validation=True, **query_parameters*)

Create SG-VN Mappings in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response

- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_create(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_create_sg_vn_mappings*

bulk_delete_sg_vn_mappings(*headers=None, payload=None, active_validation=True, **query_parameters*)

Delete SG-VN Mappings in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_delete(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_delete_sg_vn_mappings*

bulk_update_sg_vn_mappings(*headers=None, payload=None, active_validation=True, **query_parameters*)

Update SG-VN Mappings in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_update(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_update_sg_vn_mappings*

get_sg_vn_mapping_by_id(*id, headers=None, **query_parameters*)

Get Security Group and Virtual Network mapping by id.

Parameters

- **id (basestring)** – id path parameter.
- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id, headers=None, **query_parameters*)

Alias for *get_sg_vn_mapping_by_id*

```
update_sg_vn_mapping_by_id(id, last_update=None, sg_name=None, sgt_id=None, vn_id=None,
                           vn_name=None, headers=None, payload=None, active_validation=True,
                           **query_parameters)
```

Update Security Group and Virtual Network mapping.

Parameters

- **id** (*basestring*) – Identifier of the SG-VN mapping, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the SG-VN mapping, property of the request body.
- **sg_name** (*string*) – Name of the associated Security Group to be used for identity if id is not provided, property of the request body.
- **sgt_id** (*string*) – Identifier of the associated Security Group which is required unless its name is provided, property of the request body.
- **vn_id** (*string*) – Identifier for the associated Virtual Network which is required unless its name is provided, property of the request body.
- **vn_name** (*string*) – Name of the associated Virtual Network to be used for identity if id is not provided, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

```
update_by_id(id, last_update=None, sg_name=None, sgt_id=None, vn_id=None, vn_name=None,
             headers=None, payload=None, active_validation=True, **query_parameters)
```

Alias for *update_sg_vn_mapping_by_id*

```
delete_sg_vn_mapping_by_id(id, headers=None, **query_parameters)
```

Delete Security Group and Virtual Network mapping.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_sg_vn_mapping_by_id*

tasks**class Tasks**

Identity Services Engine tasks API (version: 3.1.1).

Wraps the Identity Services Engine tasks API and exposes the API as native Python methods that return native Python objects.

get_task_status(*headers=None*, ***query_parameters*)

get all task status.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(list): A list of MyDict objects. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_task_status_by_id(*task_id*, *headers=None*, ***query_parameters*)

Monitor task status.

Parameters

- **task_id** (*basestring*) – taskId path parameter. The id of the task executed before.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

telemetry**class Telemetry**

Identity Services Engine telemetry API (version: 3.1.1).

Wraps the Identity Services Engine telemetry API and exposes the API as native Python methods that return native Python objects.

get_transport_gateway(*headers=None*, ***query_parameters*)

Transport Gateway acts a proxy for the communication between the ISE servers in your network and the Telemetry servers in case of air-gapped network.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

update_transport_gateway(*enable_transport_gateway=None, url=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Transport Gateway acts a proxy for the communication between the ISE servers in your network and the Telemetry servers in case of air-gapped network.

Parameters

- **`enable_transport_gateway`** (*boolean*) – Indicates whether transport gateway is enabled or not., property of the request body.
- **`url`** (*string*) – URL of transport gateway, property of the request body.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`payload`** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **`active_validation`** (*bool*) – Enable/Disable payload validation. Defaults to True.
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

virtual_network

class VirtualNetwork

Identity Services Engine virtualNetwork API (version: 3.1.1).

Wraps the Identity Services Engine virtualNetwork API and exposes the API as native Python methods that return native Python objects.

get_virtual_networks(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all Virtual Networks.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request’s response
- **text**(str): representation of the request’s response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_virtual_networks*

get_virtual_networks_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all Virtual Networks.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers(MyDict)**: response headers.
 - **response(MyDict)**: response body as a MyDict object. Access the object’s properties by using the dot notation or the bracket notation.
 - **content(bytes)**: representation of the request’s response
 - **text(str)**: representation of the request’s response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_virtual_networks_generator*

create_virtual_network(*additional_attributes=None, id=None, last_update=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Create Virtual Network.

Parameters

- **additional_attributes** (*string*) – JSON String of additional attributes for the Virtual Network, property of the request body.
- **id** (*string*) – Identifier of the Virtual Network, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the Virtual Network, property of the request body.
- **name** (*string*) – Name of the Virtual Network, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*additional_attributes=None, id=None, last_update=None, name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_virtual_network*

bulk_create_virtual_networks(*headers=None, payload=None, active_validation=True, **query_parameters*)

Create Virtual Network in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_create(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_create_virtual_networks*

bulk_delete_virtual_networks(*headers=None, payload=None, active_validation=True, **query_parameters*)

Delete Virtual Network in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_delete(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *bulk_delete_virtual_networks*

bulk_update_virtual_networks(*headers=None, payload=None, active_validation=True, **query_parameters*)

Update Virtual Network in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_update(*headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *bulk_update_virtual_networks*

get_virtual_network_by_id(*id, headers=None, **query_parameters*)
Get Virtual Network by id.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *get_virtual_network_by_id*

update_virtual_network_by_id(*id*, *additional_attributes=None*, *last_update=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Update Virtual Network.

Parameters

- **additional_attributes** (*string*) – JSON String of additional attributes for the Virtual Network, property of the request body.
- **id** (*basestring*) – Identifier of the Virtual Network, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the Virtual Network, property of the request body.
- **name** (*string*) – Name of the Virtual Network, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

update_by_id(*id*, *additional_attributes=None*, *last_update=None*, *name=None*, *headers=None*, *payload=None*, *active_validation=True*, ***query_parameters*)

Alias for *update_virtual_network_by_id*

delete_virtual_network_by_id(*id*, *headers=None*, ***query_parameters*)

Delete Virtual Network.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_by_id(*id*, *headers=None*, ***query_parameters*)

Alias for *delete_virtual_network_by_id*

vn_vlan_mapping

class VnVlanMapping

Identity Services Engine vnVlanMapping API (version: 3.1.1).

Wraps the Identity Services Engine vnVlanMapping API and exposes the API as native Python methods that return native Python objects.

get_vn_vlan_mappings(*filter=None*, *filter_type=None*, *page=None*, *size=None*, *sort=None*, *sort_by=None*, *headers=None*, ***query_parameters*)

Get all VN-Vlan Mappings.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring*, *list*, *set*, *tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not

Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .

- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all (*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_vn_vlan_mappings*

get_vn_vlan_mappings_generator (*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Get all VN-Vlan Mappings.

Parameters

- **page** (*int*) – page query parameter. Page number.
- **size** (*int*) – size query parameter. Number of objects returned per page.
- **sort** (*basestring*) – sort query parameter. sort type asc or desc.
- **sort_by** (*basestring*) – sortBy query parameter. sort column by which objects needs to be sorted.
- **filter** (*basestring, list, set, tuple*) – filter query parameter. Simple filtering should be available through the filter query string parameter. The structure of a filter is a triplet of field operator and value separated with dots. More than one filter can be sent. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the “filterType=or” query string parameter. Each resource Data model description should specify if an attribute is a filtered field. OPERATOR DESCRIPTION EQ Equals NEQ Not Equals GT Greater Than LT Less Than STARTSW Starts With NSTARTSW Not Starts With ENDSW Ends With NENDSW Not Ends With CONTAINS Contains NCONTAINS Not Contains .
- **filter_type** (*basestring*) – filterType query parameter. The logical operator common to ALL filter criteria will be by default AND, and can be changed by using the parameter.

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

A generator object containing the following object.

- **RestResponse**: REST response with following properties:
 - **headers**(MyDict): response headers.
 - **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
 - **content**(bytes): representation of the request's response
 - **text**(str): representation of the request's response

Return type Generator

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

get_all_generator(*filter=None, filter_type=None, page=None, size=None, sort=None, sort_by=None, headers=None, **query_parameters*)

Alias for *get_vn_vlan_mappings_generator*

create_vn_vlan_mapping(*id=None, is_data=None, is_default_vlan=None, last_update=None, max_value=None, name=None, vn_id=None, vn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Create VN-Vlan Mapping.

Parameters

- **id** (*string*) – Identifier of the VN-Vlan Mapping, property of the request body.
- **is_data** (*boolean*) – Flag which indicates whether the Vlan is data or voice type, property of the request body.
- **is_default_vlan** (*boolean*) – Flag which indicates if the Vlan is default, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the VN-Vlan Mapping, property of the request body.
- **max_value** (*integer*) – Max value, property of the request body.
- **name** (*string*) – Name of the Vlan, property of the request body.
- **vn_id** (*string*) – Identifier for the associated Virtual Network which is required unless its name is provided, property of the request body.
- **vn_name** (*string*) – Name of the associated Virtual Network to be used for identity if id is not provided, property of the request body.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.

- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

create(*id=None, is_data=None, is_default_vlan=None, last_update=None, max_value=None, name=None, vn_id=None, vn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *create_vn_vlan_mapping*

bulk_create_vn_vlan_mappings(*headers=None, payload=None, active_validation=True, **query_parameters*)

Create VN-Vlan Mappings in bulk.

Parameters

- **headers (dict)** – Dictionary of HTTP Headers to send with the Request .
- **payload (list)** – A JSON serializable Python object to send in the body of the Request.
- **active_validation (bool)** – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers(MyDict)**: response headers.
- **response(MyDict)**: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content(bytes)**: representation of the request's response
- **text(str)**: representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_create(*headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *bulk_create_vn_vlan_mappings*

bulk_delete_vn_vlan_mappings(*headers=None, payload=None, active_validation=True, **query_parameters*)

Delete VN-Vlan Mappings in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

bulk_request_delete(*headers=None, payload=None, active_validation=True, **query_parameters*)
Alias for *bulk_delete_vn_vlan_mappings*

bulk_update_vn_vlan_mappings(*headers=None, payload=None, active_validation=True, **query_parameters*)

Update VN-Vlan Mappings in bulk.

Parameters

- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*list*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.

- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`bulk_request_update`(*headers=None, payload=None, active_validation=True, **query_parameters*)

Alias for *`bulk_update_vn_vlan_mappings`*

`get_vn_vlan_mapping_by_id`(*id, headers=None, **query_parameters*)

Get VN-Vlan Mapping by id.

Parameters

- **`id`** (*basestring*) – id path parameter.
- **`headers`** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **`**query_parameters`** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- `headers(MyDict)`: response headers.
- `response(MyDict)`: response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

`get_by_id`(*id, headers=None, **query_parameters*)

Alias for *`get_vn_vlan_mapping_by_id`*

`update_vn_vlan_mapping_by_id`(*id, is_data=None, is_default_vlan=None, last_update=None, max_value=None, name=None, vn_id=None, vn_name=None, headers=None, payload=None, active_validation=True, **query_parameters*)

Update VN-Vlan Mapping.

Parameters

- **`id`** (*basestring*) – Identifier of the VN-Vlan Mapping, property of the request body.
- **`is_data`** (*boolean*) – Flag which indicates whether the Vlan is data or voice type, property of the request body.

- **is_default_vlan** (*boolean*) – Flag which indicates if the Vlan is default, property of the request body.
- **last_update** (*string*) – Timestamp for the last update of the VN-Vlan Mapping, property of the request body.
- **max_value** (*integer*) – Max value, property of the request body.
- **name** (*string*) – Name of the Vlan, property of the request body.
- **vn_id** (*string*) – Identifier for the associated Virtual Network which is required unless its name is provided, property of the request body.
- **vn_name** (*string*) – Name of the associated Virtual Network to be used for identity if id is not provided, property of the request body.
- **id** – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- **payload** (*dict*) – A JSON serializable Python object to send in the body of the Request.
- **active_validation** (*bool*) – Enable/Disable payload validation. Defaults to True.
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.
- **response**(MyDict): response body as a MyDict object. Access the object's properties by using the dot notation or the bracket notation.
- **content**(bytes): representation of the request's response
- **text**(str): representation of the request's response

Return type *RestResponse*

Raises

- **TypeError** – If the parameter types are incorrect.
- **MalformedRequest** – If the request body created is invalid.
- **ApiError** – If the Identity Services Engine cloud returns an error.

delete_vn_vlan_mapping_by_id(*id*, *headers=None*, ***query_parameters*)

Delete VN-Vlan Mapping.

Parameters

- **id** (*basestring*) – id path parameter.
- **headers** (*dict*) – Dictionary of HTTP Headers to send with the Request .
- ****query_parameters** – Additional query parameters (provides support for parameters that may be added in the future).

Returns

REST response with following properties:

- **headers**(MyDict): response headers.

- `response(MyDict)`: response body as a `MyDict` object. Access the object's properties by using the dot notation or the bracket notation.
- `content(bytes)`: representation of the request's response
- `text(str)`: representation of the request's response

Return type *RestResponse*

Raises

- **`TypeError`** – If the parameter types are incorrect.
- **`MalformedRequest`** – If the request body created is invalid.
- **`ApiError`** – If the Identity Services Engine cloud returns an error.

Identity Services Engine Data Object

MyDict

class `MyDict`

A **Python** `_dict_` subclass which tries to act like **JavaScript** objects, so you can use the **dot notation** (`.`) to access members of the object. If the member doesn't exist yet then it's created when you assign something to it. Brackets notation (`d['foo']`) is also possible.

has_path(*key*)

Check existence of "path" in the tree.

```
d = MyDict({'foo': {'bar': 'baz'}})
d.has_path('foo.bar') == True
```

It only supports "dot-notation" (`d.foo.bar`)

get(*key*, *default=None*)

Return the value for key if key is in the dictionary, else default.

to_json()

Returns a JSON-like string representing this instance

RestResponse

class `RestResponse`

`RestResponse` to represent the response of the calls to the Identity Services Engine APIs.

property `content`

The content (bytes) of the `RestResponse`.

property `text`

The text (str) of the `RestResponse`.

property `response`

The response (`MyDict`) of the `RestResponse`.

property `headers`

The headers (`MyDict`) of the `RestResponse`.

Exceptions

exception ciscoisesdkException

Bases: `Exception`

Base class for all ciscoisesdk package exceptions.

exception AccessTokenError

Bases: `ciscoisesdk.exceptions.ciscoisesdkException`

Raised when an incorrect Identity Services Engine Access Token has been provided.

exception VersionError

Bases: `ciscoisesdk.exceptions.ciscoisesdkException`

Raised when an incorrect Identity Services Engine version has been provided.

exception ApiError

Bases: `ciscoisesdk.exceptions.ciscoisesdkException`

Errors returned in response to requests sent to the Identity Services Engine APIs.

Several data attributes are available for inspection.

response

The `requests.Response` object returned from the API call.

request

The `requests.PreparedRequest` of the API call.

status_code

The HTTP status code from the API response.

status

The HTTP status from the API response.

details_str

The text from the API response.

details

The parsed JSON details from the API response.

message

The error message from the parsed API response.

description

A description of the HTTP Response Code from the API docs.

exception RateLimitError

Bases: `ciscoisesdk.exceptions.ApiError`

Identity Services Engine Rate-Limit exceeded Error.

Raised when a rate-limit exceeded message is received and the request **will not** be retried.

retry_after

The *Retry-After* time period (in seconds) provided by Identity Services Engine.

Defaults to 15 seconds if the response *Retry-After* header isn't present in the response headers, and defaults to a minimum wait time of 1 second if Identity Services Engine returns a *Retry-After* header of 0 seconds.

exception RateLimitWarning

Bases: `UserWarning`

Identity Services Engine rate-limit exceeded warning.

Raised when a rate-limit exceeded message is received and the request will be retried.

retry_after

The *Retry-After* time period (in seconds) provided by Identity Services Engine.

Defaults to 15 seconds if the response *Retry-After* header isn't present in the response headers, and defaults to a minimum wait time of 1 second if Identity Services Engine returns a *Retry-After* header of 0 seconds.

exception MalformedRequest

Bases: [ciscoisesdk.exceptions.ciscoisesdkException](#)

Raised when a malformed request is received from Identity Services Engine user.

exception DownloadFailure

Bases: [ciscoisesdk.exceptions.ciscoisesdkException](#)

Errors returned in response to requests sent to the Identity Services Engine APIs with stream=True.

Several data attributes are available for inspection.

response

The `requests.Response` object returned from the API call.

request

The `requests.PreparedRequest` of the API call.

status_code

The HTTP status code from the API response.

status

The HTTP status from the API response.

original_error

The original exception

raw

The raw value of the API response

Copyright (c) 2021 Cisco and/or its affiliates.

THE DEVELOPMENT COMMUNITY

Interested in contributing to the project? Please review our community's Code of Conduct and then check out the Contributing page for info to help you get started.

2.1 Contributor Covenant Code of Conduct

2.1.1 Our Pledge

In the interest of fostering an open and welcoming environment, we as contributors and maintainers pledge to making participation in our project and our community a harassment-free experience for everyone, regardless of age, body size, disability, ethnicity, gender identity and expression, level of experience, nationality, personal appearance, race, religion, or sexual identity and orientation.

2.1.2 Our Standards

Examples of behavior that contributes to creating a positive environment include:

- Using welcoming and inclusive language
- Being respectful of differing viewpoints and experiences
- Gracefully accepting constructive criticism
- Focusing on what is best for the community
- Showing empathy towards other community members

Examples of unacceptable behavior by participants include:

- The use of sexualized language or imagery and unwelcome sexual attention or advances
- Trolling, insulting/derogatory comments, and personal or political attacks
- Public or private harassment
- Publishing others' private information, such as a physical or electronic address, without explicit permission
- Other conduct which could reasonably be considered inappropriate in a professional setting

2.1.3 Our Responsibilities

Project maintainers are responsible for clarifying the standards of acceptable behavior and are expected to take appropriate and fair corrective action in response to any instances of unacceptable behavior.

Project maintainers have the right and responsibility to remove, edit, or reject comments, commits, code, wiki edits, issues, and other contributions that are not aligned to this Code of Conduct, or to ban temporarily or permanently any contributor for other behaviors that they deem inappropriate, threatening, offensive, or harmful.

2.1.4 Scope

This Code of Conduct applies both within project spaces and in public spaces when an individual is representing the project or its community. Examples of representing a project or community include using an official project e-mail address, posting via an official social media account, or acting as an appointed representative at an online or offline event. Representation of a project may be further defined and clarified by project maintainers.

2.1.5 Enforcement

Instances of abusive, harassing, or otherwise unacceptable behavior may be reported by contacting the project team. The project team will review and investigate all complaints, and will respond in a way that it deems appropriate to the circumstances. The project team is obligated to maintain confidentiality with regard to the reporter of an incident. Further details of specific enforcement policies may be posted separately.

Project maintainers who do not follow or enforce the Code of Conduct in good faith may face temporary or permanent repercussions as determined by other members of the project's leadership.

2.1.6 Attribution

This Code of Conduct is adapted from the [Contributor Covenant](#), version 1.4.

2.2 Contributing

ciscoisesdk is a community development project. Feedback, thoughts, ideas, and code contributions are most welcome!

2.2.1 How to contribute Feedback, Issues, Thoughts and Ideas

Please use the [issues](#) page to report issues or post ideas for enhancement.

2.2.2 Interested in Contributing Code?

Developer Scripts

We have created some scripts to automate everyday actions needed when working on the project. Please see the [script](#) directory, and it's README for more information.

Notes on the Test Suite

The test suite is grouped by Identity Services Engine versions supported in the Cisco Identity Services Engine SDK.

The test suite uses a mockup server, instead of calling to a Identity Services Engine server directly.

The mockup server is not perfect, that is why it is sometimes necessary to rerun a failed test, we do this by using *pytest-rerunfailures*. On the *script/test* file, you can find the *pytest-rerunfailures* settings, adjust them locally if strictly necessary.

Contributing Code - Using the CI Automated Testing

1. Check for open [issues](#) or create a new *issue* for the item you want to work on and make sure to comment and let us know that you are working on it.
2. Fork a copy of the [repository](#) and clone your forked repository to your development environment.
3. Run `script/setup` to install the development dependencies and setup your environment.
4. Configure the following environment variables in your development environment:
 - `TEST_IDENTITY_SERVICES_ENGINE_ENCODED_AUTH` - Your test account's Identity Services Engine encoded_auth (username:password encoded in base 64). This variable has priority over username and password.
 - `TEST_IDENTITY_SERVICES_ENGINE_USERNAME` - Your test account's Identity Services Engine username.
 - `TEST_IDENTITY_SERVICES_ENGINE_PASSWORD` - Your test account's Identity Services Engine password.
 - `DEBUG_ENVIRONMENT_VARIABLE` - Your test's debug variable, which controls whether to log information about Identity Services Engine APIs' request and response process.
 - `VERSION_ENVIRONMENT_VARIABLE` - The Identity Services Engine API's version used to test the SDK.
5. Add your code to your forked repository.

If you are creating some new feature or functionality (excellent!), please also write a [test](#) to verify that your code works as expected.

6. We follow [PEP8](#) reasonably strictly for this project. Please make sure your code passes the linter.
Run `script/test lint` or simply run `flake8` from the project root.
7. Commit your changes.
8. Submit a [pull request](#). The GitHub/Travis CI system runs the test suite against your pull request code. If any tests fail, please review your changes. If everything looks good, we will gladly merge your request!

Contributing Code - Running the Test Suite Locally

1. Check for open [issues](#) or create a new 'issue' for the item you want to work on and make sure to comment and let us know that you are working on it.
2. Fork a copy of the [repository](#) and clone your forked repository to your development environment.
Run `script/setup` to install the development dependencies and setup your environment.
3. Configure the following environment variables in your development environment:
 - `TEST_IDENTITY_SERVICES_ENGINE_ENCODED_AUTH` - Your test account's Identity Services Engine encoded_auth (username:password encoded in base 64). This variable has priority over username and password.

- `TEST_IDENTITY_SERVICES_ENGINE_USERNAME` - Your test account's Identity Services Engine username.
- `TEST_IDENTITY_SERVICES_ENGINE_PASSWORD` - Your test account's Identity Services Engine password.
- `DEBUG_ENVIRONMENT_VARIABLE` - Your test's debug variable, which controls whether to log information about Identity Services Engine APIs' request and response process.
- `VERSION_ENVIRONMENT_VARIABLE` - The Identity Services Engine API's version used to test the SDK.

Example:

```
#!/usr/bin/env bash
export TEST_IDENTITY_SERVICES_ENGINE_ENCODED_AUTH="<test account's_
↪username:password encoded in base 64>"
```

4. Add your code to your forked repository.

If you are creating some new feature or functionality (excellent!), please also write a `test` to verify that your code works as expected.

5. We follow [PEP8](#) reasonably strictly for this project. Please make sure your code passes the linter.

Run `script/test lint` from the project root.

6. Commit your changes.

7. Ensure your code passes all of the default tests for all the involved Identity Services Engine versions.

Run `script/test` and ensure all tests execute successfully.

8. Submit a [pull request](#). If everything looks good, we will gladly merge your request!

GENERAL INFORMATION ABOUT THE IDENTITY SERVICES ENGINE SERVICE

3.1 What is Identity Services Engine?

“A better way to control your network. Cisco Identity Services Engine is the network management and command center for Cisco Identity Services Engine, your intent-based network for the enterprise.”

Visit the official [Identity Services Engine](#) website for more information and to create a [free account](#)!

3.2 Identity Services Engine for Developers

Leveraging the Identity Services Engine APIs and developing on top of the Identity Services Engine cloud is easy. Signup for a [free account](#) and then head over to the [Identity Services Engine for Developers](#) website to learn more.

Copyright (c) 2021 Cisco and/or its affiliates.

PYTHON MODULE INDEX

C

`ciscoisesdk.config`, [12](#)

Symbols

`__init__()` (*IdentityServicesEngineAPI* method), 28

A

`access_secret()` (*Consumer* method), 126, 642, 1186
`access_token` (*IdentityServicesEngineAPI* property), 30
`AccessTokenError`, 1652
`AciBindings` (class in *ciscois-esdk.api.v3_0_0.aci_bindings*), 33
`AciBindings` (class in *ciscois-esdk.api.v3_1_0.aci_bindings*), 549
`AciBindings` (class in *ciscois-esdk.api.v3_1_1.aci_bindings*), 1089
`AciSettings` (class in *ciscois-esdk.api.v3_0_0.aci_settings*), 35
`AciSettings` (class in *ciscois-esdk.api.v3_1_0.aci_settings*), 551
`AciSettings` (class in *ciscois-esdk.api.v3_1_1.aci_settings*), 1091
`activate_account()` (*Consumer* method), 125, 641, 1185
`ActiveDirectory` (class in *ciscois-esdk.api.v3_0_0.active_directory*), 44
`ActiveDirectory` (class in *ciscois-esdk.api.v3_1_0.active_directory*), 560
`ActiveDirectory` (class in *ciscois-esdk.api.v3_1_1.active_directory*), 1100
`add_api()` (*CustomCaller* method), 32
`add_node()` (*NodeGroup* method), 1445
`AdminUser` (class in *ciscois-esdk.api.v3_0_0.admin_user*), 54
`AdminUser` (class in *ciscois-esdk.api.v3_1_0.admin_user*), 570
`AdminUser` (class in *ciscois-esdk.api.v3_1_1.admin_user*), 1111
`AllowedProtocols` (class in *ciscois-esdk.api.v3_0_0.allowed_protocols*), 57
`AllowedProtocols` (class in *ciscois-esdk.api.v3_1_0.allowed_protocols*), 573
`AllowedProtocols` (class in *ciscois-esdk.api.v3_1_1.allowed_protocols*), 1114

`AncEndpoint` (class in *ciscois-esdk.api.v3_0_0.anc_endpoint*), 38
`AncEndpoint` (class in *ciscois-esdk.api.v3_1_0.anc_endpoint*), 554
`AncEndpoint` (class in *ciscois-esdk.api.v3_1_1.anc_endpoint*), 1095
`AncPolicy` (class in *ciscois-esdk.api.v3_0_0.anc_policy*), 65
`AncPolicy` (class in *ciscois-esdk.api.v3_1_0.anc_policy*), 581
`AncPolicy` (class in *ciscois-esdk.api.v3_1_1.anc_policy*), 1121
`ApiError`, 1652
`apply()` (*AncEndpoint* method), 42, 558, 1098
`apply_anc_endpoint()` (*AncEndpoint* method), 42, 557, 1098
`approve()` (*PxGridNode* method), 544, 1064, 1625
`approve_by_id()` (*GuestUser* method), 225, 742, 1285
`approve_guest_user_by_id()` (*GuestUser* method), 224, 741, 1285
`approve_px_grid_node()` (*PxGridNode* method), 544, 1064, 1624
`Authentication` (class in *ciscois-esdk.api.authentication*), 31
`authentication_api()` (*Authentication* method), 31
`authorization()` (*Provider* method), 398, 914, 1474
`AuthorizationProfile` (class in *ciscois-esdk.api.v3_0_0.authorization_profile*), 72
`AuthorizationProfile` (class in *ciscois-esdk.api.v3_1_0.authorization_profile*), 588
`AuthorizationProfile` (class in *ciscois-esdk.api.v3_1_1.authorization_profile*), 1128
`autoapprove()` (*PxGridSettings* method), 404, 920, 1480
`autoapprove_px_grid_settings()` (*PxGridSettings* method), 403, 919, 1479

B

`BackupAndRestore` (class in *ciscois-esdk.api.v3_0_0.backup_and_restore*), 85
`BackupAndRestore` (class in *ciscois-esdk.api.v3_1_0.backup_and_restore*), 601

BackupAndRestore (class in *ciscoisesdk.api.v3_1_1.backup_and_restore*), 1141
 base_url (Authentication property), 31
 base_url (IdentityServicesEngineAPI property), 30
 bind_csr() (Certificates method), 105, 621, 1161
 bulk_create_sg_vn_mappings() (SgVnMapping method), 1071, 1631
 bulk_create_virtual_networks() (VirtualNetwork method), 1078, 1640
 bulk_create_vn_vlan_mappings() (VnVlanMapping method), 1085, 1647
 bulk_delete_sg_vn_mappings() (SgVnMapping method), 1071, 1632
 bulk_delete_virtual_networks() (VirtualNetwork method), 1079, 1641
 bulk_delete_vn_vlan_mappings() (VnVlanMapping method), 1086, 1648
 bulk_request() (AncEndpoint method), 43, 559, 1100
 bulk_request() (AncPolicy method), 71, 587, 1127
 bulk_request() (EgressMatrixCell method), 185, 701, 1245
 bulk_request() (Endpoint method), 540, 1055, 1614
 bulk_request() (GuestUser method), 239, 756, 1299
 bulk_request() (IpToSgtMapping method), 253, 770, 1313
 bulk_request() (IpToSgtMappingGroup method), 261, 778, 1321
 bulk_request() (NetworkDevice method), 364, 881, 1429
 bulk_request() (SecurityGroups method), 457, 973, 1533
 bulk_request() (SecurityGroupsAcls method), 464, 980, 1539
 bulk_request() (SecurityGroupToVirtualNetwork method), 451, 966, 1526
 bulk_request() (SxpConnections method), 432, 947, 1507
 bulk_request() (SxpLocalBindings method), 439, 954, 1514
 bulk_request() (SxpVpns method), 444, 960, 1519
 bulk_request_create() (SgVnMapping method), 1071, 1632
 bulk_request_create() (VirtualNetwork method), 1079, 1641
 bulk_request_create() (VnVlanMapping method), 1086, 1647
 bulk_request_delete() (SgVnMapping method), 1072, 1632
 bulk_request_delete() (VirtualNetwork method), 1080, 1641
 bulk_request_delete() (VnVlanMapping method), 1086, 1648
 bulk_request_for_anc_endpoint() (AncEndpoint method), 43, 559, 1099
 bulk_request_for_anc_policy() (AncPolicy method), 70, 586, 1127
 bulk_request_for_egress_matrix_cell() (EgressMatrixCell method), 184, 701, 1244
 bulk_request_for_endpoint() (Endpoint method), 539, 1055, 1614
 bulk_request_for_guest_user() (GuestUser method), 238, 755, 1299
 bulk_request_for_ip_to_sgt_mapping() (IpToSgtMapping method), 252, 769, 1313
 bulk_request_for_ip_to_sgt_mapping_group() (IpToSgtMappingGroup method), 260, 777, 1321
 bulk_request_for_network_device() (NetworkDevice method), 364, 880, 1429
 bulk_request_for_security_group() (SecurityGroups method), 457, 972, 1532
 bulk_request_for_security_groups_acl() (SecurityGroupsAcls method), 464, 979, 1539
 bulk_request_for_security_groups_to_vn_to_vlan() (SecurityGroupToVirtualNetwork method), 450, 966, 1525
 bulk_request_for_sxp_connections() (SxpConnections method), 431, 947, 1506
 bulk_request_for_sxp_local_bindings() (SxpLocalBindings method), 438, 954, 1513
 bulk_request_for_sxp_vpns() (SxpVpns method), 443, 959, 1519
 bulk_request_update() (SgVnMapping method), 1072, 1633
 bulk_request_update() (VirtualNetwork method), 1080, 1642
 bulk_request_update() (VnVlanMapping method), 1087, 1649
 bulk_update_sg_vn_mappings() (SgVnMapping method), 1072, 1632
 bulk_update_virtual_networks() (VirtualNetwork method), 1080, 1641
 bulk_update_vn_vlan_mappings() (VnVlanMapping method), 1086, 1648
 ByodPortal (class in *ciscoisesdk.api.v3_0_0.byod_portal*), 79
 ByodPortal (class in *ciscoisesdk.api.v3_1_0.byod_portal*), 595
 ByodPortal (class in *ciscoisesdk.api.v3_1_1.byod_portal*), 1135

C

call_api() (CustomCaller method), 32
 cancel() (BackupAndRestore method), 86, 602, 1142
 cancel_backup() (BackupAndRestore method), 85, 601, 1142
 CertificateProfile (class in *ciscoisesdk.api.v3_0_0.certificate_profile*), 90

CertificateProfile (class in *ciscoisesdk.api.v3_1_0.certificate_profile*), 606
 CertificateProfile (class in *ciscoisesdk.api.v3_1_1.certificate_profile*), 1146
 Certificates (class in *ciscoisesdk.api.v3_0_0.certificates*), 99
 Certificates (class in *ciscoisesdk.api.v3_1_0.certificates*), 615
 Certificates (class in *ciscoisesdk.api.v3_1_1.certificates*), 1155
 CertificateTemplate (class in *ciscoisesdk.api.v3_0_0.certificate_template*), 96
 CertificateTemplate (class in *ciscoisesdk.api.v3_1_0.certificate_template*), 612
 CertificateTemplate (class in *ciscoisesdk.api.v3_1_1.certificate_template*), 1152
 change_sponsor_password() (*GuestUser* method), 225, 742, 1286
 ciscoisesdk.config module, 12
 ciscoisesdkException, 1652
 clear() (*AncEndpoint* method), 40, 555, 1096
 clear() (*ClearThreatsAndVulnerabilities* method), 123, 640, 1183
 clear() (*EgressMatrixCell* method), 177, 694, 1238
 clear_all_matrix_cells() (*EgressMatrixCell* method), 177, 694, 1237
 clear_anc_endpoint() (*AncEndpoint* method), 39, 555, 1095
 clear_threats_and_vulnerabilities() (*ClearThreatsAndVulnerabilities* method), 123, 639, 1183
 ClearThreatsAndVulnerabilities (class in *ciscoisesdk.api.v3_0_0.clear_threats_and_vulnerabilities*), 123
 ClearThreatsAndVulnerabilities (class in *ciscoisesdk.api.v3_1_0.clear_threats_and_vulnerabilities*), 639
 ClearThreatsAndVulnerabilities (class in *ciscoisesdk.api.v3_1_1.clear_threats_and_vulnerabilities*), 1183
 clone() (*EgressMatrixCell* method), 178, 695, 1239
 clone_matrix_cell() (*EgressMatrixCell* method), 178, 695, 1238
 config() (*BackupAndRestore* method), 85, 601, 1142
 config_backup() (*BackupAndRestore* method), 85, 601, 1141
 configure_smart_state() (*Licensing* method), 1344
 Consumer (class in *ciscoisesdk.api.v3_0_0.consumer*), 124
 Consumer (class in *ciscoisesdk.api.v3_1_0.consumer*), 640
 Consumer (class in *ciscoisesdk.api.v3_1_1.consumer*), 1184
 content (*RestResponse* property), 1651
 create() (*ActiveDirectory* method), 53, 569, 1110
 create() (*AllowedProtocols* method), 64, 580, 1120
 create() (*AncPolicy* method), 70, 586, 1126
 create() (*AuthorizationProfile* method), 78, 594, 1134
 create() (*BackupAndRestore* method), 90, 606, 1146
 create() (*ByodPortal* method), 84, 600, 1140
 create() (*CertificateProfile* method), 95, 611, 1151
 create() (*Consumer* method), 124, 641, 1185
 create() (*DeviceAdministrationAuthenticationRules* method), 128, 644, 1188
 create() (*DeviceAdministrationAuthorizationExceptionRules* method), 132, 649, 1192
 create() (*DeviceAdministrationAuthorizationGlobalExceptionRules* method), 136, 653, 1197
 create() (*DeviceAdministrationAuthorizationRules* method), 140, 657, 1201
 create() (*DeviceAdministrationConditions* method), 146, 663, 1207
 create() (*DeviceAdministrationNetworkConditions* method), 158, 675, 1219
 create() (*DeviceAdministrationPolicySet* method), 162, 679, 1222
 create() (*DeviceAdministrationTimeDateConditions* method), 169, 686, 1229
 create() (*DownloadableAcl* method), 176, 693, 1236
 create() (*EgressMatrixCell* method), 183, 700, 1244
 create() (*Endpoint* method), 538, 1054, 1613
 create() (*EndpointCertificate* method), 186, 703, 1247
 create() (*EndpointIdentityGroup* method), 192, 709, 1252
 create() (*ExternalRadiusServer* method), 198, 715, 1259
 create() (*FilterPolicy* method), 203, 720, 1263
 create() (*GuestSmtNotificationConfiguration* method), 212, 729, 1272
 create() (*GuestSsid* method), 217, 734, 1277
 create() (*GuestType* method), 223, 740, 1284
 create() (*GuestUser* method), 237, 754, 1298
 create() (*HotspotPortal* method), 244, 761, 1305
 create() (*IdentityGroups* method), 266, 783, 1327
 create() (*IdentitySequence* method), 271, 788, 1332
 create() (*InternalUser* method), 280, 797, 1340
 create() (*IpToSgtMapping* method), 252, 769, 1312
 create() (*IpToSgtMappingGroup* method), 260, 777, 1320
 create() (*MyDevicePortal* method), 296, 813, 1362
 create() (*NbarApp* method), 1058, 1617
 create() (*NetworkAccessAuthenticationRules* method), 302, 819, 1368
 create() (*NetworkAccessAuthorizationExceptionRules* method), 307, 824, 1372
 create() (*NetworkAccessAuthorizationGlobalExceptionRules* method), 311, 828, 1376

[create\(\)](#) (*NetworkAccessAuthorizationRules method*), 315, 832, 1381
[create\(\)](#) (*NetworkAccessConditions method*), 321, 838, 1386
[create\(\)](#) (*NetworkAccessDictionary method*), 330, 847, 1395
[create\(\)](#) (*NetworkAccessDictionaryAttribute method*), 334, 851, 1399
[create\(\)](#) (*NetworkAccessNetworkConditions method*), 340, 857, 1406
[create\(\)](#) (*NetworkAccessPolicySet method*), 344, 861, 1410
[create\(\)](#) (*NetworkAccessTimeDateConditions method*), 352, 868, 1417
[create\(\)](#) (*NetworkDevice method*), 363, 879, 1428
[create\(\)](#) (*NetworkDeviceGroup method*), 370, 886, 1435
[create\(\)](#) (*PortalTheme method*), 392, 908, 1468
[create\(\)](#) (*RadiusServerSequence method*), 410, 926, 1486
[create\(\)](#) (*Repository method*), 420, 936, 1495
[create\(\)](#) (*RestidStore method*), 417, 933, 1493
[create\(\)](#) (*SecurityGroups method*), 456, 972, 1531
[create\(\)](#) (*SecurityGroupsAcls method*), 463, 979, 1538
[create\(\)](#) (*SecurityGroupToVirtualNetwork method*), 449, 965, 1525
[create\(\)](#) (*SelfRegisteredPortal method*), 470, 986, 1545
[create\(\)](#) (*SgVnMapping method*), 1070, 1631
[create\(\)](#) (*SponsoredGuestPortal method*), 493, 1008, 1568
[create\(\)](#) (*SponsorGroup method*), 479, 994, 1554
[create\(\)](#) (*SponsorPortal method*), 487, 1002, 1562
[create\(\)](#) (*SupportBundleTriggerConfiguration method*), 498, 1013, 1573
[create\(\)](#) (*SxpConnections method*), 430, 946, 1506
[create\(\)](#) (*SxpLocalBindings method*), 437, 953, 1513
[create\(\)](#) (*SxpVpns method*), 443, 959, 1518
[create\(\)](#) (*SystemCertificate method*), 501, 1016, 1575
[create\(\)](#) (*TacacsCommandSets method*), 506, 1021, 1580
[create\(\)](#) (*TacacsExternalServers method*), 511, 1027, 1586
[create\(\)](#) (*TacacsProfile method*), 516, 1032, 1591
[create\(\)](#) (*TacacsServerSequence method*), 522, 1037, 1596
[create\(\)](#) (*VirtualNetwork method*), 1078, 1640
[create\(\)](#) (*VnVlanMapping method*), 1085, 1647
[create_account\(\)](#) (*Consumer method*), 124, 640, 1184
[create_active_directory\(\)](#) (*ActiveDirectory method*), 53, 568, 1109
[create_allowed_protocol\(\)](#) (*AllowedProtocols method*), 62, 578, 1119
[create_anc_policy\(\)](#) (*AncPolicy method*), 69, 585, 1125
[create_authorization_profile\(\)](#) (*AuthorizationProfile method*), 76, 592, 1133
[create_byod_portal\(\)](#) (*ByodPortal method*), 83, 599, 1139
[create_certificate_profile\(\)](#) (*CertificateProfile method*), 94, 610, 1150
[create_device_admin_authentication_rule\(\)](#) (*DeviceAdministrationAuthenticationRules method*), 127, 643, 1187
[create_device_admin_authorization_rule\(\)](#) (*DeviceAdministrationAuthorizationRules method*), 140, 656, 1200
[create_device_admin_condition\(\)](#) (*DeviceAdministrationConditions method*), 144, 661, 1205
[create_device_admin_local_exception_rule\(\)](#) (*DeviceAdministrationAuthorizationExceptionRules method*), 132, 648, 1192
[create_device_admin_network_condition\(\)](#) (*DeviceAdministrationNetworkConditions method*), 157, 674, 1218
[create_device_admin_policy_set\(\)](#) (*DeviceAdministrationPolicySet method*), 161, 678, 1221
[create_device_admin_policy_set_global_exception\(\)](#) (*DeviceAdministrationAuthorizationGlobalExceptionRules method*), 136, 652, 1196
[create_device_admin_time_condition\(\)](#) (*DeviceAdministrationTimeDateConditions method*), 167, 684, 1228
[create_downloadable_acl\(\)](#) (*DownloadableAcl method*), 175, 692, 1236
[create_egress_matrix_cell\(\)](#) (*EgressMatrixCell method*), 183, 699, 1243
[create_endpoint\(\)](#) (*Endpoint method*), 537, 1053, 1612
[create_endpoint_certificate\(\)](#) (*EndpointCertificate method*), 185, 702, 1246
[create_endpoint_group\(\)](#) (*EndpointIdentityGroup method*), 191, 708, 1252
[create_external_radius_server\(\)](#) (*ExternalRadiusServer method*), 197, 714, 1257
[create_filter_policy\(\)](#) (*FilterPolicy method*), 202, 719, 1263
[create_guest_smtp_notification_settings\(\)](#) (*GuestSmtptNotificationConfiguration method*), 210, 727, 1271
[create_guest_ssid\(\)](#) (*GuestSsid method*), 216, 733, 1277
[create_guest_type\(\)](#) (*GuestType method*), 223, 740, 1283
[create_guest_user\(\)](#) (*GuestUser method*), 236, 753, 1297
[create_hotspot_portal\(\)](#) (*HotspotPortal method*), 243, 760, 1304

- `create_identity_group()` (*IdentityGroups method*), 265, 782, 1326
- `create_identity_sequence()` (*IdentitySequence method*), 271, 788, 1331
- `create_internal_user()` (*InternalUser method*), 279, 796, 1339
- `create_ip_to_sgt_mapping()` (*IpToSgtMapping method*), 251, 768, 1311
- `create_ip_to_sgt_mapping_group()` (*IpToSgtMappingGroup method*), 259, 776, 1319
- `create_my_device_portal()` (*MyDevicePortal method*), 296, 813, 1361
- `create_nbar_app()` (*NbarApp method*), 1058, 1617
- `create_network_access_authentication_rule()` (*NetworkAccessAuthenticationRules method*), 301, 818, 1367
- `create_network_access_authorization_rule()` (*NetworkAccessAuthorizationRules method*), 314, 831, 1380
- `create_network_access_condition()` (*NetworkAccessConditions method*), 319, 836, 1384
- `create_network_access_dictionaries()` (*NetworkAccessDictionary method*), 329, 846, 1395
- `create_network_access_dictionary_attribute()` (*NetworkAccessDictionaryAttribute method*), 333, 849, 1398
- `create_network_access_local_exception_rule()` (*NetworkAccessAuthorizationExceptionRules method*), 306, 823, 1371
- `create_network_access_network_condition()` (*NetworkAccessNetworkConditions method*), 340, 856, 1405
- `create_network_access_policy_set()` (*NetworkAccessPolicySet method*), 343, 860, 1408
- `create_network_access_policy_set_global_exception_rule()` (*NetworkAccessAuthorizationGlobalExceptionRules method*), 310, 827, 1376
- `create_network_access_time_condition()` (*NetworkAccessTimeDateConditions method*), 350, 867, 1415
- `create_network_device()` (*NetworkDevice method*), 362, 878, 1427
- `create_network_device_group()` (*NetworkDeviceGroup method*), 370, 886, 1435
- `create_node_group()` (*NodeGroup method*), 376, 892, 1442
- `create_portal_theme()` (*PortalTheme method*), 391, 907, 1468
- `create_radius_server_sequence()` (*RadiusServerSequence method*), 409, 925, 1485
- `create_registration_info()` (*Licensing method*), 1343
- `create_repository()` (*Repository method*), 419, 935, 1494
- `create_rest_id_store()` (*RestidStore method*), 417, 933, 1493
- `create_scheduled_config_backup()` (*BackupAndRestore method*), 89, 605, 1145
- `create_security_group()` (*SecurityGroups method*), 455, 971, 1531
- `create_security_groups_acl()` (*SecurityGroupsAcls method*), 462, 978, 1537
- `create_security_groups_to_vn_to_vlan()` (*SecurityGroupToVirtualNetwork method*), 449, 964, 1524
- `create_self_registered_portal()` (*SelfRegisteredPortal method*), 469, 985, 1544
- `create_sg_vn_mapping()` (*SgVnMapping method*), 1070, 1630
- `create_sponsor_group()` (*SponsorGroup method*), 478, 993, 1553
- `create_sponsor_portal()` (*SponsorPortal method*), 486, 1002, 1561
- `create_sponsored_guest_portal()` (*SponsoredGuestPortal method*), 492, 1007, 1567
- `create_support_bundle()` (*SupportBundleTriggerConfiguration method*), 497, 1012, 1572
- `create_sxp_connections()` (*SxpConnections method*), 430, 945, 1505
- `create_sxp_local_bindings()` (*SxpLocalBindings method*), 436, 952, 1512
- `create_sxp_vpn()` (*SxpVpns method*), 442, 958, 1518
- `create_system_certificate()` (*SystemCertificate method*), 500, 1016, 1575
- `create_tacacs_command_sets()` (*TacacsCommandSets method*), 505, 1021, 1580
- `create_tacacs_external_servers()` (*TacacsExternalServers method*), 510, 1026, 1585
- `create_tacacs_profile()` (*TacacsProfile method*), 516, 1031, 1590
- `create_tacacs_server_sequence()` (*TacacsServerSequence method*), 521, 1036, 1595
- `create_virtual_network()` (*VirtualNetwork method*), 1078, 1639
- `create_vn_vlan_mapping()` (*VnVlanMapping method*), 1084, 1646
- `CustomCaller` (class in *ciscoisesdk.api.custom_caller*), 32

D

- `DEFAULT_BASE_URL` (in module *ciscoisesdk.config*), 12
- `DEFAULT_DEBUG` (in module *ciscoisesdk.config*), 12
- `DEFAULT_SINGLE_REQUEST_TIMEOUT` (in module *ciscoisesdk.config*), 12
- `DEFAULT_USES_API_GATEWAY` (in module *ciscoisesdk.config*), 12

DEFAULT_VERIFY (in module *ciscoisesdk.config*), 12
 DEFAULT_VERSION (in module *ciscoisesdk.config*), 12
 DEFAULT_WAIT_ON_RATE_LIMIT (in module *ciscoisesdk.config*), 12
 delete_active_directory_by_id() (*ActiveDirectory* method), 50, 566, 1107
 delete_all_sessions() (*Misc* method), 288, 805, 1353
 delete_allowed_protocol_by_id() (*AllowedProtocols* method), 60, 576, 1117
 delete_anc_policy_by_id() (*AncPolicy* method), 67, 583, 1123
 delete_authorization_profile_by_id() (*AuthorizationProfile* method), 75, 591, 1131
 delete_by_id() (*ActiveDirectory* method), 51, 567, 1107
 delete_by_id() (*AllowedProtocols* method), 61, 577, 1117
 delete_by_id() (*AncPolicy* method), 67, 583, 1123
 delete_by_id() (*AuthorizationProfile* method), 75, 591, 1132
 delete_by_id() (*ByodPortal* method), 81, 597, 1137
 delete_by_id() (*DeviceAdministrationAuthenticationRules* method), 131, 647, 1191
 delete_by_id() (*DeviceAdministrationAuthorizationExceptionRules* method), 135, 652, 1195
 delete_by_id() (*DeviceAdministrationAuthorizationGlobalExceptionRules* method), 139, 656, 1199
 delete_by_id() (*DeviceAdministrationAuthorizationRules* method), 143, 660, 1203
 delete_by_id() (*DeviceAdministrationConditions* method), 154, 671, 1215
 delete_by_id() (*DeviceAdministrationNetworkConditions* method), 160, 677, 1221
 delete_by_id() (*DeviceAdministrationPolicySet* method), 165, 682, 1225
 delete_by_id() (*DeviceAdministrationTimeDateConditions* method), 172, 689, 1232
 delete_by_id() (*DownloadableAcl* method), 174, 691, 1235
 delete_by_id() (*EgressMatrixCell* method), 180, 697, 1241
 delete_by_id() (*Endpoint* method), 534, 1050, 1609
 delete_by_id() (*EndpointIdentityGroup* method), 189, 706, 1250
 delete_by_id() (*ExternalRadiusServer* method), 196, 713, 1256
 delete_by_id() (*FilterPolicy* method), 201, 718, 1261
 delete_by_id() (*GuestSsid* method), 214, 731, 1275
 delete_by_id() (*GuestType* method), 221, 738, 1281
 delete_by_id() (*GuestUser* method), 234, 751, 1294
 delete_by_id() (*HotspotPortal* method), 241, 758, 1302
 delete_by_id() (*IdentitySequence* method), 269, 786, 1330
 delete_by_id() (*InternalUser* method), 277, 794, 1337
 delete_by_id() (*IpToSgtMapping* method), 249, 766, 1309
 delete_by_id() (*IpToSgtMappingGroup* method), 257, 774, 1317
 delete_by_id() (*MyDevicePortal* method), 294, 811, 1359
 delete_by_id() (*NativeSupplicantProfile* method), 299, 816, 1364
 delete_by_id() (*NbarApp* method), 1060, 1619
 delete_by_id() (*NetworkAccessAuthenticationRules* method), 305, 822, 1371
 delete_by_id() (*NetworkAccessAuthorizationExceptionRules* method), 310, 827, 1375
 delete_by_id() (*NetworkAccessAuthorizationGlobalExceptionRules* method), 314, 831, 1379
 delete_by_id() (*NetworkAccessAuthorizationRules* method), 318, 835, 1383
 delete_by_id() (*NetworkAccessConditions* method), 329, 845, 1394
 delete_by_id() (*NetworkAccessNetworkConditions* method), 342, 859, 1408
 delete_by_id() (*NetworkAccessPolicySet* method), 347, 864, 1412
 delete_by_id() (*NetworkAccessTimeDateConditions* method), 355, 871, 1420
 delete_by_id() (*NetworkDevice* method), 360, 876, 1425
 delete_by_id() (*NetworkDeviceGroup* method), 368, 884, 1433
 delete_by_id() (*PortalTheme* method), 389, 905, 1466
 delete_by_id() (*RadiusServerSequence* method), 408, 924, 1484
 delete_by_id() (*RestidStore* method), 415, 931, 1491
 delete_by_id() (*SecurityGroups* method), 453, 969, 1529
 delete_by_id() (*SecurityGroupsAcls* method), 460, 976, 1535
 delete_by_id() (*SecurityGroupToVirtualNetwork* method), 447, 963, 1522
 delete_by_id() (*SelfRegisteredPortal* method), 467, 983, 1542
 delete_by_id() (*SgVnMapping* method), 1074, 1635
 delete_by_id() (*SponsoredGuestPortal* method), 490, 1005, 1565
 delete_by_id() (*SponsorGroup* method), 476, 991, 1551
 delete_by_id() (*SponsorPortal* method), 484, 1000, 1559
 delete_by_id() (*SxpConnections* method), 428, 943, 1503
 delete_by_id() (*SxpLocalBindings* method), 434, 950, 1510

- delete_by_id() (*SxpVpns method*), 440, 956, 1516
- delete_by_id() (*TacacsCommandSets method*), 504, 1019, 1578
- delete_by_id() (*TacacsExternalServers method*), 509, 1025, 1584
- delete_by_id() (*TacacsProfile method*), 514, 1030, 1589
- delete_by_id() (*TacacsServerSequence method*), 520, 1035, 1594
- delete_by_id() (*VirtualNetwork method*), 1082, 1644
- delete_by_name() (*DeviceAdministrationConditions method*), 151, 668, 1211
- delete_by_name() (*GuestUser method*), 229, 746, 1289
- delete_by_name() (*InternalUser method*), 274, 791, 1335
- delete_by_name() (*NetworkAccessConditions method*), 325, 842, 1390
- delete_by_name() (*NetworkAccessDictionary method*), 332, 849, 1397
- delete_by_name() (*NetworkAccessDictionaryAttribute method*), 336, 853, 1402
- delete_by_name() (*NetworkDevice method*), 358, 874, 1423
- delete_by_name() (*PxGridNode method*), 545, 1065, 1626
- delete_by_name() (*Repository method*), 422, 938, 1497
- delete_by_name() (*RestidStore method*), 413, 929, 1489
- delete_byod_portal_by_id() (*ByodPortal method*), 80, 596, 1137
- delete_csr_by_id() (*Certificates method*), 104, 620, 1160
- delete_device_admin_authentication_rule_by_id() (*DeviceAdministrationAuthenticationRules method*), 130, 647, 1190
- delete_device_admin_authorization_rule_by_id() (*DeviceAdministrationAuthorizationRules method*), 142, 659, 1203
- delete_device_admin_condition_by_id() (*DeviceAdministrationConditions method*), 154, 671, 1214
- delete_device_admin_condition_by_name() (*DeviceAdministrationConditions method*), 150, 667, 1210
- delete_device_admin_local_exception_rule_by_id() (*DeviceAdministrationAuthorizationExceptionRules method*), 134, 651, 1195
- delete_device_admin_network_condition_by_id() (*DeviceAdministrationNetworkConditions method*), 160, 677, 1220
- delete_device_admin_policy_set_by_id() (*DeviceAdministrationPolicySet method*), 164, 681, 1225
- delete_device_admin_policy_set_global_exception_by_rule_id() (*DeviceAdministrationAuthorizationGlobalExceptionRules method*), 138, 655, 1199
- delete_device_admin_time_condition_by_id() (*DeviceAdministrationTimeDateConditions method*), 171, 688, 1232
- delete_downloadable_acl_by_id() (*DownloadableAcl method*), 174, 690, 1234
- delete_egress_matrix_cell_by_id() (*EgressMatrixCell method*), 180, 697, 1240
- delete_endpoint_by_id() (*Endpoint method*), 534, 1049, 1608
- delete_endpoint_group_by_id() (*EndpointIdentityGroup method*), 189, 706, 1249
- delete_external_radius_server_by_id() (*ExternalRadiusServer method*), 195, 712, 1256
- delete_filter_policy_by_id() (*FilterPolicy method*), 200, 717, 1261
- delete_guest_ssid_by_id() (*GuestSsid method*), 214, 731, 1274
- delete_guest_type_by_id() (*GuestType method*), 220, 737, 1281
- delete_guest_user_by_id() (*GuestUser method*), 233, 750, 1294
- delete_guest_user_by_name() (*GuestUser method*), 228, 745, 1289
- delete_hotspot_portal_by_id() (*HotspotPortal method*), 241, 758, 1302
- delete_identity_sequence_by_id() (*IdentitySequence method*), 269, 786, 1329
- delete_internal_user_by_id() (*InternalUser method*), 276, 793, 1337
- delete_internal_user_by_name() (*InternalUser method*), 274, 791, 1334
- delete_ip_to_sgt_mapping_by_id() (*IpToSgtMapping method*), 248, 765, 1309
- delete_ip_to_sgt_mapping_group_by_id() (*IpToSgtMappingGroup method*), 256, 773, 1317
- delete_my_device_portal_by_id() (*MyDevicePortal method*), 293, 810, 1358
- delete_native_suppliant_profile_by_id() (*NativeSuppliantProfile method*), 299, 816, 1364
- delete_nbar_app_by_id() (*NbarApp method*), 1060, 1619
- delete_network_access_authentication_rule_by_id() (*NetworkAccessAuthenticationRules method*), 305, 822, 1370
- delete_network_access_authorization_rule_by_id() (*NetworkAccessAuthorizationRules method*), 317, 834, 1383
- delete_network_access_condition_by_id() (*NetworkAccessConditions method*), 328, 845, 1393
- delete_network_access_condition_by_name()

(*NetworkAccessConditions* method), 324, 841, 1390
 delete_network_access_dictionary_attribute_by_name() (*NetworkAccessDictionaryAttribute* method), 336, 852, 1401
 delete_network_access_dictionary_by_name() (*NetworkAccessDictionary* method), 332, 848, 1397
 delete_network_access_local_exception_rule_by_id() (*NetworkAccessAuthorizationExceptionRules* method), 309, 826, 1374
 delete_network_access_network_condition_by_id() (*NetworkAccessNetworkConditions* method), 342, 858, 1407
 delete_network_access_policy_set_by_id() (*NetworkAccessPolicySet* method), 347, 863, 1412
 delete_network_access_policy_set_global_exception_rule_by_id() (*NetworkAccessAuthorizationGlobalExceptionRules* method), 313, 830, 1379
 delete_network_access_time_condition_by_id() (*NetworkAccessTimeDateConditions* method), 355, 871, 1420
 delete_network_device_by_id() (*NetworkDevice* method), 360, 876, 1425
 delete_network_device_by_name() (*NetworkDevice* method), 357, 873, 1422
 delete_network_device_group_by_id() (*NetworkDeviceGroup* method), 367, 883, 1432
 delete_node() (*NodeDeployment* method), 374, 890, 1439
 delete_node_group() (*NodeGroup* method), 377, 893, 1445
 delete_portal_theme_by_id() (*PortalTheme* method), 389, 905, 1465
 delete_px_grid_node_by_name() (*PxGridNode* method), 545, 1065, 1625
 delete_radius_server_sequence_by_id() (*RadiusServerSequence* method), 407, 923, 1483
 delete_repository() (*Repository* method), 422, 938, 1497
 delete_rest_id_store_by_id() (*RestidStore* method), 414, 930, 1490
 delete_rest_id_store_by_name() (*RestidStore* method), 412, 928, 1488
 delete_security_group_by_id() (*SecurityGroups* method), 453, 969, 1528
 delete_security_groups_acl_by_id() (*SecurityGroupsAcls* method), 460, 975, 1535
 delete_security_groups_to_vn_to_vlan_by_id() (*SecurityGroupToVirtualNetwork* method), 446, 962, 1522
 delete_self_registered_portal_by_id() (*SelfRegisteredPortal* method), 466, 982, 1542
 delete_sg_vn_mapping_by_id() (*SgVnMapping* method), 1074, 1634
 delete_sponsor_group_by_id() (*SponsorGroup* method), 475, 991, 1551
 delete_sponsor_portal_by_id() (*SponsorPortal* method), 484, 999, 1559
 delete_sponsored_guest_portal_by_id() (*SponsoredGuestPortal* method), 489, 1005, 1564
 delete_sxp_connections_by_id() (*SxpConnections* method), 427, 943, 1502
 delete_sxp_local_bindings_by_id() (*SxpLocalBindings* method), 434, 950, 1509
 delete_sxp_vpn_by_id() (*SxpVpns* method), 440, 956, 1515
 delete_system_certificate_by_id() (*Certificates* method), 114, 630, 1174
 delete_tacacs_command_sets_by_id() (*TacacsCommandSets* method), 503, 1019, 1578
 delete_tacacs_external_servers_by_id() (*TacacsExternalServers* method), 509, 1024, 1583
 delete_tacacs_profile_by_id() (*TacacsProfile* method), 514, 1029, 1588
 delete_tacacs_server_sequence_by_id() (*TacacsServerSequence* method), 519, 1035, 1594
 delete_trusted_certificate_by_id() (*Certificates* method), 122, 638, 1182
 delete_virtual_network_by_id() (*VirtualNetwork* method), 1082, 1643
 delete_vn_vlan_mapping_by_id() (*VnVlanMapping* method), 1088, 1650
 deny_by_id() (*GuestUser* method), 232, 749, 1292
 deny_guest_user_by_id() (*GuestUser* method), 231, 748, 1292
 deploy_all() (*IpToSgtMapping* method), 246, 763, 1307
 deploy_all_ip_to_sgt_mapping() (*IpToSgtMapping* method), 246, 763, 1306
 deploy_all_ip_to_sgt_mapping_group() (*IpToSgtMappingGroup* method), 254, 771, 1315
 deploy_by_id() (*IpToSgtMapping* method), 246, 763, 1306
 deploy_ip_to_sgt_mapping_by_id() (*IpToSgtMapping* method), 245, 762, 1306
 deploy_ip_to_sgt_mapping_group_by_id() (*IpToSgtMappingGroup* method), 254, 771, 1314
 deregister() (*Endpoint* method), 531, 1046, 1605
 deregister_endpoint() (*Endpoint* method), 530, 1046, 1605
 description (*ApiError* attribute), 1652
 details (*ApiError* attribute), 1652
 details_str (*ApiError* attribute), 1652
 DeviceAdministrationAuthenticationRules

	(class in cisco-esdk.api.v3_1_1.device_administration_command_set),	
esdk.api.v3_0_0.device_administration_authentication_rules	1204	
126	DeviceAdministrationConditions (class in cisco-esdk.api.v3_0_0.device_administration_conditions),	
DeviceAdministrationAuthenticationRules	144	
(class in cisco-esdk.api.v3_1_0.device_administration_authentication_rules)	DeviceAdministrationConditions (class in cisco-esdk.api.v3_1_0.device_administration_conditions),	
643	661	
DeviceAdministrationAuthenticationRules	DeviceAdministrationConditions (class in cisco-esdk.api.v3_1_1.device_administration_authentication_rules),	
(class in cisco-esdk.api.v3_1_1.device_administration_authentication_rules)	1204	
1187	DeviceAdministrationDictionaryAttributesList	
DeviceAdministrationAuthorizationExceptionRules	(class in cisco-esdk.api.v3_0_0.device_administration_dictionary_attributes_list)	
(class in cisco-esdk.api.v3_0_0.device_administration_authentication_exception_rules)	154	
131	DeviceAdministrationDictionaryAttributesList	
DeviceAdministrationAuthorizationExceptionRules	(class in cisco-esdk.api.v3_1_0.device_administration_dictionary_attributes_list)	
(class in cisco-esdk.api.v3_1_0.device_administration_authentication_exception_rules)	671	
648	DeviceAdministrationDictionaryAttributesList	
DeviceAdministrationAuthorizationExceptionRules	(class in cisco-esdk.api.v3_1_1.device_administration_dictionary_attributes_list)	
(class in cisco-esdk.api.v3_1_1.device_administration_authentication_exception_rules)	1215	
1191	DeviceAdministrationIdentityStores	
DeviceAdministrationAuthorizationGlobalExceptionRules	(class in cisco-esdk.api.v3_0_0.device_administration_identity_stores),	
(class in cisco-esdk.api.v3_0_0.device_administration_authentication_global_exception_rules)	156	
135	DeviceAdministrationIdentityStores	
DeviceAdministrationAuthorizationGlobalExceptionRules	(class in cisco-esdk.api.v3_1_0.device_administration_identity_stores),	
(class in cisco-esdk.api.v3_1_0.device_administration_authentication_global_exception_rules)	673	
652	DeviceAdministrationIdentityStores	
DeviceAdministrationAuthorizationGlobalExceptionRules	(class in cisco-esdk.api.v3_1_1.device_administration_identity_stores),	
(class in cisco-esdk.api.v3_1_1.device_administration_authentication_global_exception_rules)	1217	
1195	DeviceAdministrationNetworkConditions	
DeviceAdministrationAuthorizationRules	(class in cisco-esdk.api.v3_0_0.device_administration_network_conditions),	
(class in cisco-esdk.api.v3_0_0.device_administration_authentication_rules)	157	
139	DeviceAdministrationNetworkConditions	
DeviceAdministrationAuthorizationRules	(class in cisco-esdk.api.v3_1_0.device_administration_network_conditions),	
(class in cisco-esdk.api.v3_1_0.device_administration_authentication_rules)	674	
656	DeviceAdministrationNetworkConditions	
DeviceAdministrationAuthorizationRules	(class in cisco-esdk.api.v3_1_1.device_administration_network_conditions),	
(class in cisco-esdk.api.v3_1_1.device_administration_authentication_rules)	1217	
1199	DeviceAdministrationPolicySet (class in cisco-esdk.api.v3_0_0.device_administration_policy_set),	
DeviceAdministrationCommandSet (class in cisco-esdk.api.v3_0_0.device_administration_command_set),	160	
143	DeviceAdministrationPolicySet (class in cisco-esdk.api.v3_1_0.device_administration_policy_set),	
DeviceAdministrationCommandSet (class in cisco-esdk.api.v3_1_0.device_administration_command_set),	677	
660	DeviceAdministrationPolicySet (class in cisco-	
DeviceAdministrationCommandSet (class in cisco-		

[esdk.api.v3_1_1.device_administration_policy_service_enable_pan_ha\(\)](#) (*PanHa* method), 382, 898
[esdk.api.v3_0_0.device_administration_profiles\)](#), 165
[DeviceAdministrationProfiles](#) (class in *ciscoisesdk.api.v3_1_0.device_administration_profiles)*, 682
[DeviceAdministrationProfiles](#) (class in *ciscoisesdk.api.v3_1_1.device_administration_profiles)*, 1226
[DeviceAdministrationServiceNames](#) (class in *ciscoisesdk.api.v3_0_0.device_administration_service_names)*, 166
[DeviceAdministrationServiceNames](#) (class in *ciscoisesdk.api.v3_1_0.device_administration_service_names)*, 683
[DeviceAdministrationServiceNames](#) (class in *ciscoisesdk.api.v3_1_1.device_administration_service_names)*, 1226
[DeviceAdministrationTimeDateConditions](#) (class in *ciscoisesdk.api.v3_0_0.device_administration_time_date_conditions)*, 166
[DeviceAdministrationTimeDateConditions](#) (class in *ciscoisesdk.api.v3_1_0.device_administration_time_date_conditions)*, 683
[DeviceAdministrationTimeDateConditions](#) (class in *ciscoisesdk.api.v3_1_1.device_administration_time_date_conditions)*, 1227
[disable_pan_ha\(\)](#) (*PanHa* method), 383, 899
[download\(\)](#) (*SupportBundleDownload* method), 494, 1009, 1569
[download_support_bundle\(\)](#) (*SupportBundleDownload* method), 493, 1009, 1568
[DownloadableAcl](#) (class in *ciscoisesdk.api.v3_0_0.downloadable_acl)*, 172
[DownloadableAcl](#) (class in *ciscoisesdk.api.v3_1_0.downloadable_acl)*, 689
[DownloadableAcl](#) (class in *ciscoisesdk.api.v3_1_1.downloadable_acl)*, 1233
[DownloadFailure](#), 1653

E

[EgressMatrixCell](#) (class in *ciscoisesdk.api.v3_0_0.egress_matrix_cell)*, 177
[EgressMatrixCell](#) (class in *ciscoisesdk.api.v3_1_0.egress_matrix_cell)*, 694

[EgressMatrixCell](#) (class in *ciscoisesdk.api.v3_1_1.egress_matrix_cell)*, 1237
[enable_pan_ha\(\)](#) (*PanHa* method), 382, 898
[Endpoint](#) (class in *ciscoisesdk.api.v3_0_0.endpoint)*, 530
[Endpoint](#) (class in *ciscoisesdk.api.v3_1_0.endpoint)*, 1045
[Endpoint](#) (class in *ciscoisesdk.api.v3_1_1.endpoint)*, 1604
[EndpointCertificate](#) (class in *ciscoisesdk.api.v3_0_0.endpoint_certificate)*, 185
[EndpointCertificate](#) (class in *ciscoisesdk.api.v3_1_0.endpoint_certificate)*, 702
[EndpointCertificate](#) (class in *ciscoisesdk.api.v3_1_1.endpoint_certificate)*, 1246
[EndpointIdentityGroup](#) (class in *ciscoisesdk.api.v3_0_0.endpoint_identity_group)*, 187
[EndpointIdentityGroup](#) (class in *ciscoisesdk.api.v3_1_0.endpoint_identity_group)*, 704
[EndpointIdentityGroup](#) (class in *ciscoisesdk.api.v3_1_1.endpoint_identity_group)*, 1247
[ers_base_url](#) (*IdentityServicesEngineAPI* property), 31
[ESSEX_BASE_URL_ENVIRONMENT_VARIABLE](#) (in module *ciscoisesdk.config*), 12
[export_csr\(\)](#) (*Certificates* method), 102, 618, 1158
[export_system_certificate\(\)](#) (*Certificates* method), 107, 623, 1163
[export_trusted_certificate\(\)](#) (*Certificates* method), 116, 633, 1176
[ExternalRadiusServer](#) (class in *ciscoisesdk.api.v3_0_0.external_radius_server)*, 193
[ExternalRadiusServer](#) (class in *ciscoisesdk.api.v3_1_0.external_radius_server)*, 710
[ExternalRadiusServer](#) (class in *ciscoisesdk.api.v3_1_1.external_radius_server)*, 1253

F

[FilterPolicy](#) (class in *ciscoisesdk.api.v3_0_0.filter_policy)*, 199
[FilterPolicy](#) (class in *ciscoisesdk.api.v3_1_0.filter_policy)*, 716
[FilterPolicy](#) (class in *ciscoisesdk.api.v3_1_1.filter_policy)*, 1260

G

[generate_csr\(\)](#) (*Certificates* method), 100, 616, 1156
[generate_intermediate_ca_csr\(\)](#) (*Certificates* method), 103, 619, 1159

`generate_self_signed_certificate()` (*Certificates method*), 1164
`get()` (*MyDict method*), 1651
`get_account_status_by_mac()` (*Misc method*), 291, 808, 1356
`get_aci_bindings()` (*AciBindings method*), 33, 549, 1089
`get_aci_bindings_generator()` (*AciBindings method*), 34, 550, 1090
`get_aci_settings()` (*AciSettings method*), 35, 551, 1091
`get_active_count()` (*Misc method*), 283, 800, 1348
`get_active_directory()` (*ActiveDirectory method*), 51, 567, 1108
`get_active_directory_by_id()` (*ActiveDirectory method*), 50, 566, 1106
`get_active_directory_by_name()` (*ActiveDirectory method*), 44, 560, 1100
`get_active_directory_generator()` (*ActiveDirectory method*), 52, 568, 1108
`get_active_list()` (*Misc method*), 283, 800, 1349
`get_admin_user_by_id()` (*AdminUser method*), 54, 570, 1111
`get_admin_users()` (*AdminUser method*), 55, 571, 1111
`get_admin_users_generator()` (*AdminUser method*), 56, 572, 1112
`get_all()` (*AciBindings method*), 34, 550, 1090
`get_all()` (*AciSettings method*), 36, 552, 1092
`get_all()` (*ActiveDirectory method*), 52, 568, 1108
`get_all()` (*AdminUser method*), 56, 572, 1112
`get_all()` (*AllowedProtocols method*), 61, 577, 1118
`get_all()` (*AncEndpoint method*), 40, 556, 1097
`get_all()` (*AncPolicy method*), 68, 584, 1124
`get_all()` (*AuthorizationProfile method*), 76, 592, 1132
`get_all()` (*ByodPortal method*), 82, 598, 1138
`get_all()` (*CertificateProfile method*), 93, 609, 1149
`get_all()` (*CertificateTemplate method*), 97, 613, 1153
`get_all()` (*DeviceAdministrationAuthenticationRules method*), 127, 643, 1187
`get_all()` (*DeviceAdministrationAuthorizationExceptionRules method*), 131, 648, 1192
`get_all()` (*DeviceAdministrationAuthorizationGlobalExceptionRules method*), 136, 652, 1196
`get_all()` (*DeviceAdministrationAuthorizationRules method*), 140, 656, 1200
`get_all()` (*DeviceAdministrationCommandSet method*), 144, 661, 1204
`get_all()` (*DeviceAdministrationConditions method*), 144, 661, 1205
`get_all()` (*DeviceAdministrationIdentityStores method*), 157, 674, 1217
`get_all()` (*DeviceAdministrationNetworkConditions method*), 157, 674, 1218
`get_all()` (*DeviceAdministrationPolicySet method*), 161, 678, 1221
`get_all()` (*DeviceAdministrationProfiles method*), 165, 682, 1226
`get_all()` (*DeviceAdministrationServiceNames method*), 166, 683, 1227
`get_all()` (*DeviceAdministrationTimeDateConditions method*), 167, 684, 1227
`get_all()` (*DownloadableAcl method*), 175, 691, 1235
`get_all()` (*EgressMatrixCell method*), 181, 698, 1242
`get_all()` (*Endpoint method*), 536, 1052, 1611
`get_all()` (*EndpointIdentityGroup method*), 190, 707, 1251
`get_all()` (*ExternalRadiusServer method*), 196, 713, 1257
`get_all()` (*FilterPolicy method*), 201, 718, 1262
`get_all()` (*GuestLocation method*), 205, 722, 1266
`get_all()` (*GuestSntpNotificationConfiguration method*), 209, 726, 1270
`get_all()` (*GuestSsid method*), 215, 732, 1276
`get_all()` (*GuestType method*), 222, 739, 1282
`get_all()` (*GuestUser method*), 235, 752, 1295
`get_all()` (*HotspotPortal method*), 242, 759, 1303
`get_all()` (*IdentityGroups method*), 264, 781, 1325
`get_all()` (*IdentitySequence method*), 270, 787, 1330
`get_all()` (*InternalUser method*), 278, 795, 1338
`get_all()` (*IpToSgtMapping method*), 250, 767, 1310
`get_all()` (*IpToSgtMappingGroup method*), 258, 775, 1318
`get_all()` (*Mdm method*), 281, 798, 1346
`get_all()` (*MyDevicePortal method*), 295, 812, 1360
`get_all()` (*NativeSupplicantProfile method*), 300, 817, 1365
`get_all()` (*NbarApp method*), 1057, 1616
`get_all()` (*NetworkAccessAuthenticationRules method*), 301, 818, 1367
`get_all()` (*NetworkAccessAuthorizationExceptionRules method*), 306, 823, 1371
`get_all()` (*NetworkAccessAuthorizationGlobalExceptionRules method*), 310, 827, 1376
`get_all()` (*NetworkAccessAuthorizationRules method*), 314, 831, 1380
`get_all()` (*NetworkAccessConditions method*), 319, 836, 1384
`get_all()` (*NetworkAccessDictionary method*), 329, 846, 1395
`get_all()` (*NetworkAccessDictionaryAttribute method*), 333, 849, 1398
`get_all()` (*NetworkAccessIdentityStores method*), 339, 855, 1404
`get_all()` (*NetworkAccessNetworkConditions method*), 339, 856, 1405
`get_all()` (*NetworkAccessPolicySet method*), 343, 860, 1408

- get_all() (*NetworkAccessProfiles* method), 348, 864, 1413
- get_all() (*NetworkAccessSecurityGroups* method), 349, 865, 1414
- get_all() (*NetworkAccessServiceNames* method), 349, 866, 1415
- get_all() (*NetworkAccessTimeDateConditions* method), 350, 866, 1415
- get_all() (*NetworkDevice* method), 361, 877, 1426
- get_all() (*NetworkDeviceGroup* method), 369, 885, 1434
- get_all() (*NodeDeployment* method), 373, 889, 1438
- get_all() (*NodeDetails* method), 380, 896, 1453
- get_all() (*Portal* method), 542, 1062, 1621
- get_all() (*PortalGlobalSetting* method), 386, 902, 1462
- get_all() (*PortalTheme* method), 390, 906, 1466
- get_all() (*ProfilerProfile* method), 395, 911, 1471
- get_all() (*PsnNodeDetailsWithRadiusService* method), 401, 917, 1477
- get_all() (*PullDeploymentInfo* method), 402, 918, 1478
- get_all() (*PxGridNode* method), 546, 1067, 1627
- get_all() (*RadiusServerSequence* method), 408, 924, 1484
- get_all() (*Repository* method), 419, 935, 1494
- get_all() (*RestidStore* method), 415, 931, 1491
- get_all() (*SecurityGroups* method), 454, 970, 1530
- get_all() (*SecurityGroupsAcls* method), 461, 977, 1536
- get_all() (*SecurityGroupToVirtualNetwork* method), 448, 963, 1523
- get_all() (*SelfRegisteredPortal* method), 468, 984, 1543
- get_all() (*SgVnMapping* method), 1069, 1629
- get_all() (*SmsProvider* method), 424, 940, 1499
- get_all() (*SponsoredGuestPortal* method), 491, 1006, 1566
- get_all() (*SponsorGroup* method), 477, 992, 1552
- get_all() (*SponsorGroupMember* method), 481, 996, 1556
- get_all() (*SponsorPortal* method), 485, 1001, 1560
- get_all() (*SupportBundleStatus* method), 496, 1011, 1571
- get_all() (*SxpConnections* method), 429, 944, 1504
- get_all() (*SxpLocalBindings* method), 435, 951, 1511
- get_all() (*SxpVpns* method), 441, 957, 1517
- get_all() (*TacacsCommandSets* method), 505, 1020, 1579
- get_all() (*TacacsExternalServers* method), 510, 1025, 1584
- get_all() (*TacacsProfile* method), 515, 1030, 1589
- get_all() (*TacacsServerSequence* method), 520, 1036, 1595
- get_all() (*TelemetryInformation* method), 524, 1039, 1598
- get_all() (*TrustSecConfiguration* method), 526, 1042, 1601
- get_all() (*VersionAndPatch* method), 529, 1044, 1603
- get_all() (*VirtualNetwork* method), 1077, 1638
- get_all() (*VnVlanMapping* method), 1083, 1645
- get_all_authentication() (*DeviceAdministrationDictionaryAttributesList* method), 155, 672, 1215
- get_all_authentication() (*NetworkAccessDictionaryAttributesList* method), 337, 854, 1402
- get_all_authentication_rules() (*DeviceAdministrationConditions* method), 147, 664, 1207
- get_all_authorization() (*DeviceAdministrationDictionaryAttributesList* method), 155, 672, 1216
- get_all_authorization() (*NetworkAccessDictionaryAttributesList* method), 338, 854, 1403
- get_all_authorization_rules() (*DeviceAdministrationConditions* method), 147, 665, 1208
- get_all_for_policy_sets() (*DeviceAdministrationConditions* method), 151, 668, 1212
- get_all_for_policy_sets() (*NetworkAccessConditions* method), 326, 842, 1391
- get_all_generator() (*AciBindings* method), 34, 550, 1091
- get_all_generator() (*ActiveDirectory* method), 53, 568, 1109
- get_all_generator() (*AdminUser* method), 57, 573, 1113
- get_all_generator() (*AllowedProtocols* method), 62, 578, 1118
- get_all_generator() (*AncEndpoint* method), 41, 557, 1098
- get_all_generator() (*AncPolicy* method), 69, 585, 1125
- get_all_generator() (*AuthorizationProfile* method), 76, 592, 1133
- get_all_generator() (*ByodPortal* method), 83, 599, 1139
- get_all_generator() (*CertificateProfile* method), 94, 610, 1150
- get_all_generator() (*CertificateTemplate* method), 98, 614, 1154
- get_all_generator() (*DownloadableAcl* method), 175, 692, 1236
- get_all_generator() (*EgressMatrixCell* method), 182, 699, 1243
- get_all_generator() (*Endpoint* method), 537, 1053, 1612
- get_all_generator() (*EndpointIdentityGroup* method), 191, 708, 1252

[get_all_generator\(\)](#) (*ExternalRadiusServer method*), 197, 714, 1257
[get_all_generator\(\)](#) (*FilterPolicy method*), 202, 719, 1263
[get_all_generator\(\)](#) (*GuestLocation method*), 206, 723, 1267
[get_all_generator\(\)](#) (*GuestSmtptNotificationConfiguration method*), 210, 727, 1271
[get_all_generator\(\)](#) (*GuestSsid method*), 216, 733, 1277
[get_all_generator\(\)](#) (*GuestType method*), 223, 740, 1283
[get_all_generator\(\)](#) (*GuestUser method*), 236, 753, 1297
[get_all_generator\(\)](#) (*HotspotPortal method*), 243, 760, 1304
[get_all_generator\(\)](#) (*IdentityGroups method*), 265, 782, 1326
[get_all_generator\(\)](#) (*IdentitySequence method*), 270, 787, 1331
[get_all_generator\(\)](#) (*InternalUser method*), 279, 796, 1339
[get_all_generator\(\)](#) (*IpToSgtMapping method*), 251, 768, 1311
[get_all_generator\(\)](#) (*IpToSgtMappingGroup method*), 259, 776, 1319
[get_all_generator\(\)](#) (*MyDevicePortal method*), 296, 813, 1361
[get_all_generator\(\)](#) (*NativeSupplicantProfile method*), 300, 817, 1366
[get_all_generator\(\)](#) (*NbarApp method*), 1058, 1617
[get_all_generator\(\)](#) (*NetworkDevice method*), 362, 878, 1427
[get_all_generator\(\)](#) (*NetworkDeviceGroup method*), 370, 886, 1435
[get_all_generator\(\)](#) (*NodeDetails method*), 381, 897, 1454
[get_all_generator\(\)](#) (*Portal method*), 543, 1063, 1622
[get_all_generator\(\)](#) (*PortalGlobalSetting method*), 387, 903, 1463
[get_all_generator\(\)](#) (*PortalTheme method*), 391, 907, 1467
[get_all_generator\(\)](#) (*ProfilerProfile method*), 396, 912, 1472
[get_all_generator\(\)](#) (*PsnNodeDetailsWithRadiusService method*), 401, 917, 1477
[get_all_generator\(\)](#) (*PxGridNode method*), 547, 1067, 1628
[get_all_generator\(\)](#) (*RadiusServerSequence method*), 409, 925, 1485
[get_all_generator\(\)](#) (*RestidStore method*), 416, 932, 1492
[get_all_generator\(\)](#) (*SecurityGroups method*), 455, 971, 1531
[get_all_generator\(\)](#) (*SecurityGroupsAcls method*), 462, 978, 1537
[get_all_generator\(\)](#) (*SecurityGroupToVirtualNetwork method*), 449, 964, 1524
[get_all_generator\(\)](#) (*SelfRegisteredPortal method*), 469, 985, 1544
[get_all_generator\(\)](#) (*SgVnMapping method*), 1070, 1630
[get_all_generator\(\)](#) (*SmsProvider method*), 425, 941, 1500
[get_all_generator\(\)](#) (*SponsoredGuestPortal method*), 492, 1007, 1567
[get_all_generator\(\)](#) (*SponsorGroup method*), 478, 993, 1553
[get_all_generator\(\)](#) (*SponsorGroupMember method*), 482, 997, 1557
[get_all_generator\(\)](#) (*SponsorPortal method*), 486, 1002, 1561
[get_all_generator\(\)](#) (*SupportBundleStatus method*), 496, 1012, 1571
[get_all_generator\(\)](#) (*SxpConnections method*), 430, 945, 1505
[get_all_generator\(\)](#) (*SxpLocalBindings method*), 436, 952, 1512
[get_all_generator\(\)](#) (*SxpVpns method*), 442, 958, 1518
[get_all_generator\(\)](#) (*TacacsCommandSets method*), 505, 1021, 1580
[get_all_generator\(\)](#) (*TacacsExternalServers method*), 510, 1026, 1585
[get_all_generator\(\)](#) (*TacacsProfile method*), 515, 1031, 1590
[get_all_generator\(\)](#) (*TacacsServerSequence method*), 521, 1036, 1595
[get_all_generator\(\)](#) (*TelemetryInformation method*), 525, 1040, 1599
[get_all_generator\(\)](#) (*VirtualNetwork method*), 1078, 1639
[get_all_generator\(\)](#) (*VnVlanMapping method*), 1084, 1646
[get_all_policy_set\(\)](#) (*DeviceAdministrationDictionaryAttributesList method*), 156, 673, 1216
[get_all_policy_set\(\)](#) (*NetworkAccessDictionaryAttributesList method*), 338, 855, 1403
[get_allowed_protocol_by_id\(\)](#) (*AllowedProtocols method*), 58, 574, 1114
[get_allowed_protocol_by_name\(\)](#) (*AllowedProtocols method*), 57, 573, 1114
[get_allowed_protocols\(\)](#) (*AllowedProtocols method*), 61, 577, 1117
[get_allowed_protocols_generator\(\)](#) (*AllowedProtocols method*), 61, 577, 1118

[get_anc_endpoint\(\)](#) (*AncEndpoint method*), 40, 556, 1096
[get_anc_endpoint_by_id\(\)](#) (*AncEndpoint method*), 38, 554, 1095
[get_anc_endpoint_generator\(\)](#) (*AncEndpoint method*), 41, 556, 1097
[get_anc_policy\(\)](#) (*AncPolicy method*), 67, 583, 1123
[get_anc_policy_by_id\(\)](#) (*AncPolicy method*), 65, 581, 1122
[get_anc_policy_by_name\(\)](#) (*AncPolicy method*), 65, 581, 1121
[get_anc_policy_generator\(\)](#) (*AncPolicy method*), 68, 584, 1124
[get_authentication_status_by_mac\(\)](#) (*Misc method*), 289, 806, 1354
[get_authorization_profile_by_id\(\)](#) (*AuthorizationProfile method*), 72, 588, 1129
[get_authorization_profile_by_name\(\)](#) (*AuthorizationProfile method*), 72, 588, 1128
[get_authorization_profiles\(\)](#) (*AuthorizationProfile method*), 75, 591, 1132
[get_authorization_profiles_generator\(\)](#) (*AuthorizationProfile method*), 76, 592, 1132
[get_bindings\(\)](#) (*TrustSecSxp method*), 528, 1043, 1602
[get_by_id\(\)](#) (*ActiveDirectory method*), 50, 566, 1107
[get_by_id\(\)](#) (*AdminUser method*), 55, 571, 1111
[get_by_id\(\)](#) (*AllowedProtocols method*), 58, 574, 1115
[get_by_id\(\)](#) (*AncEndpoint method*), 39, 555, 1095
[get_by_id\(\)](#) (*AncPolicy method*), 66, 582, 1122
[get_by_id\(\)](#) (*AuthorizationProfile method*), 73, 589, 1129
[get_by_id\(\)](#) (*ByodPortal method*), 79, 595, 1136
[get_by_id\(\)](#) (*CertificateProfile method*), 91, 607, 1147
[get_by_id\(\)](#) (*CertificateTemplate method*), 97, 613, 1153
[get_by_id\(\)](#) (*DeviceAdministrationAuthenticationRules method*), 129, 646, 1189
[get_by_id\(\)](#) (*DeviceAdministrationAuthorizationExceptionRules method*), 133, 650, 1194
[get_by_id\(\)](#) (*DeviceAdministrationAuthorizationGlobalExceptionRules method*), 137, 654, 1198
[get_by_id\(\)](#) (*DeviceAdministrationAuthorizationRules method*), 142, 658, 1202
[get_by_id\(\)](#) (*DeviceAdministrationConditions method*), 152, 669, 1212
[get_by_id\(\)](#) (*DeviceAdministrationNetworkConditions method*), 159, 676, 1219
[get_by_id\(\)](#) (*DeviceAdministrationPolicySet method*), 163, 680, 1224
[get_by_id\(\)](#) (*DeviceAdministrationTimeDateConditions method*), 169, 686, 1230
[get_by_id\(\)](#) (*DownloadableAcl method*), 173, 689, 1233
[get_by_id\(\)](#) (*EgressMatrixCell method*), 179, 696, 1239
[get_by_id\(\)](#) (*Endpoint method*), 532, 1048, 1607
[get_by_id\(\)](#) (*EndpointIdentityGroup method*), 188, 705, 1248
[get_by_id\(\)](#) (*ExternalRadiusServer method*), 194, 711, 1254
[get_by_id\(\)](#) (*FilterPolicy method*), 199, 716, 1260
[get_by_id\(\)](#) (*GuestLocation method*), 204, 721, 1265
[get_by_id\(\)](#) (*GuestSmtNotificationConfiguration method*), 207, 724, 1268
[get_by_id\(\)](#) (*GuestSsid method*), 213, 730, 1273
[get_by_id\(\)](#) (*GuestType method*), 219, 736, 1280
[get_by_id\(\)](#) (*GuestUser method*), 232, 749, 1293
[get_by_id\(\)](#) (*HotspotPortal method*), 240, 757, 1301
[get_by_id\(\)](#) (*IdentityGroups method*), 263, 780, 1323
[get_by_id\(\)](#) (*IdentitySequence method*), 268, 785, 1328
[get_by_id\(\)](#) (*InternalUser method*), 275, 792, 1335
[get_by_id\(\)](#) (*IpToSgtMapping method*), 247, 764, 1308
[get_by_id\(\)](#) (*IpToSgtMappingGroup method*), 256, 773, 1316
[get_by_id\(\)](#) (*MyDevicePortal method*), 292, 809, 1357
[get_by_id\(\)](#) (*NativeSupplicantProfile method*), 298, 815, 1363
[get_by_id\(\)](#) (*NbarApp method*), 1059, 1618
[get_by_id\(\)](#) (*NetworkAccessAuthenticationRules method*), 304, 821, 1369
[get_by_id\(\)](#) (*NetworkAccessAuthorizationExceptionRules method*), 308, 825, 1373
[get_by_id\(\)](#) (*NetworkAccessAuthorizationGlobalExceptionRules method*), 312, 829, 1378
[get_by_id\(\)](#) (*NetworkAccessAuthorizationRules method*), 316, 833, 1382
[get_by_id\(\)](#) (*NetworkAccessConditions method*), 326, 843, 1391
[get_by_id\(\)](#) (*NetworkAccessNetworkConditions method*), 341, 857, 1406
[get_by_id\(\)](#) (*NetworkAccessPolicySet method*), 345, 862, 1411
[get_by_id\(\)](#) (*NetworkAccessTimeDateConditions method*), 353, 869, 1418
[get_by_id\(\)](#) (*NetworkDevice method*), 358, 874, 1423
[get_by_id\(\)](#) (*NetworkDeviceGroup method*), 366, 882, 1431
[get_by_id\(\)](#) (*NodeDetails method*), 379, 895, 1452
[get_by_id\(\)](#) (*Portal method*), 541, 1061, 1620
[get_by_id\(\)](#) (*PortalGlobalSetting method*), 384, 900, 1460
[get_by_id\(\)](#) (*PortalTheme method*), 388, 904, 1464
[get_by_id\(\)](#) (*ProfilerProfile method*), 394, 910, 1470
[get_by_id\(\)](#) (*PsnNodeDetailsWithRadiusService method*), 400, 916, 1476
[get_by_id\(\)](#) (*PxGridNode method*), 546, 1066, 1626
[get_by_id\(\)](#) (*RadiusServerSequence method*), 406, 922, 1482

get_by_id() (*RestidStore* method), 413, 929, 1489
 get_by_id() (*SecurityGroups* method), 452, 968, 1527
 get_by_id() (*SecurityGroupsAcls* method), 459, 974, 1534
 get_by_id() (*SecurityGroupToVirtualNetwork* method), 445, 961, 1521
 get_by_id() (*SelfRegisteredPortal* method), 465, 981, 1541
 get_by_id() (*SgVnMapping* method), 1073, 1633
 get_by_id() (*SponsoredGuestPortal* method), 488, 1004, 1563
 get_by_id() (*SponsorGroup* method), 474, 990, 1549
 get_by_id() (*SponsorPortal* method), 483, 998, 1558
 get_by_id() (*SupportBundleStatus* method), 495, 1010, 1570
 get_by_id() (*SxpConnections* method), 426, 942, 1501
 get_by_id() (*SxpLocalBindings* method), 433, 949, 1508
 get_by_id() (*SxpVpns* method), 440, 956, 1515
 get_by_id() (*TacacsCommandSets* method), 503, 1018, 1577
 get_by_id() (*TacacsExternalServers* method), 508, 1023, 1582
 get_by_id() (*TacacsProfile* method), 513, 1028, 1587
 get_by_id() (*TacacsServerSequence* method), 518, 1033, 1592
 get_by_id() (*TelemetryInformation* method), 523, 1039, 1598
 get_by_id() (*VirtualNetwork* method), 1081, 1643
 get_by_id() (*VnVlanMapping* method), 1087, 1649
 get_by_name() (*ActiveDirectory* method), 45, 560, 1101
 get_by_name() (*AllowedProtocols* method), 58, 574, 1114
 get_by_name() (*AncPolicy* method), 65, 581, 1121
 get_by_name() (*AuthorizationProfile* method), 72, 588, 1129
 get_by_name() (*CertificateProfile* method), 91, 607, 1147
 get_by_name() (*CertificateTemplate* method), 96, 612, 1152
 get_by_name() (*DeviceAdministrationConditions* method), 148, 665, 1209
 get_by_name() (*Endpoint* method), 532, 1047, 1606
 get_by_name() (*EndpointIdentityGroup* method), 187, 704, 1248
 get_by_name() (*ExternalRadiusServer* method), 193, 710, 1254
 get_by_name() (*GuestUser* method), 227, 744, 1288
 get_by_name() (*IdentityGroups* method), 262, 779, 1323
 get_by_name() (*IdentitySequence* method), 267, 784, 1328
 get_by_name() (*InternalUser* method), 273, 790, 1333
 get_by_name() (*NetworkAccessConditions* method), 322, 839, 1388
 get_by_name() (*NetworkAccessDictionary* method), 331, 847, 1396
 get_by_name() (*NetworkAccessDictionaryAttribute* method), 335, 851, 1400
 get_by_name() (*NetworkDevice* method), 356, 872, 1421
 get_by_name() (*NetworkDeviceGroup* method), 366, 882, 1431
 get_by_name() (*NodeDetails* method), 378, 894, 1451
 get_by_name() (*PsnNodeDetailsWithRadiusService* method), 399, 915, 1475
 get_by_name() (*PxGridNode* method), 545, 1065, 1625
 get_by_name() (*Repository* method), 421, 937, 1496
 get_by_name() (*RestidStore* method), 411, 927, 1487
 get_by_name() (*SessionDirectory* method), 473, 989, 1549
 get_by_name() (*TacacsCommandSets* method), 502, 1018, 1577
 get_by_name() (*TacacsExternalServers* method), 507, 1023, 1582
 get_by_name() (*TacacsProfile* method), 512, 1028, 1587
 get_by_name() (*TacacsServerSequence* method), 517, 1033, 1592
 get_byod_portal() (*ByodPortal* method), 81, 597, 1137
 get_byod_portal_by_id() (*ByodPortal* method), 79, 595, 1135
 get_byod_portal_generator() (*ByodPortal* method), 82, 598, 1138
 get_certificate_profile() (*CertificateProfile* method), 93, 609, 1149
 get_certificate_profile_by_id() (*CertificateProfile* method), 91, 607, 1147
 get_certificate_profile_by_name() (*CertificateProfile* method), 90, 606, 1146
 get_certificate_profile_generator() (*CertificateProfile* method), 93, 609, 1149
 get_certificate_template() (*CertificateTemplate* method), 97, 613, 1153
 get_certificate_template_by_id() (*CertificateTemplate* method), 96, 612, 1152
 get_certificate_template_by_name() (*CertificateTemplate* method), 96, 612, 1152
 get_certificate_template_generator() (*CertificateTemplate* method), 97, 613, 1153
 get_connection_type() (*Licensing* method), 1341
 get_csr_by_id() (*Certificates* method), 103, 619, 1159
 get_csrs() (*Certificates* method), 99, 615, 1155
 get_csrs_generator() (*Certificates* method), 100, 616, 1156
 get_deploy_status() (*IpToSgtMapping* method), 247, 764, 1307

`get_deploy_status_ip_to_sgt_mapping()` (*IpToSgtMapping method*), 246, 763, 1307
`get_deploy_status_ip_to_sgt_mapping_group()` (*IpToSgtMappingGroup method*), 255, 772, 1315
`get_deployment_info()` (*PullDeploymentInfo method*), 402, 918, 1478
`get_device_admin_authentication_rule_by_id()` (*DeviceAdministrationAuthenticationRules method*), 129, 645, 1189
`get_device_admin_authentication_rules()` (*DeviceAdministrationAuthenticationRules method*), 126, 643, 1187
`get_device_admin_authorization_rule_by_id()` (*DeviceAdministrationAuthorizationRules method*), 141, 658, 1201
`get_device_admin_authorization_rules()` (*DeviceAdministrationAuthorizationRules method*), 139, 656, 1199
`get_device_admin_command_sets()` (*DeviceAdministrationCommandSet method*), 143, 660, 1204
`get_device_admin_condition_by_id()` (*DeviceAdministrationConditions method*), 151, 668, 1212
`get_device_admin_condition_by_name()` (*DeviceAdministrationConditions method*), 147, 665, 1208
`get_device_admin_conditions()` (*DeviceAdministrationConditions method*), 144, 661, 1204
`get_device_admin_conditions_for_authentication_rules()` (*DeviceAdministrationConditions method*), 146, 664, 1207
`get_device_admin_conditions_for_authorization_rules()` (*DeviceAdministrationConditions method*), 147, 664, 1207
`get_device_admin_conditions_for_policy_sets()` (*DeviceAdministrationConditions method*), 151, 668, 1211
`get_device_admin_dictionaries_authentication()` (*DeviceAdministrationDictionaryAttributesList method*), 154, 671, 1215
`get_device_admin_dictionaries_authorization()` (*DeviceAdministrationDictionaryAttributesList method*), 155, 672, 1215
`get_device_admin_dictionaries_policy_set()` (*DeviceAdministrationDictionaryAttributesList method*), 155, 672, 1216
`get_device_admin_identity_stores()` (*DeviceAdministrationIdentityStores method*), 156, 673, 1217
`get_device_admin_local_exception_rule_by_id()` (*DeviceAdministrationAuthorizationExceptionRules method*), 133, 650, 1193
`get_device_admin_local_exception_rules()` (*DeviceAdministrationAuthorizationExceptionRules method*), 131, 648, 1191
`get_device_admin_network_condition_by_id()` (*DeviceAdministrationNetworkConditions method*), 158, 675, 1219
`get_device_admin_network_conditions()` (*DeviceAdministrationNetworkConditions method*), 157, 674, 1217
`get_device_admin_policy_set_by_id()` (*DeviceAdministrationPolicySet method*), 162, 680, 1223
`get_device_admin_policy_set_global_exception_by_rule_id()` (*DeviceAdministrationAuthorizationGlobalExceptionRules method*), 137, 654, 1197
`get_device_admin_policy_set_global_exception_rules()` (*DeviceAdministrationAuthorizationGlobalExceptionRules method*), 135, 652, 1195
`get_device_admin_policy_sets()` (*DeviceAdministrationPolicySet method*), 160, 677, 1221
`get_device_admin_profiles()` (*DeviceAdministrationProfiles method*), 165, 682, 1226
`get_device_admin_service_names()` (*DeviceAdministrationServiceNames method*), 166, 683, 1226
`get_device_admin_time_condition_by_id()` (*DeviceAdministrationTimeDateConditions method*), 169, 686, 1229
`get_device_admin_time_conditions()` (*DeviceAdministrationTimeDateConditions method*), 166, 683, 1227
`get_downloadable_acl()` (*DownloadableAcl method*), 174, 691, 1235
`get_downloadable_acl_by_id()` (*DownloadableAcl method*), 172, 689, 1233
`get_downloadable_acl_generator()` (*DownloadableAcl method*), 175, 691, 1235
`get_egress_matrices()` (*TrustSecConfiguration method*), 527, 1043, 1602
`get_egress_matrix_cell()` (*EgressMatrixCell method*), 180, 697, 1241
`get_egress_matrix_cell_by_id()` (*EgressMatrixCell method*), 178, 695, 1239
`get_egress_matrix_cell_generator()` (*EgressMatrixCell method*), 181, 698, 1242
`get_egress_policies()` (*TrustSecConfiguration method*), 527, 1042, 1601
`get_endpoint_by_id()` (*Endpoint method*), 532, 1047, 1606
`get_endpoint_by_mac_address()` (*Mdm method*), 281, 798, 1347
`get_endpoint_by_name()` (*Endpoint method*), 531, 1047, 1606
`get_endpoint_group_by_id()` (*EndpointIdentityGroup method*), 187, 704, 1248

[get_endpoint_group_by_name\(\)](#) (*EndpointIdentityGroup method*), 187, 704, 1247
[get_endpoint_groups\(\)](#) (*EndpointIdentityGroup method*), 189, 706, 1250
[get_endpoint_groups_generator\(\)](#) (*EndpointIdentityGroup method*), 190, 707, 1251
[get_endpoints\(\)](#) (*Endpoint method*), 535, 1051, 1610
[get_endpoints\(\)](#) (*Mdm method*), 281, 798, 1346
[get_endpoints_by_os_type\(\)](#) (*Mdm method*), 282, 799, 1347
[get_endpoints_by_type\(\)](#) (*Mdm method*), 282, 799, 1347
[get_endpoints_generator\(\)](#) (*Endpoint method*), 536, 1052, 1611
[get_eval_license_info\(\)](#) (*Licensing method*), 1342
[get_external_radius_server\(\)](#) (*ExternalRadiusServer method*), 196, 713, 1256
[get_external_radius_server_by_id\(\)](#) (*ExternalRadiusServer method*), 193, 710, 1254
[get_external_radius_server_by_name\(\)](#) (*ExternalRadiusServer method*), 193, 710, 1253
[get_external_radius_server_generator\(\)](#) (*ExternalRadiusServer method*), 196, 713, 1257
[get_failure_reasons\(\)](#) (*Misc method*), 289, 806, 1354
[get_failures\(\)](#) (*RadiusFailure method*), 404, 920, 1480
[get_feature_to_tier_mapping\(\)](#) (*Licensing method*), 1342
[get_files\(\)](#) (*Repository method*), 423, 939, 1498
[get_filter_policy\(\)](#) (*FilterPolicy method*), 201, 718, 1262
[get_filter_policy_by_id\(\)](#) (*FilterPolicy method*), 199, 716, 1260
[get_filter_policy_generator\(\)](#) (*FilterPolicy method*), 201, 718, 1262
[get_groups_by_domain\(\)](#) (*ActiveDirectory method*), 49, 565, 1105
[get_guest_location\(\)](#) (*GuestLocation method*), 204, 721, 1265
[get_guest_location_by_id\(\)](#) (*GuestLocation method*), 203, 720, 1264
[get_guest_location_generator\(\)](#) (*GuestLocation method*), 205, 722, 1266
[get_guest_smtp_notification_settings\(\)](#) (*GuestSmtpNotificationConfiguration method*), 208, 725, 1269
[get_guest_smtp_notification_settings_by_id\(\)](#) (*GuestSmtpNotificationConfiguration method*), 207, 724, 1267
[get_guest_smtp_notification_settings_generator\(\)](#) (*GuestSmtpNotificationConfiguration method*), 209, 726, 1270
[get_guest_ssid\(\)](#) (*GuestSsid method*), 214, 731, 1275
[get_guest_ssid_by_id\(\)](#) (*GuestSsid method*), 212, 729, 1273
[get_guest_ssid_generator\(\)](#) (*GuestSsid method*), 215, 732, 1276
[get_guest_type\(\)](#) (*GuestType method*), 221, 738, 1281
[get_guest_type_by_id\(\)](#) (*GuestType method*), 219, 736, 1279
[get_guest_type_generator\(\)](#) (*GuestType method*), 222, 739, 1282
[get_guest_user_by_id\(\)](#) (*GuestUser method*), 232, 749, 1292
[get_guest_user_by_name\(\)](#) (*GuestUser method*), 226, 743, 1287
[get_guest_users\(\)](#) (*GuestUser method*), 234, 751, 1295
[get_guest_users_generator\(\)](#) (*GuestUser method*), 235, 752, 1296
[get_healths\(\)](#) (*SystemHealth method*), 499, 1015, 1574
[get_hotspot_portal\(\)](#) (*HotspotPortal method*), 241, 758, 1302
[get_hotspot_portal_by_id\(\)](#) (*HotspotPortal method*), 239, 756, 1300
[get_hotspot_portal_generator\(\)](#) (*HotspotPortal method*), 242, 759, 1303
[get_identity_group_by_id\(\)](#) (*IdentityGroups method*), 262, 779, 1323
[get_identity_group_by_name\(\)](#) (*IdentityGroups method*), 262, 779, 1322
[get_identity_groups\(\)](#) (*IdentityGroups method*), 263, 780, 1324
[get_identity_groups_generator\(\)](#) (*IdentityGroups method*), 264, 781, 1325
[get_identity_sequence\(\)](#) (*IdentitySequence method*), 269, 786, 1330
[get_identity_sequence_by_id\(\)](#) (*IdentitySequence method*), 267, 784, 1328
[get_identity_sequence_by_name\(\)](#) (*IdentitySequence method*), 267, 784, 1327
[get_identity_sequence_generator\(\)](#) (*IdentitySequence method*), 270, 787, 1330
[get_interfaces\(\)](#) (*NodeServices method*), 1447
[get_internal_user\(\)](#) (*InternalUser method*), 277, 794, 1337
[get_internal_user_by_id\(\)](#) (*InternalUser method*), 274, 791, 1335
[get_internal_user_by_name\(\)](#) (*InternalUser method*), 272, 789, 1333
[get_internal_user_generator\(\)](#) (*InternalUser method*), 278, 795, 1338
[get_ip_to_sgt_mapping\(\)](#) (*IpToSgtMapping method*), 249, 766, 1309
[get_ip_to_sgt_mapping_by_id\(\)](#) (*IpToSgtMapping method*), 247, 764, 1307

`get_ip_to_sgt_mapping_generator()` (*IpToSgtMapping method*), 250, 767, 1310
`get_ip_to_sgt_mapping_group()` (*IpToSgtMappingGroup method*), 257, 774, 1317
`get_ip_to_sgt_mapping_group_by_id()` (*IpToSgtMappingGroup method*), 255, 772, 1316
`get_ip_to_sgt_mapping_group_generator()` (*IpToSgtMappingGroup method*), 258, 775, 1318
`get_ise_version_and_patch()` (*VersionAndPatch method*), 528, 1044, 1603
`get_last_config_backup_status()` (*BackupAndRestore method*), 86, 602, 1142
`get_last_status()` (*BackupAndRestore method*), 86, 602, 1143
`get_mnt_version()` (*Misc method*), 288, 805, 1353
`get_my_device_portal()` (*MyDevicePortal method*), 294, 811, 1359
`get_my_device_portal_by_id()` (*MyDevicePortal method*), 292, 809, 1357
`get_my_device_portal_generator()` (*MyDevicePortal method*), 295, 812, 1360
`get_native_suppllicant_profile()` (*NativeSuppllicantProfile method*), 299, 816, 1364
`get_native_suppllicant_profile_by_id()` (*NativeSuppllicantProfile method*), 297, 814, 1363
`get_native_suppllicant_profile_generator()` (*NativeSuppllicantProfile method*), 300, 817, 1365
`get_nbar_app_by_id()` (*NbarApp method*), 1059, 1618
`get_nbar_apps()` (*NbarApp method*), 1056, 1615
`get_nbar_apps_generator()` (*NbarApp method*), 1057, 1616
`get_network_access_authentication_rule_by_id()` (*NetworkAccessAuthenticationRules method*), 303, 820, 1368
`get_network_access_authentication_rules()` (*NetworkAccessAuthenticationRules method*), 301, 818, 1366
`get_network_access_authorization_rule_by_id()` (*NetworkAccessAuthorizationRules method*), 316, 833, 1381
`get_network_access_authorization_rules()` (*NetworkAccessAuthorizationRules method*), 314, 831, 1379
`get_network_access_condition_by_id()` (*NetworkAccessConditions method*), 326, 842, 1391
`get_network_access_condition_by_name()` (*NetworkAccessConditions method*), 322, 839, 1387
`get_network_access_conditions()` (*NetworkAccessConditions method*), 318, 835, 1384
`get_network_access_conditions_for_authentication_rules()` (*NetworkAccessConditions method*), 321, 838, 1386
`get_network_access_conditions_for_authorization_rules()` (*NetworkAccessConditions method*), 321, 838, 1387
`get_network_access_conditions_for_policy_sets()` (*NetworkAccessConditions method*), 325, 842, 1390
`get_network_access_dictionaries()` (*NetworkAccessDictionary method*), 329, 845, 1394
`get_network_access_dictionaries_authentication()` (*NetworkAccessDictionaryAttributesList method*), 337, 853, 1402
`get_network_access_dictionaries_authorization()` (*NetworkAccessDictionaryAttributesList method*), 337, 854, 1402
`get_network_access_dictionaries_policy_set()` (*NetworkAccessDictionaryAttributesList method*), 338, 854, 1403
`get_network_access_dictionary_attribute_by_name()` (*NetworkAccessDictionaryAttribute method*), 334, 851, 1399
`get_network_access_dictionary_attributes_by_dictionary_name()` (*NetworkAccessDictionaryAttribute method*), 332, 849, 1398
`get_network_access_dictionary_by_name()` (*NetworkAccessDictionary method*), 330, 847, 1395
`get_network_access_identity_stores()` (*NetworkAccessIdentityStores method*), 338, 855, 1404
`get_network_access_local_exception_rule_by_id()` (*NetworkAccessAuthorizationExceptionRules method*), 308, 825, 1373
`get_network_access_local_exception_rules()` (*NetworkAccessAuthorizationExceptionRules method*), 306, 823, 1371
`get_network_access_network_condition_by_id()` (*NetworkAccessNetworkConditions method*), 340, 857, 1406
`get_network_access_network_conditions()` (*NetworkAccessNetworkConditions method*), 339, 856, 1404
`get_network_access_policy_set_by_id()` (*NetworkAccessPolicySet method*), 345, 861, 1410
`get_network_access_policy_set_global_exception_rule_by_id()` (*NetworkAccessAuthorizationGlobalExceptionRules method*), 312, 829, 1377
`get_network_access_policy_set_global_exception_rules()` (*NetworkAccessAuthorizationGlobalExceptionRules method*), 310, 827, 1375
`get_network_access_policy_sets()` (*NetworkAccessConditions method*), 318, 835, 1384

- cessPolicySet method*), 343, 859, 1408
- `get_network_access_profiles()` (*NetworkAccessProfiles method*), 347, 864, 1413
- `get_network_access_security_groups()` (*NetworkAccessSecurityGroups method*), 348, 865, 1413
- `get_network_access_service_names()` (*NetworkAccessServiceNames method*), 349, 865, 1414
- `get_network_access_time_condition_by_id()` (*NetworkAccessTimeDateConditions method*), 352, 868, 1417
- `get_network_access_time_conditions()` (*NetworkAccessTimeDateConditions method*), 350, 866, 1415
- `get_network_device()` (*NetworkDevice method*), 360, 876, 1425
- `get_network_device_by_id()` (*NetworkDevice method*), 358, 874, 1423
- `get_network_device_by_name()` (*NetworkDevice method*), 355, 872, 1420
- `get_network_device_generator()` (*NetworkDevice method*), 361, 877, 1426
- `get_network_device_group()` (*NetworkDeviceGroup method*), 368, 884, 1433
- `get_network_device_group_by_id()` (*NetworkDeviceGroup method*), 366, 882, 1431
- `get_network_device_group_by_name()` (*NetworkDeviceGroup method*), 365, 881, 1430
- `get_network_device_group_generator()` (*NetworkDeviceGroup method*), 369, 885, 1434
- `get_node_detail_by_id()` (*NodeDetails method*), 378, 894, 1451
- `get_node_detail_by_name()` (*NodeDetails method*), 378, 894, 1451
- `get_node_details()` (*NodeDeployment method*), 373, 889, 1438
- `get_node_details()` (*NodeDetails method*), 379, 895, 1452
- `get_node_details_generator()` (*NodeDetails method*), 380, 896, 1453
- `get_node_group()` (*NodeGroup method*), 375, 891, 1443
- `get_node_groups()` (*NodeGroup method*), 375, 891, 1442
- `get_node_replication_status()` (*ReplicationStatus method*), 418, 934
- `get_nodes()` (*NodeDeployment method*), 371, 887, 1436
- `get_nodes()` (*NodeGroup method*), 1446
- `get_pan_ha_status()` (*PanHa method*), 382, 898, 1455
- `get_performances()` (*SystemHealth method*), 500, 1015, 1574
- `get_portal_by_id()` (*Portal method*), 540, 1061, 1620
- `get_portal_global_setting_by_id()` (*PortalGlobalSetting method*), 384, 900, 1460
- `get_portal_global_settings()` (*PortalGlobalSetting method*), 385, 901, 1461
- `get_portal_global_settings_generator()` (*PortalGlobalSetting method*), 386, 902, 1462
- `get_portal_theme_by_id()` (*PortalTheme method*), 388, 904, 1464
- `get_portal_themes()` (*PortalTheme method*), 389, 905, 1466
- `get_portal_themes_generator()` (*PortalTheme method*), 390, 906, 1467
- `get_portals()` (*Portal method*), 541, 1061, 1620
- `get_portals_generator()` (*Portal method*), 542, 1062, 1621
- `get_posture_count()` (*Misc method*), 284, 801, 1350
- `get_profiler_count()` (*Misc method*), 285, 802, 1350
- `get_profiler_probe_config()` (*NodeServices method*), 1449
- `get_profiler_profile_by_id()` (*ProfilerProfile method*), 394, 910, 1470
- `get_profiler_profiles()` (*ProfilerProfile method*), 394, 910, 1470
- `get_profiler_profiles_generator()` (*ProfilerProfile method*), 395, 911, 1471
- `get_profiles()` (*Profiler method*), 393, 909, 1469
- `get_proxy_connection()` (*Proxy method*), 1623
- `get_px_grid_node()` (*PxGridNode method*), 546, 1066, 1627
- `get_px_grid_node_by_id()` (*PxGridNode method*), 545, 1065, 1626
- `get_px_grid_node_by_name()` (*PxGridNode method*), 544, 1064, 1625
- `get_px_grid_node_generator()` (*PxGridNode method*), 546, 1067, 1627
- `get_radius_server_sequence()` (*RadiusServerSequence method*), 408, 924, 1484
- `get_radius_server_sequence_by_id()` (*RadiusServerSequence method*), 405, 921, 1481
- `get_radius_server_sequence_generator()` (*RadiusServerSequence method*), 408, 924, 1484
- `get_registration_info()` (*Licensing method*), 1343
- `get_rejected()` (*Endpoint method*), 531, 1047, 1606
- `get_rejected_endpoints()` (*Endpoint method*), 531, 1046, 1605
- `get_repositories()` (*Repository method*), 419, 935, 1494
- `get_repository()` (*Repository method*), 420, 936, 1495
- `get_repository_files()` (*Repository method*), 422, 938, 1497
- `get_rest_id_store()` (*RestidStore method*), 415, 931, 1491
- `get_rest_id_store_by_id()` (*RestidStore method*),

413, 929, 1489

`get_rest_id_store_by_name()` (*RestidStore* method), 411, 927, 1487

`get_rest_id_store_generator()` (*RestidStore* method), 416, 932, 1492

`get_security_group_acls()` (*TrustSecConfiguration* method), 526, 1042, 1601

`get_security_group_by_id()` (*SecurityGroups* method), 451, 967, 1527

`get_security_groups()` (*SecurityGroups* method), 453, 969, 1529

`get_security_groups()` (*TrustSecConfiguration* method), 526, 1041, 1600

`get_security_groups_acl()` (*SecurityGroupsAcls* method), 460, 976, 1535

`get_security_groups_acl_by_id()` (*SecurityGroupsAcls* method), 458, 974, 1533

`get_security_groups_acl_generator()` (*SecurityGroupsAcls* method), 461, 977, 1536

`get_security_groups_generator()` (*SecurityGroups* method), 454, 970, 1530

`get_security_groups_to_vn_to_vlan()` (*SecurityGroupToVirtualNetwork* method), 447, 963, 1522

`get_security_groups_to_vn_to_vlan_by_id()` (*SecurityGroupToVirtualNetwork* method), 445, 961, 1520

`get_security_groups_to_vn_to_vlan_generator()` (*SecurityGroupToVirtualNetwork* method), 448, 963, 1523

`get_self_registered_portal_by_id()` (*SelfRegisteredPortal* method), 465, 981, 1540

`get_self_registered_portals()` (*SelfRegisteredPortal* method), 467, 983, 1542

`get_self_registered_portals_generator()` (*SelfRegisteredPortal* method), 468, 984, 1543

`get_session_auth_list()` (*Misc* method), 284, 801, 1349

`get_session_by_ip_address()` (*SessionDirectory* method), 472, 987, 1547

`get_session_by_mac_address()` (*SessionDirectory* method), 472, 988, 1547

`get_session_service_node()` (*PsnNodeDetailsWithRadiusService* method), 400, 916, 1476

`get_session_service_node_by_id()` (*PsnNodeDetailsWithRadiusService* method), 400, 916, 1476

`get_session_service_node_by_name()` (*PsnNodeDetailsWithRadiusService* method), 399, 915, 1475

`get_session_service_node_generator()` (*PsnNodeDetailsWithRadiusService* method), 401, 917, 1477

`get_sessions()` (*SessionDirectory* method), 471, 986, 1546

`get_sessions_by_endpoint_ip()` (*Misc* method), 287, 804, 1352

`get_sessions_by_mac()` (*Misc* method), 285, 802, 1350

`get_sessions_by_nas_ip()` (*Misc* method), 286, 803, 1351

`get_sessions_by_session_id()` (*Misc* method), 287, 804, 1352

`get_sessions_by_username()` (*Misc* method), 286, 803, 1351

`get_sessions_for_recovery()` (*SessionDirectory* method), 471, 987, 1546

`get_sg_vn_mapping_by_id()` (*SgVnMapping* method), 1072, 1633

`get_sg_vn_mappings()` (*SgVnMapping* method), 1068, 1628

`get_sg_vn_mappings_generator()` (*SgVnMapping* method), 1069, 1629

`get_smart_state()` (*Licensing* method), 1344

`get_sms_provider()` (*SmsProvider* method), 423, 939, 1498

`get_sms_provider_generator()` (*SmsProvider* method), 424, 940, 1499

`get_sponsor_group()` (*SponsorGroup* method), 476, 991, 1551

`get_sponsor_group_by_id()` (*SponsorGroup* method), 474, 989, 1549

`get_sponsor_group_generator()` (*SponsorGroup* method), 477, 992, 1552

`get_sponsor_group_member()` (*SponsorGroupMember* method), 480, 995, 1555

`get_sponsor_group_member_generator()` (*SponsorGroupMember* method), 481, 996, 1556

`get_sponsor_portal()` (*SponsorPortal* method), 484, 1000, 1559

`get_sponsor_portal_by_id()` (*SponsorPortal* method), 482, 998, 1557

`get_sponsor_portal_generator()` (*SponsorPortal* method), 485, 1001, 1560

`get_sponsored_guest_portal_by_id()` (*SponsoredGuestPortal* method), 488, 1003, 1563

`get_sponsored_guest_portals()` (*SponsoredGuestPortal* method), 490, 1005, 1565

`get_sponsored_guest_portals_generator()` (*SponsoredGuestPortal* method), 491, 1006, 1566

`get_support_bundle_status()` (*SupportBundleStatus* method), 495, 1011, 1570

`get_support_bundle_status_by_id()` (*SupportBundleStatus* method), 495, 1010, 1570

`get_support_bundle_status_generator()` (*SupportBundleStatus* method), 496, 1011, 1571

`get_sxp_connections()` (*SxpConnections* method),

- 428, 943, 1503
- `get_sxp_connections_by_id()` (*SxpConnections method*), 426, 941, 1501
- `get_sxp_connections_generator()` (*SxpConnections method*), 429, 944, 1504
- `get_sxp_interface()` (*NodeServices method*), 1448
- `get_sxp_local_bindings()` (*SxpLocalBindings method*), 434, 950, 1510
- `get_sxp_local_bindings_by_id()` (*SxpLocalBindings method*), 432, 948, 1508
- `get_sxp_local_bindings_generator()` (*SxpLocalBindings method*), 435, 951, 1511
- `get_sxp_vpn_by_id()` (*SxpVpns method*), 439, 955, 1515
- `get_sxp_vpns()` (*SxpVpns method*), 440, 956, 1516
- `get_sxp_vpns_generator()` (*SxpVpns method*), 441, 957, 1517
- `get_system_certificate_by_id()` (*Certificates method*), 112, 628, 1171
- `get_system_certificates()` (*Certificates method*), 110, 626, 1169
- `get_system_certificates_generator()` (*Certificates method*), 111, 627, 1170
- `get_tacacs_command_sets()` (*TacacsCommandSets method*), 504, 1019, 1578
- `get_tacacs_command_sets_by_id()` (*TacacsCommandSets method*), 502, 1018, 1577
- `get_tacacs_command_sets_by_name()` (*TacacsCommandSets method*), 502, 1017, 1576
- `get_tacacs_command_sets_generator()` (*TacacsCommandSets method*), 505, 1020, 1579
- `get_tacacs_external_servers()` (*TacacsExternalServers method*), 509, 1025, 1584
- `get_tacacs_external_servers_by_id()` (*TacacsExternalServers method*), 507, 1023, 1582
- `get_tacacs_external_servers_by_name()` (*TacacsExternalServers method*), 507, 1022, 1581
- `get_tacacs_external_servers_generator()` (*TacacsExternalServers method*), 510, 1025, 1584
- `get_tacacs_profile()` (*TacacsProfile method*), 514, 1030, 1589
- `get_tacacs_profile_by_id()` (*TacacsProfile method*), 512, 1028, 1587
- `get_tacacs_profile_by_name()` (*TacacsProfile method*), 512, 1027, 1586
- `get_tacacs_profile_generator()` (*TacacsProfile method*), 515, 1030, 1589
- `get_tacacs_server_sequence()` (*TacacsServerSequence method*), 520, 1035, 1594
- `get_tacacs_server_sequence_by_id()` (*TacacsServerSequence method*), 517, 1033, 1592
- `get_tacacs_server_sequence_by_name()` (*TacacsServerSequence method*), 517, 1032, 1591
- `get_tacacs_server_sequence_generator()` (*TacacsServerSequence method*), 520, 1036, 1595
- `get_task_status()` (*Tasks method*), 548, 1075, 1635
- `get_task_status_by_id()` (*Tasks method*), 548, 1075, 1636
- `get_telemetry_info_by_id()` (*TelemetryInformation method*), 523, 1038, 1597
- `get_telemetry_information()` (*TelemetryInformation method*), 523, 1039, 1598
- `get_telemetry_information_generator()` (*TelemetryInformation method*), 524, 1039, 1598
- `get_tier_state_info()` (*Licensing method*), 1345
- `get_transport_gateway()` (*Telemetry method*), 1636
- `get_trusted_certificate_by_id()` (*Certificates method*), 118, 635, 1179
- `get_trusted_certificates()` (*Certificates method*), 114, 631, 1174
- `get_trusted_certificates_generator()` (*Certificates method*), 115, 632, 1175
- `get_trusted_domains()` (*ActiveDirectory method*), 47, 563, 1104
- `get_user_group_by_user_name()` (*SessionDirectory method*), 473, 989, 1548
- `get_user_groups()` (*ActiveDirectory method*), 45, 560, 1101
- `get_user_groups()` (*SessionDirectory method*), 473, 988, 1548
- `get_version()` (*AciBindings method*), 34, 550, 1091
- `get_version()` (*AciSettings method*), 38, 554, 1094
- `get_version()` (*ActiveDirectory method*), 54, 569, 1110
- `get_version()` (*AdminUser method*), 57, 573, 1113
- `get_version()` (*AllowedProtocols method*), 64, 580, 1120
- `get_version()` (*AncEndpoint method*), 42, 558, 1099
- `get_version()` (*AncPolicy method*), 70, 586, 1126
- `get_version()` (*AuthorizationProfile method*), 78, 594, 1135
- `get_version()` (*ByodPortal method*), 84, 600, 1140
- `get_version()` (*CertificateProfile method*), 95, 611, 1151
- `get_version()` (*CertificateTemplate method*), 98, 614, 1154
- `get_version()` (*ClearThreatsAndVulnerabilities method*), 123, 640, 1184
- `get_version()` (*DownloadableAcl method*), 176, 693, 1237
- `get_version()` (*EgressMatrixCell method*), 183, 700, 1244
- `get_version()` (*Endpoint method*), 539, 1054, 1613
- `get_version()` (*EndpointCertificate method*), 186, 703, 1247
- `get_version()` (*EndpointIdentityGroup method*), 192,

- 709, 1252
- `get_version()` (*ExternalRadiusServer* method), 198, 715, 1259
- `get_version()` (*FilterPolicy* method), 203, 720, 1263
- `get_version()` (*GuestLocation* method), 206, 723, 1267
- `get_version()` (*GuestSntpNotificationConfiguration* method), 212, 729, 1272
- `get_version()` (*GuestSsid* method), 217, 734, 1277
- `get_version()` (*GuestType* method), 224, 741, 1284
- `get_version()` (*GuestUser* method), 238, 755, 1298
- `get_version()` (*HotspotPortal* method), 244, 761, 1305
- `get_version()` (*IdentityGroups* method), 266, 783, 1327
- `get_version()` (*IdentitySequence* method), 271, 788, 1332
- `get_version()` (*InternalUser* method), 280, 797, 1340
- `get_version()` (*IpToSgtMapping* method), 252, 769, 1312
- `get_version()` (*IpToSgtMappingGroup* method), 260, 777, 1320
- `get_version()` (*MyDevicePortal* method), 297, 814, 1362
- `get_version()` (*NativeSupplicantProfile* method), 300, 817, 1366
- `get_version()` (*NetworkDevice* method), 363, 879, 1428
- `get_version()` (*NetworkDeviceGroup* method), 370, 886, 1435
- `get_version()` (*NodeDetails* method), 381, 897, 1454
- `get_version()` (*Portal* method), 543, 1063, 1622
- `get_version()` (*PortalGlobalSetting* method), 387, 903, 1463
- `get_version()` (*PortalTheme* method), 392, 908, 1468
- `get_version()` (*ProfilerProfile* method), 396, 912, 1472
- `get_version()` (*PsnNodeDetailsWithRadiusService* method), 401, 917, 1477
- `get_version()` (*PullDeploymentInfo* method), 402, 918, 1478
- `get_version()` (*PxGridNode* method), 547, 1067, 1628
- `get_version()` (*PxGridSettings* method), 404, 920, 1480
- `get_version()` (*RadiusServerSequence* method), 410, 926, 1486
- `get_version()` (*RestidStore* method), 417, 933, 1493
- `get_version()` (*SecurityGroups* method), 456, 972, 1531
- `get_version()` (*SecurityGroupsAcls* method), 463, 979, 1538
- `get_version()` (*SecurityGroupToVirtualNetwork* method), 450, 965, 1525
- `get_version()` (*SelfRegisteredPortal* method), 470, 986, 1545
- `get_version()` (*SmsProvider* method), 425, 941, 1500
- `get_version()` (*SponsoredGuestPortal* method), 493, 1008, 1568
- `get_version()` (*SponsorGroup* method), 479, 994, 1554
- `get_version()` (*SponsorGroupMember* method), 482, 997, 1557
- `get_version()` (*SponsorPortal* method), 487, 1003, 1562
- `get_version()` (*SupportBundleDownload* method), 494, 1009, 1569
- `get_version()` (*SupportBundleStatus* method), 496, 1012, 1571
- `get_version()` (*SupportBundleTriggerConfiguration* method), 498, 1013, 1573
- `get_version()` (*SxpConnections* method), 430, 946, 1506
- `get_version()` (*SxpLocalBindings* method), 437, 953, 1513
- `get_version()` (*SxpVpns* method), 443, 959, 1518
- `get_version()` (*SystemCertificate* method), 501, 1016, 1575
- `get_version()` (*TacacsCommandSets* method), 506, 1021, 1580
- `get_version()` (*TacacsExternalServers* method), 511, 1027, 1586
- `get_version()` (*TacacsProfile* method), 516, 1032, 1591
- `get_version()` (*TacacsServerSequence* method), 522, 1037, 1596
- `get_version()` (*TelemetryInformation* method), 525, 1040, 1599
- `get_version_info()` (*VersionInfo* method), 529, 1045, 1604
- `get_virtual_network_by_id()` (*VirtualNetwork* method), 1080, 1642
- `get_virtual_networks()` (*VirtualNetwork* method), 1076, 1638
- `get_virtual_networks_generator()` (*VirtualNetwork* method), 1077, 1639
- `get_vn_vlan_mapping_by_id()` (*VnVlanMapping* method), 1087, 1649
- `get_vn_vlan_mappings()` (*VnVlanMapping* method), 1082, 1644
- `get_vn_vlan_mappings_generator()` (*VnVlanMapping* method), 1083, 1645
- GuestLocation* (class in *ciscoisesdk.api.v3_0_0.guest_location*), 203
- GuestLocation* (class in *ciscoisesdk.api.v3_1_0.guest_location*), 720
- GuestLocation* (class in *ciscoisesdk.api.v3_1_1.guest_location*), 1264
- GuestSntpNotificationConfiguration* (class in *ciscoisesdk.api.v3_0_0.guest_sntp_notification_configuration*), 207
- GuestSntpNotificationConfiguration*

- (class in ciscoisesdk.api.v3_1_0.guest_smtp_notification_configuration), 117, 633, 1177
724
- GuestSmtpNotificationConfiguration (class in ciscoisesdk.api.v3_1_1.guest_smtp_notification_configuration), 1267
- GuestSsid (class in ciscoisesdk.api.v3_0_0.guest_ssid), 212
- GuestSsid (class in ciscoisesdk.api.v3_1_0.guest_ssid), 729
- GuestSsid (class in ciscoisesdk.api.v3_1_1.guest_ssid), 1273
- GuestType (class in ciscoisesdk.api.v3_0_0.guest_type), 217
- GuestType (class in ciscoisesdk.api.v3_1_0.guest_type), 734
- GuestType (class in ciscoisesdk.api.v3_1_1.guest_type), 1278
- GuestUser (class in ciscoisesdk.api.v3_0_0.guest_user), 224
- GuestUser (class in ciscoisesdk.api.v3_1_0.guest_user), 741
- GuestUser (class in ciscoisesdk.api.v3_1_1.guest_user), 1285
- ## H
- has_path() (*MyDict* method), 1651
- headers (*RestResponse* property), 1651
- HotspotPortal (class in ciscoisesdk.api.v3_0_0.hotspot_portal), 239
- HotspotPortal (class in ciscoisesdk.api.v3_1_0.hotspot_portal), 756
- HotspotPortal (class in ciscoisesdk.api.v3_1_1.hotspot_portal), 1300
- ## I
- IdentityGroups (class in ciscoisesdk.api.v3_0_0.identity_groups), 262
- IdentityGroups (class in ciscoisesdk.api.v3_1_0.identity_groups), 779
- IdentityGroups (class in ciscoisesdk.api.v3_1_1.identity_groups), 1322
- IdentitySequence (class in ciscoisesdk.api.v3_0_0.identity_sequence), 267
- IdentitySequence (class in ciscoisesdk.api.v3_1_0.identity_sequence), 784
- IdentitySequence (class in ciscoisesdk.api.v3_1_1.identity_sequence), 1327
- IdentityServicesEngineAPI (class in ciscoisesdk), 28
- import_system_certificate() (*Certificates* method), 108, 624, 1167
- import_trust_certificate() (*Certificates* method), 117, 633, 1177
- install_hotpatch() (*Patching* method), 1457
- install_patch() (*Patching* method), 1458
- InternalUser (class in ciscoisesdk.api.v3_0_0.internal_user), 272
- InternalUser (class in ciscoisesdk.api.v3_1_0.internal_user), 789
- InternalUser (class in ciscoisesdk.api.v3_1_1.internal_user), 1333
- IpToSgtMapping (class in ciscoisesdk.api.v3_0_0.ip_to_sgt_mapping), 245
- IpToSgtMapping (class in ciscoisesdk.api.v3_1_0.ip_to_sgt_mapping), 762
- IpToSgtMapping (class in ciscoisesdk.api.v3_1_1.ip_to_sgt_mapping), 1306
- IpToSgtMappingGroup (class in ciscoisesdk.api.v3_0_0.ip_to_sgt_mapping_group), 254
- IpToSgtMappingGroup (class in ciscoisesdk.api.v3_1_0.ip_to_sgt_mapping_group), 771
- IpToSgtMappingGroup (class in ciscoisesdk.api.v3_1_1.ip_to_sgt_mapping_group), 1314
- is_user_member_of_groups() (*ActiveDirectory* method), 47, 563, 1103
- ## J
- join_domain() (*ActiveDirectory* method), 51, 567, 1107
- join_domain_with_all_nodes() (*ActiveDirectory* method), 48, 564, 1104
- ## L
- leave_domain() (*ActiveDirectory* method), 46, 562, 1102
- leave_domain_with_all_nodes() (*ActiveDirectory* method), 48, 564, 1105
- Licensing (class in ciscoisesdk.api.v3_1_1.licensing), 1341
- list_installed_hotpatches() (*Patching* method), 1456
- list_installed_patches() (*Patching* method), 1458
- load_groups_from_domain() (*ActiveDirectory* method), 45, 561, 1102
- lookup_service() (*Consumer* method), 125, 642, 1185
- ## M
- make_primary() (*NodeDeployment* method), 1439
- make_standalone() (*NodeDeployment* method), 1440
- MalformedRequest, 1653
- Mdm (class in ciscoisesdk.api.v3_0_0.mdm), 281
- Mdm (class in ciscoisesdk.api.v3_1_0.mdm), 798
- Mdm (class in ciscoisesdk.api.v3_1_1.mdm), 1346

- message (*ApiError* attribute), 1652
- Misc (class in *ciscoisesdk.api.v3_0_0.misc*), 283
- Misc (class in *ciscoisesdk.api.v3_1_0.misc*), 800
- Misc (class in *ciscoisesdk.api.v3_1_1.misc*), 1348
- mmt_base_url (*IdentityServicesEngineAPI* property), 31
- MNT_BASE_URL_ENVIRONMENT_VARIABLE (in module *ciscoisesdk.config*), 12
- module
- ciscoisesdk.config*, 12
- monitor_bulk_status() (*AncEndpoint* method), 44, 560, 1100
- monitor_bulk_status() (*AncPolicy* method), 72, 588, 1128
- monitor_bulk_status() (*EgressMatrixCell* method), 185, 702, 1246
- monitor_bulk_status() (*Endpoint* method), 540, 1056, 1615
- monitor_bulk_status() (*GuestUser* method), 239, 756, 1300
- monitor_bulk_status() (*IpToSgtMapping* method), 253, 770, 1314
- monitor_bulk_status() (*IpToSgtMappingGroup* method), 261, 778, 1322
- monitor_bulk_status() (*NetworkDevice* method), 364, 881, 1429
- monitor_bulk_status() (*SecurityGroups* method), 457, 973, 1533
- monitor_bulk_status() (*SecurityGroupsAcls* method), 464, 980, 1540
- monitor_bulk_status() (*SecurityGroupToVirtualNetwork* method), 451, 966, 1526
- monitor_bulk_status() (*SxpConnections* method), 432, 948, 1507
- monitor_bulk_status() (*SxpLocalBindings* method), 439, 954, 1514
- monitor_bulk_status() (*SxpVpns* method), 444, 960, 1519
- MyDevicePortal (class in *ciscoisesdk.api.v3_0_0.my_device_portal*), 292
- MyDevicePortal (class in *ciscoisesdk.api.v3_1_0.my_device_portal*), 809
- MyDevicePortal (class in *ciscoisesdk.api.v3_1_1.my_device_portal*), 1357
- MyDict (class in *ciscoisesdk.models.mydict*), 1651
- ## N
- NativeSupplicantProfile (class in *ciscoisesdk.api.v3_0_0.native_supplicant_profile*), 297
- NativeSupplicantProfile (class in *ciscoisesdk.api.v3_1_0.native_supplicant_profile*), 814
- NativeSupplicantProfile (class in *ciscoisesdk.api.v3_1_1.native_supplicant_profile*), 1363
- NbarApp (class in *ciscoisesdk.api.v3_1_0.nbar_app*), 1056
- NbarApp (class in *ciscoisesdk.api.v3_1_1.nbar_app*), 1615
- NetworkAccessAuthenticationRules (class in *ciscoisesdk.api.v3_0_0.network_access_authentication_rules*), 301
- NetworkAccessAuthenticationRules (class in *ciscoisesdk.api.v3_1_0.network_access_authentication_rules*), 818
- NetworkAccessAuthenticationRules (class in *ciscoisesdk.api.v3_1_1.network_access_authentication_rules*), 1366
- NetworkAccessAuthorizationExceptionRules (class in *ciscoisesdk.api.v3_0_0.network_access_authorization_exception_rules*), 306
- NetworkAccessAuthorizationExceptionRules (class in *ciscoisesdk.api.v3_1_0.network_access_authorization_exception_rules*), 1366

823	<i>esdk.api.v3_1_1.network_access_dictionary_attribute</i>),
NetworkAccessAuthorizationExceptionRules	1398
(class in ciscois-	NetworkAccessDictionaryAttributesList
<i>esdk.api.v3_1_1.network_access_authorization_exception_rules</i>),	(class in ciscois-
1371	<i>esdk.api.v3_0_0.network_access_dictionary_attributes_list</i>),
NetworkAccessAuthorizationGlobalExceptionRules	337
(class in ciscois-	NetworkAccessDictionaryAttributesList
<i>esdk.api.v3_0_0.network_access_authorization_global_exception_rules</i>),	(class in ciscois-
310	<i>esdk.api.v3_1_0.network_access_dictionary_attributes_list</i>),
NetworkAccessAuthorizationGlobalExceptionRules	853
(class in ciscois-	NetworkAccessDictionaryAttributesList
<i>esdk.api.v3_1_0.network_access_authorization_global_exception_rules</i>),	(class in ciscois-
827	<i>esdk.api.v3_1_1.network_access_dictionary_attributes_list</i>),
NetworkAccessAuthorizationGlobalExceptionRules	1402
(class in ciscois-	NetworkAccessIdentityStores (class in ciscois-
<i>esdk.api.v3_1_1.network_access_authorization_global_exception_rules</i>),	<i>esdk.api.v3_0_0.network_access_identity_stores</i>),
1375	338
NetworkAccessAuthorizationRules (class in ciscois-	NetworkAccessIdentityStores (class in ciscois-
<i>esdk.api.v3_0_0.network_access_authorization_rules</i>),	<i>esdk.api.v3_1_0.network_access_identity_stores</i>),
314	855
NetworkAccessAuthorizationRules (class in ciscois-	NetworkAccessIdentityStores (class in ciscois-
<i>esdk.api.v3_1_0.network_access_authorization_rules</i>),	<i>esdk.api.v3_1_1.network_access_identity_stores</i>),
831	1404
NetworkAccessAuthorizationRules (class in ciscois-	NetworkAccessNetworkConditions (class in ciscois-
<i>esdk.api.v3_1_1.network_access_authorization_rules</i>),	<i>esdk.api.v3_0_0.network_access_network_conditions</i>),
1379	339
NetworkAccessConditions (class in ciscois-	NetworkAccessNetworkConditions (class in ciscois-
<i>esdk.api.v3_0_0.network_access_conditions</i>),	<i>esdk.api.v3_1_0.network_access_network_conditions</i>),
318	856
NetworkAccessConditions (class in ciscois-	NetworkAccessNetworkConditions (class in ciscois-
<i>esdk.api.v3_1_0.network_access_conditions</i>),	<i>esdk.api.v3_1_1.network_access_network_conditions</i>),
835	1404
NetworkAccessConditions (class in ciscois-	NetworkAccessPolicySet (class in ciscois-
<i>esdk.api.v3_1_1.network_access_conditions</i>),	<i>esdk.api.v3_0_0.network_access_policy_set</i>),
1384	343
NetworkAccessDictionary (class in ciscois-	NetworkAccessPolicySet (class in ciscois-
<i>esdk.api.v3_0_0.network_access_dictionary</i>),	<i>esdk.api.v3_1_0.network_access_policy_set</i>),
329	859
NetworkAccessDictionary (class in ciscois-	NetworkAccessPolicySet (class in ciscois-
<i>esdk.api.v3_1_0.network_access_dictionary</i>),	<i>esdk.api.v3_1_1.network_access_policy_set</i>),
845	1408
NetworkAccessDictionary (class in ciscois-	NetworkAccessProfiles (class in ciscois-
<i>esdk.api.v3_1_1.network_access_dictionary</i>),	<i>esdk.api.v3_0_0.network_access_profiles</i>),
1394	347
NetworkAccessDictionaryAttribute	NetworkAccessProfiles (class in ciscois-
(class in ciscois-	<i>esdk.api.v3_1_0.network_access_profiles</i>),
<i>esdk.api.v3_0_0.network_access_dictionary_attribute</i>),	864
332	NetworkAccessProfiles (class in ciscois-
NetworkAccessDictionaryAttribute	<i>esdk.api.v3_1_1.network_access_profiles</i>),
(class in ciscois-	1413
<i>esdk.api.v3_1_0.network_access_dictionary_attribute</i>),	NetworkAccessSecurityGroups (class in ciscois-
849	<i>esdk.api.v3_0_0.network_access_security_groups</i>),
NetworkAccessDictionaryAttribute	348
(class in ciscois-	NetworkAccessSecurityGroups (class in ciscois-

[esdk.api.v3_1_0.network_access_security_groupsNodeGroup](#) (class in [ciscoisesdk.api.v3_1_1.node_group](#)), 1442
[NetworkAccessSecurityGroups](#) (class in [ciscoisesdk.api.v3_1_1.network_access_security_groups](#)), 1413
[NetworkAccessServiceNames](#) (class in [ciscoisesdk.api.v3_0_0.network_access_service_names](#)), 349
[NetworkAccessServiceNames](#) (class in [ciscoisesdk.api.v3_1_0.network_access_service_names](#)), 865
[NetworkAccessServiceNames](#) (class in [ciscoisesdk.api.v3_1_1.network_access_service_names](#)), 1414
[NetworkAccessTimeDateConditions](#) (class in [ciscoisesdk.api.v3_0_0.network_access_time_date_conditions](#)), 350
[NetworkAccessTimeDateConditions](#) (class in [ciscoisesdk.api.v3_1_0.network_access_time_date_conditions](#)), 866
[NetworkAccessTimeDateConditions](#) (class in [ciscoisesdk.api.v3_1_1.network_access_time_date_conditions](#)), 1415
[NetworkDevice](#) (class in [ciscoisesdk.api.v3_0_0.network_device](#)), 355
[NetworkDevice](#) (class in [ciscoisesdk.api.v3_1_0.network_device](#)), 872
[NetworkDevice](#) (class in [ciscoisesdk.api.v3_1_1.network_device](#)), 1420
[NetworkDeviceGroup](#) (class in [ciscoisesdk.api.v3_0_0.network_device_group](#)), 365
[NetworkDeviceGroup](#) (class in [ciscoisesdk.api.v3_1_0.network_device_group](#)), 881
[NetworkDeviceGroup](#) (class in [ciscoisesdk.api.v3_1_1.network_device_group](#)), 1430
[NodeDeployment](#) (class in [ciscoisesdk.api.v3_0_0.node_deployment](#)), 371
[NodeDeployment](#) (class in [ciscoisesdk.api.v3_1_0.node_deployment](#)), 887
[NodeDeployment](#) (class in [ciscoisesdk.api.v3_1_1.node_deployment](#)), 1436
[NodeDetails](#) (class in [ciscoisesdk.api.v3_0_0.node_details](#)), 378
[NodeDetails](#) (class in [ciscoisesdk.api.v3_1_0.node_details](#)), 894
[NodeDetails](#) (class in [ciscoisesdk.api.v3_1_1.node_details](#)), 1451
[NodeGroup](#) (class in [ciscoisesdk.api.v3_0_0.node_group](#)), 375
[NodeGroup](#) (class in [ciscoisesdk.api.v3_1_0.node_group](#)), 891

O
[original_error](#) (DownloadFailure attribute), 1653

P
[PanHa](#) (class in [ciscoisesdk.api.v3_0_0.pan_ha](#)), 382
[PanHa](#) (class in [ciscoisesdk.api.v3_1_0.pan_ha](#)), 898
[PanHa](#) (class in [ciscoisesdk.api.v3_1_1.pan_ha](#)), 1455
[Patching](#) (class in [ciscoisesdk.api.v3_1_1.patching](#)), 1456
[Portal](#) (class in [ciscoisesdk.api.v3_0_0.portal](#)), 540
[Portal](#) (class in [ciscoisesdk.api.v3_1_0.portal](#)), 1061
[Portal](#) (class in [ciscoisesdk.api.v3_1_1.portal](#)), 1620
[PortalGlobalSetting](#) (class in [ciscoisesdk.api.v3_0_0.portal_global_setting](#)), 384
[PortalGlobalSetting](#) (class in [ciscoisesdk.api.v3_1_0.portal_global_setting](#)), 900
[PortalGlobalSetting](#) (class in [ciscoisesdk.api.v3_1_1.portal_global_setting](#)), 1460
[PortalTheme](#) (class in [ciscoisesdk.api.v3_0_0.portal_theme](#)), 388
[PortalTheme](#) (class in [ciscoisesdk.api.v3_1_0.portal_theme](#)), 904
[PortalTheme](#) (class in [ciscoisesdk.api.v3_1_1.portal_theme](#)), 1464
[Profiler](#) (class in [ciscoisesdk.api.v3_0_0.profiler](#)), 393
[Profiler](#) (class in [ciscoisesdk.api.v3_1_0.profiler](#)), 909
[Profiler](#) (class in [ciscoisesdk.api.v3_1_1.profiler](#)), 1469
[ProfilerProfile](#) (class in [ciscoisesdk.api.v3_0_0.profiler_profile](#)), 394
[ProfilerProfile](#) (class in [ciscoisesdk.api.v3_1_0.profiler_profile](#)), 910
[ProfilerProfile](#) (class in [ciscoisesdk.api.v3_1_1.profiler_profile](#)), 1470
[promote_node\(\)](#) ([NodeDeployment](#) method), 372, 888, 1440
[Provider](#) (class in [ciscoisesdk.api.v3_0_0.provider](#)), 397
[Provider](#) (class in [ciscoisesdk.api.v3_1_0.provider](#)), 913
[Provider](#) (class in [ciscoisesdk.api.v3_1_1.provider](#)), 1473
[Proxy](#) (class in [ciscoisesdk.api.v3_1_1.proxy](#)), 1623
[PsnNodeDetailsWithRadiusService](#) (class in [ciscoisesdk.api.v3_0_0.psn_node_details_with_radius_service](#)), 399
[PsnNodeDetailsWithRadiusService](#) (class in [ciscoisesdk.api.v3_1_0.psn_node_details_with_radius_service](#)), 915

- `PsnNodeDetailsWithRadiusService` (class in `ciscoisesdk.api.v3_1_1.psn_node_details_with_radius_service`), 1475
- `PullDeploymentInfo` (class in `ciscoisesdk.api.v3_0_0.pull_deployment_info`), 402
- `PullDeploymentInfo` (class in `ciscoisesdk.api.v3_1_0.pull_deployment_info`), 918
- `PullDeploymentInfo` (class in `ciscoisesdk.api.v3_1_1.pull_deployment_info`), 1478
- `px_grid_base_url` (`IdentityServicesEngineAPI` property), 31
- `PX_GRID_BASE_URL_ENVIRONMENT_VARIABLE` (in module `ciscoisesdk.config`), 12
- `PxGridNode` (class in `ciscoisesdk.api.v3_0_0.px_grid_node`), 544
- `PxGridNode` (class in `ciscoisesdk.api.v3_1_0.px_grid_node`), 1064
- `PxGridNode` (class in `ciscoisesdk.api.v3_1_1.px_grid_node`), 1624
- `PxGridSettings` (class in `ciscoisesdk.api.v3_0_0.px_grid_settings`), 403
- `PxGridSettings` (class in `ciscoisesdk.api.v3_1_0.px_grid_settings`), 919
- `PxGridSettings` (class in `ciscoisesdk.api.v3_1_1.px_grid_settings`), 1479
- ## R
- `RadiusFailure` (class in `ciscoisesdk.api.v3_0_0.radius_failure`), 404
- `RadiusFailure` (class in `ciscoisesdk.api.v3_1_0.radius_failure`), 920
- `RadiusFailure` (class in `ciscoisesdk.api.v3_1_1.radius_failure`), 1480
- `RadiusServerSequence` (class in `ciscoisesdk.api.v3_0_0.radius_server_sequence`), 405
- `RadiusServerSequence` (class in `ciscoisesdk.api.v3_1_0.radius_server_sequence`), 921
- `RadiusServerSequence` (class in `ciscoisesdk.api.v3_1_1.radius_server_sequence`), 1481
- `RateLimitError`, 1652
- `RateLimitWarning`, 1652
- `raw` (`DownloadFailure` attribute), 1653
- `regenerate_ise_root_ca` (`Certificates` method), 104, 620, 1160
- `register` (`Endpoint` method), 535, 1051, 1610
- `register_endpoint` (`Endpoint` method), 534, 1050, 1609
- `register_node` (`NodeDeployment` method), 371, 888, 1437
- `register_service` (`Provider` method), 397, 913, 1473
- `reinstate_by_id` (`GuestUser` method), 230, 747, 1290
- `reinstate_by_name` (`GuestUser` method), 226, 743, 1287
- `reinstate_guest_user_by_id` (`GuestUser` method), 229, 746, 1290
- `reinstate_guest_user_by_name` (`GuestUser` method), 226, 743, 1287
- `release_rejected` (`Endpoint` method), 530, 1046, 1605
- `release_rejected_endpoint` (`Endpoint` method), 530, 1045, 1604
- `remove_node` (`NodeGroup` method), 1447
- `renew_certificates` (`Certificates` method), 105, 621, 1161
- `ReplicationStatus` (class in `ciscoisesdk.api.v3_0_0.replication_status`), 418
- `ReplicationStatus` (class in `ciscoisesdk.api.v3_1_0.replication_status`), 934
- `Repository` (class in `ciscoisesdk.api.v3_0_0.repository`), 419
- `Repository` (class in `ciscoisesdk.api.v3_1_0.repository`), 935
- `Repository` (class in `ciscoisesdk.api.v3_1_1.repository`), 1494
- `request` (`ApiError` attribute), 1652
- `request` (`DownloadFailure` attribute), 1653
- `reregister_service` (`Provider` method), 398, 914, 1474
- `reset_guest_user_password_by_id` (`GuestUser` method), 229, 746, 1289
- `reset_hit_counts` (`DeviceAdministrationAuthorizationGlobalExceptionRules` method), 137, 654, 1197
- `reset_hit_counts` (`DeviceAdministrationPolicySet` method), 162, 679, 1223
- `reset_hit_counts` (`NetworkAccessAuthorizationGlobalExceptionRules` method), 312, 829, 1377
- `reset_hit_counts` (`NetworkAccessPolicySet` method), 345, 861, 1410
- `reset_hit_counts_by_id` (`DeviceAdministrationAuthenticationRules` method), 128, 645, 1189
- `reset_hit_counts_by_id` (`DeviceAdministrationAuthorizationExceptionRules` method), 133, 650, 1193
- `reset_hit_counts_by_id` (`DeviceAdministrationAuthorizationRules` method), 141, 658, 1201

- [reset_hit_counts_by_id\(\)](#) (*NetworkAccessAuthenticationRules* method), 303, 820, 1368
[reset_hit_counts_by_id\(\)](#) (*NetworkAccessAuthorizationExceptionRules* method), 308, 825, 1373
[reset_hit_counts_by_id\(\)](#) (*NetworkAccessAuthenticationRules* method), 316, 833, 1381
[reset_hit_counts_device_admin_authentication_rules\(\)](#) (*DeviceAdministrationAuthenticationRules* method), 128, 645, 1188
[reset_hit_counts_device_admin_authorization_rules\(\)](#) (*DeviceAdministrationAuthorizationRules* method), 140, 657, 1201
[reset_hit_counts_device_admin_global_exceptions\(\)](#) (*DeviceAdministrationAuthorizationGlobalExceptionRules* method), 136, 653, 1197
[reset_hit_counts_device_admin_local_exceptions\(\)](#) (*DeviceAdministrationAuthorizationExceptionRules* method), 132, 649, 1193
[reset_hit_counts_device_admin_policy_sets\(\)](#) (*DeviceAdministrationPolicySet* method), 162, 679, 1223
[reset_hit_counts_network_access_authentication_rules\(\)](#) (*NetworkAccessAuthenticationRules* method), 303, 820, 1368
[reset_hit_counts_network_access_authorization_rules\(\)](#) (*NetworkAccessAuthorizationRules* method), 315, 832, 1381
[reset_hit_counts_network_access_global_exceptions\(\)](#) (*NetworkAccessAuthorizationGlobalExceptionRules* method), 311, 828, 1377
[reset_hit_counts_network_access_local_exceptions\(\)](#) (*NetworkAccessAuthorizationExceptionRules* method), 307, 824, 1372
[reset_hit_counts_network_access_policy_sets\(\)](#) (*NetworkAccessPolicySet* method), 344, 861, 1410
[reset_password_by_id\(\)](#) (*GuestUser* method), 229, 746, 1290
[response](#) (*ApiError* attribute), 1652
[response](#) (*DownloadFailure* attribute), 1653
[response](#) (*RestResponse* property), 1651
[RestidStore](#) (class in *ciscoisesdk.api.v3_0_0.restid_store*), 411
[RestidStore](#) (class in *ciscoisesdk.api.v3_1_0.restid_store*), 927
[RestidStore](#) (class in *ciscoisesdk.api.v3_1_1.restid_store*), 1487
[restore\(\)](#) (*BackupAndRestore* method), 87, 603, 1143
[restore_config_backup\(\)](#) (*BackupAndRestore* method), 86, 602, 1143
[RestResponse](#) (class in *ciscoisesdk.restresponse*), 1651
[retry_after](#) (*RateLimitError* attribute), 1652
[retry_after](#) (*RateLimitWarning* attribute), 1653
[rollback_hotpatch\(\)](#) (*Patching* method), 1457
[rollback_patch\(\)](#) (*Patching* method), 1459
- ## S
- [SecurityGroups](#) (class in *ciscoisesdk.api.v3_0_0.security_groups*), 451
[SecurityGroups](#) (class in *ciscoisesdk.api.v3_1_0.security_groups*), 967
[SecurityGroups](#) (class in *ciscoisesdk.api.v3_1_1.security_groups*), 1527
[SecurityGroupsAcls](#) (class in *ciscoisesdk.api.v3_0_0.security_groups_acls*), 458
[SecurityGroupsAcls](#) (class in *ciscoisesdk.api.v3_1_0.security_groups_acls*), 974
[SecurityGroupsAcls](#) (class in *ciscoisesdk.api.v3_1_1.security_groups_acls*), 1533
[SecurityGroupToVirtualNetwork](#) (class in *ciscoisesdk.api.v3_0_0.security_group_to_virtual_network*), 445
[SecurityGroupToVirtualNetwork](#) (class in *ciscoisesdk.api.v3_1_0.security_group_to_virtual_network*), 961
[SecurityGroupToVirtualNetwork](#) (class in *ciscoisesdk.api.v3_1_1.security_group_to_virtual_network*), 1520
[SelfRegisteredPortal](#) (class in *ciscoisesdk.api.v3_0_0.self_registered_portal*), 465
[SelfRegisteredPortal](#) (class in *ciscoisesdk.api.v3_1_0.self_registered_portal*), 981
[SelfRegisteredPortal](#) (class in *ciscoisesdk.api.v3_1_1.self_registered_portal*), 1540
[session](#) (*IdentityServicesEngineAPI* property), 30
[session_disconnect\(\)](#) (*Misc* method), 290, 807, 1356
[session_ers](#) (*IdentityServicesEngineAPI* property), 30
[session_mnt](#) (*IdentityServicesEngineAPI* property), 30
[session_px_grid](#) (*IdentityServicesEngineAPI* property), 30
[session_reauthentication_by_mac\(\)](#) (*Misc* method), 290, 807, 1355
[session_ui](#) (*IdentityServicesEngineAPI* property), 30
[SessionDirectory](#) (class in *ciscoisesdk.api.v3_0_0.session_directory*), 471
[SessionDirectory](#) (class in *ciscoisesdk.api.v3_1_0.session_directory*), 986
[SessionDirectory](#) (class in *ciscoisesdk.api.v3_1_1.session_directory*), 1546
[set_all_cells_status\(\)](#) (*EgressMatrixCell* method), 177, 694, 1238
[set_profiler_probe_config\(\)](#) (*NodeServices* method), 1449

- `set_status()` (*EgressMatrixCell* method), 178, 695, 1238
- `set_sxp_interface()` (*NodeServices* method), 1448
- `SgVnMapping` (class in *ciscoisesdk.api.v3_1_0.sg_vn_mapping*), 1068
- `SgVnMapping` (class in *ciscoisesdk.api.v3_1_1.sg_vn_mapping*), 1628
- `single_request_timeout` (*Authentication* property), 31
- `single_request_timeout` (*IdentityServicesEngineAPI* property), 30
- `SmsProvider` (class in *ciscoisesdk.api.v3_0_0.sms_provider*), 423
- `SmsProvider` (class in *ciscoisesdk.api.v3_1_0.sms_provider*), 939
- `SmsProvider` (class in *ciscoisesdk.api.v3_1_1.sms_provider*), 1498
- `SponsoredGuestPortal` (class in *ciscoisesdk.api.v3_0_0.sponsored_guest_portal*), 488
- `SponsoredGuestPortal` (class in *ciscoisesdk.api.v3_1_0.sponsored_guest_portal*), 1003
- `SponsoredGuestPortal` (class in *ciscoisesdk.api.v3_1_1.sponsored_guest_portal*), 1563
- `SponsorGroup` (class in *ciscoisesdk.api.v3_0_0.sponsor_group*), 474
- `SponsorGroup` (class in *ciscoisesdk.api.v3_1_0.sponsor_group*), 989
- `SponsorGroup` (class in *ciscoisesdk.api.v3_1_1.sponsor_group*), 1549
- `SponsorGroupMember` (class in *ciscoisesdk.api.v3_0_0.sponsor_group_member*), 480
- `SponsorGroupMember` (class in *ciscoisesdk.api.v3_1_0.sponsor_group_member*), 995
- `SponsorGroupMember` (class in *ciscoisesdk.api.v3_1_1.sponsor_group_member*), 1555
- `SponsorPortal` (class in *ciscoisesdk.api.v3_0_0.sponsor_portal*), 482
- `SponsorPortal` (class in *ciscoisesdk.api.v3_1_0.sponsor_portal*), 998
- `SponsorPortal` (class in *ciscoisesdk.api.v3_1_1.sponsor_portal*), 1557
- `status` (*ApiError* attribute), 1652
- `status` (*DownloadFailure* attribute), 1653
- `status_code` (*ApiError* attribute), 1652
- `status_code` (*DownloadFailure* attribute), 1653
- `SupportBundleDownload` (class in *ciscoisesdk.api.v3_0_0.support_bundle_download*), 493
- `SupportBundleDownload` (class in *ciscoisesdk.api.v3_1_0.support_bundle_download*), 1009
- `SupportBundleDownload` (class in *ciscoisesdk.api.v3_1_1.support_bundle_download*), 1568
- `SupportBundleStatus` (class in *ciscoisesdk.api.v3_0_0.support_bundle_status*), 495
- `SupportBundleStatus` (class in *ciscoisesdk.api.v3_1_0.support_bundle_status*), 1010
- `SupportBundleStatus` (class in *ciscoisesdk.api.v3_1_1.support_bundle_status*), 1570
- `SupportBundleTriggerConfiguration` (class in *ciscoisesdk.api.v3_0_0.support_bundle_trigger_configuration*), 497
- `SupportBundleTriggerConfiguration` (class in *ciscoisesdk.api.v3_1_0.support_bundle_trigger_configuration*), 1012
- `SupportBundleTriggerConfiguration` (class in *ciscoisesdk.api.v3_1_1.support_bundle_trigger_configuration*), 1572
- `suspend_by_id()` (*GuestUser* method), 237, 754, 1298
- `suspend_by_name()` (*GuestUser* method), 226, 743, 1287
- `suspend_guest_user_by_id()` (*GuestUser* method), 237, 754, 1298
- `suspend_guest_user_by_name()` (*GuestUser* method), 225, 742, 1286
- `SxpConnections` (class in *ciscoisesdk.api.v3_0_0.sxp_connections*), 426
- `SxpConnections` (class in *ciscoisesdk.api.v3_1_0.sxp_connections*), 941
- `SxpConnections` (class in *ciscoisesdk.api.v3_1_1.sxp_connections*), 1501
- `SxpLocalBindings` (class in *ciscoisesdk.api.v3_0_0.sxp_local_bindings*), 432
- `SxpLocalBindings` (class in *ciscoisesdk.api.v3_1_0.sxp_local_bindings*), 948
- `SxpLocalBindings` (class in *ciscoisesdk.api.v3_1_1.sxp_local_bindings*), 1508
- `SxpVpns` (class in *ciscoisesdk.api.v3_0_0.sxp_vpns*), 439
- `SxpVpns` (class in *ciscoisesdk.api.v3_1_0.sxp_vpns*), 955
- `SxpVpns` (class in *ciscoisesdk.api.v3_1_1.sxp_vpns*), 1515
- `sync_node()` (*NodeDeployment* method), 1441
- `sync_node()` (*SyncIseNode* method), 498, 1014
- `SyncIseNode` (class in *ciscoisesdk.api.v3_0_0.sync_ise_node*), 498

SyncIseNode (class in *ciscoisesdk.api.v3_1_0.sync_ise_node*), 1014

SystemCertificate (class in *ciscoisesdk.api.v3_0_0.system_certificate*), 500

SystemCertificate (class in *ciscoisesdk.api.v3_1_0.system_certificate*), 1016

SystemCertificate (class in *ciscoisesdk.api.v3_1_1.system_certificate*), 1575

SystemHealth (class in *ciscoisesdk.api.v3_0_0.system_health*), 499

SystemHealth (class in *ciscoisesdk.api.v3_1_0.system_health*), 1015

SystemHealth (class in *ciscoisesdk.api.v3_1_1.system_health*), 1574

T

TacacsCommandSets (class in *ciscoisesdk.api.v3_0_0.tacacs_command_sets*), 502

TacacsCommandSets (class in *ciscoisesdk.api.v3_1_0.tacacs_command_sets*), 1017

TacacsCommandSets (class in *ciscoisesdk.api.v3_1_1.tacacs_command_sets*), 1576

TacacsExternalServers (class in *ciscoisesdk.api.v3_0_0.tacacs_external_servers*), 507

TacacsExternalServers (class in *ciscoisesdk.api.v3_1_0.tacacs_external_servers*), 1022

TacacsExternalServers (class in *ciscoisesdk.api.v3_1_1.tacacs_external_servers*), 1581

TacacsProfile (class in *ciscoisesdk.api.v3_0_0.tacacs_profile*), 512

TacacsProfile (class in *ciscoisesdk.api.v3_1_0.tacacs_profile*), 1027

TacacsProfile (class in *ciscoisesdk.api.v3_1_1.tacacs_profile*), 1586

TacacsServerSequence (class in *ciscoisesdk.api.v3_0_0.tacacs_server_sequence*), 517

TacacsServerSequence (class in *ciscoisesdk.api.v3_1_0.tacacs_server_sequence*), 1032

TacacsServerSequence (class in *ciscoisesdk.api.v3_1_1.tacacs_server_sequence*), 1591

Tasks (class in *ciscoisesdk.api.v3_0_0.tasks*), 548

Tasks (class in *ciscoisesdk.api.v3_1_0.tasks*), 1075

Tasks (class in *ciscoisesdk.api.v3_1_1.tasks*), 1635

Telemetry (class in *ciscoisesdk.api.v3_1_1.telemetry*), 1636

TelemetryInformation (class in *ciscoisesdk.api.v3_0_0.telemetry_information*), 523

TelemetryInformation (class in *ciscoisesdk.api.v3_1_0.telemetry_information*), 1038

TelemetryInformation (class in *ciscoisesdk.api.v3_1_1.telemetry_information*), 1597

test_aci_connectivity() (*AciSettings* method), 36, 552, 1092

text (*RestResponse* property), 1651

to_json() (*MyDict* method), 1651

TrustSecConfiguration (class in *ciscoisesdk.api.v3_0_0.trust_sec_configuration*), 526

TrustSecConfiguration (class in *ciscoisesdk.api.v3_1_0.trust_sec_configuration*), 1041

TrustSecConfiguration (class in *ciscoisesdk.api.v3_1_1.trust_sec_configuration*), 1600

TrustSecSxp (class in *ciscoisesdk.api.v3_0_0.trust_sec_sxp*), 528

TrustSecSxp (class in *ciscoisesdk.api.v3_1_0.trust_sec_sxp*), 1043

TrustSecSxp (class in *ciscoisesdk.api.v3_1_1.trust_sec_sxp*), 1602

U

ui_base_url (*IdentityServicesEngineAPI* property), 31

UI_BASE_URL_ENVIRONMENT_VARIABLE (in module *ciscoisesdk.config*), 12

unregister_service() (*Provider* method), 397, 913, 1473

update() (*BackupAndRestore* method), 89, 605, 1145

update_aci_settings_by_id() (*AciSettings* method), 36, 552, 1092

update_allowed_protocol_by_id() (*AllowedProtocols* method), 58, 574, 1115

update_anc_policy_by_id() (*AncPolicy* method), 66, 582, 1122

update_authorization_profile_by_id() (*AuthorizationProfile* method), 73, 589, 1129

update_by_id() (*AciSettings* method), 38, 554, 1094

update_by_id() (*AllowedProtocols* method), 60, 576, 1117

update_by_id() (*AncPolicy* method), 66, 582, 1123

update_by_id() (*AuthorizationProfile* method), 74, 590, 1131

update_by_id() (*ByodPortal* method), 80, 596, 1137

update_by_id() (*CertificateProfile* method), 92, 608, 1149

`update_by_id()` (*DeviceAdministrationAuthenticationRules* method), 130, 647, 1190
`update_by_id()` (*DeviceAdministrationAuthorizationExceptionRules* method), 134, 651, 1194
`update_by_id()` (*DeviceAdministrationAuthorizationGlobalExceptionRules* method), 138, 655, 1199
`update_by_id()` (*DeviceAdministrationAuthorizationRules* method), 142, 659, 1203
`update_by_id()` (*DeviceAdministrationConditions* method), 153, 671, 1214
`update_by_id()` (*DeviceAdministrationNetworkConditions* method), 159, 677, 1220
`update_by_id()` (*DeviceAdministrationPolicySet* method), 164, 681, 1225
`update_by_id()` (*DeviceAdministrationTimeDateConditions* method), 171, 688, 1232
`update_by_id()` (*DownloadableAcl* method), 174, 690, 1234
`update_by_id()` (*EgressMatrixCell* method), 180, 697, 1240
`update_by_id()` (*Endpoint* method), 534, 1049, 1608
`update_by_id()` (*EndpointIdentityGroup* method), 189, 706, 1249
`update_by_id()` (*ExternalRadiusServer* method), 195, 712, 1256
`update_by_id()` (*FilterPolicy* method), 200, 717, 1261
`update_by_id()` (*GuestSntpNotificationConfiguration* method), 208, 725, 1269
`update_by_id()` (*GuestSsid* method), 214, 731, 1274
`update_by_id()` (*GuestType* method), 220, 737, 1281
`update_by_id()` (*GuestUser* method), 233, 750, 1294
`update_by_id()` (*HotspotPortal* method), 241, 758, 1302
`update_by_id()` (*IdentityGroups* method), 263, 780, 1324
`update_by_id()` (*IdentitySequence* method), 269, 786, 1329
`update_by_id()` (*InternalUser* method), 276, 793, 1337
`update_by_id()` (*IpToSgtMapping* method), 248, 765, 1309
`update_by_id()` (*IpToSgtMappingGroup* method), 256, 773, 1317
`update_by_id()` (*MyDevicePortal* method), 293, 810, 1358
`update_by_id()` (*NativeSupplicantProfile* method), 298, 815, 1364
`update_by_id()` (*NbarApp* method), 1060, 1619
`update_by_id()` (*NetworkAccessAuthenticationRules* method), 305, 822, 1370
`update_by_id()` (*NetworkAccessAuthorizationExceptionRules* method), 309, 826, 1374
`update_by_id()` (*NetworkAccessAuthorizationGlobalExceptionRules* method), 313, 830, 1378
`update_by_id()` (*NetworkAccessAuthorizationRules* method), 317, 834, 1383
`update_by_id()` (*NetworkAccessConditions* method), 328, 845, 1393
`update_by_id()` (*NetworkAccessNetworkConditions* method), 342, 858, 1407
`update_by_id()` (*NetworkAccessPolicySet* method), 347, 863, 1412
`update_by_id()` (*NetworkAccessTimeDateConditions* method), 354, 871, 1419
`update_by_id()` (*NetworkDevice* method), 359, 876, 1424
`update_by_id()` (*NetworkDeviceGroup* method), 367, 883, 1432
`update_by_id()` (*PortalGlobalSetting* method), 385, 901, 1461
`update_by_id()` (*PortalTheme* method), 389, 905, 1465
`update_by_id()` (*RadiusServerSequence* method), 407, 923, 1483
`update_by_id()` (*RestidStore* method), 414, 930, 1490
`update_by_id()` (*SecurityGroups* method), 453, 969, 1528
`update_by_id()` (*SecurityGroupsAcls* method), 460, 975, 1535
`update_by_id()` (*SecurityGroupToVirtualNetwork* method), 446, 962, 1521
`update_by_id()` (*SelfRegisteredPortal* method), 466, 982, 1542
`update_by_id()` (*SgVnMapping* method), 1074, 1634
`update_by_id()` (*SponsoredGuestPortal* method), 489, 1005, 1564
`update_by_id()` (*SponsorGroup* method), 475, 991, 1550
`update_by_id()` (*SponsorPortal* method), 484, 999, 1559
`update_by_id()` (*SxpConnections* method), 427, 943, 1502
`update_by_id()` (*SxpLocalBindings* method), 434, 950, 1509
`update_by_id()` (*TacacsCommandSets* method), 503, 1019, 1578
`update_by_id()` (*TacacsExternalServers* method), 509, 1024, 1583
`update_by_id()` (*TacacsProfile* method), 514, 1029, 1588
`update_by_id()` (*TacacsServerSequence* method), 519, 1035, 1594
`update_by_id()` (*VirtualNetwork* method), 1081, 1643
`update_by_name()` (*DeviceAdministrationConditions* method), 150, 667, 1210
`update_by_name()` (*GuestUser* method), 228, 745, 1289
`update_by_name()` (*InternalUser* method), 274, 791, 1334
`update_by_name()` (*NetworkAccessConditions* method), 324, 841, 1390

[update_by_name\(\)](#) (*NetworkAccessDictionary* method), 331, 848, 1397
[update_by_name\(\)](#) (*NetworkAccessDictionaryAttribute* method), 336, 852, 1401
[update_by_name\(\)](#) (*NetworkDevice* method), 357, 873, 1422
[update_by_name\(\)](#) (*Repository* method), 422, 937, 1497
[update_by_name\(\)](#) (*RestidStore* method), 412, 928, 1488
[update_byod_portal_by_id\(\)](#) (*ByodPortal* method), 79, 595, 1136
[update_certificate_profile_by_id\(\)](#) (*CertificateProfile* method), 91, 607, 1147
[update_device_admin_authentication_rule_by_id\(\)](#) (*DeviceAdministrationAuthenticationRules* method), 129, 646, 1189
[update_device_admin_authorization_rule_by_id\(\)](#) (*DeviceAdministrationAuthorizationRules* method), 142, 659, 1202
[update_device_admin_condition_by_id\(\)](#) (*DeviceAdministrationConditions* method), 152, 669, 1212
[update_device_admin_condition_by_name\(\)](#) (*DeviceAdministrationConditions* method), 148, 665, 1209
[update_device_admin_local_exception_rule_by_id\(\)](#) (*DeviceAdministrationAuthorizationExceptionRules* method), 133, 650, 1194
[update_device_admin_network_condition_by_id\(\)](#) (*DeviceAdministrationNetworkConditions* method), 159, 676, 1219
[update_device_admin_policy_set_by_id\(\)](#) (*DeviceAdministrationPolicySet* method), 163, 680, 1224
[update_device_admin_policy_set_global_exception_rule_by_id\(\)](#) (*DeviceAdministrationAuthorizationGlobalExceptionRules* method), 138, 654, 1198
[update_device_admin_time_condition_by_id\(\)](#) (*DeviceAdministrationTimeDateConditions* method), 169, 686, 1230
[update_downloadable_acl_by_id\(\)](#) (*DownloadableAcl* method), 173, 689, 1233
[update_egress_matrix_cell_by_id\(\)](#) (*EgressMatrixCell* method), 179, 696, 1239
[update_email\(\)](#) (*GuestType* method), 218, 735, 1279
[update_email\(\)](#) (*GuestUser* method), 230, 747, 1291
[update_endpoint_by_id\(\)](#) (*Endpoint* method), 532, 1048, 1607
[update_endpoint_group_by_id\(\)](#) (*EndpointIdentityGroup* method), 188, 705, 1248
[update_external_radius_server_by_id\(\)](#) (*ExternalRadiusServer* method), 194, 711, 1254
[update_filter_policy_by_id\(\)](#) (*FilterPolicy* method), 199, 716, 1260
[update_guest_smtp_notification_settings_by_id\(\)](#) (*GuestSmtpNotificationConfiguration* method), 207, 724, 1268
[update_guest_ssid_by_id\(\)](#) (*GuestSsid* method), 213, 730, 1274
[update_guest_type_by_id\(\)](#) (*GuestType* method), 219, 736, 1280
[update_guest_type_email\(\)](#) (*GuestType* method), 217, 734, 1278
[update_guest_type_sms\(\)](#) (*GuestType* method), 218, 735, 1279
[update_guest_user_by_id\(\)](#) (*GuestUser* method), 232, 749, 1293
[update_guest_user_by_name\(\)](#) (*GuestUser* method), 227, 744, 1288
[update_guest_user_email\(\)](#) (*GuestUser* method), 230, 747, 1291
[update_guest_user_sms\(\)](#) (*GuestUser* method), 230, 747, 1291
[update_hotspot_portal_by_id\(\)](#) (*HotspotPortal* method), 240, 757, 1301
[update_identity_group_by_id\(\)](#) (*IdentityGroups* method), 263, 780, 1323
[update_identity_sequence_by_id\(\)](#) (*IdentitySequence* method), 268, 785, 1328
[update_internal_user_by_id\(\)](#) (*InternalUser* method), 275, 792, 1336
[update_internal_user_by_name\(\)](#) (*InternalUser* method), 273, 790, 1333
[update_ip_to_sgt_mapping_by_id\(\)](#) (*IpToSgtMapping* method), 247, 764, 1308
[update_ip_to_sgt_mapping_group_by_id\(\)](#) (*IpToSgtMappingGroup* method), 256, 773, 1316
[update_my_device_portal_by_id\(\)](#) (*MyDevicePortal* method), 292, 809, 1357
[update_native_suppllicant_profile_by_id\(\)](#) (*NativeSuppllicantProfile* method), 298, 815, 1363
[update_nbar_app_by_id\(\)](#) (*NbarApp* method), 1059, 1618
[update_network_access_authentication_rule_by_id\(\)](#) (*NetworkAccessAuthenticationRules* method), 304, 821, 1369
[update_network_access_authorization_rule_by_id\(\)](#) (*NetworkAccessAuthorizationRules* method), 317, 834, 1382
[update_network_access_condition_by_id\(\)](#) (*NetworkAccessConditions* method), 326, 843, 1391
[update_network_access_condition_by_name\(\)](#) (*NetworkAccessConditions* method), 322, 839, 1388
[update_network_access_dictionary_attribute_by_name\(\)](#) (*NetworkAccessDictionaryAttribute* method),

- 335, 851, 1400
 update_network_access_dictionary_by_name() (*NetworkAccessDictionary* method), 331, 847, 1396
 update_network_access_local_exception_rule_by_id() (*NetworkAccessAuthorizationExceptionRules* method), 308, 825, 1373
 update_network_access_network_condition_by_id() (*NetworkAccessNetworkConditions* method), 341, 858, 1406
 update_network_access_policy_set_by_id() (*NetworkAccessPolicySet* method), 345, 862, 1411
 update_network_access_policy_set_global_exception_rule_by_id() (*NetworkAccessAuthorizationGlobalExceptionRules* method), 312, 829, 1378
 update_network_access_time_condition_by_id() (*NetworkAccessTimeDateConditions* method), 353, 869, 1418
 update_network_device_by_id() (*NetworkDevice* method), 358, 875, 1423
 update_network_device_by_name() (*NetworkDevice* method), 356, 872, 1421
 update_network_device_group_by_id() (*NetworkDeviceGroup* method), 366, 882, 1431
 update_node() (*NodeDeployment* method), 373, 889, 1438
 update_node_group() (*NodeGroup* method), 377, 893, 1444
 update_pan_ha() (*PanHa* method), 1455
 update_portal_global_setting_by_id() (*PortalGlobalSetting* method), 384, 900, 1460
 update_portal_theme_by_id() (*PortalTheme* method), 388, 904, 1464
 update_proxy_connection() (*Proxy* method), 1623
 update_radius_server_sequence_by_id() (*RadiusServerSequence* method), 406, 922, 1482
 update_repository() (*Repository* method), 421, 937, 1496
 update_rest_id_store_by_id() (*RestidStore* method), 413, 929, 1489
 update_rest_id_store_by_name() (*RestidStore* method), 411, 927, 1487
 update_scheduled_config_backup() (*BackupAndRestore* method), 87, 603, 1144
 update_security_group_by_id() (*SecurityGroups* method), 452, 968, 1527
 update_security_groups_acl_by_id() (*SecurityGroupsAcls* method), 459, 974, 1534
 update_security_groups_to_vn_to_vlan_by_id() (*SecurityGroupToVirtualNetwork* method), 445, 961, 1521
 update_self_registered_portal_by_id() (*SelfRegisteredPortal* method), 466, 981, 1541
 update_sg_vn_mapping_by_id() (*SgVnMapping* method), 1073, 1633
 update_sms() (*GuestType* method), 219, 736, 1279
 update_sms() (*GuestUser* method), 231, 748, 1292
 update_sponsor_group_by_id() (*SponsorGroup* method), 474, 990, 1549
 update_sponsor_portal_by_id() (*SponsorPortal* method), 483, 998, 1558
 update_sponsored_guest_portal_by_id() (*SponsoredGuestPortal* method), 488, 1004, 1563
 update_sxp_connections_by_id() (*SxpConnections* method), 426, 942, 1501
 update_sxp_local_bindings_by_id() (*SxpLocalBindings* method), 433, 949, 1508
 update_system_certificate() (*Certificates* method), 112, 629, 1172
 update_tacacs_command_sets_by_id() (*TacacsCommandSets* method), 503, 1018, 1577
 update_tacacs_external_servers_by_id() (*TacacsExternalServers* method), 508, 1023, 1582
 update_tacacs_profile_by_id() (*TacacsProfile* method), 513, 1028, 1587
 update_tacacs_server_sequence_by_id() (*TacacsServerSequence* method), 518, 1033, 1592
 update_tier_state_info() (*Licensing* method), 1345
 update_transport_gateway() (*Telemetry* method), 1637
 update_trusted_certificate() (*Certificates* method), 119, 636, 1179
 update_virtual_network_by_id() (*VirtualNetwork* method), 1081, 1643
 update_vn_vlan_mapping_by_id() (*VnVlanMapping* method), 1087, 1649
 uses_api_gateway (*IdentityServicesEngineAPI* property), 30
 USES_API_GATEWAY_ENVIRONMENT_VARIABLE (in module *ciscoisesdk.config*), 12
- ## V
- verify (*Authentication* property), 31
 verify (*IdentityServicesEngineAPI* property), 30
 version (*IdentityServicesEngineAPI* property), 30
 VersionAndPatch (class in *ciscoisesdk.api.v3_0_0.version_and_patch*), 528
 VersionAndPatch (class in *ciscoisesdk.api.v3_1_0.version_and_patch*), 1044
 VersionAndPatch (class in *ciscoisesdk.api.v3_1_1.version_and_patch*), 1603
 VersionError, 1652
 VersionInfo (class in *ciscoisesdk.api.v3_0_0.version_info*), 529
 VersionInfo (class in *ciscoisesdk.api.v3_1_0.version_info*), 1045

VersionInfo (class in *ciscoisesdk.api.v3_1_1.version_info*), [1604](#)

VirtualNetwork (class in *ciscoisesdk.api.v3_1_0.virtual_network*), [1076](#)

VirtualNetwork (class in *ciscoisesdk.api.v3_1_1.virtual_network*), [1638](#)

VnVlanMapping (class in *ciscoisesdk.api.v3_1_0.vn_vlan_mapping*), [1082](#)

VnVlanMapping (class in *ciscoisesdk.api.v3_1_1.vn_vlan_mapping*), [1644](#)

W

wait_on_rate_limit (*IdentityServicesEngineAPI* property), [31](#)